

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
山田実	サルコペニアに対する介入の考え方	荒井秀典	別冊 医学のあゆみ	医歯薬出版		2015	101-106
荒井秀典	フレイルとサルコペニア	葛谷雅文・天海照祥	フレイル 超高齢社会における最重要課題と予防戦略	医歯薬出版	東京都	2014	18-22
山田実	フレイルで特に注目すべき身体機能	葛谷雅文・天海照祥	フレイル 超高齢社会における最重要課題と予防戦略	医歯薬出版		2014	121-126
山田実	サルコペニアと転倒	島田裕之	サルコペニアと運動	医歯薬出版		2014	30-36
山田実	高齢者に対する栄養アセスメントとしての骨格筋量の測定	櫻井洋一	在宅静脈経腸栄養 今日の進歩	医歯薬出版		2013	8-12

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yukutake T, Yamada M, Fukutani N, Nishiguchi S, Kayama H, Tanigawa T, Adachi D, Hotta T, Morino S, Tashiro Y, Aoyama T, Arai H	Arterial stiffness can predict cognitive decline in the Japanese community-dwelling elderly: A one year follow-up study	J Atheroscler Thromb			In Press
Adachi D, Nishiguchi S, Fukutani N, Kayama H, Tanigawa T, Yukutake T, Hotta T, Tashiro Y, Morino S, Yamada M, Aoyama T.	Factors Associating with Shuttle Walking Test Results in Community-Dwelling Elderly People	Ageing Clin Exp Res			In Press

Adachi D, <u>Yamada M</u> , Nishiguchi S, Fukutani N, Hotta T, Tashiro Y, Morino S, Shirooka H, Nozaki Y, Hirata H, Yamaguchi M, Aoyama T.	Age-related decline in chest wall mobility: A cross-sectional study among community-dwelling elderly women belonging to different age groups	The journal of the American Osteopathic Association			In Press
Nishiguchi S, <u>Yamada M</u> , Fukutani N, Adachi D, Tashiro Y, Hotta T, Morino S, Aoyama T, Tsuboyama T.	Spot the Difference for Cognitive Decline: a quick memory and attention test for screening cognitive decline.	Journal of Clinical Gerontology and Geriatrics			In Press
Tanigawa T, Hirashima M, Fukutani N, Nishiguchi S, Kayama H, Yukutake T, <u>Yamada M</u> , Aoyama T.	Shoe-fit is correlated with exercise tolerance in community-dwelling elderly people.	Footwear Science			In Press
Nishiguchi S, <u>Yamada M</u> , Tanigawa T, Sekiyama K, Kawagoe T, Suzuki M, Yoshikawa S, Abe N, Otsuka Y, Nakai R, Aoyama T, Tsuboyama T	A 12-week physical and cognitive exercise program can improve cognitive function and neural efficiency in community-dwelling older adults: a randomized controlled trial.	J Am Geriatr Soc			In Press
Sewo Sampaio PY, Sampaio RA, <u>Yamada M</u> , Ogita M, <u>Arai H</u>	Comparison of frailty among Japanese, Brazilian Japanese descendants and Brazilian community-dwelling older women.	Geriatr Gerontol Int.			In Press
Nishiguchi S, <u>Yamada M</u> , Fukutani N, Adachi D, Tashiro Y, Hotta T, Morino S, Shirooka H, Nozaki Y, Hirata H, Yamaguchi M, <u>Arai H</u> , Tsuboyama T, Aoyama T	Differential Association of Frailty With Cognitive Decline and Sarcopenia in Community-Dwelling Older Adults	J Am Med Dir Assoc,	6	120-4	2015

Fukutani N, <u>Yamada M</u> , Nishiguchi S, Yukutake T, Kayama H, Tanigawa T, Adachi D, Hotta T, Morino S, Tashiro Y, Aoyama T, Tsuboyama T	The physiological characteristics of community-dwelling elderly Japanese with airflow limitation: A cross-sectional study.	Aging Clin Exp Res	27	69-74	2015
<u>荒井秀典</u>	サルコペニアの欧米・アジアの定義と診断基準	整形・災害外科	58	139-143	2015
<u>荒井秀典</u>	サルコペニアとフレイルとの関連を考える	最新医学	70	25-29	2015
<u>荒井秀典</u>	「フレイル」とは?	Medical Technology	43	6-7	2015
Woo J, <u>Arai H</u> , Ng TP, Sayer AA, Wonga M, Syddall H, <u>Yamada M</u> , Zeng P, Wu S, Zhang TM	Ethnic and geographic variations in muscle mass, muscle strength and physical performance measures	Eur Geriatr Med	5	155-164	2014
Cruz-Jentoft AJ, Landi F, Schneider SM, Zúñiga C, <u>Arai H</u> , Boirie Y, Chen LK, Fielding RA, Martin FC, Michel JP, Sieber C, Stout JR, Studenski SA, Vellas B, Woo J, Zamboni M, Cederholm T	Prevalence of and interventions for sarcopenia in ageing adults: a systematic review. Report of the International Sarcopenia Initiative (EWGSOP and IWGS).	Age Ageing	43	48-59	2014
Sampaio PYS, Sampaio RAC, <u>Yamada M</u> , <u>Arai H</u>	Comparison of frailty between users and non-users of a day care center using the Kihon Checklist in Brazil	J Clin Gerontol Geriatr	5	82-85	2014

Chen LK, Liu L, K, Woo J, Assantachai P, Auyeung TW, Bahyah KS, Chou MY, Chen LY, Hsu PS, Krairit O, Lee JS, Lee WJ, Lee Y, Liang CK, Limpawattana P, Lin CS, Peng LN, Satake S, Suzuki T, Won CW, Wu CH, Wu SN, Zhang T, Zeng P, Akishita M, <u>Arai H.</u>	Sarcopenia in Asia: consensus report of the asian working group for sarcopenia.	J Am Med Dir Assoc.	15	95-101	2014
<u>Arai H</u> , Akishita M, Chen LK	Growing research on sarcopenia in Asia.	Geriatr Gerontol Int	14 Suppl 1	1-7	2014
Yukutake T, <u>Yamada M</u> , Fukutani N, Nishiguchi S, Kayama H, Tanigawa T, Adachi D, Hotta T, Morino S, Tashiro Y, <u>Arai H</u> , Aoyama T.	Arterial stiffness determined by cardio-ankle vascular index (CAVI) is associated with mild cognitive decline poor cognitive function in community-dwelling elderly.	Journal of Arteriosclerosis and Thrombosis	21	49-55	2014
Nishiguchi S, <u>Yamada M</u> , Kajiwara Y, Sonoda T, Yoshimura K, Kayama H, Tanigawa T, Yukutake T, Aoyama T.	Effect of physical activity at midlife on skeletal muscle mass in old age in community-dwelling older women: a cross-sectional study.	Journal of Clinical Gerontology and Geriatrics	5	18-22	2014
Tanigawa T, Takeuchi H, <u>Arai H</u> , <u>Yamada M</u> , Nishiguchi S, Aoyama T.	Effect of physical activity on memory function in older adults with mild Alzheimer's disease and mild cognitive impairment.	Geriatr Gerontol Int	14	758-62	2014
Priscila Yukari Sewo Sampaio, Ricardo Aurélio Carvalho Sampaio, <u>Yamada M</u> , Ogita M, <u>Arai H.</u>	Validation and Translation of the Kihon Checklist (frailty index) into Brazilian Portuguese.	Geriatr Gerontol Int	14	561-9	2014

Sampaio RA, Seo Y, Yamada M , Tsuboyama T, Arai H.	Self-reported quality of sleep is associated with bodily pain, vitality and cognitive impairment in Japanese older adults.	Geriatr Gerontol Int	14(3)	628-35	2014
Asai T, Misu S, Doi T, Yamada M , Ando H.	Effects of dual-tasking on control of trunk movement during gait: Respective effect of manual- and cognitive-task.	Gait Posture	39(1)	54-9	2014
荒井秀典	フレイルの意義	日本老年医学会雑誌	51	497-501	2014
荒井秀典 , 若林秀隆	在宅でのフレイル(虚弱)診断	日本医事新報	4723	55-56	2014
山田実 , 荒井秀典	サルコペニア・サルコペニア肥満と転倒恐怖感との関連	メタボリックシンドローム	10	29-36	2014
荒井秀典	知っておきたいこと ア・ラ・カルト サルコペニアの意義	Medical Practice	31	1692-1693	2014
荒井秀典	日本老年医学会が提唱する「フレイル」予防の意義と最新知見	日本医事新報	4716	12-14	2014
荒井秀典	フレイルとこれからの高齢者医療・介護について	介護保険情報	15	38-41	2014
Miyata C, Arai H , Suga S	Perception Gaps for Recognition Behavior between Staff Nurses and Their Managers	Open Journal of Nursing	3	485-492	2013

Akishita M, Ishii S, Kojima T, Kozaki K, Kuzuya M, <u>Arai H</u> , Arai H, Eto M, Takahashi R, Endo H, Horie S, Ezawa K, Kawai S, Takehisa Y, Mikami H, Takegawa S, Morita A, Kamata M, Ouchi Y, Toba K	Priorities of healthcare outcomes for the elderly.	J Am Med Dir Assoc	14	479-484	2013
<u>Yamada M</u> , Takechi H, Mori S, Aoyama T, <u>Arai H</u>	Global brain atrophy is associated with physical performance and the risk of falls in older adults with cognitive impairment	Geriatr Gerontol Int	13	437-42	2013
<u>Yamada M</u> , Nishiguchi M, Fukutani N, Tanigawa T, Yukutake T, Kayama H, Aoyama T, <u>Arai H</u> .	Prevalence of sarcopenia in community-dwelling Japanese older adults.	J Am Med Dir Assoc	14	911-5	2013
Nishiguchi S, <u>Yamada M</u> , Sonoda T, Kayama H, Tanigawa T, Yukutake T, Aoyama T.	Cognitive decline predicts long-term care insurance requirements in community-dwelling Japanese older adults: a prospective cohort study.	Dementia and Geriatric Cognitive Disorders Extra	3	312-319	2013
Sewo Sampaio, Sampaio, <u>Yamada M</u> , Matsuda M, Vager Raso, Tsuboyama T, <u>Arai H</u> .	Factors associated with falls in active older adults in Japan and Brazil.	Journal of Clinical Gerontology and Geriatrics	4	89-92	2013
<u>Yamada M</u> , <u>Arai H</u> , Nishiguchi S, Kajiwara Y, Yoshimura K, Sonoda T, Yukutake T, Kayama H, Tanigawa T, Aoyama T.	Chronic kidney disease is an independent risk factor for long-term care insurance need certification among older Japanese adults: a two-year prospective cohort study.	Archives of Gerontology and Geriatrics	57	328-332	2013

Nagai K, <u>Yamada M</u> , Mori S, Tanaka B, Uemura K, Aoyama T, Ichihashi N, Tsuboyama T.	Effect of the muscle coactivation during quiet standing on dynamic postural control in older adults.	Arch Gerontol Geriatr.	56	129-33	2013
Sewo Sampaio, Sampaio, <u>Yamada M</u> , Ogita M, <u>Arai H</u> .	Importance of Physical Performance and Quality of Life for Self-Rated Health in Older Japanese Women.	Physical & Occupational Therapy In Geriatrics	31	1-11	2013
<u>Yamada M</u> , <u>Arai H</u> , Sonoda T, Aoyama T .	Community-based exercise program is cost-effective by preventing care and disability in Japanese frail older adult.	J Am Med Dir Assoc	13	507-511	2012
Sampaio RAC, Sampaio PYS, <u>Yamada M</u> , Ogita M, and <u>Arai H</u>	Urban-rural Differences in Physical Performance and Health Status in Japanese Community-Dwelling Older Women	J Clin Gerontol Geriatr	3	127-131	2012
<u>Yamada M</u> , Mori S, Nishiguchi S, Kajiwara Y, Yoshimura K, Sonoda T, Nagai K, <u>Arai H</u> , Aoyama T	Pedometer-based behavioral change program can improve dependency in sedentary older adults: a randomized controlled trial	J Frailty Aging	1	39-44	2012
<u>Arai H</u> , Ouchi Y, Yokode M, Ito H, Uematsu H, Eto F, Oshima S, Otake K, Saito Y, Sasaki H, Tsubota K, Fukuyama H, Honda Y, Iguchi A, Toba K, Hosoi T, Kita T	Toward the realization of a better aged society: messages from gerontology and geriatrics.	Geriatr Gerontol Int	12	16-22	2012.
<u>Yamada M</u> , <u>Arai H</u> , Yoshimura K, Kajiwara Y, Sonoda T, Nishiguchi S, Aoyama T	Nutritional Supplementation during Resistance Training Improved Skeletal Muscle Mass in Community-dwelling Frail Older Adults	J Frailty Aging	1	64-70	2012

Takechi H, Sugihara Y, Kokuryu A, Nishida M, Yamada H, <u>Arai</u> <u>H</u> , Hamakawa Y	Both conventional indices of cognitive function and frailty predict levels of care required in a long-term care insurance program for memory clinic patients in Japan.	Geriatr Gerontol Int	12	630-636	2012
Ogita M, Takechi H, Kokuryu A, Kondoh H, hamakawa Y, <u>Arai H</u>	Identifying cognitive dysfunction using the nurses' rapidly clinical judgment in elderly inpatients	J Clin Gerontol Geriatr	3	21-24	2012
Ogita M, Utsunomiya H, Akishita M, <u>Arai</u> <u>H</u>	Indications and practice for tube feeding in Japanese geriatricians: Implications of multidisciplinary team approach.	Geriatr Gerontol Int	12	643-51	2012