

研究成果の刊行に関する一覧表

書籍

| 著者氏名       | 論文タイトル名                                 | 書籍全体の編集者            | 書籍名                            | 出版社名           | 出版地 | 出版年  | ページ     |
|------------|---|---------------------|--------------------------------|----------------|-----|------|---------|
| 島田裕之       | 認知症に対する不安と予防の可能性. 高齢者の不安とその対策—経済・健康・孤独— |                     | 高齢者の不安とその対策-経済・健康・孤独-          | 公益財団法人長寿科学振興財団 | 東京  | 2014 | 67-73   |
| 島田裕之       | 第10章 認知機能低下予防プログラム                      | 鈴木隆雄, 島田裕之, 大淵修一(監) | 完全版 介護予防マニュアル                  | 株式会社法研         | 東京  | 2014 | 277-326 |
| 島田裕之       | Part4 認知症の予防や緩和に役立つそのほかの療法運動            | 鈴木みずえ(監)            | 認知症の介護に役立つハンドセラピー              | 池田書店           | 東京  | 2014 | 97-101  |
| 島田裕之       | 新開発! 国立長寿研の4色あしぶみラダー                    | 島田裕之                | 新開発! 国立長寿研の4色あしぶみラダー           | 小学館            | 東京  | 2014 |         |
| 島田裕之, 土井剛彦 | 体を動かしながら、脳を鍛える! 認知症予防の簡単エクササイズ          | 島田裕之                | 体を動かしながら、脳を鍛える! 認知症予防の簡単エクササイズ | NHK出版          | 東京  | 2014 |         |
| 島田裕之       | 第1章サルコペニアの基礎的理解 1.サルコペニア予防の意義           | 島田裕之(編)             | サルコペニアと運動エビデンスと実践              | 医歯薬出版          | 東京  | 2014 | 2-8     |
| 島田裕之       | 第23章 高齢者の姿勢調節機構                         | 奈良勲, 内山靖(編)         | 姿勢調節障害の理学療法 第2版                | 医歯薬出版          | 東京  | 2014 | 382-397 |

|                 |                  |             |                     |         |    |      |       |
|-----------------|------------------|-------------|---------------------|---------|----|------|-------|
| 原田敦, 松井康素, 下方浩史 | 認知症高齢者と骨粗鬆症との関連は | 武藤芳照, 鈴木みづえ | 認知症者の転倒予防とリスクマネジメント | 日本医事新報社 | 東京 | 2014 | 62-65 |
|-----------------|------------------|-------------|---------------------|---------|----|------|-------|

雑誌

| 発表者氏名   | 論文タイトル名   | 発表誌名                                | 巻号    | ページ     | 出版年  |
|---|---|-------------------------------------|-------|---------|------|
| 島田裕之  | 認知症の予防  | 公衆衛生                                | 78    | 698-70  | 2014 |
| 島田 裕之   | 認知症予防に向けた運動介入とその可能性   | 認知症の最新医療                            | 4     | 109-114 | 2014 |
| 島田裕之, 土井剛彦  | MCI 高齢者における運動の意義  | Monthly Book Medical Rehabilitation | 70    | 85-93   | 2014 |
| 島田裕之, 李相命   | 認知症予防のためのコミュニティの創出と効果検証   | 福祉介護テクノロジープラス                       | 7     | 12-18   | 2014 |
| Shimada H, Makizako H, Doi T, Yoshida D, Tsutsumimoto K, Anan Y, Uemura K, Lee S, Park H, Suzuki T.       | A large, cross-sectional observational study of serum BDNF, cognitive function, and mild cognitive impairment in the elderly  | Front Aging Neurosci.               | 6(69) | 1-9     | 2014 |
| Shimada H, Park H, Makizako H, Doi T, Lee S, Suzuki T   | Depressive symptoms and cognitive performance in older adults. Journal of Psychiatric Research,   | J Psychiatr Res.                    | 57    | 149-156 | 2014 |
| Makizako H, Shimada H, Doi T, Yoshida D, Tsutsumimoto K, Uemura K, Anan Y, Park H, Lee S, Ito T, Suzuki T | The combined status of physical performance and depressive symptoms is strongly associated with a history of falling in community-dwelling elderly: cross-sectional findings from the Obu Study of Health | Arch Gerontol Geriatr               | 58(3) | 327-331 | 2014 |

|   |   |  |       |         |      |
|---|---|--|-------|---------|------|
|   | Promotion for the Elderly (OSHPE).  |  |       |         |      |
| Makizako H, Shimada H, Doi T, Park H, Tsutsumimoto K, Uemura K, Lee S, Yoshida D, Anan Y, Ito T, Suzuki T | Moderate-Intensity Physical Activity, Cognition and APOE Genotype in Older Adults with Mild Cognitive Impairment                            | Anal of Gerontology and geriatric Research | 1(1)  | 1002    | 2014 |
| Doi T, Shimada H, Makizako H, Tsutsumimoto K, Uemura K, Anan Y, Suzuki T                                  | Cognitive function and gait speed under normal and dual-task walking among older adults with mild cognitive impairment                      | BMC Neurol.                                | 14(1) | 67      | 2014 |
| Kojima N, Kim H, Saito K, Yoshida H, Yoshida Y, Hirano H, Obuchi S, Shimada H, Suzuki T                   | Association of knee-extension strength with instrumental activities of daily living in community-dwelling older adults                      | Geriatr Gerontol Int                       | 14(3) | 674-680 | 2014 |
| Yoshida D, Shimada H, Park H, Anan Y, Ito T, Harada A, Suzuki T   | Development of an equation for estimating appendicular skeletal muscle mass in Japanese older adults using bioelectrical impedance analysis | Geriatr Gerontol Int                       | 14    | 851-857 | 2014 |
| Yoshida D, Suzuki T, Shimada H, Park H, Makizako H, Doi T, Anan Y, Tsutsumimoto K,                        | Using two different algorithms to determine the prevalence of sarcopenia  | Geriatr Gerontol Int                       | 14(1) | 46-51   | 2014 |

|  |   |                                  |        |           |      |
|--|---|----------------------------------|--------|-----------|------|
| Uemura K, Ito T,<br>Lee S  |   |                                  |        |           |      |
| Tsutsumimoto K,<br>Doi T, Shimada<br>H, Makizako H,<br>Uemura K, Ando<br>H, Suzuki T   | Self-reported Exhaustion<br>is Associated with Small<br>Life Space in Older<br>Adults with Mild<br>Cognitive Impairment   | J Phys Ther Sci.                 | 26(12) | 1979-1983 | 2014 |
| Makizako H,<br>Liu-Ambrose T,<br>Shimada H, Doi<br>T, Park H,<br>Tsutsumimoto K,<br>Uemura K,<br>Suzuki T                      | Moderate-intensity<br>physical activity,<br>hippocampal volume, and<br>memory in older adults<br>with mild cognitive<br>impairment  | J Gerontol A Biol<br>Sci Med Sci | 70(4)  | 480-486   | 2014 |
| Uemura K,<br>Shimada H,<br>Makizako H, Doi<br>T, Tsutsumimoto<br>K, Yoshida D,<br>Anan Y, Ito T,<br>Lee S, Park H,<br>Suzuki T | Effects of mild and<br>global cognitive<br>impairment on the<br>prevalence of fear of<br>falling in<br>community-dwelling<br>older adults   | Maturitas                        | 78(1)  | 62-66     | 2014 |
| Ihira H, Furuna<br>T, Mizumoto A,<br>Makino K, Saitoh<br>S, Ohnishi H,<br>Shimada H,<br>Makizako H                             | Subjective physical and<br>cognitive age among<br>community-dwelling<br>older people aged 75<br>years and older:<br>differences with<br>chronological age and its<br>associated factors | Aging Ment<br>Health             | 19(8)  | 756-761   | 2014 |
| Hotta R, Doi T,<br>Shimada H,<br>Makizako H,<br>Yoshida D, Anan<br>Y, Tsutsumimoto<br>K, Uemura K,                             | Cigarette smoking and<br>cognitive health in<br>elderly Japanese  | Am J Health<br>Behav             | 39(3)  | 294-300   | 2014 |

|  |  |                                 |       |           |      |
|--|--|---------------------------------|-------|-----------|------|
| Park H, Suzuki T   |  |                                 |       |           |      |
| Doi T, Makizako H, Shimada H, Tsutsumimoto K, Hotta R, Nakakubo S, Park H, Suzuki T                                  | Objectively measured physical activity, brain atrophy, and white matter lesions in older adults with mild cognitive impairment   | Exp Gerontol                    | 62    | 1-6       | 2014 |
| Makizako H, Shimada H, Doi T, Tsutsumimoto K, Lee S, Hotta R, Nakakubo S, Harada K, Lee S, Bae S, Harada K, Suzuki T | Cognitive Functioning and Walking Speed in Older Adults as Predictors of Limitations in Self-Reported Instrumental Activity of Daily Living: Prospective Findings from the Obu Study of Health Promotion for the Elderly | Int J Environ Res Public Health | 12(3) | 3002-3013 | 2014 |
| Kim H, Suzuki T, Kim M, Kojima N, Yoshida Y, Hirano H, Saito K, Iwasa H, Shimada H, Hosoi E, Yoshida H               | Incidence and Predictors of Sarcopenia Onset in Community-Dwelling Elderly Japanese Women: 4-Year Follow-Up Study  | J Am Med Dir Assoc              | 16(1) | e1-8      | 2014 |
| Makizako H, Shimada H, Doi T, Yoshida D, Anan Y, Tsutsumimoto K, Uemura K, Liu-Ambrose T, Park H, Lee S, Suzuki T    | Physical frailty predicts incident depressive symptoms in elderly people: prospective findings from the OSHPE  | J Am Med Dir Assoc              | 16(3) | 194-199   | 2015 |

|  |  |                                     |       |         |      |
|--|--|-------------------------------------|-------|---------|------|
| Doi T, Shimada H, Makizako H, Tsutsumimoto K, Hotta R, Nakakubo S, Suzuki T                                      | Association of insulin-like growth factor-1 with mild cognitive impairment and slow gait speed                     | Neurobiol Aging                     | 36    | 942-947 | 2015 |
| 波戸真之, 鈴川芽久美, 林悠太, 島田裕之   | 要支援高齢者と軽度要介護高齢者の判別に影響を与える要因  | 日本老年医学会雑誌                           | 51(1) | 69-72   | 2014 |
| 島田裕之   | 理学療法関連用語～正しい意味がわかりますか?サルコペニアリ Frailty  | PT ジャーナル                            | 48(1) | 57      | 2014 |
| 西田裕紀子, 丹下智香子, 富田真紀子, 安藤富士子, 下方浩史   | 高齢者における知能と抑うつとの相互関係：交差遅延効果モデルによる検討   | 発達心理学研究                             | 25(1) | 76-86   | 2014 |
| Otsuka R, Tange C, Nishita Y, Kato Y, Imai T, Ando F, Shimokata H  | Serum docosahexaenoic and eicosapentaenoic acid and risk of cognitive decline over 10 years among elderly Japanese | Eur J Clin Nutr                     | 68    | 503-509 | 2014 |
| 下方浩史   | 特集 / 高齢者のフレイル(虚弱)とりハビリテーション 虚弱の危険因子  | Monthly Book Medical Rehabilitation | 170   | 121-125 | 2014 |
| 安藤富士子, 西田裕紀子, 下方浩史   | 喫煙が知能・認知機能に及ぼす影響と抗酸化食品の可能性   | Geriatric Medicine                  | 52(7) | 793-796 | 2014 |
| Kaneko N, Nakamura A, Washimi Y, Kato T, Sakurai T, Arahata Y, Bundo M, Takeda A, Niida S, Ito K, Toba K, Tanaka | Novel plasma biomarker surrogating cerebral amyloid deposition   | Proc Jpn Acad Ser B                 | 90(9) | 353-364 | 2014 |

|  |  |                  |       |         |          |
|--|--|------------------|-------|---------|----------|
| K, and<br>Yanagisawa K   |  |                  |       |         |          |
| Hatano K,<br>Sekimata K,<br>Yamada T, Abe J,<br>Ito K, Ogawa M,<br>Magata Y,<br>Toyohara J,<br>Ishiwata K,<br>Biggio G, Serra<br>M, Laquintana V,<br>Denora N,<br>Latrofa A,<br>Trapani G, Liso<br>G, Suzuki H,<br>Sawada M,<br>Nomura M,<br>Toyama H. | Radiosynthesis and in vivo evaluation of two imidazopyridineacetamides, [ <sup>11</sup> C]CB184 and [ <sup>11</sup> C]CB190, as a PET tracer for 18 kDa translocator protein: direct comparison with [ <sup>11</sup> C](R)-PK11195 | Ann Nucl Med     | 29(4) | 325-335 | 2015     |
| Ito K, Fukuyama<br>H, Senda M, Ishii<br>K, Maeda K,<br>Yamamoto Y,<br>Ouchi Y, Ishii K,<br>Okumura A,<br>Fujiwara K, Kato<br>T, Arahata Y,<br>Washimi Y,<br>Mitsuyama Y,<br>Meguro K, Ikeda<br>M   | Prediction of outcomes in MCI by using <sup>18</sup> F-FDG-PET: A multicenter study.   | J Alzheimers Dis |       |         | in press |
| Ishii K, Ito K,<br>Nakanishi A,<br>Kitamura S,<br>Terashima A  | Computer-assisted system for diagnosing degenerative dementia using cerebral blood flow SPECT and 3D-SSP: a multicenter study  | Jpn J Radiol.    | 32(7) | 383-390 | 2014     |

|  |  |                                |  |  |                 |
|--|--|--------------------------------|--|--|-----------------|
| <p>Onishi H,<br/>Hatazawa J,<br/>Nakagawara J,<br/>Ito K, Ha-Kawa<br/>SK, Masuda Y,<br/>Sugibayashi K,<br/>Takahashi M,<br/>Kikuchi K,<br/>Katsuta N</p> | <p>Impact of injected dose<br/>and acquisition time on a<br/>normal database by use<br/>of 3D-SSP in SPECT<br/>images: quantitative<br/>simulation studies</p> | <p>Radiol Phys<br/>Technol</p> |  |  | <p>in press</p> |
|--|--|--------------------------------|--|--|-----------------|



