

## . 研究成果の刊行に関する一覧



研究成果の刊行に関する一覧表

**雑誌**

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Uemura K, Shimada H, Makizako H, Yoshida D, Doi T, Yamada M, Suzuki T	Factors Associated with Life-Space in Older Adults with Amnestic Mild Cognitive Impairment	Geriatr Gerontol Int	13(1)	161-166	2013
Uemura K, Shimada H, Makizako H, Doi T, Yoshida D	Cognitive function affects trainability for physical performance in exercise intervention among older adults with mild cognitive impairment	Clinical Interventions in Aging	8	97-102	2013
Doi T, Makizako H, Shimada H, Yoshida D, Tsutsumimoto K, Sawa R, Misu S, Suzuki T	Effects of multicomponent exercise on spatial-temporal gait parameters among the elderly with amnestic mild cognitive impairment (aMCI): Preliminary results from a randomized controlled trial (RCT)	Arch Gerontol Geriatr	56(1)	104-108	2013
Doi T, Shimada H, Makizako H, Yoshida D, Shimokata H, Ito K, Washimi Y, Endo H, Suzuki T	Characteristics of cognitive function in early and late stages of amnestic mild cognitive impairment	Geriatr Gerontol Int	13(1)	83-89	2013
Suzuki T, Shimada H, Makizako H, Doi	Effects of multicomponent exercise on cognitive function in older adults	BMC Neurol	12	128	2012

T, Yoshida D, Tsutsumimoto K, Anan Y, Uemura K, Lee S, Park H	with amnestic mild cognitive impairment: a randomized controlled trial				
Uemura K, Doi T, Shimada H, Makizako H, Yoshida D, Tsutsumimoto K, Anan Y, Suzuki T	Effects of Exercise Intervention on Vascular Risk Factors in Older Adults with Mild Cognitive Impairment: a Randomized Controlled Trial	Dement Geriatr Cogn Disord Extra	2(1)	445-455	2012
Doi T, Makizako H, Shimada H, Yoshida D, Ito K, Kato T, Ando H, Suzuki T	Brain Atrophy and Trunk Stability during Dual-task Walking among Older Adults	J Gerontol A Biol Sci Med Sci	67(7)	790-795	2012
島田裕之, 堤本 広大	運動による現場での効 果：とくに認知症予防の 視点から	Aging & Health	21(4)	24-27	2013
Shimada H, Ishii K, Ishiwata K, Oda K, Suzukawa M, Makizako H, Doi T, Suzuki T	Gait adaptability and brain activity during unaccustomed treadmill walking in healthy elderly females	Gait Posture	38(2)	203-208	2013
Makizako H, Doi T, Shimada H, Yoshida D, Takayama Y, Suzuki T	Relationship between dual-task performance and neurocognitive measures in older adults with mild cognitive impairment	Geriatr Gerontol Int	13(2)	314-321	2013
Yoshida D, Shimada H, Makizako H, Doi T, Ito K, Kato T, Shimokata H, Washimi Y, Endo	The relationship between atrophy of the medial temporal area and daily activities in older adults with mild cognitive impairment	Aging Clin Exp Res	24(5)	423-429	2013

H, Suzuki T					
Kawashima S, Ito K, Kato T, the SEAD-J Study Group	Inclusion criteria provide heterogeneity in baseline profiles of patients with mild cognitive impairment: comparison of two prospective cohort studies	BMJ Open	2	e000773	2012
李成喆 ,西田裕紀子 , 金興烈 , 幸篤武 , 森あさか , 丹下智香子 ,安藤富士子 ,下方浩史	地域在住高齢者の身体活動と認知機能に関する縦断的研究	日本未病システム学会雑誌	18(3)	123-126	2012
西田裕紀子 ,丹下智香子 ,富田真紀子 , 安藤富士子 ,下方浩史	高年者の開放'性が知能の経時変化に及ぼす影響：6年間の縦断的検討	発達心理学研究	23(3)	276-286	2012
西田裕紀子 ,丹下智香子 ,富田真紀子 , 安藤富士子 ,下方浩史	高齢者の抑うつはその後の知能低下を引き起こすか：8年間の縦断的検討	老年社会学	34(3)	370-381	2012
下方浩史 ,安藤富士子	認知症の実態と予防の重要性	日本未病システム学会雑誌	18(3)	79-83	2012
Shimokata H, Ando F	Aging-related Genes	Anti-Aging Med	9(6)	185-195	2012
T. Yamane, Y. Ikari, T. Nishio, K. Ishii, K. Ishii, T. Kato, K. Ito, D.H.S. Silverman, M. Senda, T. Asada, H. Arai, M. Sugishita, T. Iwatsubo, and the J-ADNI Study	Visual-Statistical Interpretation of 18F-FDG-PET Images for Characteristic Alzheimer Patterns in a Multicenter Study: Inter-Rater Concordance and Relationship to Automated Quantitative Evaluation	AJNR Am J Neuroradiol	35	244-249	2014

Group					
Takahashi R, Ishii K, Senda M, Ito K, Ishii K, Kato T, Makishi Y, Nishio T, Ikari Y, Iwatsubo T, Japanese Alzheimer's Disease Neuroimaging Initiative	Equal sensitivity of early and late scans after injection of FDG for the detection of Alzheimer pattern: an analysis of 3D PET data from J-ADNI, a multi-center study	Ann Nucl Med	27(5)	452-459	2013
伊藤健吾, 加藤隆司, 文堂昌彦, 中村昭範	アルツハイマー病診断の画像診断, 基礎講座 : 老年精神医学と Brain Imaging	老年精神医学雑誌	24	707-714	2013
伊藤健吾, 加藤隆司	形態 MRI, 脳血流 SPECT および糖代謝 FDG-PET アルツハイマー病診断のバイオマーカー ; 最近の進歩	老年精神医学雑誌	24	155-162	2013
Lee SC, Yuki A, Nishita Y, Tange C, Kim HY, Kozakai R, Ando F, Shimokata H	Relationship Between Light Intensity Physical Activity and Cognitive Function in a Community-Dwelling Elderly population - 8 year longitudinal study	J Am Geriat Soc	61(3)	452-453	2013
Suzuki T, Shimada H, Makizako H, Doi T, Yoshida D, Ito K, Shimokata H, Washimi Y, Endo	A randomized controlled trial of multicomponent exercise in older adults with mild cognitive impairment	PLoS One	8(4)	e61483	2013

H, Kato T					
幸篤武 , 森あさか , 李成喆 , 安藤富士子 , 下方浩史	中高年の脳萎縮を抑制する日常歩行量の解明 ~ 地域からの無作為抽出者を対象とした大規模縦断研究 ~	デサントスポーツ科学	34	31-39	2013
Nishita Y, Tange C, Tomida M, Ando F, Shimokata H	Does high educational level protect against intellectual decline in older adults? : a 10-year longitudinal study	Jpn Psycho Res	55	378-389	2013
Shimada H, Makizako H, Doi T, Yoshida D, Tsutsumimoto K, Anan Y, Uemura K, Ito T, Lee S, Park H, Suzuki T	Combined Prevalence of Frailty and Mild Cognitive Impairment in a Population of Elderly Japanese People	JAMDA	14(7)	518-524	2013
Makizako H, Shimada H, Doi T, Hyuntae Park, Yoshida D, Uemura K, Tsutsumimoto K, Liu-Ambrose T, Suzuki T	Poor balance and lower gray matter volume predict falls in older adults with mild cognitive impairment	BMC Neurology	13(1)	102	2013
Makizako H, Shimada H, Doi T, Park H, Yoshida D, Suzuki T	Six-Minute Walking Distance Correlated with Memory and Brain Volume in Older Adults with Mild Cognitive Impairment: A Voxel-Based Morphometry Study	Dement Geriatr Cogn Disord Extra	3	223-232	2013

Makizako H, Shimada H, Park H, Doi T, Yoshida D, Uemura K, Tsutsumimoto K, Suzuki T	Evaluation of multidimensional neurocognitive function using a tablet personal computer: Test-retest reliability and validity in community-dwelling older adults	Geriatr Gerontol Int	13	860-866	2013
Doi T, Shimada H, Makizako H, Lee S, Park H, Tsutsumimoto K, Uemura K, Yoshida D, Anan Y, Suzuki T	Cognitive Activities and Instrumental Activity of Daily Living in Older Adults with Mild Cognitive Impairment	Dement Geriatr Cogn Disord Extra	3	398-406	2013
島田裕之	特集 高齢者における健 康増進 Seminar 9. 認知症 予防と健康増進	老年医学	51(9)	941-945	2013
島田裕之	認知症の予防	公衆衛生	78(10)	698-702	2014
島田裕之, 土井 剛彦	特集 / 高齢者のフレイル (虚弱) とリハビリテー ション MCI 高齢者にお ける運動の意義	Monthly Book Medical Rehabilitation	170	85-93	2014
島田裕之	認知症予防に向けた運動 介入とその可能性	認知症の最新 医療	4(3)	109-114	2014
島田裕之, 李相侖	認知症予防のためのコミ ュニティの創出と効果検 証	福祉介護テク ノプラス 2014年7月号	7(7)	12-18	2014
Shimada H, Makizako H, Doi T, Yoshida D, Tsutsumimoto K, Anan Y, Uemura K, Lee S, Park H, Suzuki T	A large, cross-sectional observational study of serum BDNF, cognitive function, and mild cognitive impairment in the elderly	Frontiers in Aging Neuroscience	6(69)	1-9	2014

Shimada H, Park H, Makizako H, Doi T, Lee S, Suzuki T	Depressive symptoms and cognitive performance in older adults	Journal of Psychiatric Research	57	149-156	2014
Makizako H, Liu-Ambrose T, Shimada H, Doi T, Park H, Tsutsumimoto K, Uemura K, Suzuki T	Moderate-intensity physical activity, hippocampal volume, and memory in older adults with mild cognitive impairment	J Gerontol A Biol Sci Med Sci	70(4)	480-486	2014
Makizako H, Shimada H, Doi T, Park H, Tsutsumimoto K, Uemura K, Lee S, Yoshida D, Anan Y, Ito T, Suzuki T	Moderate-Intensity Physical Activity, Cognition and APOE Genotype in Older Adults with Mild Cognitive Impairment	Ann Gerontol Geriatric Res	1(1)	1002	2014
Doi T, Shimada H, Makizako H, Tsutsumimoto K, Uemura K, Anan Y, Suzuki T	Cognitive function and gait speed under normal and dual-task walking among older adults with mild cognitive impairment	BMC Neurology	14(1)	67	2014
Uemura K, Shimada H, Makizako H, Doi T, Tsutsumimoto K, Yoshida D, Anan Y, Ito T, Lee S, Park H, Suzuki T	Effects of mild and global cognitive impairment on the prevalence of fear of falling in community-dwelling older adults	Maturitas	78(1)	62-66	2014
Doi T, Makizako H, Shimada H, Tsutsumimoto K, Hotta R,	Objectively measured physical activity, brain atrophy, and white matter lesions in older adults with	Experimental Gerontology	62	1-6	2015

Nakakubo S, Park H, Suzuki T	mild cognitive impairment				
Doi T, Shimada H, Makizako H, Tsutsumimoto K, Hotta R, Nakakubo S, Suzuki T	Association of insulin-like growth factor-1 with mild cognitive impairment and slow gait speed	Neurobiol Aging	36	942-947	2015
Hotta R, Doi T, Shimada H, Makizako H, Yoshida D, Anan Y, Tsutsumimoto K, Uemura K, Park H, Suzuki T	Cigarette smoking and cognitive health in elderly Japanese	Am J Health Behav	39(3)	294-300	2015
西田裕紀子、丹下智香子、富田真紀子、安藤富士子、下方浩史	高齢者における知能と抑うつの相互関係：交差遅延効果モデルによる検討	発達心理学研究	25(1)	76-86	2014
Otsuka R, Tange C, Nishita Y, Kato Y, Imai T, Ando F, Shimokata H	Serum docosahexaenoic and eicosapentaenoic acid and risk of cognitive decline over 10 years among elderly Japanese	Eur J Clin Nutr	68	503-509	2014
安藤富士子、西田裕紀子、下方浩史	喫煙が知能・認知機能に及ぼす影響と抗酸化食品の可能性	Geriatric Medicine	52(7)	793-796	2014
下方浩史	地域在住高齢者における要介護化の危険因子	Advances in Aging and Health Research 2013 在宅の高齢者を支える-医療・介護・看取り-		125-135	2014

Hatano K, Sekimata K, Yamada T, Abe J, Ito K, Ogawa M, Magata Y, Toyohara J, Ishiwata K, Biggio G, Serra M, Laquintana V, Denora N, Latrofa A, Trapani G, Liso G, Suzuki H, Sawada M, Nomura M, Toyama H	Radiosynthesis and in vivo evaluation of two imidazopyridineacetamides, [11C]CB184 and [11C]CB190, as a PET tracer for 18 kDa translocator protein: direct comparison with [11C](R)-PK11195	Ann Nucl Med	29(4)	325-335	2015
Ito K, Fukuyama H, Senda M, Ishii K, Maeda K, Yamamoto Y, Ouchi Y, Ishii K, Okumura A, Fujiwara K, Kato T, Arahata Y, Washimi Y, Mitsuyama Y, Meguro K, Ikeda M, SEAD-J Study Group	Prediction of outcomes in MCI by using 18F-FDG-PET: A multicenter study	J Alzheimers Dis	45	543-552	2015
Ishii K, Ito K, Nakanishi A, Kitamura S, Terashima A	Computer-assisted system for diagnosing degenerative dementia using cerebral blood flow SPECT and 3D-SSP: a multicenter study	Jpn J Radiol	32(7)	383-390	2014



