

References

1. McDonald CF, Khor Y (2013) Advances in chronic obstructive pulmonary disease. *Internal Medicine Journal* 43: 854-862.
2. Fabbri L, Hurd S et al (2003) Global strategy for the diagnosis, management and prevention of COPD. *European Respiratory Journal* 22: 1-2.
3. Lopez AD, Murray CC (1998) The global burden of disease, 1990-2020. *Nature Medicine* 4: 1241-1243.
4. World Health Organization (2010) Chronic respiratory diseases: Chronic obstructive pulmonary disease (COPD). Available from: <http://www.who.int/respiratory/copd/en/>
5. Alfagemel L, Reyes N, Merino M, Reina A, Gallego J, Lima J, Palacios Z (2010) The effect of airflow limitation on the cause of death in patients with COPD. *Chronic Respiratory Disease* 7: 135-145.
6. Fukuchi Y, Nishimura M, Ichinose M, Adachi M, Nagai A, Kuriyama T, Takahashi K, Nishimura K, Ishioka S, Aizawa H, Zaher C (2004) COPD in Japan: the Nippon COPD Epidemiology study. *Respirology* 9: 458-465.
7. Ulrik CS, Lokke A, Dahi R, Dollerup J, Hansen G, Cording PH, Andersen KK (2011) Early detection of COPD in general practice. *International Journal of*

Chronic Obstructive Pulmonary Disease 6: 123-127.

8. Agusti A, Soriano JB (2008) COPD as a systemic disease. *Journal of Chronic Obstructive Pulmonary Disease* 5: 133-138.
9. Hillman CM, Heinecke EL, Hii JW, Cecins NM, Jenkins SC, Eastwood PR (2012) Relationship between body composition, peripheral muscle strength and functional exercise capacity in patients with severe chronic obstructive pulmonary disease. *International Medicine Journal* 42: 578-81.
10. Abbatecola AM, Fumagalli A, Spazzafumo L, Betti V, Misuraca C, Corsonello A, Cherubini A, Guffanti EE, Lattanzio F (2013) Body composition markers in older persons with COPD. *Age Ageing* [Epub ahead of print].
11. Kobayashi A, Yoneda T, Yoshikawa M, Ikuno M, Takenaka H, Fukuoka A, Narita N, Nezu K (2000) The relation of fat-free mass to maximum exercise performance in patients with chronic obstructive pulmonary disease. *Lung* 178: 119–127.
12. Mostert R, Goris A, Weling-Scheepers C, Wouters EF, Schols AM (2000) Tissue depletion and health related quality of life in patients with chronic obstructive pulmonary disease. *Respir Med* 94: 859–867.
13. Ju CR, Chen RC (2012) Serum myostatin levels and skeletal muscle wasting in chronic obstructive pulmonary disease. *Respiratory Medicine* 106: 102-108.

14. Ischaki E, Papatheodorou G, Gaki E, Papa I, Koulouris N, Loukides S (2007) Body mass and fat-free mass indices in COPD: relation with variables expressing disease severity. *Chest* 132: 164-169.
15. Prignot J (1987) Quantification and chemical markers of tobacco-exposure. *European Journal of Respiratory Diseases* 70: 1-7.
16. Tojo N, Suga H, Kambe M (2005) Lung function testing – the official guideline of the Japanese Respiratory Society. *Rinsho Byori* 53: 77–81.
17. The Committee of Pulmonary Physiology JRS (2004) Guidelines for pulmonary function tests: Spirometry, flow-volume curve, diffusion capacity of the lung. Tokyo, Japan: Japanese Respiratory Society. (in Japanese)
18. Marc D, Jorgen V, Jean B, GOLD Science Committee (2013). Global strategy for the diagnosis, management, and prevention of chronic obstruction pulmonary disease. Available from:

http://www.goldcopd.org/uploads/users/files/GOLD_Report_2013_Feb20.pdf
19. Allen S, Amante C, Lewis D, Nguyen L, Ramos K, Salama N, Sutton M, Waarvick K (2012) Chronic obstructive pulmonary disease (COPD) diagnosis and treatment guideline. *Group Health*:1-14.
20. Janssen L, Baumgartner RN, Ross R, Rosenberg IH, Roubenoff R (2004) Skeletal

muscle cutpoints associated with elevated physical disability risk in older men and women. *American Journal of Epidemiology* 159: 413-421.

21. Holbrook EA, Barreira TV, Kang M (2009) Validity and reliability of Omron pedometers for prescribed and self-paced walking. *Medicine and Science in Sports and Exercise* 41: 670-674.
22. Kimura K, Kurosaki H, Wakabayashi R, Motegi T, Ishii T, Yamada K, Gemma A, Gemma A, Kida K (2011) Concerns with the health check-up system for chronic obstructive pulmonary disease on two Japanese islands. *Internal Medicine* 50: 2135-2141.
23. Akamatsu K, Yamagata T, Kida Y, Tanaka H, Ueda H, Ichinose M (2008) Poor sensitivity of symptoms in early detection of COPD. *Journal of Chronic Obstructive Pulmonary Disease* 5: 269-273.
24. Shigeko Kojima, Hiroki Sakakibara, Shinichi Motani, Kunihiko Hirose, Fumio Mizuno, Madoka Ito, and Shuji Hashimoto (2005) Effects of smoking and age on chronic obstructive pulmonary disease in Japan. *Journal of Epidemiology* 15: 113-117.
25. Anstey KJ, Windsor TD, Jorm AF, Christensen H, Rodgers B (2004) Association of pulmonary function with cognitive performance in early, middle and late adulthood.

Gerontology 50: 230-234.

26. Vincenzo Bellia, Riccardo Pistelli, Filippo Catalano, Raffaele Antonelli-Incalzi, Vittorio Grassi, Gaetano Melillo, Dario Olivieri, and Franco Rengo (2000) Quality control of spirometry in the elderly The SA. R.A Study. *American Journal of Respiratory and Critical Care Medicine* 161: 1094-1100.
27. Shrikrishna D, Patel M, Tanner RJ, Seymour JM, Connolly BA, Puthuchery ZA, Walsh SL, Bloch SA, Sidhu PS, Hart N, Kemp PR, Moxham J, Polkey MI, Hopkinson NS (2012) Quadriceps wasting and physical inactivity in patients with COPD. *European Respiratory Journal* 40: 1115-1122.
28. Sevenoaks MJ, Stockley RA (2006) Chronic obstructive pulmonary disease, inflammation and co-morbidity a common inflammatory phenotype? *Respiratory Research* 7: 70.
29. Pitta F, Troosters T, Spruit MA, Probst VS, Decramer M, Gosselink R (2005) Characteristics of physical activities in daily life in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine* 171: 972-977.
30. Thorleifsson SJ, Margretardottir OB, Gudmundsson G, Olafsson I, Benediktsdottir B, Janson C, Buist AS, Gislason T (2009) Chronic airflow obstruction and markers

of systemic inflammation: results from the BOLD study in Iceland. *Respiratory Medicine* 103: 1548-1553.

31. Cevenini E, Caruso C, Candore G, Capri M, Nuzzo D, Duro G, Rizzo C, Colonna-Romano G, Lio D, Di Carlo D, Palmas MG, Scurti M, Pini E, Franceschi, C, Vasto S (2010) Age related inflammation: the contribution of different organs, tissues and systems. How to face it for therapeutic approaches. *Current Pharmaceutical Design* 16: 609-618.
32. Olafsdóttir IS, Gíslason T, Thjódleifsson B, Olafsson I, Gíslason D, Jogi R, Janson C (2007) Gender differences in the association between C-reactive protein, lung function impairment, and COPD. *International Journal of Chronic Obstructive Pulmonary Disease* 2: 635-642.
33. Asero V, Mistretta A, Arcidiacono G, Polosa R (2005) The puzzling relationship between cigarette smoking, reduced respiratory function, and systemic inflammation. *Chest* 128: 3772-3373.
34. Schols AM, Fredix EW, Soeters PB, Westerterp KR, Wouters EF (1991) Resting energy expenditure in patients with chronic obstructive pulmonary disease. *American Journal of Clinical Nutrition* 54: 983-987.
35. Baarends EM, Schols AM, Mostert R, Wouters EF (1997) Peak exercise response in

relation to tissue depletion in patients with chronic obstructive pulmonary disease.

European Respiratory Journal 10: 2807-2813.

36. Agusti AG, Sauleda J, Mirallegre C, Gomez C, Togoies B, Sala E, Batle S, Busquets

X (2002) Skeletal muscle apoptosis and weight loss in chronic obstructive

pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*

166: 485-489.

37. Kalhan R, Tran BT, Colangelo LA, Rosenberg SR, Liu K, Thyagarajan B, Jacobs

DR Jr, Smith LJ (2010) Systemic inflammation in young adults is associated with

abnormal lung function in middle age. *PLOS ONE* 5: e11431.

38. Fogarty AW, Jones S, Britton JR, Lewis SA, McKeever TM (2007) Systemic

inflammation and decline in lung function in a general population: a prospective

study. *Thorax* 62: 515-520.

