

	Age-standardised rates in 2013 (per 100 000 population)			Annualised rate of change (%)					
	Incidence	Prevalence	Mortality	1990–2000			2000–2013		
				Incidence	Prevalence	Mortality	Incidence	Prevalence	Mortality
Southern Latin America	10·11 (7·11 to 14·94)	173·57 (144·31 to 210·86)	3·12 (2·23 to 4·10)	−0·75 (−4·84 to 3·85)	8·44 (5·39 to 12·40)	10·00 (6·17 to 13·76)	−0·24 (−3·40 to 3·08)	2·60 (1·08 to 3·97)	−2·76 (−5·37 to −0·65)
Tropical Latin America	11·64 (8·93 to 15·83)	188·35 (125·90 to 244·16)	4·83 (3·83 to 6·09)	−7·15 (−10·27 to −3·64)	2·20 (0·13 to 4·56)	1·09 (−2·41 to 6·19)	0·37 (−1·16 to 2·50)	1·10 (−0·25 to 2·23)	−2·20 (−5·57 to 0·01)
North Africa and Middle East	2·84 (1·93 to 4·93)	26·45 (21·31 to 39·26)	1·66 (1·26 to 2·39)	11·52 (−0·35 to 25·42)	16·98 (7·18 to 30·42)	20·66 (9·81 to 35·43)	−0·35 (−4·01 to 5·02)	1·94 (−0·71 to 5·64)	3·05 (−0·99 to 7·85)
High-income North America	7·43 (3·46 to 17·16)	135·49 (78·21 to 220·57)	2·65 (1·68 to 3·69)	−8·87 (−13·56 to −3·10)	−3·31 (−6·16 to −1·52)	−10·20 (−13·49 to −7·99)	2·01 (−3·23 to 9·49)	1·24 (−1·09 to 4·97)	−2·89 (−5·95 to −0·10)
Oceania	16·09 (11·07 to 22·43)	341·52 (287·06 to 403·52)	18·80 (13·86 to 25·16)	15·64 (5·25 to 27·08)	23·43 (17·21 to 30·47)	31·68 (27·45 to 36·49)	−9·47 (−11·74 to −7·34)	0·30 (−2·04 to 3·13)	1·21 (−3·80 to 6·92)
Central sub-Saharan Africa	94·53 (78·72 to 113·99)	1328·37 (1222·40 to 1439·78)	94·45 (81·17 to 111·04)	−0·25 (−1·66 to 0·93)	2·92 (1·96 to 3·97)	5·71 (3·57 to 8·17)	−3·89 (−5·15 to −2·60)	−1·43 (−2·09 to −0·78)	−2·42 (−3·47 to −1·14)
Eastern sub-Saharan Africa	177·08 (163·51 to 191·29)	3416·89 (3249·05 to 3609·25)	164·58 (154·75 to 175·06)	−3·87 (−4·99 to −2·81)	5·92 (5·27 to 6·51)	14·50 (12·89 to 16·00)	−4·40 (−5·14 to −3·65)	−1·74 (−1·98 to −1·51)	−3·78 (−4·82 to −2·65)
Southern sub-Saharan Africa	647·13 (606·40 to 693·70)	11 850·47 (11 368·38 to 12 327·29)	511·41 (467·65 to 556·63)	10·60 (9·80 to 11·47)	21·69 (21·08 to 22·58)	31·17 (28·62 to 33·63)	−4·58 (−5·16 to −4·00)	1·13 (0·90 to 1·35)	3·41 (1·54 to 4·88)
Western sub-Saharan Africa	90·89 (77·20 to 107·09)	1833·57 (1692·97 to 1999·25)	114·36 (103·20 to 127·44)	5·79 (3·88 to 8·08)	13·12 (11·69 to 14·69)	18·75 (16·65 to 21·01)	−7·26 (−8·40 to −6·19)	−0·84 (−1·56 to −0·20)	0·82 (−0·38 to 2·01)

Data in parentheses are 95% uncertainty intervals.

Table 3
HIV/AIDS incidence and deaths for all ages by sex and annualised rates of change for 21 Global Burden of Disease regions and 188 countries

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Worldwide	924 776 (845 603 to 1 104 526)	723 124 (670 708 to 831 754)	922 869 (863 238 to 1 007 549)	617 850 (570 414 to 677 695)	1 847 645 (1 719 830 to 2 101 652)	1 340 974 (1 257 838 to 1 482 611)	1.27 (0.24 to 2.16)	13.62 (11.93 to 15.38)	-3.92 (-4.50 to -3.15)	-1.54 (-2.36 to -0.59)
Developed countries	74 405 (57 060 to 104 422)	35 884 (29 743 to 43 334)	20 947 (15 405 to 29 844)	8746 (6465 to 11 375)	95 352 (72 788 to 132 862)	44 630 (36 750 to 53 676)	1.53 (-1.30 to 4.82)	-5.46 (-7.13 to -4.17)	-0.35 (-2.27 to 2.45)	2.18 (0.76 to 3.83)
Developing countries	850 371 (777 712 to 1 030 189)	687 240 (636 836 to 792 586)	901 923 (842 259 to 987 825)	609 104 (562 000 to 668 733)	1752 294 (1 631 535 to 2 014 476)	1296 344 (1 214 834 to 1 435 882)	0.74 (-0.35 to 1.70)	15.07 (12.86 to 17.34)	-4.32 (-4.92 to -3.48)	-2.01 (-2.87 to -1.00)
High-income Asia Pacific										
Brunei	43 (32 to 57)	32 (27 to 40)	7 (5 to 11)	2 (1 to 4)	50 (37 to 68)	35 (29 to 44)	3.21 (-10.55 to 12.48)	21.17 (14.06 to 29.36)	0.02 (-2.14 to 2.46)	-0.61 (-2.49 to 1.95)
Japan	153 (86 to 230)	45 (30 to 67)	55 (31 to 82)	17 (11 to 24)	208 (120 to 308)	61 (43 to 90)	3.28 (-0.33 to 7.00)	-2.54 (-4.84 to -0.11)	-0.54 (-4.55 to 1.91)	-2.26 (-4.86 to -0.13)
Singapore	52 (23 to 110)	16 (9 to 30)	26 (11 to 56)	7 (4 to 12)	78 (35 to 164)	23 (14 to 42)	-13.07 (-20.83 to -1.69)	12.38 (5.24 to 20.14)	3.37 (-4.69 to 11.26)	-4.29 (-8.00 to -0.43)
South Korea	342 (118 to 591)	56 (37 to 82)	179 (62 to 308)	32 (19 to 77)	522 (184 to 874)	88 (57 to 148)	15.87 (9.91 to 26.23)	-3.51 (-8.50 to 2.60)	-3.46 (-10.76 to 0.83)	6.76 (2.61 to 11.41)
Central Asia										
Armenia	20 (9 to 42)	6 (3 to 10)	5 (2 to 10)	1 (0 to 2)	25 (11 to 51)	7 (4 to 12)	87.64 (54.77 to 144.28)	89.27 (52.19 to 137.94)	-1.36 (-10.11 to 4.10)	14.06 (7.12 to 24.32)
Azerbaijan	315 (141 to 603)	161 (45 to 320)	83 (37 to 158)	32 (9 to 78)	398 (177 to 764)	193 (53 to 395)	16.42 (4.71 to 36.74)	22.22 (7.00 to 33.51)	3.19 (-3.81 to 8.73)	8.45 (0.42 to 15.03)
Georgia	45 (22 to 74)	8 (6 to 10)	23 (11 to 38)	3 (2 to 4)	68 (34 to 110)	11 (8 to 14)	34.85 (24.05 to 45.34)	35.00 (21.69 to 50.13)	8.01 (3.08 to 13.16)	11.71 (8.46 to 14.92)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Kazakhstan	2177 (510 to 7608)	899 (212 to 1708)	633 (141 to 2224)	173 (30 to 429)	2810 (647 to 9972)	1072 (240 to 2118)	10·31 (–26·44 to 45·69)	28·30 (5·67 to 85·36)	5·73 (–7·49 to 27·27)	3·14 (–8·16 to 8·76)
Kyrgyzstan	683 (115 to 1720)	214 (60 to 379)	195 (33 to 511)	43 (6 to 93)	878 (151 to 2218)	257 (68 to 469)	–2·16 (–16·93 to 16·12)	25·71 (12·31 to 38·25)	11·06 (0·14 to 20·67)	3·14 (–6·69 to 10·25)
Mongolia	4 (0 to 20)	1 (0 to 4)	2 (0 to 9)	0 (0 to 1)	6 (0 to 29)	1 (0 to 6)	–27·80 (–44·31 to –6·63)	0·06 (–13·83 to 15·83)	30·42 (1·12 to 52·69)	–7·87 (–22·36 to 9·43)
Tajikistan	391 (72 to 989)	108 (18 to 247)	455 (81 to 1139)	145 (14 to 290)	846 (154 to 2119)	253 (33 to 537)	10·63 (–23·93 to 51·46)	19·30 (–4·33 to 63·17)	8·54 (–3·57 to 23·08)	4·76 (–10·22 to 17·68)
Turkmenistan	338 (76 to 1209)	114 (49 to 213)	128 (28 to 461)	34 (15 to 65)	466 (103 to 1667)	148 (65 to 272)	5·29 (–29·36 to 34·92)	21·57 (–2·08 to 68·63)	6·55 (–5·74 to 27·61)	3·16 (–3·99 to 7·62)
Uzbekistan	518 (297 to 789)	200 (115 to 348)	259 (152 to 403)	66 (36 to 130)	777 (458 to 1188)	266 (156 to 466)	11·31 (–0·46 to 23·84)	31·77 (21·98 to 41·37)	–3·01 (–7·00 to 0·37)	–3·85 (–8·97 to 0·63)
East Asia	25 342 (14 456 to 45 002)	9317 (7316 to 12 472)	10 968 (6165 to 19 647)	3259 (2213 to 4653)	36 310 (20 768 to 64 990)	12 575 (9827 to 17 026)	38·86 (27·75 to 62·64)	45·26 (29·11 to 70·18)	1·41 (–3·60 to 6·83)	6·09 (2·91 to 10·38)
China	24 843 (13 863 to 44 316)	89 88 (7010 to 12 114)	10 822 (6058 to 19 487)	3157 (2118 to 4554)	35 665 (20 128 to 64 616)	12 145 (9418 to 16 555)	38·58 (27·80 to 49·41)	45·85 (28·95 to 79·48)	1·47 (–3·62 to 7·00)	5·99 (2·76 to 10·39)
North Korea	189 (56 to 380)	152 (118 to 194)	91 (29 to 185)	75 (56 to 98)	280 (83 to 565)	227 (179 to 287)	21·59 (12·20 to 37·57)	33·79 (21·86 to 53·69)	–1·88 (–12·11 to 4·93)	8·90 (6·28 to 12·71)
Taiwan (Province of China)	309 (113 to 743)	176 (129 to 246)	55 (20 to 130)	26 (18 to 39)	365 (135 to 873)	203 (148 to 283)	28·85 (16·22 to 48·47)	35·27 (20·08 to 55·54)	–1·66 (–12·16 to 13·51)	10·02 (6·43 to 15·42)
South Asia	28 607 (9 436 to 63 683)	52 794 (41 230 to 70 403)	17 265 (5343 to 30 460)	30 592 (20 739 to 41 289)	45 872 (14 702 to 93 994)	83 387 (68 991 to 106 495)	–9·72 (–15·85 to –5·81)	13·67 (7·68 to 23·47)	–13·93 (–19·71 to –8·09)	–11·58 (–14·45 to –7·11)
Afghanistan	325 (40 to 1346)	117 (11 to 597)	127 (15 to 541)	47 (4 to 215)	452 (55 to 1897)	163 (16 to 824)	2·20 (–19·25 to 18·88)	8·71 (–3·05 to 28·80)	5·71 (–2·95 to 16·86)	2·16 (–5·67 to 9·65)
Bangladesh	710 (459 to 1212)	390 (303 to 505)	431 (272 to 713)	181 (109 to 273)	1141 (754 to 1885)	571 (441 to 753)	12·62 (–20·78 to 41·01)	59·57 (36·71 to 81·23)	1·68 (–2·46 to 6·44)	1·87 (–1·75 to 6·80)

	All ages incidence and deaths (2013)						Annualised rate of change (%)				
	Male population		Female population		Total		1990–2000		2000–13		
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	
Bhutan	36 (5 to 168)	20 (3 to 94)	43 (6 to 197)	20 (2 to 101)	79 (11 to 368)	40 (5 to 199)	8·81 (–8·17 to 21·25)	18·88 (6·58 to 30·69)	2·90 (–3·96 to 13·81)	5·11 (–1·62 to 11·75)	
India	18 408 (2247 to 23 936)	49 345 (38 882 to 63 680)	12 649 (1845 to 16 944)	29 318 (20 048 to 38 653)	31 057 (4091 to 39 459)	78 662 (66 197 to 96 173)	–9·78 (–15·95 to –5·85)	13·72 (7·78 to 23·46)	–16·29 (–27·75 to –11·94)	–11·84 (–14·55 to –7·73)	
Nepal	710 (96 to 2864)	1202 (103 to 6065)	372 (51 to 1512)	326 (23 to 2170)	1082 (151 to 4424)	1527 (130 to 8087)	36·93 (13·55 to 63·73)	30·17 (14·86 to 46·41)	–12·91 (–20·16 to –1·74)	2·47 (–4·47 to 8·63)	
Pakistan	8418 (1124 to 39 250)	1721 (140 to 7984)	3643 (497 to 15 460)	701 (49 to 3405)	12 061 (1617 to 54 744)	2422 (191 to 11 133)	11·79 (–6·98 to 25·04)	14·11 (4·32 to 25·39)	15·09 (6·58 to 26·35)	11·47 (3·15 to 19·37)	
Southeast Asia	65 708 (32 957 to 184 964)	38 199 (20 695 to 113 552)	26 753 (10 929 to 87 732)	10 141 (4248 to 36 852)	92 460 (44 216 to 273 917)	48 340 (24 900 to 150 426)	–10·46 (–15·54 to –4·52)	29·51 (25·47 to 33·97)	1·29 (–2·74 to 7·36)	–3·87 (–6·62 to 1·36)	
Cambodia	904 (137 to 4475)	1073 (125 to 6154)	490 (71 to 2349)	330 (40 to 1330)	1394 (208 to 6873)	1403 (168 to 7430)	–7·21 (–25·86 to 7·49)	34·36 (19·14 to 48·40)	–7·75 (–15·10 to 3·78)	–11·46 (–15·95 to –5·90)	
Indonesia	29 204 (3669 to 127 307)	9846 (666 to 48 942)	15 954 (2027 to 70 429)	4601 (227 to 24 839)	45 159 (5646 to 194 375)	14 446 (912 to 72 555)	0·00 (0·00 to 0·00)	0·00 (0·00 to 0·00)	28·07 (13·66 to 46·43)	87·51 (52·11 to 113·93)	
Laos	576 (83 to 2427)	239 (25 to 1388)	242 (34 to 1061)	80 (7 to 501)	818 (120 to 3481)	320 (32 to 1862)	13·35 (–5·81 to 27·67)	19·67 (7·19 to 35·71)	–0·18 (–7·62 to 10·96)	1·11 (–5·62 to 8·15)	
Malaysia	3070 (2313 to 4137)	1994 (1680 to 2469)	469 (325 to 674)	131 (74 to 226)	3539 (2655 to 4799)	2125 (1774 to 2652)	3·67 (–10·07 to 12·94)	21·63 (14·52 to 29·80)	–0·25 (–2·43 to 2·20)	–0·65 (–2·52 to 1·91)	
Maldives	0 (0 to 0)	0 (0 to 0)	0 (0 to 0)	0 (0 to 0)	0 (0 to 0)	0 (0 to 0)	–9·47 (–14·88 to –4·94)	14·92 (10·85 to 17·60)	–8·71 (–17·42 to –1·64)	–6·22 (–11·69 to –2·61)	
Myanmar	3215 (422 to 18 254)	5831 (635 to 31 666)	924 (119 to 5048)	920 (103 to 5732)	4139 (557 to 23 177)	6751 (743 to 38 390)	9·78 (–8·01 to 23·04)	45·14 (31·23 to 54·70)	–15·43 (–24·74 to –3·19)	–6·13 (–11·88 to 1·03)	
Philippines	6590 (3411 to 11 564)	3607 (2424 to 4613)	2670 (1362 to 4666)	1466 (967 to 1924)	9260 (4907 to 16 077)	5073 (3423 to 6397)	2·00 (–15·41 to 13·40)	23·37 (11·46 to 36·25)	2·32 (–2·51 to 8·42)	1·04 (–2·36 to 2·86)	
Sri Lanka	84 (52 to 135)	43 (32 to 57)	49 (31 to 79)	20 (12 to 29)	133 (82 to 211)	63 (46 to 83)	11·34 (4·50 to 16·40)	29·55 (26·10 to 32·38)	–0·15 (–3·60 to 3·65)	1·04 (–2·02 to 3·54)	
Thailand	8657 (4349 to 13 097)	9421 (5777 to 15 345)	3879 (1907 to 5996)	2173 (1354 to 3324)	12 536 (6320 to 18 644)	11 595 (7310 to 18 164)	–27·50 (–43·89 to –17·76)	29·04 (24·91 to 32·94)	3·21 (–7·02 to 15·57)	–9·64 (–13·16 to –5·95)	

Lancet. Author manuscript; available in PMC 2014 October 20.

Murray et al.

Page 77

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Timor-Leste	9 (4 to 35)	3 (2 to 6)	5 (2 to 19)	2 (1 to 3)	13 (7 to 54)	5 (4 to 9)	30.46 (16.69 to 49.60)	39.58 (17.00 to 61.09)	-1.90 (-7.73 to 11.22)	10.23 (4.43 to 50.18)
Vietnam	13 311 (6001 to 22 013)	6087 (4485 to 8580)	2035 (914 to 3405)	404 (271 to 603)	15 346 (7019 to 25 391)	6492 (4817 to 9107)	26.87 (15.01 to 36.30)	34.21 (25.75 to 44.35)	-2.57 (-9.79 to 2.24)	6.69 (3.36 to 11.31)
Australasia	392 (211 to 608)	105 (70 to 157)	51 (27 to 79)	15 (10 to 23)	444 (240 to 689)	120 (82 to 174)	-7.07 (-11.53 to -3.51)	-11.88 (-14.40 to -9.10)	0.41 (-1.27 to 2.85)	-4.51 (-6.49 to -2.60)
Australia	358 (181 to 576)	94 (60 to 146)	45 (22 to 72)	13 (7 to 20)	403 (203 to 645)	107 (70 to 160)	-7.60 (-12.57 to -3.82)	-11.94 (-14.74 to -8.91)	0.29 (-1.59 to 2.88)	-4.61 (-6.80 to -2.48)
New Zealand	34 (19 to 61)	10 (7 to 15)	7 (3 to 12)	2 (1 to 4)	41 (22 to 73)	13 (8 to 18)	-0.07 (-4.38 to 5.45)	-11.22 (-13.58 to -9.33)	0.95 (-3.48 to 7.30)	-3.80 (-6.68 to -1.05)
Caribbean	7561 (6045 to 9227)	5654 (4692 to 7082)	6961 (5436 to 8854)	4805 (3661 to 6350)	14 521 (11 695 to 17 898)	10 459 (8670 to 13 050)	-6.32 (-8.01 to -4.81)	9.02 (4.68 to 12.88)	-2.93 (-4.21 to -1.46)	-6.04 (-6.91 to -5.03)
Antigua and Barbuda	9 (4 to 21)	7 (5 to 9)	4 (2 to 9)	3 (2 to 4)	13 (6 to 29)	10 (8 to 12)	-5.71 (-13.65 to 4.72)	15.77 (9.28 to 27.19)	-2.30 (-8.08 to 6.04)	-4.62 (-7.05 to -2.67)
Barbados	49 (33 to 76)	21 (14 to 33)	21 (14 to 33)	6 (4 to 9)	69 (48 to 108)	27 (19 to 40)	-2.18 (-6.56 to 1.26)	13.21 (11.66 to 14.86)	-0.14 (-2.54 to 3.38)	-7.07 (-9.61 to -4.41)
Belize	73 (38 to 115)	37 (24 to 50)	45 (23 to 72)	12 (7 to 17)	118 (63 to 188)	49 (32 to 65)	15.27 (5.16 to 27.29)	35.46 (29.57 to 42.53)	-5.02 (-10.63 to -0.61)	-2.45 (-6.17 to 0.55)
Cuba	698 (446 to 1003)	186 (146 to 239)	217 (136 to 321)	35 (25 to 50)	916 (585 to 1309)	221 (175 to 284)	8.96 (3.54 to 12.14)	10.21 (7.74 to 12.60)	3.26 (0.73 to 6.30)	-1.61 (-3.64 to 1.33)
Dominica	5 (2 to 15)	4 (2 to 6)	3 (1 to 8)	2 (1 to 3)	7 (2 to 23)	5 (4 to 9)	-8.82 (-28.52 to 0.28)	10.81 (3.49 to 21.57)	-1.49 (-9.18 to 13.52)	-5.87 (-9.11 to -1.67)
Dominican Republic	1089 (417 to 1746)	445 (306 to 621)	693 (264 to 1139)	206 (139 to 292)	1783 (699 to 2830)	650 (459 to 893)	0.57 (-8.57 to 4.79)	19.83 (16.78 to 23.02)	-3.22 (-9.66 to -0.13)	-7.69 (-10.58 to -5.15)
Grenada	18 (8 to 55)	11 (9 to 13)	10 (4 to 31)	5 (4 to 6)	28 (13 to 87)	16 (13 to 19)	-2.69 (-12.50 to 30.67)	15.29 (9.87 to 25.13)	-3.02 (-8.75 to 7.03)	-4.70 (-6.66 to -3.09)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990-2000		2000-13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Guyana	421 (318 to 536)	253 (171 to 326)	290 (215 to 377)	92 (48 to 145)	710 (549 to 887)	345 (230 to 443)	4.20 (-7.06 to 14.46)	25.23 (17.37 to 34.21)	0.09 (-1.40 to 2.16)	-2.18 (-5.58 to 0.21)
Haiti	3339 (2437 to 4692)	3458 (2648 to 4714)	4299 (3138 to 5784)	3655 (2678 to 5042)	7638 (5740 to 10 244)	7113 (5556 to 9397)	-8.98 (-11.68 to -6.91)	7.96 (3.38 to 12.22)	-5.08 (-6.73 to -2.93)	-6.95 (-8.04 to -5.47)
Jamaica	366 (269 to 534)	171 (133 to 226)	192 (139 to 287)	57 (41 to 79)	557 (418 to 809)	229 (179 to 296)	-10.26 (-19.24 to -0.14)	19.83 (13.08 to 25.24)	-0.76 (-3.64 to 1.53)	-8.96 (-11.10 to -6.63)
Saint Lucia	21 (9 to 48)	15 (12 to 18)	12 (5 to 27)	7 (5 to 8)	32 (14 to 76)	21 (18 to 25)	-1.48 (-14.23 to 34.47)	15.22 (9.92 to 24.76)	-2.63 (-8.23 to 5.86)	-4.62 (-6.44 to -3.15)
Saint Vincent and the Grenadines	19 (9 to 56)	13 (10 to 17)	10 (5 to 29)	5 (4 to 7)	28 (14 to 86)	19 (15 to 23)	-5.21 (-16.74 to 16.48)	19.54 (13.36 to 35.02)	-2.00 (-7.38 to 9.74)	-4.69 (-6.83 to -2.79)
Suriname	146 (100 to 204)	77 (52 to 114)	88 (59 to 125)	28 (19 to 42)	234 (161 to 328)	105 (75 to 149)	2.59 (-7.99 to 13.67)	24.68 (15.58 to 35.47)	-0.68 (-3.39 to 2.37)	-3.81 (-6.79 to -0.44)
The Bahamas	104 (79 to 146)	70 (50 to 92)	59 (44 to 86)	21 (14 to 30)	163 (127 to 229)	90 (66 to 118)	-9.21 (-12.37 to -6.27)	10.55 (8.71 to 12.38)	0.14 (-2.17 to 3.37)	-6.98 (-9.45 to -4.59)
Trinidad and Tobago	317 (201 to 489)	188 (87 to 319)	181 (109 to 282)	49 (27 to 92)	498 (317 to 758)	237 (119 to 397)	-382 (-6.88 to -1.48)	12.26 (8.66 to 19.34)	1.31 (-1.96 to 4.59)	-3.91 (-8.63 to 0.08)
Central Europe	901 (665 to 1166)	497 (419 to 574)	332 (248 to 426)	123 (99 to 150)	1232 (923 to 1593)	620 (524 to 719)	1.29 (-1.78 to 4.40)	8.06 (6.44 to 10.09)	-0.55 (-3.44 to 2.08)	0.19 (-1.28 to 1.41)
Albania	2 (0 to 4)	1 (1 to 2)	1 (0 to 2)	0 (0 to 1)	3 (0 to 6)	2 (1 to 2)	-0.43 (-21.75 to 16.57)	16.85 (5.51 to 30.86)	1.19 (-11.91 to 15.03)	0.29 (-5.18 to 3.74)
Bosnia and Herzegovina	1 (0 to 3)	0 (0 to 1)	1 (0 to 3)	0 (0 to 0)	2 (1 to 6)	1 (1 to 1)	23.41 (-8.35 to 41.70)	27.08 (13.51 to 48.89)	2.76 (-7.44 to 28.85)	13.71 (9.82 to 18.06)
Bulgaria	179 (99 to 330)	105 (61 to 157)	41 (22 to 77)	19 (7 to 34)	221 (122 to 400)	124 (71 to 188)	7.77 (3.42 to 14.35)	9.07 (4.50 to 16.42)	3.82 (0.03 to 8.92)	5.22 (1.32 to 8.36)
Croatia	21 (12 to 35)	9 (6 to 13)	10 (5 to 17)	3 (2 to 5)	31 (18 to 53)	12 (8 to 17)	2.54 (-2.09 to 6.66)	7.78 (4.26 to 11.34)	0.91 (-3.20 to 5.10)	1.47 (-1.15 to 3.93)
Czech Republic	25 (9 to 43)	12 (9 to 16)	10 (4 to 19)	3 (2 to 5)	35 (13 to 62)	16 (12 to 20)	17.51 (12.02 to 21.32)	12.23 (7.65 to 16.94)	-5.74 (-13.40 to -1.53)	3.86 (1.07 to 6.74)

	All ages incidence and deaths (2013)						Annualised rate of change (%)				
	Male population		Female population		Total		1990–2000		2000–13		
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	
Hungary	35 (1 to 73)	43 (33 to 56)	8 (0 to 18)	8 (5 to 11)	43 (2 to 90)	51 (39 to 66)	1.04 (−1.27 to 4.30)	−3.52 (−5.69 to −0.65)	−7.63 (−29.64 to 0.40)	−5.44 (−7.02 to −3.66)	
Macedonia	2 (0 to 3)	1 (1 to 2)	1 (0 to 2)	1 (0 to 1)	3 (1 to 6)	2 (1 to 3)	8.80 (−6.31 to 18.34)	14.07 (3.70 to 25.04)	−1.38 (−10.27 to 6.27)	2.47 (−1.54 to 6.00)	
Montenegro	1 (0 to 2)	1 (0 to 1)	1 (0 to 1)	0 (0 to 1)	1 (0 to 4)	1 (1 to 2)	−7.56 (−30.37 to 5.80)	13.19 (3.02 to 22.95)	1.33 (−14.79 to 19.86)	−1.24 (−7.99 to 3.21)	
Poland	359 (166 to 555)	189 (147 to 236)	110 (49 to 178)	37 (26 to 52)	469 (217 to 728)	226 (177 to 281)	−1.31 (−7.24 to 3.30)	20.93 (15.87 to 27.41)	−1.80 (−8.76 to 2.35)	1.00 (−1.25 to 3.10)	
Romania	180 (97 to 277)	101 (69 to 139)	117 (63 to 185)	42 (29 to 62)	298 (162 to 453)	143 (99 to 194)	4.19 (−3.96 to 13.76)	21.05 (15.17 to 35.98)	−1.83 (−7.61 to 3.00)	−0.70 (−4.26 to 2.20)	
Serbia	73 (31 to 132)	28 (14 to 52)	24 (10 to 45)	7 (3 to 17)	97 (41 to 177)	35 (17 to 67)	−11.33 (−20.97 to −0.67)	4.62 (1.63 to 7.84)	10.23 (2.52 to 19.43)	−3.11 (−8.73 to 2.27)	
Slovakia	12 (6 to 24)	4 (2 to 5)	5 (2 to 9)	1 (1 to 1)	17 (8 to 33)	5 (3 to 6)	6.92 (1.24 to 12.86)	17.06 (12.39 to 24.48)	3.51 (−1.36 to 8.87)	3.04 (−0.55 to 5.98)	
Slovenia	12 (2 to 30)	3 (1 to 6)	2 (0 to 5)	0 (0 to 1)	14 (2 to 35)	3 (1 to 6)	−6.64 (−13.05 to 10.19)	−1.26 (−7.91 to 8.38)	11.29 (−0.09 to 20.62)	1.76 (−4.88 to 6.93)	
Eastern Europe	41 070 (30 301 to 58 405)	22 838 (18 002 to 28 949)	11 207 (7772 to 15 653)	4823 (3063 to 7241)	52 277 (38 281 to 73 913)	27 662 (21 651 to 35 479)	25.17 (18.06 to 34.84)	13.07 (9.88 to 16.41)	−1.53 (−3.75 to 0.86)	8.51 (6.41 to 10.74)	
Belarus	573 (362 to 820)	379 (244 to 531)	127 (77 to 190)	35 (23 to 50)	699 (439 to 1013)	413 (277 to 571)	29.51 (16.04 to 51.15)	42.29 (28.40 to 98.54)	0.09 (−3.53 to 3.25)	9.91 (5.90 to 12.80)	
Estonia	77 (44 to 111)	26 (21 to 36)	20 (12 to 29)	5 (3 to 7)	97 (55 to 139)	31 (24 to 42)	50.08 (34.32 to 73.58)	57.11 (44.12 to 89.50)	−2.04 (−7.16 to 0.54)	11.41 (7.09 to 16.50)	
Latvia	134 (75 to 226)	69 (47 to 98)	115 (69 to 189)	73 (53 to 100)	249 (148 to 408)	142 (108 to 189)	16.45 (10.92 to 22.03)	13.96 (8.23 to 19.03)	1.42 (−3.52 to 6.38)	9.21 (6.44 to 11.94)	
Lithuania	48 (26 to 88)	38 (24 to 55)	85 (46 to 160)	77 (52 to 108)	133 (74 to 243)	116 (77 to 157)	3.04 (−0.95 to 7.72)	9.24 (6.12 to 13.00)	0.92 (−3.70 to 6.42)	2.14 (−0.56 to 4.26)	
Moldova	444 (270 to 674)	233 (139 to 321)	104 (62 to 161)	31 (20 to 46)	548 (336 to 827)	264 (162 to 359)	13.94 (6.78 to 24.00)	12.03 (7.78 to 19.63)	4.17 (−0.57 to 8.83)	4.08 (0.20 to 7.96)	

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Russia	30 851 (22 352 to 46 994)	14 423 (10 797 to 19 740)	6672 (4431 to 10 667)	1715 (903 to 3196)	37 523 (27 617 to 57 331)	16 138 (11 963 to 22 526)	25.22 (15.86 to 50.69)	9.60 (6.86 to 13.39)	0.70 (−1.22 to 3.57)	8.66 (5.96 to 11.53)
Ukraine	8943 (4013 to 14 168)	7670 (5455 to 10 529)	4084 (1803 to 6534)	2889 (1515 to 4597)	13 027 (5869 to 20 307)	10 558 (7415 to 14 758)	30.36 (16.36 to 72.39)	32.65 (11.72 to 119.99)	−6.10 (−12.25 to −2.28)	8.50 (5.63 to 11.93)
Western Europe	11 225 (8795 to 14 694)	4336 (3542 to 5326)	2896 (2225 to 3750)	1168 (948 to 1457)	14 122 (11 057 to 18 340)	5504 (4591 to 6583)	−9.15 (−14.34 to −5.01)	−6.75 (−8.06 to −5.34)	0.05 (−1.77 to 2.05)	−3.59 (−4.72 to −2.25)
Andorra	18 (4 to 40)	5 (2 to 7)	4 (1 to 9)	1 (0 to 2)	22 (5 to 48)	6 (3 to 8)	3.38 (−24.91 to 15.91)	2.70 (−5.28 to 20.32)	0.56 (−7.50 to 13.32)	−1.09 (−6.77 to 4.30)
Austria	439 (111 to 1114)	58 (25 to 105)	108 (28 to 281)	15 (7 to 29)	547 (142 to 1378)	73 (32 to 129)	2.62 (−1.67 to 10.93)	−4.20 (−8.86 to 1.90)	7.82 (0.38 to 15.57)	5.51 (0.00 to 10.23)
Belgium	155 (66 to 283)	41 (25 to 66)	64 (28 to 116)	18 (11 to 32)	219 (93 to 392)	59 (39 to 86)	−2.70 (−10.42 to 3.11)	3.37 (0.16 to 6.76)	−0.80 (−6.58 to 4.69)	−1.48 (−4.16 to 1.11)
Cyprus	3 (1 to 6)	1 (0 to 1)	2 (1 to 3)	0 (0 to 1)	4 (2 to 9)	1 (1 to 2)	19.87 (−13.23 to 34.14)	26.48 (16.01 to 41.70)	−1.36 (−11.44 to 24.06)	3.17 (−0.67 to 8.77)
Denmark	202 (87 to 433)	28 (15 to 44)	40 (17 to 87)	6 (3 to 9)	242 (105 to 518)	34 (19 to 52)	−5.46 (−10.62 to 0.51)	−11.24 (−15.04 to −7.09)	4.04 (−1.37 to 12.18)	−1.13 (−4.49 to 3.19)
Finland	20 (10 to 37)	6 (4 to 8)	5 (2 to 10)	2 (1 to 2)	25 (12 to 46)	7 (5 to 10)	−0.56 (−5.45 to 3.94)	0.82 (−1.64 to 3.99)	0.46 (−4.77 to 5.57)	−2.06 (−4.73 to −0.10)
France	1816 (840 to 3599)	839 (486 to 1335)	503 (223 to 999)	229 (139 to 366)	2319 (1076 to 4501)	1068 (658 to 1636)	−3.96 (−8.52 to 6.36)	−12.37 (−15.59 to −8.23)	−0.43 (−4.61 to 5.10)	−2.80 (−5.51 to 0.66)
Germany	1401 (827 to 2299)	435 (285 to 623)	306 (172 to 523)	99 (62 to 150)	1707 (1023 to 2796)	535 (354 to 752)	−2.80 (−5.95 to 2.02)	−10.02 (−12.93 to −6.57)	2.24 (0.02 to 5.13)	−3.15 (−4.75 to −1.14)
Greece	39 (22 to 54)	10 (7 to 15)	13 (7 to 18)	3 (2 to 5)	51 (30 to 71)	14 (9 to 20)	3.56 (0.73 to 9.42)	−11.52 (−15.44 to −6.10)	−1.99 (−6.00 to 0.18)	−2.49 (−5.44 to 0.06)
Iceland	1 (0 to 1)	0 (0 to 0)	0 (0 to 0)	0 (0 to 0)	1 (0 to 2)	0 (0 to 0)	−0.85 (−6.56 to 4.83)	−1.07 (−4.21 to 2.38)	−0.31 (−6.77 to 7.62)	−3.09 (−6.63 to 0.48)

Lancet. Author manuscript; available in PMC 2014 October 20.

Murray et al.

Page 81

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Ireland	40 (18 to 73)	12 (8 to 18)	18 (8 to 32)	6 (4 to 9)	57 (26 to 105)	17 (12 to 25)	0.83 (–7.24 to 6.66)	4.51 (0.68 to 9.85)	–2.78 (–9.97 to 3.14)	–3.64 (–6.79 to –0.86)
Israel	52 (25 to 94)	13 (9 to 20)	58 (28 to 106)	14 (10 to 20)	110 (52 to 193)	27 (20 to 36)	–3.86 (–10.49 to 2.30)	6.06 (3.40 to 8.34)	–0.89 (–7.21 to 3.44)	–2.94 (–5.17 to –0.78)
Italy	2328 (1269 to 3636)	775 (492 to 1290)	646 (346 to 1042)	242 (144 to 407)	2974 (1631 to 4601)	1017 (651 to 1549)	–16.06 (–27.75 to –4.02)	–8.82 (–12.23 to –5.51)	1.90 (–0.40 to 6.14)	–3.07 (–5.22 to –0.46)
Luxembourg	1 (1 to 2)	0 (0 to 1)	1 (1 to 2)	0 (0 to 1)	2 (1 to 4)	1 (1 to 1)	3.47 (–5.21 to 13.05)	27.76 (19.37 to 41.86)	–2.35 (–8.82 to 2.40)	–2.39 (–6.22 to 0.92)
Malta	1 (0 to 2)	0 (0 to 1)	0 (0 to 1)	0 (0 to 0)	1 (1 to 3)	0 (0 to 1)	–17.62 (–23.63 to –11.72)	0.34 (–3.00 to 4.44)	4.19 (–2.47 to 12.25)	–5.36 (–9.13 to –1.84)
Netherlands	236 (106 to 456)	73 (40 to 125)	51 (22 to 99)	17 (9 to 30)	287 (128 to 552)	91 (52 to 147)	–12.47 (–19.81 to –5.75)	–3.00 (–6.29 to –0.13)	0.76 (–5.61 to 6.65)	–4.36 (–7.46 to –1.54)
Norway	26 (12 to 45)	8 (5 to 14)	23 (11 to 41)	7 (4 to 12)	49 (23 to 84)	15 (10 to 23)	–4.16 (–13.90 to 1.95)	1.34 (–1.81 to 6.43)	–1.95 (–8.14 to 2.80)	–3.79 (–7.12 to –1.07)
Portugal	1978 (906 to 3669)	679 (436 to 944)	394 (184 to 752)	146 (85 to 234)	2371 (1102 to 4392)	825 (574 to 1109)	–0.31 (–7.39 to 5.92)	12.07 (6.83 to 18.41)	–1.18 (–7.84 to 4.58)	–3.32 (–5.86 to –0.67)
Spain	1811 (1180 to 2780)	1075 (627 to 1618)	408 (254 to 639)	252 (140 to 416)	2219 (1454 to 3387)	1327 (792 to 1976)	–15.24 (–19.37 to –10.81)	–5.11 (–7.45 to –2.22)	–1.34 (–4.32 to 0.83)	–6.66 (–9.66 to –4.50)
Sweden	46 (20 to 82)	15 (9 to 24)	15 (6 to 26)	5 (3 to 9)	61 (26 to 108)	20 (13 to 30)	–9.91 (–18.59 to –2.93)	–1.05 (–3.98 to 1.43)	–2.54 (–8.88 to 1.44)	–5.28 (–8.03 to –2.79)
Switzerland	251 (85 to 539)	79 (43 to 131)	111 (39 to 241)	36 (20 to 59)	362 (124 to 782)	115 (69 to 175)	–19.00 (–24.99 to –8.36)	–6.25 (–9.63 to –2.61)	6.82 (0.92 to 12.82)	–3.43 (–6.63 to –0.05)
UK	349 (24 to 964)	178 (119 to 255)	125 (9 to 342)	68 (43 to 104)	474 (33 to 1316)	246 (168 to 333)	0.83 (–5.08 to 7.15)	–4.45 (–7.40 to –1.00)	–8.49 (–27.01 to 0.11)	–1.57 (–4.46 to 0.53)
Andean Latin America	3316 (1938 to 7058)	1588 (987 to 3617)	1225 (683 to 2571)	465 (240 to 1304)	4541 (2649 to 9597)	2053 (1258 to 4917)	1.91 (–16.44 to 14.95)	19.73 (11.89 to 28.79)	–1.09 (–6.07 to 4.63)	–3.52 (–6.58 to 0.62)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990-2000		2000-13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Bolivia	396 (13 to 1969)	446 (46 to 2345)	181 (5 to 845)	171 (12 to 1043)	577 (18 to 2770)	617 (59 to 3398)	21.87 (-12.59 to 47.06)	46.78 (11.24 to 77.78)	-11.15 (-29.50 to 2.73)	-1.91 (-11.59 to 8.44)
Ecuador	1711 (997 to 3749)	687 (495 to 1081)	607 (350 to 1341)	193 (114 to 330)	2318 (1378 to 5097)	880 (645 to 1409)	8.55 (-4.91 to 19.31)	18.12 (11.55 to 27.83)	0.17 (-3.88 to 7.10)	1.89 (-1.82 to 8.67)
Peru	1209 (503 to 3735)	455 (287 to 790)	437 (182 to 1330)	101 (64 to 178)	1646 (695 to 5100)	556 (357 to 960)	-4.68 (-29.03 to 15.07)	18.81 (9.18 to 30.45)	0.23 (-4.84 to 10.22)	-8.83 (-12.74 to -3.34)
Central Latin America	17 775 (14 156 to 21 628)	7555 (6042 to 9924)	5706 (4418 to 7440)	1965 (1207 to 4529)	23 480 (18 630 to 28 703)	9521 (7325 to 14 456)	-2.00 (-8.23 to 1.40)	13.13 (10.27 to 16.05)	-0.64 (-1.81 to 0.37)	-5.46 (-7.10 to -3.86)
Colombia	4464 (2799 to 6030)	1712 (1294 to 2358)	1188 (754 to 1645)	321 (219 to 482)	5651 (3627 to 7520)	2033 (1553 to 2791)	7.92 (-4.88 to 15.09)	29.60 (23.63 to 34.51)	-0.44 (-2.72 to 2.70)	-2.88 (-5.92 to 0.76)
Costa Rica	291 (206 to 395)	110 (81 to 143)	74 (51 to 103)	20 (14 to 27)	366 (261 to 497)	130 (95 to 167)	0.21 (-4.92 to 4.30)	7.98 (5.90 to 10.21)	0.59 (-2.11 to 3.52)	-4.58 (-7.00 to -2.56)
El Salvador	536 (258 to 852)	184 (124 to 275)	249 (117 to 418)	59 (39 to 87)	785 (382 to 1262)	243 (166 to 358)	1.30 (-5.70 to 8.69)	17.00 (10.64 to 22.67)	-2.27 (-7.03 to 2.09)	-6.24 (-9.58 to -2.90)
Guatemala	1163 (545 to 1944)	465 (271 to 733)	679 (308 to 1139)	185 (108 to 308)	1841 (858 to 3044)	650 (384 to 1011)	19.84 (10.31 to 32.38)	32.69 (26.07 to 41.94)	-4.85 (-13.12 to -0.29)	-0.24 (-5.99 to 5.65)
Honduras	381 (54 to 1630)	537 (49 to 2613)	508 (75 to 2243)	586 (38 to 3056)	889 (131 to 3925)	1123 (91 to 5692)	-11.00 (-26.53 to 0.94)	14.55 (4.46 to 23.16)	-6.65 (-14.25 to 3.99)	-11.51 (-16.65 to -5.96)
Mexico	7066 (4827 to 9603)	3076 (2343 to 4368)	1797 (1214 to 2539)	514 (339 to 800)	8863 (6156 to 12 054)	3590 (2763 to 5024)	-614 (-11.86 to -2.01)	9.58 (6.71 to 12.81)	-0.20 (-1.20 to 0.41)	-6.62 (-8.53 to -4.22)
Nicaragua	978 (522 to 1739)	199 (130 to 284)	407 (215 to 741)	53 (29 to 94)	1386 (736 to 2471)	252 (165 to 364)	19.78 (6.54 to 35.63)	14.90 (3.90 to 38.22)	10.61 (2.14 to 17.90)	11.62 (6.35 to 16.80)
Panama	500 (295 to 763)	282 (193 to 410)	167 (95 to 263)	58 (35 to 107)	666 (392 to 1011)	340 (233 to 505)	-8.12 (-15.64 to -2.07)	12.99 (9.44 to 16.66)	-0.88 (-4.14 to 0.97)	-6.63 (-10.00 to -2.21)
Venezuela	2396 (1506 to 3591)	992 (770 to 1470)	637 (386 to 968)	168 (111 to 248)	3033 (1912 to 4504)	1160 (900 to 1687)	1.77 (-9.28 to 12.66)	17.73 (9.64 to 32.27)	-0.32 (-3.01 to 3.08)	-5.43 (-8.14 to -1.48)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Southern Latin America	4938 (3436 to 7580)	1722 (1230 to 2253)	1593 (1084 to 2210)	291 (171 to 490)	6531 (4590 to 9658)	2013 (1437 to 2650)	-0.75 (-4.84 to 3.85)	10.00 (6.17 to 13.76)	-0.24 (-3.40 to 3.08)	-2.76 (-5.37 to -0.65)
Argentina	3459 (2343 to 4525)	1396 (937 to 1932)	1310 (859 to 1785)	231 (113 to 420)	4769 (3211 to 6214)	1627 (1082 to 2247)	-0.87 (-4.70 to 3.65)	9.37 (5.29 to 13.37)	-0.99 (-4.42 to 1.51)	-2.74 (-5.78 to -0.30)
Chile	1162 (399 to 3636)	219 (132 to 386)	184 (60 to 558)	34 (20 to 57)	1346 (461 to 4214)	253 (154 to 441)	-0.85 (-13.55 to 11.49)	16.21 (5.51 to 26.62)	2.44 (-5.07 to 14.88)	-5.29 (-9.44 to -0.24)
Uruguay	317 (197 to 457)	107 (58 to 227)	98 (60 to 149)	26 (16 to 48)	415 (257 to 600)	133 (77 to 275)	6.73 (-12.63 to 23.80)	14.36 (-0.41 to 26.97)	0.36 (-4.96 to 5.94)	4.14 (0.28 to 9.24)
Tropical Latin America	17 874 (13 687 to 24 490)	8091 (6273 to 10 287)	7958 (5860 to 11 125)	2353 (1676 to 3175)	25 832 (19 842 to 35 094)	10 444 (8400 to 13 074)	-7.15 (-10.27 to -3.64)	1.09 (-2.41 to 6.19)	0.37 (-1.16 to 2.50)	-2.20 (-4.57 to 0.01)
Brazil	17 156 (13 016 to 23 725)	7912 (6086 to 10 130)	7661 (5536 to 10 846)	2305 (1628 to 3122)	24 817 (18 802 to 34 189)	10 217 (8168 to 12 829)	-7.34 (-10.43 to -3.78)	0.99 (-2.54 to 6.14)	0.28 (-1.27 to 2.43)	-2.26 (-4.65 to 0.02)
Paraguay	718 (376 to 1377)	179 (132 to 254)	297 (148 to 573)	47 (30 to 78)	1015 (533 to 1909)	227 (169 to 326)	9.89 (-2.03 to 20.95)	16.01 (10.41 to 26.36)	2.29 (-3.20 to 8.98)	0.94 (-2.22 to 4.82)
North Africa and Middle East	11 022 (7339 to 19 715)	5905 (4360 to 8749)	4482 (3048 to 7671)	2181 (1582 to 3191)	15 503 (10 523 to 27 132)	8087 (6008 to 11 698)	11.52 (0.35 to 25.42)	20.66 (9.81 to 35.43)	-0.35 (-4.01 to 5.02)	3.05 (-0.99 to 7.85)
Algeria	370 (144 to 953)	68 (45 to 110)	334 (126 to 815)	50 (29 to 95)	704 (278 to 1737)	118 (78 to 197)	22.04 (1.42 to 55.08)	31.05 (19.30 to 58.72)	3.63 (-4.30 to 14.24)	2.06 (-4.20 to 10.92)
Bahrain	25 (15 to 47)	11 (8 to 15)	10 (5 to 19)	4 (3 to 5)	35 (20 to 66)	15 (11 to 19)	4.50 (-10.68 to 20.37)	19.32 (9.48 to 41.05)	2.66 (-1.34 to 7.95)	1.52 (-1.64 to 8.28)
Egypt	208 (121 to 315)	54 (36 to 76)	175 (100 to 264)	55 (40 to 72)	383 (224 to 568)	109 (81 to 143)	8.02 (3.18 to 13.53)	20.36 (16.78 to 24.35)	5.61 (0.35 to 10.52)	4.30 (1.75 to 6.54)
Iran	1246 (572 to 2287)	308 (191 to 441)	152 (66 to 282)	17 (9 to 28)	1398 (641 to 2550)	325 (201 to 464)	32.59 (7.25 to 56.24)	42.61 (11.52 to 101.76)	5.64 (-0.97 to 13.56)	12.98 (5.92 to 19.99)
Iraq	318 (143 to 685)	139 (101 to 181)	185 (83 to 417)	72 (52 to 98)	503 (227 to 1092)	211 (159 to 273)	5.61 (-7.68 to 23.46)	21.16 (12.84 to 44.26)	2.85 (-2.60 to 9.54)	2.38 (-1.00 to 5.44)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Jordan	8 (4 to 17)	5 (3 to 6)	10 (5 to 21)	5 (4 to 6)	19 (10 to 37)	9 (7 to 11)	10.32 (–4.09 to 38.26)	27.10 (18.13 to 53.81)	1.09 (–3.61 to 7.21)	1.60 (–1.86 to 5.63)
Kuwait	55 (32 to 101)	24 (18 to 35)	25 (13 to 48)	9 (7 to 13)	80 (45 to 149)	33 (25 to 46)	4.81 (–10.41 to 20.69)	19.61 (9.84 to 41.52)	2.49 (–1.51 to 7.82)	1.53 (–1.69 to 10.13)
Lebanon	241 (7 to 1200)	89 (8 to 471)	93 (3 to 435)	26 (2 to 173)	334 (10 to 1662)	116 (10 to 645)	20.24 (–5.86 to 65.16)	4.87 (–5.96 to 19.21)	5.79 (–14.18 to 19.40)	6.76 (–4.92 to 17.15)
Libya	15 (7 to 32)	7 (5 to 8)	12 (6 to 24)	5 (4 to 6)	27 (13 to 55)	11 (9 to 14)	10.67 (–2.77 to 39.02)	23.15 (14.81 to 48.67)	3.01 (–1.88 to 8.66)	4.20 (1.56 to 7.24)
Morocco	343 (213 to 548)	108 (72 to 161)	294 (187 to 452)	61 (42 to 96)	637 (403 to 980)	169 (117 to 255)	21.12 (11.44 to 27.17)	29.89 (26.98 to 33.37)	0.53 (–2.02 to 4.36)	4.19 (0.82 to 8.25)
Oman	180 (92 to 388)	31 (23 to 43)	43 (21 to 91)	7 (4 to 12)	223 (114 to 480)	38 (28 to 53)	28.03 (9.34 to 65.46)	34.56 (22.53 to 65.06)	1.78 (–4.83 to 11.39)	4.86 (0.85 to 13.07)
Palestine	20 (10 to 42)	6 (5 to 7)	11 (5 to 22)	3 (2 to 4)	31 (15 to 64)	9 (8 to 11)	17.60 (3.68 to 45.75)	22.60 (11.17 to 47.43)	5.85 (0.32 to 12.81)	10.89 (8.35 to 13.98)
Qatar	8 (3 to 20)	4 (2 to 5)	1 (0 to 3)	0 (0 to 1)	10 (3 to 23)	4 (2 to 6)	–2.05 (–14.81 to 18.73)	10.34 (–0.04 to 37.07)	3.15 (–2.65 to 11.69)	–1.70 (–5.16 to 2.00)
Saudi Arabia	354 (168 to 771)	197 (140 to 318)	206 (100 to 436)	87 (62 to 118)	559 (272 to 1200)	283 (206 to 415)	2.20 (–14.17 to 18.84)	19.30 (8.77 to 44.67)	2.77 (–1.56 to 9.53)	1.49 (–2.03 to 7.73)
Sudan	4999 (2880 to 9359)	4154 (2976 to 5843)	1934 (1141 to 3575)	1533 (1040 to 2244)	6933 (4020 to 12 757)	5687 (4109 to 8024)	11.50 (–2.67 to 34.18)	22.51 (8.28 to 53.14)	–4.10 (–9.07 to 2.83)	2.62 (–2.11 to 9.16)
Syria	0 (0 to 1)	0 (0 to 0)	1 (0 to 1)	0 (0 to 0)	1 (0 to 3)	0 (0 to 1)	25.96 (9.85 to 59.84)	34.00 (20.32 to 67.81)	1.74 (–4.46 to 8.97)	7.05 (2.48 to 13.48)
Tunisia	227 (31 to 1041)	53 (4 to 284)	94 (13 to 435)	19 (1 to 110)	322 (44 to 1443)	72 (6 to 388)	12.85 (–14.69 to 44.00)	22.94 (–2.16 to 61.79)	11.96 (0.97 to 22.98)	2.76 (–6.40 to 12.29)
Turkey	408 (233 to 698)	107 (85 to 142)	195 (110 to 331)	42 (31 to 59)	602 (351 to 1029)	149 (120 to 198)	25.03 (20.34 to 29.29)	28.45 (22.14 to 48.56)	1.99 (–1.56 to 7.16)	9.82 (6.51 to 15.83)
United Arab Emirates	304 (175 to 560)	101 (76 to 128)	77 (42 to 150)	27 (19 to 36)	382 (217 to 704)	128 (97 to 161)	4.68 (–10.37 to 20.37)	19.26 (9.51 to 40.77)	2.45 (–1.53 to 7.73)	1.37 (–1.78 to 8.62)

	All ages incidence and deaths (2013)					Annualised rate of change (%)				
	Male population		Female population		Total	1990–2000		2000–13		
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Yemen	1677 (215 to 7497)	433 (45 to 2027)	625 (77 to 2998)	156 (10 to 807)	2302 (289 to 10 511)	589 (56 to 2857)	8.17 (–12.05 to 27.46)	17.84 (–1.57 to 44.45)	10.06 (1.53 to 21.58)	7.14 (–1.35 to 16.57)
High-income North America	20 227 (9394 to 47 347)	7959 (4591 to 11 627)	6193 (2730 to 14 401)	2560 (1398 to 4064)	26 420 (12 244 to 61 760)	10 518 (6635 to 14 804)	–8.87 (–13.56 to –3.10)	–10.20 (–13.49 to –7.99)	2.01 (–3.23 to 9.49)	–2.89 (–5.95 to –0.10)
Canada	720 (253 to 1205)	263 (173 to 392)	134 (47 to 242)	57 (33 to 95)	854 (297 to 1445)	319 (215 to 458)	–9.30 (–17.42 to –3.34)	–10.55 (–12.93 to –8.22)	–0.75 (–9.26 to 3.88)	–4.81 (–8.13 to –1.82)
USA	19 503 (8675 to 46 702)	7694 (4306 to 11 351)	6058 (2608 to 14 298)	2503 (1333 to 4016)	25 561 (11 370 to 60 381)	10 197 (6265 to 14 519)	–8.86 (–13.93 to –2.53)	–10.19 (–13.64 to –7.88)	2.13 (–3.39 to 9.82)	–2.80 (–5.96 to 0.06)
Oceania	1137 (774 to 1591)	1461 (1043 to 2000)	515 (359 to 721)	255 (160 to 372)	1652 (1148 to 2288)	1716 (1249 to 2335)	15.64 (5.25 to 27.08)	31.68 (27.45 to 36.49)	–9.47 (–11.74 to –7.34)	1.21 (–3.80 to 6.92)
Federated States of Micronesia	2 (1 to 4)	1 (0 to 1)	3 (1 to 5)	1 (0 to 1)	5 (2 to 9)	1 (1 to 2)	1.63 (–6.48 to 6.93)	17.73 (13.87 to 23.24)	5.41 (–2.00 to 11.14)	–2.70 (–7.89 to 1.15)
Fiji	19 (7 to 34)	7 (4 to 11)	26 (10 to 46)	7 (3 to 12)	45 (17 to 78)	14 (7 to 22)	1.63 (–6.46 to 6.94)	17.76 (13.92 to 23.26)	5.45 (–1.98 to 11.19)	–2.68 (–7.88 to 1.17)
Kiribati	1 (0 to 2)	0 (0 to 0)	0 (0 to 1)	0 (0 to 0)	1 (0 to 2)	0 (0 to 0)	–7.11 (–14.42 to 6.66)	–4.00 (–7.74 to 1.02)	10.13 (–0.37 to 19.60)	–1.82 (–6.60 to 4.26)
Marshall Islands	1 (0 to 2)	1 (0 to 1)	1 (0 to 2)	1 (0 to 1)	1 (0 to 4)	1 (1 to 1)	5.87 (–6.26 to 14.52)	25.45 (13.97 to 32.22)	–5.17 (–17.67 to 5.47)	0.67 (–2.56 to 2.76)
Papua New Guinea	992 (671 to 1404)	1279 (907 to 1761)	419 (280 to 596)	213 (127 to 316)	1411 (973 to 1972)	1493 (1071 to 2046)	15.78 (5.11 to 27.92)	32.78 (27.56 to 38.72)	–10.09 (–12.45 to –7.90)	1.09 (–4.12 to 7.19)
Samoa	2 (0 to 6)	1 (1 to 2)	2 (0 to 8)	1 (1 to 2)	4 (1 to 14)	2 (2 to 3)	2.62 (–17.47 to 13.91)	24.01 (14.89 to 32.03)	–2.37 (–17.51 to 10.40)	–0.76 (–4.60 to 2.35)
Solomon Islands	5 (1 to 15)	4 (3 to 5)	7 (1 to 22)	5 (3 to 6)	13 (2 to 37)	8 (6 to 11)	6.58 (–4.75 to 15.92)	27.79 (17.67 to 35.23)	–4.58 (–17.19 to 7.03)	–1.12 (–4.26 to 1.73)
Tonga	1 (0 to 2)	1 (1 to 1)	1 (0 to 3)	1 (1 to 1)	2 (0 to 5)	2 (1 to 2)	6.23 (–2.77 to 14.77)	26.75 (15.90 to 33.45)	–5.28 (–17.56 to 5.29)	0.09 (–2.85 to 2.26)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Vanuatu	5 (2 to 10)	2 (1 to 3)	7 (3 to 13)	2 (1 to 3)	13 (5 to 22)	4 (2 to 6)	1.60 (−6.49 to 6.93)	17.68 (13.81 to 23.22)	5.45 (−1.97 to 11.18)	−2.68 (−7.86 to 1.16)
Central sub-Saharan Africa	40 520 (33 684 to 48 736)	34 484 (29 112 to 40 928)	46 721 (38 841 to 56 310)	33 317 (26 990 to 41 399)	87 241 (73 529 to 104 384)	67 801 (57 201 to 81 462)	−0.25 (−1.66 to 0.93)	5.71 (3.57 to 8.17)	−3.89 (−5.15 to −2.60)	−2.42 (−3.47 to −1.14)
Angola	15 931 (11 412 to 21 253)	7668 (5298 to 10 586)	18 844 (14 120 to 24 425)	8531 (6012 to 11 969)	34 775 (25 849 to 45 207)	16 199 (11 785 to 22 209)	4.19 (0.33 to 7.97)	17.14 (13.88 to 21.02)	1.01 (−2.19 to 4.30)	2.30 (−0.13 to 4.95)
Central African Republic	3030 (2107 to 4276)	3822 (3112 to 4827)	3830 (2639 to 5249)	4199 (3022 to 5765)	6860 (4771 to 9421)	8021 (6348 to 10 313)	−5.56 (−8.92 to −2.29)	5.10 (0.91 to 9.99)	−5.85 (−7.56 to −4.06)	−5.43 (−7.70 to −2.89)
Congo	2115 (1607 to 2798)	2814 (2208 to 3561)	2450 (1858 to 3280)	2314 (1656 to 3222)	4565 (3534 to 5925)	5127 (4074 to 6664)	−5.70 (−8.48 to −3.46)	8.21 (5.13 to 11.42)	−7.19 (−9.26 to −4.54)	−6.18 (−7.41 to −4.45)
DR Congo	17 438 (13 583 to 22 693)	17 392 (13 740 to 22 269)	20 175 (15 383 to 26 302)	17 223 (13 018 to 23 364)	37 613 (29 660 to 47 421)	34 615 (27 369 to 44 771)	0.02 (−2.40 to 1.29)	3.93 (2.46 to 6.28)	−5.37 (−6.62 to −4.03)	−2.55 (−3.58 to −1.22)
Equatorial Guinea	838 (453 to 1332)	555 (246 to 945)	905 (499 to 1414)	490 (209 to 744)	1743 (977 to 2789)	1046 (457 to 1689)	11.45 (8.33 to 14.54)	15.68 (10.22 to 34.39)	−1.78 (−5.32 to 2.40)	4.23 (0.35 to 8.07)
Gabon	1169 (642 to 1872)	2233 (1778 to 2582)	517 (302 to 888)	560 (376 to 748)	1686 (986 to 2716)	2793 (2291 to 3203)	11.49 (8.03 to 14.5)	23.03 (19.71 to 26.02)	−12.91 (−17.46 to −7.35)	1.92 (−0.64 to 4.99)
Eastern sub-Saharan Africa	259 900 (239 354 to 285 112)	210 586 (198 215 to 224 774)	322 401 (296 688 to 349 447)	205 015 (189 971 to 222 792)	582 301 (537 558 to 630 227)	415 601 (393 233 to 442 517)	−3.87 (−4.99 to −2.81)	14.50 (12.89 to 16.00)	−4.40 (−5.14 to −3.65)	−3.78 (−4.82 to −2.65)
Burundi	2360 (1033 to 4252)	2997 (2222 to 4069)	3000 (1304 to 5465)	2515 (1648 to 3596)	5360 (2369 to 9678)	5513 (3966 to 7471)	−16.72 (−26.18 to −9.75)	20.87 (17.06 to 24.49)	−2.27 (−9.44 to 6.08)	−9.50 (−12.11 to −4.71)
Comoros	41 (5 to 183)	25 (4 to 117)	18 (2 to 88)	10 (1 to 48)	59 (8 to 276)	35 (4 to 168)	33.81 (12.67 to 50.96)	42.10 (23.55 to 57.50)	−1.72 (−12.18 to 10.65)	11.67 (2.98 to 20.10)
Djibouti	129 (52 to 261)	373 (259 to 492)	152 (60 to 330)	407 (273 to 584)	281 (111 to 571)	780 (516 to 1027)	22.37 (12.52 to 28.20)	38.98 (33.20 to 47.80)	−18.66 (−25.15 to −12.54)	3.07 (−2.38 to 8.01)
Eritrea	578 (266 to 964)	1174 (837 to 1687)	676 (302 to 1064)	1200 (861 to 1695)	1254 (569 to 1996)	2374 (1703 to 3356)	−6.64 (−17.29 to 9.76)	20.01 (13.04 to 33.39)	−11.86 (−17.58 to −6.58)	−7.36 (−11.05 to −0.91)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Ethiopia	15 851 (12 139 to 20 542)	27 417 (22 586 to 33 072)	19 151 (14 97 to 24 731)	24 989 (18 874 to 33 145)	35 002 (27 389 to 44 699)	52 405 (43 394 to 64 763)	-0.16 (-3.45 to 272)	19.29 (14.50 to 23.62)	-13.56 (-15.59 to -10.99)	-7.16 (-9.66 to -3.28)
Kenya	38 877 (33 698 to 43 684)	30 059 (25 652 to 34 355)	46 716 (41 140 to 52 977)	26 704 (21 777 to 31 960)	85 593 (78 186 to 93 863)	56 763 (49 968 to 63 388)	-6.21 (-8.43 to -3.27)	29.44 (26.50 to 32.03)	-2.80 (-4.62 to -1.14)	-4.48 (-7.33 to -1.48)
Madagascar	1258 (169 to 5565)	1819 (313 to 8089)	1383 (187 to 5867)	1904 (335 to 8507)	2641 (356 to 11 358)	3722 (653 to 16 368)	-6.62 (-23.17 to 5.79)	27.96 (14.15 to 37.39)	-4.77 (-13.15 to 6.25)	-0.41 (-4.72 to 4.04)
Malawi	25 256 (21 686 to 29 780)	21 829 (19 080 to 24 746)	33 126 (28 119 to 39 534)	20 006 (16 290 to 24 470)	58 382 (51 810 to 67 436)	41 835 (37 165 to 46 538)	-4.27 (-5.74 to -3.02)	12.80 (10.23 to 17.05)	-4.38 (-5.95 to -2.93)	-3.63 (-6.36 to -1.44)
Mauritius	75 (51 to 99)	28 (22 to 37)	19 (12 to 26)	5 (3 to 6)	94 (63 to 124)	32 (26 to 42)	25.10 (18.27 to 31.79)	30.68 (20.31 to 39.63)	-0.82 (-4.50 to 0.37)	3.21 (0.35 to 6.23)
Mozambique	64 009 (50 297 to 78 047)	35 558 (30 206 to 40 857)	73 592 (59 146 to 89 609)	39 419 (34 459 to 44 370)	137 600 (109 740 to 165 615)	74 978 (66 037 to 83 282)	18.97 (16.40 to 21.12)	35.66 (33.58 to 38.21)	-3.88 (-5.13 to -2.54)	8.71 (6.97 to 10.42)
Rwanda	4307 (3471 to 5579)	4419 (3595 to 5205)	5902 (4708 to 7378)	3724 (2919 to 4754)	10 209 (8282 to 13 029)	8143 (6779 to 9513)	-10.69 (-15.45 to -7.39)	9.21 (5.96 to 13.75)	-4.28 (-6.93 to -0.18)	-8.40 (-10.82 to -5.09)
Seychelles	3 (0 to 21)	2 (1 to 2)	2 (0 to 16)	1 (1 to 1)	5 (1 to 36)	3 (2 to 4)	-3.27 (-17.68 to 26.72)	30.37 (22.07 to 54.20)	-1.47 (-10.74 to 21.52)	-3.28 (-5.45 to -0.70)
Somalia	1441 (784 to 2358)	1179 (782 to 1671)	1555 (823 to 2531)	1177 (688 to 1801)	2996 (1629 to 4855)	2356 (1492 to 3432)	9.81 (-8.51 to 34.47)	27.10 (6.39 to 56.79)	-3.01 (-8.99 to 3.03)	2.36 (-3.15 to 9.30)
South Sudan	6555 (2895 to 9574)	5755 (3527 to 7575)	6137 (2979 to 8666)	4848 (3142 to 6518)	12 692 (5963 to 18 663)	10 603 (6648 to 14 068)	18.26 (-11.84 to 53.75)	38.10 (0.83 to 84.78)	-3.84 (-11.36 to 2.50)	6.90 (-0.73 to 19.03)
Tanzania	30 308 (24 975 to 37 174)	35 376 (30 606 to 41 040)	39 352 (31 857 to 48 818)	33 666 (26 958 to 40 319)	69 660 (58 592 to 85 895)	69 041 (61 368 to 78 390)	-7.83 (-10.68 to -5.07)	15.73 (14.13 to 18.32)	-4.64 (-6.22 to -2.58)	-3.00 (-5.29 to -0.87)
Uganda	48 542 (33 485 to 60 232)	26 727 (22 583 to 31 140)	62 057 (45 900 to 75 069)	26 212 (21 621 to 31 785)	110 599 (80 312 to 133 132)	52 939 (45 914 to 60 909)	-16.94 (-20.40 to -13.18)	12.54 (8.09 to 16.61)	3.81 (1.52 to 6.44)	-5.74 (-7.21 to -3.73)
Zambia	20 161 (16 536 to 24 105)	15 695 (12 805 to 19 018)	29 368 (24 555 to 34 316)	18 086 (14 231 to 21 569)	49 529 (42 630 to 56 376)	33 781 (28 877 to 38 397)	-2.38 (-4.09 to -0.56)	6.08 (3.98 to 9.04)	-4.41 (-5.98 to -2.95)	-5.66 (-7.75 to -3.21)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Southern sub-Saharan Africa	222 423 (198 348 to 248 797)	160 280 (142 399 to 180 385)	280 376 (256 508 to 309 801)	160 992 (133 568 to 185 435)	502 799 (470 822 to 537 266)	321 272 (296 529 to 350 970)	10.60 (9.80 to 11.47)	31.17 (28.62 to 33.63)	-4.58 (-5.16 to -4.00)	3.41 (1.54 to 4.88)
Botswana	4457 (3568 to 5441)	2858 (2225 to 3707)	5232 (4268 to 6316)	2730 (2035 to 3583)	9689 (7945 to 11 571)	5588 (4576 to 6765)	3.95 (2.35 to 5.40)	33.85 (31.41 to 36.43)	-8.02 (-9.67 to -6.19)	-6.19 (-9.00 to -2.81)
Lesotho	7068 (5955 to 8215)	4479 (3813 to 5359)	8259 (6785 to 9749)	4694 (3910 to 5581)	15 328 (12 983 to 17 837)	9173 (8060 to 10 485)	17.08 (14.96 to 18.84)	48.45 (45.79 to 51.23)	-4.27 (-5.72 to -2.82)	4.03 (1.60 to 5.76)
Namibia	3058 (2256 to 3881)	2393 (1709 to 3089)	3886 (2991 to 4776)	1744 (1354 to 2172)	6944 (5240 to 8424)	4137 (3356 to 5038)	15.63 (14.02 to 17.22)	35.74 (32.74 to 38.70)	-8.69 (-10.19 to -7.14)	-1.81 (-3.89 to 1.56)
South Africa	175 519 (151 842 to 200 204)	124 429 (107 696 to 143 955)	221 112 (198 114 to 249 156)	127 484 (101 377 to 150 172)	396 631 (369 966 to 432 109)	251 912 (229 223 to 280 072)	27.56 (26.72 to 28.72)	54.64 (51.50 to 57.39)	-4.68 (-5.32 to -4.06)	7.12 (4.50 to 9.04)
Swaziland	4882 (3845 to 5942)	2801 (2370 to 3265)	5671 (4582 to 6959)	2465 (2045 to 2957)	10 553 (8530 to 12 964)	5266 (4702 to 5938)	16.56 (14.67 to 18.68)	54.18 (50.68 to 58.14)	-3.55 (-5.40 to -1.84)	2.41 (-0.69 to 4.81)
Zimbabwe	27 438 (23 254 to 31 845)	23 321 (19 787 to 27 956)	36 217 (30 580 to 41 205)	21 874 (17 670 to 25 549)	63 655 (55 522 to 71 292)	45 195 (40 323 to 51 392)	-10.26 (-12.34 to -8.24)	24.73 (22.23 to 27.49)	-2.57 (-4.44 to -0.79)	-3.38 (-6.12 to -1.03)
Western sub-Saharan Africa	139 760 (119 664 to 165 598)	147 892 (131 751 to 171 029)	167 215 (140 949 to 192 831)	152 976 (133 303 to 173 924)	306 975 (263 141 to 356 401)	300 868 (270 318 to 337 006)	5.79 (3.88 to 8.08)	18.75 (16.65 to 21.01)	-7.26 (-8.40 to -6.19)	0.82 (-0.38 to 2.01)
Benin	2367 (1718 to 3196)	2050 (1541 to 2757)	2590 (1846 to 3458)	1960 (1356 to 2827)	4957 (3622 to 6595)	4010 (3091 to 5459)	6.90 (2.75 to 10.95)	26.96 (21.60 to 31.83)	-7.64 (-9.56 to -5.86)	-3.12 (-5.91 to 0.32)
Burkina Faso	2484 (1638 to 3488)	2444 (1808 to 3188)	3618 (2393 to 5149)	2683 (1828 to 3826)	6103 (4070 to 8571)	5127 (3737 to 6724)	-20.54 (-30.80 to -14.01)	9.51 (5.32 to 13.94)	-2.41 (-7.84 to 5.77)	-12.63 (-14.84 to -9.11)
Cameroon	18 364 (14 701 to 22 135)	15 653 (12 216 to 19 636)	22 103 (17 903 to 27 084)	15 669 (12 898 to 18 786)	40 467 (33 508 to 48 609)	31 322 (26 088 to 36 873)	11.89 (9.80 to 14.27)	34.05 (31.97 to 36.27)	-5.71 (-7.06 to -4.28)	2.42 (0.39 to 5.05)
Cape Verde	17 (6 to 40)	21 (11 to 35)	9 (3 to 22)	5 (4 to 8)	26 (9 to 63)	26 (15 to 42)	-9.59 (-23.30 to 1.20)	18.26 (11.73 to 26.57)	-11.77 (-18.77 to -1.81)	-13.57 (-20.21 to -6.18)
Chad	4580 (3216 to 6211)	4715 (3913 to 5774)	4904 (3431 to 6421)	4241 (3314 to 5247)	9484 (6804 to 12 391)	8956 (7597 to 10 794)	0.15 (-5.82 to 6.92)	14.54 (11.35 to 18.87)	-6.62 (-10.35 to -3.55)	-1.05 (-3.90 to 1.46)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Cote d'Ivoire	11 756 (8303 to 15 969)	14 804 (11 522 to 18 328)	12 913 (9713 to 16 926)	11 511 (8942 to 14 260)	24 670 (18 594 to 32 159)	26 315 (21 554 to 31 624)	1.29 (–3.49 to 5.05)	17.76 (14.34 to 21.24)	–7.91 (–10.88 to –4.88)	–3.15 (–5.63 to –0.34)
Ghana	4562 (2807 to 6873)	7302 (5449 to 9719)	6214 (3844 to 9119)	7413 (5136 to 10 470)	10 775 (6634 to 15 847)	14 715 (11 072 to 19 639)	2.08 (–2.57 to 6.45)	19.90 (15.13 to 25.45)	–10.73 (–14.08 to –7.89)	–4.28 (–6.87 to –0.80)
Guinea	5288 (3327 to 7872)	3190 (2051 to 4909)	6118 (3853 to 8838)	3236 (2104 to 4951)	11 406 (7224 to 16 543)	6425 (4343 to 9729)	15.40 (10.07 to 19.71)	22.54 (18.87 to 27.50)	–2.32 (–5.40 to 0.42)	4.03 (1.06 to 7.06)
Guinea-Bissau	1713 (1074 to 2533)	1200 (845 to 1597)	2052 (1253 to 3137)	1300 (914 to 1797)	3765 (2397 to 5676)	2500 (1713 to 3432)	21.73 (16.50 to 25.97)	32.16 (29.45 to 35.80)	–3.06 (–6.89 to –0.10)	8.85 (5.19 to 12.38)
Liberia	315 (137 to 553)	1063 (842 to 1343)	366 (155 to 639)	1089 (843 to 1398)	681 (293 to 1186)	2152 (1746 to 2627)	10.04 (5.46 to 14.39)	34.21 (24.64 to 42.30)	–19.21 (–25.38 to –14.51)	–2.69 (–6.83 to 1.78)
Mali	1976 (847 to 3299)	2616 (1762 to 3605)	2358 (963 to 4093)	2230 (1382 to 3417)	4334 (1866 to 7275)	4846 (3188 to 6966)	0.24 (–8.31 to 8.15)	22.52 (17.20 to 27.07)	–9.26 (–16.68 to –3.40)	–4.37 (–6.98 to –0.98)
Mauritania	123 (11 to 595)	204 (21 to 1193)	144 (12 to 716)	249 (19 to 1486)	267 (23 to 1293)	453 (40 to 2640)	13.71 (–4.12 to 26.42)	22.05 (10.46 to 32.73)	–14.15 (–24.77 to –2.41)	–1.00 (–8.02 to 5.55)
Niger	739 (279 to 1477)	2131 (1530 to 2889)	600 (233 to 1234)	1246 (787 to 1776)	1340 (516 to 2678)	3377 (2382 to 4617)	11.14 (4.39 to 16.80)	26.52 (19.89 to 36.62)	–18.89 (–27.70 to –11.84)	–1.62 (–6.29 to 3.50)
Nigeria	80 309 (61 339 to 100 239)	83 530 (70 612 to 104 376)	97 025 (73 874 to 120 279)	92 271 (74 817 to 111 822)	177 334 (140 750 to 223 268)	175 801 (152 011 to 208 115)	8.76 (5.07 to 13.97)	20.63 (17.02 to 26.66)	–7.03 (–9.22 to –5.28)	4.09 (1.71 to 5.95)
Sao Tome and Principe	33 (4 to 151)	42 (4 to 230)	19 (2 to 87)	18 (1 to 121)	52 (7 to 235)	59 (5 to 366)	34.76 (8.14 to 55.50)	44.76 (16.38 to 63.23)	–10.01 (–18.48 to 1.68)	7.12 (–0.99 to 15.06)
Senegal	668 (169 to 1392)	1447 (953 to 2073)	934 (226 to 1967)	2406 (1483 to 3468)	1602 (400 to 3361)	3852 (2494 to 5417)	10.98 (8.36 to 13.64)	16.05 (12.65 to 19.20)	–15.04 (–24.99 to –8.92)	3.50 (1.37 to 5.39)
Sierra Leone	2058 (759 to 4122)	2050 (1217 to 3303)	2243 (838 to 4491)	2018 (1199 to 3301)	4301 (1616 to 8689)	4069 (2504 to 6569)	20.95 (13.19 to 28.46)	24.42 (14.25 to 32.72)	–5.30 (–11.74 to –0.08)	9.12 (5.02 to 13.17)
The Gambia	306 (170 to 458)	296 (196 to 411)	392 (223 to 590)	234 (144 to 350)	698 (399 to 1035)	529 (355 to 739)	21.09 (18.06 to 24.27)	21.36 (15.98 to 29.34)	–8.00 (–12.18 to –4.68)	3.62 (0.46 to 7.61)

	All ages incidence and deaths (2013)						Annualised rate of change (%)			
	Male population		Female population		Total		1990–2000		2000–13	
	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths	Incidence	Deaths
Togo	2100 (1380 to 2771)	3133 (2563 to 3808)	2611 (1766 to 3610)	3196 (2524 to 3915)	4710 (3259 to 6327)	6329 (5267 to 7440)	8.40 (6.28 to 10.25)	24.73 (19.89 to 31.75)	-11.53 (-14.44 to -9.09)	0.60 (-2.10 to 3.14)

Data in parentheses are 95% uncertainty intervals.

Table 4
Age-standardised tuberculosis without HIV incidence, prevalence, and mortality rates
and annualised rates of change for both sexes for 21 Global Burden of Disease regions

	Age-standardised rates in 2013 (per 100000 population)			Annualised rate of change (%)					
	Incidence	Prevalence	Mortality	1990–2000			2000–2013		
				Incidence	Prevalence	Mortality	Incidence	Prevalence	Mortality
Worldwide	98.65 (96.16 to 101.43)	159.00 (154.14 to 164.10)	19.24 (17.44 to 20.98)	0.03 (-0.17 to 0.25)	0.41 (0.23 to 0.58)	-3.29 (-4.07 to -2.58)	-0.60 (-0.73 to -0.50)	-1.31 (-1.41 to -1.20)	-3.72 (-4.42 to -2.99)
High-income Asia Pacific	34.36 (33.42 to 35.26)	62.80 (59.34 to 66.56)	2.14 (1.91 to 2.59)	-0.04 (-0.27 to 0.20)	-1.64 (-1.99 to -1.30)	-6.22 (-6.85 to -5.42)	0.11 (-0.06 to 0.27)	0.13 (-0.18 to 0.40)	-5.03 (-5.85 to -3.99)
Central Asia	122.11 (118.41 to 125.73)	179.30 (172.60 to 186.59)	11.08 (7.89 to 12.68)	1.03 (0.77 to 1.32)	1.03 (0.82 to 1.26)	5.50 (0.65 to 6.52)	-0.76 (-0.92 to -0.58)	-0.68 (-0.85 to -0.50)	-4.97 (-5.83 to -4.07)
East Asia	74.16 (71.90 to 76.54)	130.70 (125.21 to 136.66)	3.44 (3.00 to 3.99)	0.23 (-0.09 to 0.60)	0.68 (0.34 to 1.00)	-6.70 (-7.93 to -5.73)	-2.08 (-2.36 to -1.85)	-3.16 (-3.44 to -2.86)	-7.54 (-8.53 to -6.63)
South Asia	166.45 (160.83 to 172.18)	265.95 (256.77 to 275.37)	51.54 (43.79 to 59.81)	-0.77 (-1.10 to -0.41)	0.02 (-0.27 to 0.31)	-4.96 (-6.26 to -3.69)	-1.06 (-1.30 to -0.80)	-2.43 (-2.65 to -2.20)	-4.22 (-5.64 to -2.89)
Southeast Asia	145.16 (140.54 to 148.79)	300.95 (289.61 to 311.88)	41.83 (34.22 to 47.27)	1.59 (1.34 to 1.83)	1.42 (1.17 to 1.63)	-4.10 (-4.95 to -3.23)	-0.54 (-0.68 to -0.42)	0.12 (-0.03 to 0.28)	-3.61 (-4.62 to -2.82)
Australasia	6.38 (6.17 to 6.58)	11.11 (10.48 to 11.79)	0.24 (0.20 to 0.27)	-0.23 (-0.61 to 0.16)	-1.00 (-1.37 to -0.60)	-4.13 (-5.09 to -3.21)	-0.22 (-0.41 to -0.03)	-0.36 (-0.66 to -0.08)	-3.63 (-4.62 to -2.62)
Caribbean	55.36 (53.72 to 57.02)	70.84 (68.52 to 73.41)	7.19 (6.17 to 9.38)	1.89 (1.56 to 2.19)	0.87 (0.62 to 1.08)	-6.30 (-7.35 to -4.92)	-0.20 (-0.35 to -0.05)	-1.15 (-1.32 to -0.98)	-3.93 (-4.93 to -2.50)
Central Europe	26.72 (25.97 to 27.46)	41.97 (40.52 to 43.45)	1.69 (1.57 to 1.97)	1.58 (1.40 to 1.75)	0.40 (0.26 to 0.56)	-2.77 (-3.18 to -1.98)	-1.61 (-1.74 to -1.50)	-0.29 (-0.42 to -0.17)	-5.95 (-6.43 to -5.27)
Eastern Europe	79.27 (76.34 to 82.09)	118.55 (113.61 to 123.59)	7.89 (5.14 to 8.64)	1.33 (0.99 to 1.69)	1.73 (1.40 to 2.03)	8.28 (5.46 to 9.09)	-0.58 (-0.80 to -0.39)	-0.75 (-0.97 to -0.53)	-4.80 (-7.62 to -3.91)
Western Europe	10.84 (10.52 to 11.15)	17.25 (16.56 to 17.93)	0.54 (0.50 to 0.64)	-0.23 (-0.39 to -0.03)	-0.72 (-0.88 to -0.56)	-4.22 (-4.67 to -3.81)	-1.18 (-1.28 to -1.08)	-0.64 (-0.78 to -0.52)	-4.88 (-5.53 to -3.78)
Andean Latin America	117.89 (113.83 to 122.14)	161.10 (153.28 to 168.91)	9.37 (8.16 to 11.90)	0.00 (-0.30 to 0.33)	-0.89 (-1.18 to -0.60)	-8.25 (-9.07 to -5.88)	-0.81 (-1.04 to -0.54)	-0.78 (-1.06 to -0.52)	-4.86 (-5.88 to -3.78)
Central Latin America	32.53 (31.73 to 33.35)	49.40 (48.00 to 50.99)	3.38 (3.12 to 4.19)	0.75 (0.52 to 0.93)	-0.39 (-0.61 to -0.19)	-7.53 (-7.85 to -6.72)	-1.69 (-1.83 to -1.55)	-1.51 (-1.67 to -1.35)	-4.21 (-4.74 to -3.03)

	Age-standardised rates in 2013 (per 100000 population)			Annualised rate of change (%)					
	Incidence	Prevalence	Mortality	1990–2000			2000–2013		
				Incidence	Prevalence	Mortality	Incidence	Prevalence	Mortality
Southern Latin America	26.56 (25.80 to 27.32)	38.76 (37.10 to 40.48)	2.05 (1.85 to 2.30)	1.43 (1.06 to 1.78)	-0.06 (-0.35 to 0.23)	-4.77 (-5.78 to -4.23)	-2.56 (-2.75 to -2.39)	-1.56 (-1.78 to -1.32)	-3.35 (-4.03 to -2.70)
Tropical Latin America	52.99 (51.17 to 54.75)	92.22 (86.87 to 97.63)	3.24 (2.40 to 3.64)	0.51 (0.07 to 0.95)	-0.12 (-0.50 to 0.30)	-2.46 (-6.28 to -1.55)	-1.27 (-1.50 to -1.08)	-0.68 (-1.04 to -0.36)	-4.33 (-5.34 to -3.47)
North Africa and Middle East	34.45 (33.65 to 35.29)	48.00 (46.50 to 49.55)	4.56 (4.10 to 5.37)	1.07 (0.85 to 1.30)	-0.32 (-0.50 to -0.12)	-3.72 (-4.35 to -3.07)	-1.10 (-1.18 to -1.03)	-1.26 (-1.35 to -1.16)	-4.58 (-5.14 to -3.89)
High-income North America	5.03 (4.84 to 5.20)	10.05 (9.49 to 10.63)	0.23 (0.19 to 0.38)	-0.75 (-0.99 to -0.52)	-2.29 (-2.60 to -1.99)	-6.84 (-7.96 to -1.42)	-3.32 (-3.55 to -3.10)	-2.28 (-2.57 to -1.97)	-4.14 (-5.14 to -1.90)
Oceania	109.58 (106.38 to 112.83)	174.93 (167.73 to 182.77)	20.21 (12.67 to 40.27)	-0.73 (-1.12 to -0.36)	-0.85 (-1.20 to -0.52)	-6.29 (-8.55 to -2.59)	0.77 (0.60 to 0.98)	0.14 (-0.09 to 0.37)	-2.96 (-4.58 to -0.91)
Central sub-Saharan Africa	285.76 (271.43 to 299.93)	485.43 (453.81 to 520.51)	100.60 (79.63 to 118.71)	0.63 (0.14 to 1.09)	0.31 (-0.12 to 0.74)	-0.12 (-1.35 to 1.27)	0.07 (-0.12 to 0.28)	-0.17 (-0.41 to 0.06)	-3.41 (-4.67 to -1.99)
Eastern sub-Saharan Africa	203.95 (191.93 to 217.39)	311.05 (290.44 to 333.89)	96.61 (82.38 to 104.22)	-0.99 (-1.42 to -0.54)	-1.00 (-1.43 to -0.54)	-0.67 (-1.82 to 0.09)	-0.34 (-0.52 to -0.16)	-0.38 (-0.57 to -0.20)	-3.08 (-4.12 to -2.40)
Southern sub-Saharan Africa	719.33 (642.13 to 823.58)	942.17 (834.80 to 1,079.88)	62.50 (53.16 to 71.44)	-4.74 (-5.78 to -3.50)	-3.70 (-4.66 to -2.54)	1.34 (-0.22 to 2.77)	0.14 (-0.26 to 0.54)	-0.09 (-0.41 to 0.28)	-4.12 (-5.91 to -2.91)
Western sub-Saharan Africa	153.58 (146.18 to 161.45)	262.32 (248.20 to 277.02)	48.48 (41.75 to 55.30)	-0.33 (-0.79 to 0.14)	-0.45 (-0.89 to -0.01)	-0.84 (-1.71 to -0.07)	-0.57 (-0.73 to -0.39)	-0.69 (-0.86 to -0.49)	-3.09 (-3.84 to -2.17)

Data in parentheses are 95% uncertainty intervals.