

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体 の編集者	書籍名	出版社 名	出版地	出版 年	ページ
森信 繁	気分障害のバイオマーカー(III) うつ病・双極性障害のエピジェネティック・バイオマーカーの開発 DNAメチル化およびマイクロRNAを用いた試みー。	中村 純	精神疾患のバイオマーカー	星和書店	東京	2015	143-157

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Watanabe SY, Iga JI, Ishii K, Numata S, Shimodera S, Fujita H, Ohmori T.	Biological tests for major depressive disorder that involve leukocyte gene expression assays.	J Psychiatr Res.			in press
Numata S, Ishii K, Tajima A, Iga J, Kinoshita M, Watanabe S, Umehara H, Fuchikami M, Okada S, Boku S, Mishimoto A, Shomoderqa S, Imoto I, Morinobu S, Ohmori T	Blood diagnostic biomarkers for major depressive disorder using multiplex DNA methylation profiles: discovery and validation.	Epigenetics	10	135-141	2015
Kinoshita M, Numata S, Tajima A, Ohi K, Hashimoto R, Shimodera S, Imoto I, Takeda M, Ohmori T	Aberrant DNA Methylation of Blood in Schizophrenia by Adjusting for Estimated Cellular Proportions.	Neuromolecular Med.	16(4)	697-703	2014

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Watanabe S, Iga J, Nishi A, Numata S, Kinoshita M, Kikuchi K, Nakataki M, Ohmori T.	Microarray analysis of global gene expression in leukocytes following lithium treatment.	Hum Psychopharmacol.	29(2)	190-198	2014
Hayashi K, Yoshimura R, Kakeda S, Kishi T, Abe O, Umene-Nakano W, Katsuki A, Hori H, Ikenouchi-Sugita A, Watanabe K, Ide S, Ueda I, Moriya J, Iwata N, Korogi Y, Kubicki M, Nakamura J	COMT gene Val158Met, but not BDNF Val66Met, is associated with white matter abnormalities of the temporal lobe in patients with first-episode, treatment-naïve major depressive disorder: A diffusion tensor imaging study.	Neuropsychiatric Disease and Treatment,	25;10	1183-1190	2014
Yoshimura R, Kishi T, Hori H, Atake K, Katsuki A, Nakano-Umene W, Ikenouchi-Sugita A, Iwata N, Nakamura J	Serum proBDNF/BDNF and response to fluvoxamine in drug-naïve first-episode major depressive disorder patients.	Annals of General Psychiatry	9	13-19	2014
Yamanouchi Y, Sukegawa T, Inagaki A, Inada T, Yoshio T, Yoshimura R, Iwata N, and SCAP study co-operation group:	Clinical study evaluating individually safe correction of antipsychotic agent polypharmacy in Japanese patients with schizophrenia: Validation of the safety correction for antipsychotic polypharmacy and high-dose method.	International Journal of Neuropsychopharmacology			in press

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ikeda M, Yoshimura R, Hashimoto R, Kondo K, Saito T, Shimasaki A, Ohi K, Kawamura Y, Nishida N, Miyagawa T, Sasaki M, Takeda M, Nakamura J, Ozaki N, Iwata N:	Genetic overlap between antipsychotic response and susceptibility for schizophrenia	Journal of Clinical Psychopharmacology			in press
Nishimura J, Kakeda S, Abe O, Yoshimura R, Watanabe K, Goto N, Hori H, Sato T, Takao H, Kabasawa H, Nakamura J, Korogi Y	Plasma levels of 3-methoxy-4-hydroxyphenylglycol are associated with microstructural changes within the cerebellum in the early stage of first-episode schizophrenia: a longitudinal VBM study	Neuropsychiatric Disease and Treatment	10	2315-2323	2014
Hori H, Yoshimura R, Katsuki A, Atake K, Nakamura J	Relationships between brain-derived neurotrophic factor, clinical symptoms, and decision-making in chronic schizophrenia: data from the Iowa Gambling Task.	Front Behav Neurosci.	8	417	2014
Hori H, Yamada K, Kamada D, Shibata Y, Katsuki A, Yoshimura R, Nakamura J	Effect of blonanserin on cognitive and social function in acute phase Japanese schizophrenia compared with risperidone.	Neuropsychiatr Dis Treat.	10	527-533	2014

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Atake K, Yoshimura R, Hori H, Katsuki A, Nakamura J	Catechol-O-methyltransferase Val158Met genotype and the clinical responses to duloxetine treatment or plasma levels of 3-methoxy-4-hydroxyphenylglycol and homovanillic acid in Japanese patients with major depressive disorder	Neuropsychiatr Dis Treat.	11	967-974	2015
Okada S, Morinobu S, Fuchikami M, Segawa M, Yokomaku K, Katoka T, Okamoto Y, Yamawaki S, Inoue T, Kusumi I, Koyama T, Tsuchiyama K, Terao T, Kokubo Y, Mimura M	The potential of SLC6A4 gene methylation analysis for the diagnosis and treatment of major depression.	Journal of Psychiatric Research	53	47-53	2014
Toda H, Boku S, Nakagawa S, Inoue T, Kato A, Takamura N, Song N, Nibuya M, Koyama T, Kusum I	Maternal separation enhances conditioned fear and decreases the mRNA levels of the neurotensin receptor 1 gene with hypermethylation of this gene in the rat amygdala	PLoS One	9(5)	e97421	2014

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Boku S, Toda H, Nakagawa S, Kato A, Inoue T, Koyama T, Hiroi N, Kusumi I	Neonatal maternal separation alters the capacity of adult neural precursor cells to differentiate into neurons via methylation of retinoic acid receptor gene promoter	Biol Psychiatry	77	335-344	2014
Inoue T, Kohno K, Baba H, Takeshima M, Honma H, Yukieii Nakai, Toshihito Suzuki T, Hatano K, Arai H, Matsubara S, Kusumi I, Terao T	Does temperature or sunshine mediate the effect of latitude on affective temperaments? A study of 5 regions in Japan	J Affect Disord	172	141-145	2015
An Y, Inoue T, Kitaichi Y, Nakagawa S, Wang C, Chen C, Song N, Kusumi I	Subchronic lithium treatment increases the anxiolytic-like effect of mirtazapine on the expression of contextual conditioned fear	Eur J Pharmacol	747	13-17	2015
Matsuoka K, Yasuno F, Taguchi A, Yamamoto A, Kajimoto K, Kazui H, Kudo T, Sekiyama A, Kitamura S, Kiuchi K, Kosaka J, Kishimoto T, Iida H, Nagatsuka K.	Delayed atrophy in posterior cingulate cortex and apathy after stroke.	Int J Geriatr Psychiatry.	30	566–572	2015

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yasuno F, Taguchi A, Yamamoto A, Kajimoto K, Kazui H, Kudo T, Kikuchi-Taura A, Sekiyama A, Kishimoto T, Iida H, Nagatsuka K.	Microstructural abnormality in white matter, regulatory T lymphocytes, and depressive symptoms after stroke.	Psychogeriatrics.	14(4)	213-221	2014
Yasuno F, Taguchi A, Yamamoto A, Kajimoto K, Kazui H, Sekiyama A, Matsuoka K, Kitamura S, Kiuchi K, Kosaka J, Kishimoto T, Iida H, Nagatsuka K.	Microstructural abnormalities in white matter and their effect on depressive symptoms after stroke.	Psychiatry Res.	223 (1)	9-14	2014