

68. Ohe K, Mayeda A (2010) HMGA1a trapping of U1 snRNP at an authentic 5' splice site induces aberrant exon skipping in sporadic Alzheimer's disease. *Mol Cell Biol* 30(9): 2220-2228.
69. Brauch KM, Karst ML, Herron KJ, de Andrade M, Pellikka PA, et al. (2009) Mutations in Ribonucleic Acid Binding Protein Gene Cause Familial Dilated Cardiomyopathy. *J Am Coll Cardiol* 54(10): 930-941.
70. Li DX, Morales A, Quintana JG, Norton N, Siegfried JD, et al. (2010) Identification of Novel Mutations in RBM20 in Patients with dilated cardiomyopathy. *Clin Transl Sci* 3(3): 90-97.
71. Guo W, Schafer S, Greaser ML, Radke MH, Liss M, et al. (2012) RBM20, a gene for hereditary cardiomyopathy, regulates titin splicing. *Nat Med* 18(5): 766-773.
72. Li SJ, Guo W, Dewey CN, Greaser ML (2013) Rbm20 regulates titin alternative splicing as a splicing repressor. *Nucleic Acids Res* 41(4): 2659-2672.
73. Maatz H, Jens M, Liss M, Schafer S, Heinig M, et al. (2014) RNA-binding protein RBM20 represses splicing to orchestrate cardiac pre-mRNA processing. *J Clin Invest* 124(8): 3419-3430.
74. Dietz HC, Valle D, Francomano CA, Kendzior RJ, Pyeritz RE, et al. (1993) The skipping of constitutive exons in vivo induced by nonsense mutations. *Science* 259(5095): 680-683.
75. Cartegni L, Chew SL, Krainer AR (2002) Listening to silence and understanding nonsense: Exonic mutations that affect splicing. *Nat Rev Genet* 3(4): 285-298.
76. Ohno K, Milone M, Shen XM, Engel AG (2003) A frameshifting mutation in CHRNE unmasks skipping of the preceding exon. *Hum Mol Genet* 12(23): 3055-3066.
77. Hsu BY, Iacobazzi V, Wang Z, Harvie H, Chalmers RA, et al. (2001) Aberrant mRNA splicing associated with coding region mutations in children with carnitine-acylcarnitine translocase deficiency. *Mol Genet Metab* 74(1-2): 248-255.
78. Fisher CW, Fisher CR, Chuang JL, Lau KS, Chuang DT, et al. (1993) Occurrence of a 2-Bp (at) Deletion Allele and a Nonsense (G-to-T) Mutant Allele at the E2 (Dbt) Locus of 6 Patients with Maple Syrup Urine Disease - Multiple-Exon Skipping as a Secondary Effect of the Mutations. *Am J Hum Genet* 52(2): 414-424.
79. Haire RN, Ohta Y, Strong SJ, Litman RT, Liu YY, et al. (1997) Unusual patterns of exon skipping in Bruton tyrosine kinase are associated with mutations involving the intron 17 3' splice site. *Am J Hum Genet* 60(4): 798-807.
80. Clarke LA, Veiga I, Isidro G, Jordan P, Ramos JS, et al. (2000) Pathological exon skipping in an HNPCC proband with MLH1 splice acceptor site mutation. *Genes Chromosomes Cancer* 29(4): 367-370.
81. Gatchel JR, Zoghbi HY (2005) Diseases of unstable repeat expansion: Mechanisms and common principles. *Nat Rev Genet* 6(10): 743-755.
82. Davis BM, McCurrach ME, Taneja KL, Singer RH, Housman DE (1997) Expansion of a CUG trinucleotide repeat in the 3' untranslated region of myotonic dystrophy protein kinase transcripts results in nuclear retention of transcripts. *Proc Natl Acad Sci U S A* 94(14): 7388-7393.
83. Lin XY, Miller JW, Mankodi A, Kanadia RN, Yuan Y, et al. (2006) Failure of MBNL1-dependent post-natal splicing transitions in myotonic dystrophy. *Hum Mol Genet* 15(13): 2087-2097.
84. Dansithong W, Paul S, Comai L, Reddy S (2005) MBNL1 is the primary determinant of focus formation and aberrant insulin receptor splicing in DM1. *J Biol Chem* 280(7): 5773-5780.
85. Fugier C, Klein AF, Hammer C, Vassilopoulos S, Ivarsson Y, et al. (2011) Misregulated alternative splicing of BIN1 is associated with T tubule alterations and muscle weakness in myotonic dystrophy. *Nat Med* 17(6): 720-725.
86. Nelson DL, Orr HT, Warren ST (2013) The unstable repeats--three evolving faces of neurological disease. *Neuron* 77(5): 825-843.
87. David CJ, Manley JL (2010) Alternative pre-mRNA splicing regulation in cancer: pathways and programs unhinged. *Genes Dev* 24(21): 2343-2364.
88. Mazoyer S, Puget N, Vidoz LP, Lynch HT, Sinilnikova SOM, et al. (1998) A BRCA1 nonsense mutation causes exon skipping. *Am J Hum Genet* 62(3): 713-715.
89. Wappenschmidt B, Becker AA, Hauke J, Weber U, Engert S, et al. (2012) Analysis of 30 Putative BRCA1 Splicing Mutations in Hereditary Breast and Ovarian Cancer Families Identifies Exonic Splice Site Mutations That Escape In Silico Prediction. *PLoS One* 7(12): e50800.
90. Sanz DJ, Acedo A, Infante M, Duran M, Cabornero PL, et al. (2010) A High Proportion of DNA Variants of BRCA1 and BRCA2 Is Associated with Aberrant Splicing in Breast/Ovarian Cancer Patients. *Clin Cancer Res* 16(6): 1957-1967.
91. Bonnet C, Krieger S, Vezain M, Rousselin A, Tournier I, et al. (2008) Screening BRCA1 and BRCA2 unclassified variants for splicing mutations using reverse transcription PCR on patient RNA and an ex vivo assay based on a splicing reporter minigene. *J Med Genet* 45(7): 438-446.
92. Srebrow A, Kornbliht AR (2006) The connection between splicing and cancer. *J Cell Sci* 119(13): 2635-2641.
93. David CJ, Chen M, Assanah M, Canoll P, Manley JL (2010) HnRNP proteins controlled by c-Myc deregulate pyruvate kinase mRNA splicing in cancer. *Nature* 463(7279): 364-368.
94. Patry C, Bouchard L, Labrecque P, Gendron D, Lemieux B, et al. (2003) Small interfering RNA-mediated reduction in heterogeneous nuclear ribonucleoproteins A1/A2 proteins induces apoptosis in human cancer cells but not in normal mortal cell lines. *Cancer Res* 63(22): 7679-7688.
95. Gerstl GR, Cohen M, Shilo A, Suh SS, Bakacs A, et al. (2011) Splicing factor hnRNP A2/B1 regulates tumor suppressor gene splicing and is an oncogenic driver in glioblastoma. *Cancer Res* 71(13): 4464-4472.
96. He X, Pool M, Darcy KM, Lim SB, Auersperg N, et al. (2007) Knockdown of polypyrimidine tract-binding protein suppresses ovarian tumor cell growth and invasiveness in vitro. *Oncogene* 26(34): 4961-4968.
97. Lefave CV, Squatrito M, Vorlova S, Rocco GL, Brennan CW, et al. (2011) Splicing factor hnRNPH drives an oncogenic splicing switch in gliomas. *EMBO J* 30(19): 4084-4097.
98. Ghigna C, Giordano S, Shen HH, Benvenuto F, Castiglioni F, et al. (2005) Cell motility is controlled by SF2/ASF through alternative splicing of the Ron protooncogene. *Mol Cell* 20(6): 881-890.
99. Karni R, de Stanchina E, Lowe SW, Sinha R, Mu D, et al. (2007) The gene encoding the splicing factor SF2/ASF is a proto-oncogene. *Nat Struct Mol Biol* 14(3): 185-193.
100. Jia R, Li CL, McCoy JP, Deng CX, Zheng ZM (2010) SRp20 is a proto-oncogene critical for cell proliferation and tumor induction and maintenance. *Int J Biol Sci* 6(7): 806-826.
101. Tang Y, Horikawa I, Ajiro M, Robles AI, Fujita K, et al. (2013) Downregulation of splicing factor SRSF3 induces p53 beta,

- an alternatively spliced isoform of p53 that promotes cellular senescence. *Oncogene* 32(22): 2792-2798.
102. Wang Z, Chatterjee D, Jeon HY, Akerman M, Heiden VMG, et al. (2012) Exon-centric regulation of pyruvate kinase M alternative splicing via mutually exclusive exons. *J Mol Cell Biol* 4(2): 79-87.
 103. Zong FY, Fu X, Wei WJ, Luo YG, Heiner M, et al. (2014) The RNA-Binding Protein QKI Suppresses Cancer-Associated Aberrant Splicing. *PLoS Genet* 10(4): e1004289.
 104. Goehe RW, Shultz JC, Murudkar C, Usanovic S, Lamour NF, et al. (2010) hnRNP L regulates the tumorigenic capacity of lung cancer xenografts in mice via caspase-9 pre-mRNA processing. *J Clin Invest* 120(11): 3923-3939.
 105. Sahashi K, Masuda A, Matsuura T, Shinmi J, Zhang Z, et al. (2007) In vitro and in silico analysis reveals an efficient algorithm to predict the splicing consequences of mutations at the 5' splice sites. *Nucleic Acids Res* 35(18): 5995-6003.
 106. Liu HX, Zhang M, Krainer AR (1998) Identification of functional exonic splicing enhancer motifs recognized by individual SR proteins. *Genes Dev* 12(13): 1998-2012.
 107. Tacke R, Manley JL (1995) The human splicing factors ASF/SF2 and SC35 possess distinct, functionally significant RNA binding specificities. *EMBO J* 14(14): 3540-3551.
 108. Pandit S, Zhou Y, Shiue L, Coutinho-Mansfield G, Li H, et al. (2013) Genome-wide analysis reveals SR protein cooperation and competition in regulated splicing. *Mol Cell* 50(2): 223-235.
 109. Schaal TD, Maniatis T (1999) Multiple distinct splicing enhancers in the protein-coding sequences of a constitutively spliced pre-mRNA. *Mol Cell Biol* 19(1): 261-273.
 110. Liu HX, Chew SL, Cartegni L, Zhang MQ, Krainer AR (2000) Exonic splicing enhancer motif recognized by human SC35 under splicing conditions. *Mol Cell Biol* 20(3): 1063-1071.
 111. Lou H, Neugebauer KM, Gagel RF, Berget SM (1998) Regulation of alternative polyadenylation by U1 snRNPs and SRp20. *Mol Cell Biol* 18(9): 4977-4985.
 112. Cavaloc Y, Bourgeois CF, Kister L, Stevenin J (1999) The splicing factors 9G8 and SRp20 transactivate splicing through different and specific enhancers. *RNA* 5(3): 468-483.
 113. Zheng ZM, He PJ, Baker CC (1997) Structural, functional, and protein binding analyses of bovine papillomavirus type 1 exonic splicing enhancers. *J Virol* 71(12): 9096-9107.
 114. Anko ML, Muller-McNicol M, Brandl H, Curk T, Gorup C, et al. (2012) The RNA-binding landscapes of two SR proteins reveal unique functions and binding to diverse RNA classes. *Genome Biol* 13(3): R17.
 115. Tacke R, Chen Y, Manley JL (1997) Sequence-specific RNA binding by an SR protein requires RS domain phosphorylation: creation of an SRp40-specific splicing enhancer. *Proc Natl Acad Sci U S A* 94(4): 1148-1153.
 116. Burd CG, Dreyfuss G (1994) RNA binding specificity of hnRNP A1: significance of hnRNP A1 high-affinity binding sites in pre-mRNA splicing. *EMBO J* 13(5): 1197-1204.
 117. Huelga SC, Vu AQ, Arnold JD, Liang TY, Liu PP, et al. (2012) Integrative genome-wide analysis reveals cooperative regulation of alternative splicing by hnRNP proteins. *Cell Rep* 1(2): 167-178.
 118. McKay SJ, Cooke H (1992) hnRNP A2/B1 binds specifically to single stranded vertebrate telomeric repeat TTAGGGn. *Nucleic Acids Res* 20(24): 6461-6464.
 119. Hutchison S, LeBel C, Blanchette M, Chabot B (2002) Distinct sets of adjacent heterogeneous nuclear ribonucleoprotein (hnRNP) A1/A2 binding sites control 5' splice site selection in the hnRNP A1 mRNA precursor. *J Biol Chem* 277(33): 29745-29752.
 120. Konig J, Zarnack K, Rot G, Curk T, Kayikci M, et al. (2010) iCLIP reveals the function of hnRNP particles in splicing at individual nucleotide resolution. *Nat Struct Mol Biol* 17(7): 909-915.
 121. Shetty S (2005) Regulation of urokinase receptor mRNA stability by hnRNP C in lung epithelial cells. *Mol Cell Biochem* 272(1-2): 107-118.
 122. Matunis MJ, Xing J, Dreyfuss G (1994) The hnRNP F protein: unique primary structure, nucleic acid-binding properties, and subcellular localization. *Nucleic Acids Res* 22(6): 1059-1067.
 123. Xue Y, Zhou Y, Wu T, Zhu T, Ji X, et al. (2009) Genome-wide analysis of PTB-RNA interactions reveals a strategy used by the general splicing repressor to modulate exon inclusion or skipping. *Mol Cell* 36(6): 996-1006.
 124. Masuda A, Andersen HS, Doktor TK, Okamoto T, Ito M, et al. (2012) CUGBP1 and MBNL1 preferentially bind to 3' UTRs and facilitate mRNA decay. *Sci Rep* 2: 209.
 125. Hui J, Hung LH, Heiner M, Schreiner S, Neumuller N, et al. (2005) Intronic CA-repeat and CA-rich elements: a new class of regulators of mammalian alternative splicing. *EMBO J* 24(11): 1988-1998.
 126. Rossbach O, Hung LH, Khrameeva E, Schreiner S, Konig J, et al. (2014) Crosslinking-immunoprecipitation (iCLIP) analysis reveals global regulatory roles of hnRNP L. *RNA Biol* 11(2): 146-155.
 127. Topp JD, Jackson J, Melton AA, Lynch KW (2008) A cell-based screen for splicing regulators identifies hnRNP LL as a distinct signal-induced repressor of CD45 variable exon 4. *RNA* 14(10): 2038-2049.
 128. Smith SA, Ray D, Cook KB, Mallory MJ, Hughes TR, et al. (2013) Paralogs hnRNP L and hnRNP LL exhibit overlapping but distinct RNA binding constraints. *PLoS One* 8(11): e80701.
 129. Vlasova IA, Tahoe NM, Fan D, Larsson O, Rattenbacher B, et al. (2008) Conserved GU-rich elements mediate mRNA decay by binding to CUG-binding protein 1. *Mol Cell* 29(2): 263-270.
 130. Faustino NA, Cooper TA (2005) Identification of putative new splicing targets for ETR-3 using sequences identified by systematic evolution of ligands by exponential enrichment. *Mol Cell Biol* 25(3): 879-887.
 131. Wagnon JL, Briese M, Sun W, Mahaffey CL, Curk T, et al. (2012) CELF4 regulates translation and local abundance of a vast set of mRNAs, including genes associated with regulation of synaptic function. *PLoS Genet* 8(11): e1003067.
 132. Galarneau A, Richard S (2009) The STAR RNA binding proteins GLD-1, QKI, SAM68 and SLM-2 bind bipartite RNA motifs. *BMC Mol Biol* 10: 47.
 133. Galarneau A, Richard S (2005) Target RNA motif and target mRNAs of the Quaking STAR protein. *Nat Struct Mol Biol* 12(8): 691-698.
 134. Hino S, Kondo S, Sekiya H, Saito A, Kanemoto S, et al. (2007) Molecular mechanisms responsible for aberrant splicing of SERCA1 in myotonic dystrophy type 1. *Hum Mol Genet* 16(23): 2834-2843.
 135. Timchenko LT, Timchenko NA, Caskey CT, Roberts R (1996) Novel proteins with binding specificity for DNA CTG repeats and RNA CUG

- repeats: Implications for myotonic dystrophy. *Hum Mol Genet* 5(1): 115-121.
136. Zhou HL, Baraniak AP, Lou H (2007) Role for Fox-1/Fox-2 in mediating the neuronal pathway of calcitonin/calcitonin gene-related peptide alternative RNA processing. *Mol Cell Biol* 27(3): 830-841.
 137. Licatalosi DD, Mele A, Fak JJ, Ule J, Kayikci M, et al. (2008) HITS-CLIP yields genome-wide insights into brain alternative RNA processing. *Nature* 456(7221): 464-469.
 138. Ule J, Jensen KB, Ruggiu M, Mele A, Ule A, et al. (2003) CLIP identifies Nova-regulated RNA networks in the brain. *Science* 302(5648): 1212-1215.
 139. Dember LM, Kim ND, Liu KQ, Anderson P (1996) Individual RNA recognition motifs of TIA-1 and TIAR have different RNA binding specificities. *J Biol Chem* 271(5): 2783-2788.
 140. Ashiya M, Grabowski PJ (1997) A neuron-specific splicing switch mediated by an array of pre-mRNA repressor sites: evidence of a regulatory role for the polypyrimidine tract binding protein and a brain-specific PTB counterpart. *RNA* 3(9): 996-1015.
 141. Lin JC, Tarn WY (2005) Exon selection in alpha-tropomyosin mRNA is regulated by the antagonistic action of RBM4 and PTB. *Mol Cell Biol* 25(22): 10111-10121.
 142. Lin JC, Tarn WY (2011) RBM4 down-regulates PTB and antagonizes its activity in muscle cell-specific alternative splicing. *J Cell Biol* 193(3): 509-520.
 143. Song ZW, Wu PW, Ji P, Zhang JH, Gong QG, et al. (2012) Solution Structure of the Second RRM Domain of RBM5 and its unusual binding characters for different RNA targets. *Biochemistry* 51(33): 6667-6678.
 144. Fushimi K, Ray P, Kar A, Wang L, Sutherland LC, et al. (2008) Up-regulation of the proapoptotic caspase 2 splicing isoform by a candidate tumor suppressor, RBM5. *Proc Natl Acad Sci U S A* 105(41): 15708-15713.
 145. Bechara EG, Sebestyen E, Bernardis I, Eyra E, Valcarcel J (2013) RBM5, 6, and 10 differentially regulate NUMB alternative splicing to control cancer cell proliferation. *Mol Cell* 52(5): 720-733.
 146. Maatz H, Jens M, Liss M, Schafer S, Heinig M, et al. (2014) RNA-binding protein RBM20 represses splicing to orchestrate cardiac pre-mRNA processing. *J Clin Invest* 124(8): 3419-3430.
 147. Warzecha CC, Sato TK, Nabet B, Hogenesch JB, Carstens RP (2009) ESRP1 and ESRP2 Are Epithelial Cell-Type-Specific Regulators of FGFR2 Splicing. *Mol Cell* 33(5): 591-601.
 148. Villablanca A, Calender A, Forsberg L, Hoog A, Cheng JD, et al. (2004) Germline and de novo mutations in the HRPT2 tumour suppressor gene in familial isolated hyperparathyroidism (FIHP). *J Med Genet* 41(3): e32.
 149. Bradley KJ, Cavaco BM, Bowl MR, Harding B, Young A, et al. (2005) Utilisation of a cryptic non-canonical donor splice site of the gene encoding PARAFIBROMIN is associated with familial isolated primary hyperparathyroidism. *J Med Genet* 42(8): e51.
 150. Ohno K, Anlar B, Ozdirim E, Brengman JM, DeBleecker JL, et al. (1998) Myasthenic syndromes in Turkish kinships due to mutations in the acetylcholine receptor. *Ann Neurol* 44(2): 234-241.
 151. Kuivenhoven JA, Weibusch H, Pritchard PH, Funke H, Benne R, et al. (1996) An intronic mutation in a lariat branchpoint sequence is a direct cause of an inherited human disorder (fish-eye disease). *J Clin Invest* 98(2): 358-364.
 152. Crotti L, Lewandowska MA, Schwartz PJ, Insolia R, Pedrazzini M, et al. (2009) A KCNH2 branch point mutation causing aberrant splicing contributes to an explanation of genotype-negative long QT syndrome. *Heart Rhythm* 6(2): 212-218.
 153. Maslen C, Babcock D, Raghunath M, Steinmann B (1997) A rare branch-point mutation is associated with missplicing of fibrillin-2 in a large family with congenital contractural arachnodactyly. *Am J Hum Genet* 60(6): 1389-1398.
 154. Mattioli C, Pianigiani G, De Rocco D, Bianco AM, Cappelli E, et al. (2014) Unusual splice site mutations disrupt FANCA exon 8 definition. *Biochim Biophys Acta* 1842(7): 1052-1058.
 155. Lefevre SH, Chauveinc L, Lyonnet DS, Michon J, Lumbroso L, et al. (2002) A T to C mutation in the polypyrimidine tract of the exon 9 splicing site of the RB1 gene responsible for low penetrance hereditary retinoblastoma. *J Med Genet* 39(5): E21. Yu C, Meng X, Zhang S, Zhao G, Hu L, et al. (2003) A 3-nucleotide deletion in the polypyrimidine tract of intron 7 of the DFNA5 gene causes nonsyndromic hearing impairment in a Chinese family. *Genomics* 82(5): 575-579.
 156. Moon SD, Park JH, Kim EM, Kim JH, Han JH, et al. (2005) A Novel IVS2-1G>A mutation causes aberrant splicing of the HRPT2 gene in a family with hyperparathyroidism-jaw tumor syndrome. *J Clin Endocrinol Metab* 90(2): 878-883.
 157. Miyamoto T, Inoue H, Sakamoto Y, Kudo E, Naito T, et al. (2005) Identification of a novel splice site mutation of the CSPG2 gene in a Japanese family with Wagner syndrome. *Invest Ophthalmol Vis Sci* 46(8): 2726-2735.
 158. Ohno K, Tsujino A, Shen XM, Milone M, Engel AG (2005) Spectrum of splicing errors caused by CHRNE mutations affecting introns and intron/exon boundaries. *J Med Genet* 42(8): e53.
 159. Kimbell LM, Ohno K, Engel AG, Rotundo RL (2004) C-terminal and heparin-binding domains of collagenic tail subunit are both essential for anchoring acetylcholinesterase at the synapse. *J Biol Chem* 279(12): 10997-11005.
 160. Lee VMY, Goedert M, Trojanowski JQ (2001) Neurodegenerative tauopathies. *Annu Rev Neurosci* 24: 1121-1159.
 161. Jacobsen M, Schweer D, Ziegler A, Gaber R, Schock S, et al. (2000) A point mutation in PTPRC is associated with the development of multiple sclerosis. *Nat Genet* 26(4): 495-499.
 162. Cogan JD, Prince MA, Lekhakula S, Bunday S, Futrakul A, et al. (1997) A novel mechanism of aberrant pre-mRNA splicing in humans. *Hum Mol Genet* 6(6): 909-912.
 163. Santoro A, Cannella S, Trizzino A, Bruno G, De Fusco C, et al. (2008) Mutations affecting mRNA splicing are the most common molecular defect in patients with familial hemophagocytic lymphohistiocytosis type 3. *Haematologica* 93(7): 1086-1090.
 164. Hobson GM, Huang Z, Sperle K, Stabley DL, Marks HG, et al. (2002) A PLP splicing abnormality is associated with an unusual presentation of PMD. *Ann Neurol* 52(4): 477-488.
 165. Pagani F, Buratti E, Stuardi C, Bendix R, Dork T, et al. (2002) A new type of mutation causes a splicing defect in ATM. *Nat Genet* 30(4): 426-429.
 166. Metherell LA, Akker SA, Munroe PB, Rose SJ, Caulfield M, et al. (2001) Pseudoexon activation as a novel mechanism for disease resulting in

- atypical growth-hormone insensitivity. *Am J Hum Genet* 69(3): 641-646.
167. Lee EB, Lee VM, Trojanowski JQ (2011) Gains or losses: molecular mechanisms of TDP43-mediated neurodegeneration. *Nat Rev Neurosci* 13(1): 38-50.
 168. Kwiatkowski TJ, Vanderburg CR, Bosco DA, Leclerc AL, Tamrazian E, et al. (2009) Mutations in the FUS/TLS gene on chromosome 16 cause familial amyotrophic lateral sclerosis. *Science* 323(5918): 1208-1208.
 169. Vance C, Rogelj B, Hortobagyi T, De Vos KJ, Nishimura AL, et al. (2009) Mutations in FUS, an RNA Processing Protein, Cause Familial Amyotrophic Lateral Sclerosis Type 6. *Science* 323(5918): 1208-1211.
 170. Fogel BL, Wexler E, Wahnich A, Friedrich T, Vijayendran C, et al. (2012) RBFOX1 regulates both splicing and transcriptional networks in human neuronal development. *Hum Mol Genet* 21(19): 4171-4186.
 171. Voineagu I, Wang XC, Johnston P, Lowe JK, Tian Y, et al. (2011) Transcriptomic analysis of autistic brain reveals convergent molecular pathology. *Nature* 474(7351): 380-384.
 172. Kim HJ, Kim NC, Wang YD, Scarborough EA, Moore J, et al. (2013) Mutations in prion-like domains in hnRNPA2B1 and hnRNPA1 cause multisystem proteinopathy and ALS. *Nature* 495(7442): 467-473.
 173. Jensen KB, Dredge BK, Stefani G, Zhong R, Buckanovich RJ, et al. (2000) Nova-1 regulates neuron-specific alternative splicing and is essential for neuronal viability. *Neuron* 25(2): 359-371.
 174. Ule J, Ule A, Spencer J, Williams A, Hu JS, et al. (2005) Nova regulates brain-specific splicing to shape the synapse. *Nat Genet* 37(8): 844-852.
 175. Stamm S, Zhu J, Nakai K, Stoilov P, Stoss O, et al. (2000) An alternative-exon database and its statistical analysis. *DNA Cell Biol* 19(12): 739-756.
 176. Martelli PL, D'Antonio M, Bonizzoni P, Castrignano T, D'Erchia AM, et al. (2011) ASPicDB: a database of annotated transcript and protein variants generated by alternative splicing. *Nucleic Acids Res* 39: D80-85.
 177. Cooper DN, Ball EV, Krawczak M (1998) The human gene mutation database. *Nucleic Acids Res* 26(1): 285-287.
 178. Yang JO, Kim WY, Bhak J (2009) ssSNPTarget: Genome-wide Splice-site Single Nucleotide Polymorphism Database. *Hum Mutat* 30(12): E1010-E1020.
 179. Sherry ST, Ward MH, Kholodov M, Baker J, Phan L, et al. (2001) dbSNP: the NCBI database of genetic variation. *Nucleic Acids Res* 29(1): 308-311.
 180. Abecasis GR, Auton A, Brooks LD, DePristo MA, Durbin RM, et al. (2012) An integrated map of genetic variation from 1,092 human genomes. *Nature* 491(7422): 56-65.
 181. Narahara M, Higasa K, Nakamura S, Tabara Y, Kawaguchi T, et al. (2014) Large-Scale East-Asian eQTL Mapping Reveals Novel Candidate Genes for LD Mapping and the Genomic Landscape of Transcriptional Effects of Sequence Variants. *PLoS One* 9(6): e100924.
 182. Desmet FO, Hamroun D, Lalonde M, Beroud GC, Claustres M, et al. (2009) Human Splicing Finder: an online bioinformatics tool to predict splicing signals. *Nucleic Acids Res* 37(9): e67.
 183. Yeo G, Burge CB (2004) Maximum entropy modeling of short sequence motifs with applications to RNA splicing signals. *J Comput Biol* 11(2-3): 377-394.
 184. Shapiro MB, Senapathy P (1987) Rna Splice Junctions of Different Classes of Eukaryotes - Sequence Statistics and Functional Implications in Gene-Expression. *Nucleic Acids Res* 15(17): 7155-7174.
 185. Shapiro MB, Senapathy P (1986) Automated Preparation of DNA-Sequences for Publication. *Nucleic Acids Res* 14(1): 65-73.
 186. Buratti E, Chivers M, Hwang G, Vorechovsky I (2011) DBASS3 and DBASS5: databases of aberrant 3'- and 5'-splice sites. *Nucleic Acids Res* 39: D86-D91.
 187. Piva F, Giulietti M, Nocchi L, Principato G (2009) SpliceAid: a database of experimental RNA target motifs bound by splicing proteins in humans. *Bioinformatics* 25(9): 1211-1213.
 188. Piva F, Giulietti M, Burini AB, Principato G (2012) SpliceAid 2: A Database of Human Splicing Factors Expression Data and RNA Target Motifs. *Hum Mutat* 33(1): 81-85.
 189. Cartegni L, Wang JH, Zhu ZW, Zhang MQ, Krainer AR (2003) ESEfinder: a web resource to identify exonic splicing enhancers. *Nucleic Acids Res* 31(13): 3568-3571.
 190. Smith PJ, Zhang CL, Wang JH, Chew SL, Zhang MQ, et al. (2006) An increased specificity score matrix for the prediction of SF2/ASF-specific exonic splicing enhancers. *Hum Mol Genet* 15(16): 2490-2508.
 191. Fairbrother WG, Yeh RF, Sharp PA, Burge CB (2002) Predictive identification of exonic splicing enhancers in human genes. *Science* 297(5583): 1007-1013.
 192. Fairbrother WG, Yeo GW, Yeh R, Goldstein P, Mawson M, et al. (2004) RESCUE-ESE identifies candidate exonic splicing enhancers in vertebrate exons. *Nucleic Acids Res* 32: W187-W190.
 193. Wang Z, Rolish ME, Yeo G, Tung V, Mawson M, et al. (2004) Systematic identification and analysis of exonic splicing silencers. *Cell* 119(6): 831-845.
 194. Paz I, Akerman M, Dror I, Kosti I, Gutfreund MY (2010) SFmap: a web server for motif analysis and prediction of splicing factor binding sites. *Nucleic Acids Res* 38: W281-W285.
 195. Zuker M (2003) Mfold web server for nucleic acid folding and hybridization prediction. *Nucleic Acids Res* 31(13): 3406-3415.
 196. Ding Y, Chan CY, Lawrence CE (2004) Sfold web server for statistical folding and rational design of nucleic acids. *Nucleic Acids Res* 32: W135-W141.
 197. Knudsen B, Hein J (2003) Pfold: RNA secondary structure prediction using stochastic context-free grammars. *Nucleic Acids Res* 31(13): 3423-3428.

厚生労働科学研究費補助金

障害者対策総合研究事業（神経・筋疾患分野）

下部神経管閉鎖障害の病態・制御研究

平成24年度～26年度 総合研究報告書

発行 平成27年5月

発行所 下部神経管閉鎖障害の病態・制御研究班事務局
名古屋大学大学院医学系研究科神経遺伝情報学分野
〒466-8550 名古屋市昭和区鶴舞町65

TEL: 052-744-2447 FAX: 052-744-2449

