

### III 研究成果の刊行に関する一覧表

1. Tada M, Nishizawa M, Onodera O. Redefining cerebellar ataxia in degenerative ataxias: lessons from recent research on cerebellar systems. *J Neurol Neurosurg Psychiatry* 2015 Jan 30. pii: jnnp-2013-307225. doi: 10.1136/jnnp-2013-307225
2. Tada M, Nishizawa M, Onodera O. IP3 Receptors in Neurodegenerative Disorders: Spinocerebellar Ataxias and Huntington's and Alzheimer's Diseases. Norbert Weiss, ed. in *Pathologies of Calcium Channels*. Springer-Verlag Berlin Heidelberg, Germany. 2014;579-600
3. Bundo M, Toyoshima M, Ueda J, Nemoto-Miyauchi T, Sunaga F, Toritsuka M, Ikawa D, Kakita A, Okada Y, Akamatsu W, Kato M, Okano H, Kasai K, Kishimoto T, Nawa H, Yoshikawa T, Kato T, Iwamoto K. Increased L1 retrotransposition in the neuronal genome in schizophrenia. *Neuron* 2014; 81 (1): 1-8.
4. Konno T, Tada M, Tada M, Koyama A, Nozaki H, Harigaya Y, Nishimiya J, Matsunaga A, Yoshikura N, Ishihara K, Arakawa M, Isami A, Okazaki K, Yokoo H, Ihoh K, Yoneda M, Kawamura M, Inuzuka T, Takahashi H, Nishizawa M, Onodera O, Kakita A, Ikeuchi T. Haploinsufficiency of CSF-1R and clinicopathological characterization in patients with HDLS. *Neurology* 2014; 82 (2): 139-148.
5. Yokoseki A, Saji E, Arakawa M, Kosaka T, Hokari M, Toyoshima Y, Okamoto K, Takeda S, Sanpei K, Kikuchi H, Hirohata S, Akazawa K, Kakita A, Takahashi H, Nishizawa M, Kawachi I. Hypertrophic pachymeningitis: significance of myeloperoxidase anti-neutrophil cytoplasmic antibody. *Brain* 2014; 137 (Pt2): 520-536.
6. Hirabayashi S, Kosugi S, Isobe Y, Nashimoto A, Oda I, Hayashi K, Miyashiro I, Tsujitani S, Koderu Y, Seto Y, Furukawa H, Ono H, Tanabe S, Kaminishi M, Nunobe S, Fukagawa T, Matsuo R, Nagai T, Katai H, Wakai T, Akazawa K. Development and external validation of a nomogram for overall survival after curative resection in serosa-negative, locally advanced gastric cancer. *Annals of Oncology* 2014; 25(6): 1179-1184.
7. Hashimoto Y, Honda T, Matsumura K, Nakao M, Soga K, Katano K, Yokota T, Mizusawa H, Nagao S, Ishikawa K. Quantitative Evaluation of Human Cerebellum-Dependent Motor Learning through Prism Adaptation of Hand-Reaching Movement. *PLoS One*. 2015 Mar 18;10(3):e0119376. doi: 10.1371/journal.pone.0119376. eCollection 2015.
8. Ota K, Obayashi M, Ozaki K, Ichinose S, Kakita A, Tada M, Takahashi H, Ando N, Eishi Y, Mizusawa H, and Ishikawa K. Relocation of p25 $\alpha$ /tubulin polymerization promoting protein from the nucleus to the perinuclear cytoplasm in the oligodendroglia of sporadic and COQ2 mutant multiple system atrophy. *Acta Neuropathol Commun*, 2014, Sep 11;2(1):136. [Epub ahead of print]
9. Obayashi M, Stevanin G, et al. Spinocerebellar ataxia 36 exists in diverse populations and can be caused by a short hexanucleotide GGCTG repeat expansion. *J Neurol Neurosurg & Psychiatry*, 2014, Dec 4. Online.

10. Ozaki K, Sanjo N, Ishikawa K, Higahsi M, Hattori T, Tanuma N, Miyata R, Hayashi M, Yokota T, Okawa A, Mizusawa H. Elevation of 8-hydroxy-2'-deoxyguanosine in the cerebrospinal fluid of three patients with superficial siderosis. *Neurology and Clinical Neuroscience*, In press.
11. Ozaki K, Irioka T, Ishikawa K, Mizusawa H. CADASIL with a Novel NOTCH3 Mutation (Cys478Tyr). *Journal of Stroke and Cerebrovascular Diseases*. 2015 Mar;24(3):e61-2. doi: 10.1016
12. Yabe I, Matsushima M, Yoshida K, Ishikawa K, Shirai S, Takahashi I, Sasaki H. Rare frequency of downbeat positioning nystagmus in spinocerebellar ataxia type 31. *J Neurol Sci*. 2015 Mar 15;350(1-2):90-2. doi: 10.10
13. Yamashita C, Tomiyama H, Funayama M, Inamizu S, Ando M, Li Y, Yoshino H, Araki T, Ichikawa T, Ehara Y, Ishikawa K, Mizusawa H, Hattori N. The evaluation of polyglutamine repeats in autosomal dominant Parkinson's disease. *Neurobiol Aging*. 35(7):1779.e17-21, 2014.
14. 榊原聡子, 響場郁子, 齋藤由扶子, 犬飼 晃, 石川欽也, 水澤英洋. Spinocerebellar ataxia type 31 (SCA31)の臨床像, 画像所見—Spinocerebellar ataxia type 6 (SCA6)との小脳外症候の比較検討—*臨床神経学* 54:473-479, 2014.
15. Saitoh Y., Fujikake N., Okamoto Y., Popiel H.A., Hatanaka Y., Ueyama M., Suzuki M., Gaumer S., Murata M., Wada K., \*Nagai Y. p62 plays a protective role in the autophagic clearance of polyglutamine aggregates in polyglutamine disease model flies. *J. Biol. Chem.* 290(3): 1442-1453 (2015)
16. Miura E., Hasegawa T., Konno M., Suzuki M., Sugeno N., Fujikake N., Geisler S., Tabuchi M., Oshima R., Kikuchi A., Baba T., Wada K., Nagai Y., Takeda A., Aoki M. VPS35 dysfunction causes retromer depletion and impairs lysosomal degradation of  $\alpha$ -synuclein, leading to exacerbation of  $\alpha$ -synuclein neurotoxicity in *Drosophila*. *Neurobiol. Dis.* 71: 1-13 (2014)
17. Azuma Y., Tokuda T., Shimamura M., Kyotani A., Sasayama H., Yoshida T., Mizuta I., Mizuno T., Nakagawa M., Fujikake N., Ueyama M., Nagai Y., Yamaguchi M. Identification of ter94, *Drosophila* VCP, as a strong modulator of motor neuron degeneration induced by knockdown of Caz, *Drosophila* FUS. *Hum. Mol. Genet.* 23(13): 3467-3480 (2014)
18. Takeuchi T., Popiel H.A., Futaki S., Wada K., \*Nagai Y. Peptide-based therapeutic approaches for treatment of the polyglutamine diseases. *Curr. Med. Chem.* 21(23): 2575-2582 (2014)
19. 永井義隆. ポリグルタミン病における神経変性. *BRAIN MEDICAL* 26 (3): 225-229 (2014)