

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎				クラミジア性尿道炎・頸管炎									
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
08茨城 男 配偶あり	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			0	0.00		0.00				
	10-	0	0.00		0.00			0	0.00		0.00				
	15-	1	50.85	22.28	79.43	22.27	9.76	34.79	1	50.85	22.28	79.43	22.27	9.76	34.79
	20-	1	25.30	11.08	39.51	11.08	4.85	17.30	2	50.59	30.49	70.69	22.16	13.35	30.96
	25-	0	0.00		0.00			4	71.56	51.46	91.66	31.34	22.54	40.15	
	30-	2	37.24	22.44	52.04	16.31	9.83	22.79	3	55.86	37.74	73.99	24.47	16.53	32.41
	35-	0	0.00		0.00			3	56.07	37.88	74.26	24.56	16.59	32.52	
	40-	0	0.00		0.00			2	34.42	20.74	48.09	15.08	9.09	21.07	
	45-	0	0.00		0.00			1	14.01	6.14	21.88	6.14	2.69	9.58	
	50-	0	0.00		0.00			1	12.39	5.43	19.35	5.43	2.38	8.48	
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	4	6.32	4.54	8.10	2.77	1.99	3.55	17	26.86	23.20	30.52	11.77	10.16	13.37
計															
08茨城 男 配偶なし	0-	2	32.57	19.63	45.50	14.26	8.60	19.93	5	81.41	60.95	101.87	35.66	26.70	44.62
	5-	8	137.93	110.53	165.33	60.41	48.41	72.42	13	224.14	189.21	259.07	98.17	82.87	113.47
	10-	3	58.23	39.34	77.12	25.50	17.23	33.78	14	271.72	230.92	312.53	119.02	101.14	136.89
	15-	2	48.78	29.40	68.17	21.37	12.88	29.86	3	73.18	49.44	96.91	32.05	21.65	42.45
	20-	4	105.10	75.57	134.62	46.03	33.10	58.97	5	131.37	98.36	164.38	57.54	43.08	72.00
	25-	3	105.00	70.94	139.07	45.99	31.07	60.91	3	105.00	70.94	139.07	45.99	31.07	60.91
	30-	2	90.80	54.73	126.88	39.77	23.97	55.57	3	136.20	92.02	180.39	59.66	40.30	79.01
	35-	1	52.21	22.87	81.55	22.87	10.02	35.72	0	0.00		0.00			
	40-	1	51.19	22.43	79.95	22.42	9.82	35.02	0	0.00		0.00			
	45-	0	0.00		0.00			0	0.00		0.00				
	50-	0	0.00		0.00			0	0.00		0.00				
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	0	0.00		0.00			0	0.00		0.00				
計		26	64.94	57.79	72.10	28.44	25.31	31.58	46	114.90	105.38	124.42	50.33	46.16	54.49
08茨城 男 計	0-	2	32.46	19.56	45.35	14.22	8.57	19.86	5	81.14	60.75	101.53	35.54	26.61	44.47
	5-	8	129.07	103.43	154.71	56.53	45.30	67.76	13	209.73	177.05	242.42	91.86	77.55	106.18
	10-	4	56.19	40.40	71.98	24.61	17.70	31.53	15	210.71	180.14	241.28	92.29	78.90	105.68
	15-	3	37.25	25.17	49.34	16.32	11.02	21.61	5	62.09	46.49	77.69	27.19	20.36	34.03
	20-	4	42.57	30.61	54.53	18.65	13.41	23.89	9	95.79	77.85	113.73	41.96	34.10	49.81
	25-	5	60.77	45.50	76.04	26.62	19.93	33.31	6	72.93	56.20	89.66	31.94	24.61	39.27
	30-	2	26.48	15.96	37.00	11.60	6.99	16.21	6	79.44	61.21	97.66	34.79	26.81	42.77
	35-	1	12.94	5.67	20.22	5.67	2.48	8.85	2	25.89	15.60	36.17	11.34	6.83	15.84
	40-	1	11.00	4.82	17.18	4.82	2.11	7.52	1	11.00	4.82	17.18	4.82	2.11	7.52
	45-	0	0.00		0.00			1	10.20	4.47	15.93	4.47	1.96	6.98	
	50-	0	0.00		0.00			0	0.00		0.00				
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	0	0.00		0.00			0	0.00		0.00				
計		30	29.04	26.06	32.01	12.72	11.41	14.02	63	60.98	56.66	65.29	26.71	24.82	28.60
08茨城 女 配偶あり	0-	1	2650.69	1162.85	4138.53	1161.00	509.33	1812.68	1	2650.69	1162.85	4138.53	1161.00	509.33	1812.68
	5-	7	1098.36	865.19	1331.53	481.08	378.95	583.21	7	1098.36	865.19	1331.53	481.08	378.95	583.21
	10-	3	116.43	78.66	154.20	51.00	34.45	67.54	3	116.43	78.66	154.20	51.00	34.45	67.54
	15-	3	64.84	43.80	85.87	28.40	19.19	37.61	3	64.84	43.80	85.87	28.40	19.19	37.61
	20-	2	31.98	19.27	44.68	14.01	8.44	19.57	2	31.98	19.27	44.68	14.01	8.44	19.57
	25-	0	0.00		0.00			0	0.00		0.00				
	30-	0	0.00		0.00			0	0.00		0.00				
	35-	0	0.00		0.00			1	15.86	6.95	24.77	6.95	3.04	10.85	
	40-	0	0.00		0.00			0	0.00		0.00				
	45-	0	0.00		0.00			0	0.00		0.00				
	50-	0	0.00		0.00			1	12.71	5.57	19.86	5.57	2.44	8.70	
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	0	0.00		0.00			0	0.00		0.00				
計		2	3.16	1.91	4.42	1.39	0.84	1.94	18	28.48	24.71	32.26	12.48	10.82	14.13
08茨城 女 配偶なし	0-	1	17.67	7.74	27.60	7.74	3.39	12.09	9	159.01	129.23	188.79	69.65	56.60	82.69
	5-	2	39.60	23.86	55.33	17.34	10.45	24.24	23	455.38	402.03	508.72	199.45	176.09	222.82
	10-	3	76.54	51.71	101.38	33.53	22.65	44.40	11	280.66	233.12	328.21	122.93	102.10	143.75
	15-	0	0.00		0.00			3	109.22	73.79	144.65	47.84	32.32	63.36	
	20-	1	41.29	18.09	64.49	18.08	7.92	28.24	0	0.00		0.00			
	25-	0	0.00		0.00			3	166.61	112.56	220.65	72.97	49.30	96.65	
	30-	0	0.00		0.00			0	0.00		0.00				
	35-	0	0.00		0.00			0	0.00		0.00				
	40-	0	0.00		0.00			0	0.00		0.00				
	45-	0	0.00		0.00			0	0.00		0.00				
	50-	0	0.00		0.00			0	0.00		0.00				
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	0	0.00		0.00			0	0.00		0.00				
計		7	16.62	13.09	20.15	7.28	5.73	8.83	49	116.33	107.00	125.67	50.95	46.86	55.04
08茨城 女 計	0-	1	17.55	7.69	27.41	7.69	3.37	12.01	10	175.51	144.32	206.69	76.87	63.21	90.53
	5-	3	52.74	35.63	69.85	23.10	15.61	30.60	30	527.42	473.32	581.52	231.01	207.31	254.70
	10-	3	46.18	31.20	61.16	20.23	13.67	26.79	14	215.52	183.15	247.88	94.40	80.22	108.57
	15-	0	0.00		0.00			6	81.37	62.70	100.04	35.64	27.46	43.82	
	20-	2	23.05	13.89	32.21	10.10	6.08	14.11	2	23.05	13.89	32.21	10.10	6.08	14.11
	25-	0	0.00		0.00			3	39.03	26.37	51.69	17.09	11.55	22.64	
	30-	0	0.00		0.00			0	0.00		0.00				
	35-	0	0.00		0.00			1	13.26	5.81	20.72	5.81	2.54	9.07	
	40-	0	0.00		0.00			0	0.00		0.00				
	45-	0	0.00		0.00			1	10.22	4.48	15.96	4.48	1.96	6.99	
	50-	0	0.00		0.00			0	0.00		0.00				
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	0	0.00		0.00			0	0.00		0.00				
計		9	8.55	6.95	10.15	3.74	3.04	4.44	67	63.62	59.25	67.99	27.86	25.95	29.78

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎				クラミジア性尿道炎・頸管炎										
		報告数	人口10万対		報告数	人口10万対										
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間							
12千葉 男 配偶あり	0-	0	0.00	0.00	0.00	1	3210.20	1408.72	5011.68	1717.46	753.67	2681.25				
	5-	0				0	0.00			0.00						
	10-	1	158.09	69.26	246.92	84.58	37.06	132.10	21.98	2	52.61	31.71	73.52	28.15	16.96	39.33
	15-	1	26.31	11.53	41.09	14.07	6.17	21.98	2	11.85	5.19	18.50	6.34	2.78	9.90	
	20-	2	15.90	9.58	22.22	8.51	5.13	11.89	4	31.80	22.87	40.74	17.02	12.23	21.80	
	25-	3	35.54	24.01	47.07	19.01	12.84	25.18	1	64.19	51.44	76.94	34.34	27.52	41.16	
	30-	2	32.09	23.08	41.11	17.17	12.35	21.99	2	17.29	10.42	24.17	9.25	5.58	12.93	
	35-	3	25.94	17.53	34.36	13.88	9.38	18.38	3	27.17	18.36	35.99	14.54	9.82	19.25	
	40-	0	0.00			0.00			1	7.65	3.35	11.95	4.09	1.79	6.39	
	45-	0	0.00			0.00			2	12.29	7.41	17.17	6.58	3.96	9.19	
	50-	1	6.15	2.69	9.60	3.29	1.44	5.14	0	0.00			0.00			
	55-	0	0.00			0.00			0	0.00			0.00			
	60-	0	0.00			0.00			24	18.50	16.38	20.62	9.90	8.76	11.03	
	65+	0	0.00			0.00										
	計	15	11.56	9.89	13.24	6.19	5.29	7.08								
12千葉 男 配偶なし	0-	0														
	5-	0														
	10-	4	33.49	24.08	42.90	17.92	12.88	22.95	5	41.86	31.34	52.38	22.40	16.77	28.02	
	15-	6	47.75	36.79	58.70	25.55	19.69	31.40	10	79.58	65.44	93.72	42.58	35.01	50.14	
	20-	9	82.27	66.86	97.68	44.02	35.77	52.26	17	155.41	134.23	176.58	83.14	71.81	94.47	
	25-	3	34.68	23.43	45.93	18.55	12.53	24.57	4	46.24	33.25	59.23	24.74	17.79	31.69	
	30-	4	47.69	34.29	61.09	25.51	18.35	32.68	5	59.61	44.63	74.59	31.89	23.88	39.91	
	35-	0	0.00			0.00			5	79.71	59.68	99.74	42.65	31.93	53.36	
	40-	1	21.57	9.45	33.69	11.54	5.06	18.03	2	43.14	26.00	60.28	23.08	13.91	32.25	
	45-	1	28.21	12.36	44.06	15.09	6.61	23.57	1	28.21	12.36	44.06	15.09	6.61	23.57	
	50-	0	0.00			0.00			0	0.00			0.00			
	55-	0	0.00			0.00			0	0.00			0.00			
	60-	0	0.00			0.00			0	0.00			0.00			
	65+	0	0.00			0.00			0	0.00			0.00			
	計	28	33.93	30.32	37.53	18.15	16.22	20.08	49	59.37	54.60	64.14	31.76	29.21	34.31	
12千葉 男 計	0-	0														
	5-	0														
	10-	4	33.40	24.02	42.79	17.87	12.85	22.89	6	50.10	38.61	61.60	26.80	20.66	32.95	
	15-	7	53.04	41.77	64.30	28.37	22.35	34.40	10	75.77	62.30	89.23	40.53	33.33	47.74	
	20-	10	67.84	55.79	79.90	36.30	29.85	42.74	19	128.90	112.28	145.51	68.96	60.07	77.85	
	25-	6	35.10	27.05	43.16	18.78	14.47	23.09	5	29.25	21.90	36.60	15.65	11.72	19.58	
	30-	6	28.62	22.06	35.19	15.31	11.80	18.82	9	42.93	34.89	50.97	22.97	18.67	27.27	
	35-	4	21.35	15.35	27.35	11.42	8.21	14.63	13	69.39	58.57	80.20	37.12	31.34	42.91	
	40-	4	24.69	17.75	31.63	13.21	9.50	16.92	4	24.69	17.75	31.63	13.21	9.50	16.92	
	45-	1	6.86	3.00	10.71	3.67	1.61	5.73	4	27.43	19.72	35.13	14.67	10.55	18.79	
	50-	0	0.00			0.00			1	6.00	2.63	9.37	3.21	1.41	5.01	
	55-	0	0.00			0.00			2	10.01	6.04	13.99	5.36	3.23	7.49	
	60-	0	0.00			0.00			0	0.00			0.00			
	65+	0	0.00			0.00			0	0.00			0.00			
	計	43	20.26	18.52	22.00	10.84	9.91	11.77	73	34.39	32.13	36.66	18.40	17.19	19.61	
12千葉 女 配偶あり	0-	0														
	5-	0														
	10-	1	1687.47	739.91	2635.03	902.80	395.85	1409.74	3	5062.41	3423.48	6701.35	2708.39	1831.56	3585.22	
	15-	1	91.03	39.88	142.17	48.70	21.34	76.06	10	910.27	748.58	1071.96	486.99	400.49	573.50	
	20-	3	57.33	38.73	75.93	30.67	20.72	40.62	17	324.87	280.60	369.14	173.80	150.12	197.49	
	25-	4	39.17	28.17	50.17	20.96	15.07	26.84	20	195.85	171.24	220.46	104.78	91.62	117.94	
	30-	0	0.00			0.00			18	126.09	109.40	142.79	67.46	58.53	76.39	
	35-	1	7.47	3.27	11.66	4.00	1.75	6.24	5	37.34	27.96	46.72	19.98	14.96	25.00	
	40-	0	0.00			0.00			4	32.95	23.70	42.21	17.63	12.68	22.58	
	45-	0	0.00			0.00			4	34.10	24.52	43.68	18.24	13.12	23.37	
	50-	0	0.00			0.00			0	0.00			0.00			
	55-	0	0.00			0.00			0	0.00			0.00			
	60-	0	0.00			0.00			0	0.00			0.00			
	65+	0	0.00			0.00			0	0.00			0.00			
	計	10	7.68	6.32	9.05	4.11	3.38	4.84	81	62.23	58.34	66.11	33.29	31.21	35.37	
12千葉 女 配偶なし	0-	0														
	5-	0														
	10-	3	27.09	18.30	35.88	14.49	9.79	19.19	27	243.80	217.44	270.17	130.44	116.33	144.54	
	15-	6	53.56	41.27	65.85	28.65	22.08	35.23	55	490.96	453.77	528.15	262.66	242.77	282.56	
	20-	2	22.19	13.38	31.01	11.87	7.16	16.59	30	332.90	298.75	367.05	178.10	159.83	196.37	
	25-	1	15.98	7.00	24.96	8.55	3.75	13.36	9	143.85	116.90	170.79	76.96	62.54	91.37	
	30-	0	0.00			0.00			7	123.17	97.01	149.33	65.90	51.90	79.89	
	35-	0	0.00			0.00			4	92.82	66.74	118.90	49.66	35.71	63.61	
	40-	0	0.00			0.00			3	92.84	62.72	122.96	49.67	33.56	65.78	
	45-	0	0.00			0.00			0	0.00			0.00			
	50-	0	0.00			0.00			0	0.00			0.00			
	55-	0	0.00			0.00			0	0.00			0.00			
	60-	0	0.00			0.00			0	0.00			0.00			
	65+	0	0.00			0.00			0	0.00			0.00			
	計	12	13.80	11.56	16.04	7.38	6.18	8.58	135	155.23	147.72	162.74	83.05	79.03	87.06	
12千葉 女 計	0-	0														
	5-	0														
	10-	4	35.93	25.83	46.02	19.22	13.82	24.62	30	269.45	241.81	297.09	144.16	129.37	158.94	
	15-	7	56.91	44.82	68.99	30.44	23.98	36.91	65	528.41	491.59	565.23	282.70	263.00	302.40	
	20-	5	35.10	26.28	43.92	18.78	14.06	23.50	47	329.95	302.91	356.99	176.52	162.06	190.99	
	25-	2	22.19	13.38	31.01	11.87	7.16	16.59	29	176.09	157.72	194.47	94.21	84.38	104.04	
	30-	0	0.00			0.00			25	125.26	111.19	139.34	67.01	59.48	74.55	
	35-	1	5.65	2.48	8.82	3.02	1.32	4.72	9	50.85	41.32	60.37	27.20	22.11	32.30	
	40-	0	0.00			0.00			7	45.55	35.87	55.22	24.37	19.19	29.54	
	45-	0	0.00			0.00			4	27.86	20.03	35.69	14.90	10.72	19.09	
	50-	0	0.00			0.00			0	0.00			0.00			
	55-	0	0.00			0.00			0	0.00			0.00			
	60-	0	0.00			0.00			0	0.00			0.00			
	65+	0	0.00			0.00			0	0.00			0.00			
	計	22	10.13	8.92	11.35	5.42	4.77	6.07	216	99.48	95.67	103.28				

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎					クラミジア性尿道炎・頸管炎									
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)						
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間				
16歳山 男 配偶あり	0-															
	5-															
	10-															
	15-	0	0.00		0.00			0.00			0.00					
	20-	0	0.00		0.00			0.00			0.00					
	25-	0	0.00		0.00			0.00			0.00					
	30-	1	70.93	31.07	110.78	65.11	28.52	101.70	2	141.85	85.49	198.21	130.22	78.48	181.96	
	35-	0	0.00		0.00			0.00			0.00					
	40-	1	51.64	22.62	80.65	47.40	20.77	74.04	1	51.64	22.62	80.65	47.40	20.77	74.04	
	45-	1	52.23	22.88	81.57	47.94	21.00	74.88	1	52.23	22.88	81.57	47.94	21.00	74.88	
	50-	0	0.00		0.00			0.00			0.00					
	55-	0	0.00		0.00			0.00			40.97	17.95	64.00	37.61	16.48	58.75
	60-	0	0.00		0.00			0.00			0.00		0.00			
65+	0	0.00		0.00			0.00			12.25	5.37	19.14	11.25	4.93	17.57	
計	3	12.50	8.44	16.56	11.47	7.75	15.20	6	25.00	19.26	30.73	22.95	17.69	28.21		
16歳山 男 配偶なし	0-															
	5-															
	10-															
	15-	2	99.63	60.04	139.21	91.46	55.12	127.80	1	49.81	21.82	77.81	45.73	20.03	71.43	
	20-	3	172.51	116.55	228.47	158.37	106.99	209.74	1	57.50	25.19	89.82	52.79	23.13	82.45	
	25-	3	185.11	125.06	245.16	169.93	114.81	225.06	6	370.22	285.30	455.14	339.86	261.91	417.81	
	30-	2	146.17	88.10	204.25	134.19	80.87	187.50	1	73.09	32.02	114.15	67.09	29.39	104.79	
	35-	1	78.36	34.33	122.40	71.94	31.52	112.36	0	0.00		0.00				
	40-	1	111.01	48.63	173.38	101.91	44.65	159.17	1	111.01	48.63	173.38	101.91	44.65	159.17	
	45-	1	148.07	64.87	231.26	135.93	59.55	212.30	1	0.00		0.00				
	50-	0	0.00		0.00			0.00			0.00					
	55-	0	0.00		0.00			0.00			0.00					
	60-	0	0.00		0.00			0.00			0.00					
65+	0	0.00		0.00			0.00			0.00						
計	13	101.48	85.67	117.30	93.16	78.64	107.68	10	78.06	64.19	91.93	71.66	58.93	84.39		
16歳山 男 計	0-															
	5-															
	10-															
	15-	2	99.46	59.94	138.97	91.30	55.03	127.58	1	49.73	21.79	77.67	45.65	20.00	71.30	
	20-	3	163.65	110.56	216.74	150.23	101.49	198.96	1	54.55	23.90	85.20	50.08	21.94	78.21	
	25-	3	133.47	90.17	176.77	122.53	82.78	162.27	6	266.94	205.71	328.17	245.05	188.84	301.26	
	30-	3	107.98	72.95	143.02	99.13	66.97	131.29	3	107.98	72.95	143.02	99.13	66.97	131.29	
	35-	1	29.28	12.83	45.73	26.88	11.77	41.98	0	0.00		0.00				
	40-	2	70.49	42.48	98.49	64.71	39.00	90.42	2	70.49	42.48	98.49	64.71	39.00	90.42	
	45-	2	77.22	46.54	107.90	70.89	42.72	99.05	1	38.61	16.91	60.30	35.44	15.53	55.36	
	50-	0	0.00		0.00			0.00			0.00					
	55-	0	0.00		0.00			0.00			33.02	14.47	51.58	30.32	13.28	47.35
	60-	0	0.00		0.00			0.00			0.00		0.00			
65+	0	0.00		0.00			0.00			10.39	4.55	16.23	9.54	4.18	14.90	
計	16	43.47	37.36	49.57	39.90	34.30	45.51	16	43.47	37.36	49.57	39.90	34.30	45.51		
16歳山 女 配偶あり	0-															
	5-															
	10-															
	15-	0	0.00		0.00			1	13984.67	6171.78	21797.57	12837.93	5665.69	20010.17		
	20-	0	0.00		0.00			1	591.19	259.07	923.31	542.71	237.83	847.59		
	25-	0	0.00		0.00			3	351.30	237.35	465.25	322.49	217.88	427.10		
	30-	1	59.74	26.17	93.31	54.84	24.03	85.66	5	298.70	223.65	373.75	274.21	205.31	343.11	
	35-	1	41.36	18.12	64.59	37.96	16.63	59.30	1	41.36	18.12	64.59	37.96	16.63	59.30	
	40-	0	0.00		0.00			1	45.72	20.03	71.41	41.97	18.39	65.56		
	45-	0	0.00		0.00			1	46.58	20.41	72.75	42.76	18.73	66.79		
	50-	0	0.00		0.00			0	0.00		0.00					
	55-	0	0.00		0.00			0	0.00		0.00					
	60-	0	0.00		0.00			0	0.00		0.00					
65+	0	0.00		0.00			0	0.00		0.00						
計	2	8.34	5.02	11.65	7.65	4.61	10.69	13	54.18	45.74	62.63	49.74	41.99	57.49		
16歳山 女 配偶なし	0-															
	5-															
	10-															
	15-	1	53.00	23.22	82.78	48.65	21.32	75.99	5	265.00	198.41	331.59	243.27	182.14	304.40	
	20-	3	188.55	127.39	249.72	173.09	116.94	229.24	14	879.91	747.82	1012.01	807.76	686.50	929.02	
	25-	2	157.69	95.04	220.34	144.76	87.25	202.28	6	473.07	364.57	581.58	434.28	334.68	533.89	
	30-	1	106.75	46.77	166.74	98.00	42.93	153.06	1	106.75	46.77	166.74	98.00	42.93	153.06	
	35-	0	0.00		0.00			0	0.00		0.00					
	40-	0	0.00		0.00			1	164.90	72.25	257.56	151.38	66.32	236.44		
	45-	0	0.00		0.00			0	0.00		0.00					
	50-	0	0.00		0.00			0	0.00		0.00					
	55-	0	0.00		0.00			0	0.00		0.00					
	60-	0	0.00		0.00			0	0.00		0.00					
65+	0	0.00		0.00			0	0.00		0.00						
計	7	42.33	33.34	51.32	38.86	30.61	47.11	27	163.28	145.62	180.94	149.89	133.68	166.10		
16歳山 女 計	0-															
	5-															
	10-															
	15-	1	52.80	23.13	82.47	48.47	21.23	75.71	6	316.80	244.13	389.46	290.82	224.12	357.53	
	20-	3	170.43	115.14	225.72	156.46	105.70	207.21	15	852.17	728.57	975.76	782.29	668.83	895.75	
	25-	2	94.24	56.80	131.68	86.51	52.14	120.88	9	424.07	344.66	503.49	389.30	316.39	462.20	
	30-	2	76.61	46.17	107.05	70.33	42.38	98.27	6	229.83	177.11	282.54	210.98	162.59	259.38	
	35-	1	30.56	13.39	47.74	28.06	12.29	43.82	1	30.56	13.39	47.74	28.06	12.29	43.82	
	40-	0	0.00		0.00			2	71.59	43.15	100.04	65.72	39.61	91.83		
	45-	0	0.00		0.00			1	38.06	16.68	59.45	34.94	15.31	54.58		
	50-	0	0.00		0.00			0	0.00		0.00					
	55-	0	0.00		0.00			0	0.00		0.00					
	60-	0	0.00		0.00			0	0.00		0.00					
65+	0	0.00		0.00			0	0.00		0.00						
計	9	22.21	18.05	26.37	20.39	16.57	24.20	40	98.69	89.93	107.46	90.60	82.55	98.65		

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎							
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
21岐阜 男 配偶あり	0-	0	0.00		0.00			1	9079.60	3996.71	14162.49	6501.00	2861.65	10140.34	
	5-	0	0.00		0.00			1	422.89	185.31	660.48	302.79	132.68	472.91	
	10-	0	0.00		0.00			5	387.40	290.06	484.74	277.38	207.69	347.07	
	15-	3	232.44	157.04	307.84	166.43	112.44	220.41	3	108.40	73.23	143.56	77.61	52.43	102.79
	20-	3	74.73	50.49	98.98	53.51	36.15	70.87	2	49.82	30.03	69.62	35.67	21.50	49.85
	25-	0	0.00		0.00			8	209.71	168.05	251.37	150.15	120.33	179.98	
	30-	1	25.70	11.26	40.14	18.40	8.06	28.74	3	77.10	52.09	102.11	55.20	37.30	73.11
	35-	1	25.39	11.12	39.65	18.18	7.96	28.39	2	50.78	30.60	70.95	36.36	21.91	50.80
	40-	1	21.58	9.45	33.70	15.45	6.77	24.13	0	0.00		0.00			
	45-	0	0.00		0.00			0	0.00		0.00		0.00		
	50-	0	0.00		0.00			0	0.00		0.00		0.00		
	55-	0	0.00		0.00			0	0.00		0.00		0.00		
	60-	0	0.00		0.00			0	0.00		0.00		0.00		
	65+	0	0.00		0.00			0	0.00		0.00		0.00		
	計	10	22.07	18.15	25.99	15.80	12.99	18.61	25	55.18	48.98	61.38	39.51	35.07	43.95
	21岐阜 男 配偶なし	0-	0						6	142.05	109.47	174.64	101.71	78.38	125.04
5-		1	23.68	10.37	36.98	16.95	7.43	26.48	2	53.72	32.38	75.07	38.46	23.18	53.75
10-		1	26.86	11.77	41.95	19.23	8.43	30.04	3	94.68	63.97	125.40	67.79	45.80	89.78
15-		8	252.49	202.33	302.64	180.78	144.87	216.69	5	205.10	153.57	256.64	146.85	109.95	183.75
20-		0	0.00		0.00			1	44.98	19.70	70.25	32.20	14.11	50.30	
25-		3	134.93	91.16	178.70	96.61	65.27	127.95	2	122.83	74.03	171.63	87.94	53.00	122.89
30-		1	61.41	26.91	95.92	43.97	19.26	68.68	1	79.72	34.93	124.51	57.08	25.01	89.15
35-		1	79.72	34.93	124.51	57.08	25.01	89.15	2	200.99	121.13	280.84	143.91	86.73	201.08
40-		1	100.49	44.03	156.96	71.95	31.52	112.38	0	0.00		0.00			
45-		0	0.00		0.00			0	0.00		0.00		0.00		
50-		0	0.00		0.00			0	0.00		0.00		0.00		
55-		0	0.00		0.00			0	0.00		0.00		0.00		
60-		0	0.00		0.00			0	0.00		0.00		0.00		
65+		0	0.00		0.00			0	0.00		0.00		0.00		
計		16	65.45	56.25	74.64	46.86	40.28	53.44	22	89.99	79.21	100.77	64.43	56.71	72.15
21岐阜 男 計		0-	0						7	165.30	130.19	200.40	118.35	93.22	143.49
	5-	1	23.61	10.35	36.88	16.91	7.41	26.41	3	75.77	51.19	100.35	54.25	36.65	71.85
	10-	1	25.26	11.06	39.45	18.08	7.92	28.24	8	179.41	143.77	215.05	128.45	102.94	153.97
	15-	11	246.68	204.89	288.47	176.63	146.70	206.55	8	153.69	123.15	184.22	110.04	88.18	131.90
	20-	0	0.00		0.00			3	48.09	32.49	63.70	34.44	23.26	45.61	
	25-	6	96.19	74.12	118.25	68.87	53.07	84.67	10	183.72	151.08	216.36	131.54	108.17	154.92
	30-	1	18.37	8.05	28.70	13.15	5.76	20.55	4	77.74	55.90	99.58	55.66	40.02	71.30
	35-	2	38.87	23.43	54.31	27.83	16.77	38.89	4	81.07	58.29	103.85	58.05	41.74	74.36
	40-	1	17.81	7.80	27.81	12.75	5.59	19.92	0	0.00		0.00			
	45-	2	40.54	24.43	56.64	29.02	17.49	40.56	0	0.00		0.00			
	50-	0	0.00		0.00			0	0.00		0.00		0.00		
	55-	0	0.00		0.00			0	0.00		0.00		0.00		
	60-	0	0.00		0.00			0	0.00		0.00		0.00		
	65+	0	0.00		0.00			0	0.00		0.00		0.00		
	計	26	37.27	33.17	41.38	26.69	23.75	29.63	47	67.38	61.86	72.90	48.24	44.29	52.20

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎							
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
21岐阜 女 配偶あり	0-	0	0.00		0.00			3	13773.58	9330.50	18216.67	9861.89	6680.64	13043.13	
	5-	1	239.22	104.81	373.63	171.28	75.05	267.52	4	956.88	688.14	1225.61	685.12	492.71	877.54
	10-	0	0.00		0.00			9	484.79	394.01	575.58	347.11	282.11	412.11	
	15-	0	0.00		0.00			7	207.84	163.70	251.98	148.81	117.21	180.42	
	20-	0	0.00		0.00			6	130.49	100.56	160.43	93.43	72.00	114.86	
	25-	0	0.00		0.00			6	139.56	107.55	171.58	99.93	77.01	122.85	
	30-	0	0.00		0.00			3	69.36	46.86	91.86	49.66	33.55	65.78	
	35-	0	0.00		0.00			2	45.89	27.66	64.13	32.86	19.80	45.91	
	40-	0	0.00		0.00			0	0.00		0.00		0.00		
	45-	0	0.00		0.00			0	0.00		0.00		0.00		
	50-	0	0.00		0.00			0	0.00		0.00		0.00		
	55-	0	0.00		0.00			0	0.00		0.00		0.00		
	60-	0	0.00		0.00			0	0.00		0.00		0.00		
	65+	0	0.00		0.00			0	0.00		0.00		0.00		
	計	1	2.19	0.96	3.42	1.57	0.69	2.45	40	87.64	79.86	95.43	62.75	57.18	68.33
	21岐阜 女 配偶なし	0-	0						14	342.24	290.85	393.63	245.04	208.25	281.84
5-		4	97.78	70.31	125.25	70.01	50.34	89.68	22	598.87	527.15	670.60	428.79	377.44	480.15
10-		2	54.44	32.81	76.07	38.98	23.49	54.47	15	575.58	492.09	659.07	412.12	352.34	471.90
15-		2	76.74	46.25	107.24	54.95	33.12	76.78	3	172.08	116.26	227.90	123.21	83.24	163.18
20-		1	57.36	25.13	89.59	41.07	17.99	64.15	6	389.08	299.84	478.33	278.58	214.69	342.48
25-		0	0.00		0.00			2	166.83	100.55	233.11	119.45	71.99	166.91	
30-		0	0.00		0.00			0	0.00		0.00		0.00		
35-		0	0.00		0.00			0	0.00		0.00		0.00		
40-		2	201.47	121.42	281.51	144.25	86.94	201.56	1	103.72	45.44	162.00	74.27	32.54	115.99
45-		0	0.00		0.00			0	0.00		0.00		0.00		
50-		0	0.00		0.00			0	0.00		0.00		0.00		
55-		0	0.00		0.00			0	0.00		0.00		0.00		
60-		0	0.00		0.00			0	0.00		0.00		0.00		
65+		0	0.00		0.00			0	0.00		0.00		0.00		
計		11	36.26	30.12	42.40	25.96	21.56	30.36	63	207.68	192.98	222.38	148.70	138.17	159.22
21岐阜 女 計		0-	0						17	413.38	357.05	469.70	295.98	255.65	336.31
	5-	4	97.27	69.94	124.59	69.64	50.08	89.21	26	635.45	565.44	705.46	454.98	404.86	505.11
	10-	3	73.32	49.53	97.11	52.50	35.47	69.53	24	537.81	476.14	599.49	385.07	340.92	429.23
	15-	2	44.82	27.01	62.82	32.09	19.34	44.84	10	195.64	160.88	230.40	140.08	115.19	164.97
	20-	1	19.56	8.57	30.56	14.01	6.14	21.88	12	195.44	163.74	227.14	139.93	117.24	162.63
	25-	0	0.00		0.00			8	145.51	116.60	174.41	104.18	83.49	124.88	
	30-	0	0.00		0.00			3	56.41	38.11	74.72	40.39	27.29	53.50	
	35-	2	37.61	22.67	52.55	26.93	16.23	37.63	2	38.58	23.25	53.92	27.63	16.65	38.60
	40-	0	0.00		0.00			1	16.79	7.36	26.23				

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	淋菌性尿道炎・頸管炎						クラミジア性尿道炎・頸管炎							
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
28兵庫 男 配偶あり	0-	0	0.00		0.00			0	0.00		0.00				
	5-	0	0.00		0.00			0	0.00		0.00				
	10-	0	0.00		0.00			0	0.00		0.00				
	15-	2	59.68	35.97	83.39	54.90	33.09	76.72	6	179.03	137.96	220.10	164.71	126.93	202.49
	20-	6	81.95	63.15	100.75	75.39	58.10	92.69	6	81.95	63.15	100.75	75.39	58.10	92.69
	25-	9	81.47	66.21	96.73	74.95	60.92	88.99	13	117.68	99.34	136.02	108.27	91.40	125.14
	30-	7	65.53	51.61	79.45	60.29	47.48	73.09	14	131.06	111.38	150.74	120.57	102.47	138.68
	35-	6	58.21	44.85	71.56	53.55	41.27	65.83	10	97.01	79.77	114.25	89.25	73.39	105.11
	40-	2	20.26	12.21	28.31	18.64	11.23	26.04	6	60.77	46.83	74.71	55.91	43.09	68.74
	45-	4	35.00	25.17	44.84	32.20	23.16	41.25	2	17.50	10.55	24.46	16.10	9.70	22.50
	50-	2	13.90	8.38	19.42	12.79	7.71	17.87	2	13.90	8.38	19.42	12.79	7.71	17.87
	55-	3	8.26	5.58	10.94	7.60	5.13	10.06	2	5.51	3.32	7.69	5.07	3.05	7.08
	65+	41	35.53	32.41	38.65	32.69	29.82	35.55	61	52.86	49.06	56.66	48.63	45.13	52.13
	計														
28兵庫 男 配偶なし	0-	7	63.27	49.84	76.71	58.21	45.85	70.57	7	63.27	49.84	76.71	58.21	45.85	70.57
	5-	33	324.89	293.12	356.67	298.90	269.67	328.14	26	255.98	227.77	284.18	235.50	209.55	261.45
	10-	23	271.06	239.30	302.81	249.37	220.16	278.59	22	259.27	228.21	290.33	238.53	209.96	267.10
	15-	15	232.43	198.71	286.15	213.84	182.81	244.86	21	325.40	285.51	365.30	299.37	262.67	336.07
	20-	5	81.52	61.04	102.01	75.00	56.15	93.85	13	211.95	178.92	244.98	195.00	164.61	225.39
	25-	0	0.00			0.00			3	64.91	43.85	85.97	59.72	40.34	79.09
	30-	1	28.12	12.32	43.92	25.87	11.33	40.41	2	56.24	33.89	78.58	51.74	31.18	72.30
	35-	3	103.55	69.96	137.14	95.27	64.36	126.17	2	69.03	41.60	96.46	63.51	38.28	88.74
	40-	0	0.00			0.00			0	0.00			0.00		
	45-	0	0.00			0.00			0	0.00			0.00		
	50-	0	0.00			0.00			0	0.00			0.00		
	55-	0	0.00			0.00			0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
	計	87	128.69	120.93	136.44	118.39	111.26	125.52	96	142.00	133.86	150.14	130.64	123.15	138.13
28兵庫 男 計	0-	7	63.06	49.67	76.46	58.02	45.70	70.34	7	63.06	49.67	76.46	58.02	45.70	70.34
	5-	33	305.63	275.74	335.53	281.18	253.68	308.68	26	240.80	214.27	267.34	221.54	197.13	245.95
	10-	25	211.21	187.47	234.94	194.31	172.48	216.15	28	236.55	211.44	261.67	217.63	194.52	240.74
	15-	21	152.45	133.76	171.14	140.25	123.06	157.45	27	196.01	174.81	217.20	180.33	160.83	199.82
	20-	14	81.49	69.25	93.73	74.97	63.71	86.23	26	151.34	134.66	168.01	139.23	123.89	154.57
	25-	7	45.74	36.02	55.45	42.08	33.14	51.02	17	111.08	95.94	126.22	102.19	88.27	116.12
	30-	7	50.49	39.77	61.21	46.45	36.59	56.32	12	86.55	72.51	100.59	79.63	66.71	92.55
	35-	5	39.15	29.31	48.99	36.02	26.97	45.07	8	62.65	50.20	75.09	57.63	46.19	69.08
	40-	4	27.65	19.88	35.42	25.44	18.29	32.58	2	13.82	8.33	19.32	12.72	7.66	17.77
	45-	2	11.34	6.83	15.85	10.43	6.29	14.58	2	11.34	6.83	15.85	10.43	6.29	14.58
	50-	3	6.78	4.58	8.97	6.23	4.21	8.26	2	4.52	2.72	6.31	4.16	2.50	5.81
	65+	128	69.94	66.47	73.42	64.35	61.15	67.54	157	85.79	81.94	89.63	78.92	75.39	82.46
	計														
	28兵庫 女 配偶あり	0-	1	1590.41	697.32	2483.51	1463.18	641.54	2284.83	1	1590.41	697.32	2483.51	1463.18	641.54
5-		0	0.00			0.00			16	1597.85	1373.54	1822.17	1470.03	1263.65	1676.40
10-		3	66.89	45.19	88.58	61.53	41.57	81.50	18	401.31	348.17	454.45	369.21	320.32	418.10
15-		0	0.00			0.00			25	282.16	250.45	313.86	259.59	230.42	288.76
20-		2	15.91	9.59	22.23	14.64	8.82	20.46	7	55.69	43.86	67.52	51.24	40.35	62.12
25-		0	0.00			0.00			8	68.19	54.64	81.73	62.73	50.27	75.20
30-		2	17.90	10.79	25.01	16.47	9.92	23.01	5	44.75	33.50	55.99	41.17	30.82	51.51
35-		0	0.00			0.00			2	18.53	11.17	25.89	17.05	10.27	23.82
40-		0	0.00			0.00			1	8.14	3.57	12.72	7.49	3.28	11.70
45-		0	0.00			0.00			0	0.00			0.00		
50-		0	0.00			0.00			0	0.00			0.00		
55-		1	3.47	1.52	5.42	3.19	1.40	4.99	0	0.00			0.00		
65+		9	7.75	6.30	9.20	7.13	5.79	8.46	83	71.47	67.06	75.87	65.75	61.69	69.80
計															
28兵庫 女 配偶なし	0-	4	37.11	26.68	47.54	34.14	24.55	43.73	42	389.66	355.88	423.44	358.48	327.41	389.56
	5-	14	135.17	114.87	155.47	124.36	105.68	143.03	113	1091.01	1033.36	1148.65	1003.73	950.69	1056.76
	10-	8	100.33	80.40	120.27	92.31	73.97	110.64	42	526.75	481.09	572.41	484.61	442.60	526.62
	15-	2	34.72	20.93	48.52	31.94	19.25	44.64	21	364.57	319.88	409.27	335.41	294.29	376.53
	20-	2	37.39	22.54	52.25	34.40	20.73	48.07	16	299.15	257.13	341.17	275.22	236.56	313.88
	25-	0	0.00			0.00			5	116.88	87.51	146.25	107.53	80.51	134.55
	30-	0	0.00			0.00			2	57.04	34.38	79.71	52.48	31.63	73.33
	35-	0	0.00			0.00			3	103.88	70.18	137.57	95.57	64.56	126.57
	40-	0	0.00			0.00			0	0.00			0.00		
	45-	0	0.00			0.00			0	0.00			0.00		
	50-	0	0.00			0.00			0	0.00			0.00		
	55-	0	0.00			0.00			0	0.00			0.00		
	65+	0	0.00			0.00			0	0.00			0.00		
	計	30	33.92	30.44	37.39	31.20	28.00	34.40	244	275.84	265.92	285.77	253.78	244.65	262.90
28兵庫 女 計	0-	5	46.12	34.53	57.71	42.43	31.77	53.09	43	396.62	362.64	430.60	364.89	333.63	396.15
	5-	14	123.25	104.74	141.76	113.39	96.36	130.42	129	1135.69	1079.53	1191.85	1044.83	993.17	1096.50
	10-	11	88.29	73.33	103.25	81.23	67.47	94.99	60	481.59	446.66	516.52	443.06	410.93	475.20
	15-	2	13.68	8.24	19.11	12.59	7.58	17.59	46	314.63	288.56	340.69	289.46	265.48	313.44
	20-	4	22.32	16.05	28.60	20.54	14.77	26.31	23	128.36	113.33	143.40	118.10	104.26	131.93
	25-	0	0.00			0.00			13	81.20	68.54	93.85	74.70	63.06	86.34
	30-	2	13.62	8.21	19.04	12.53	7.55	17.51	7	47.68	37.56	57.81	43.87	34.55	53.18
	35-	0	0.00			0.00			5	36.55	27.36	45.73	33.62	25.17	42.07
	40-	0	0.00			0.00			1	6.48	2.84	10.11	5.96	2.61	9.30
	45-	0	0.00			0.00			0	0.00			0.00		
	50-	0	0.00			0.00			0	0.00			0.00		
	55-	1	1.70	0.75	2.66	1.57	0.69	2.45	0	0.00			0.00		
	65+	1	1.70	0.75	2.66	1.57	0.69	2.45	0	0.00			0.00		

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	淋菌性尿道炎・頸管炎				報告数	クラミジア性尿道炎・頸管炎				
			推定値	人口10万対		推定値		人口10万対(回収率調整)		推定値	人口10万対(回収率調整)	
36徳島 男 配偶あり	0-	0	0.00		0.00	0	0.00		0.00			
	5-	0	0.00		0.00	0	0.00		0.00			
	10-	0	0.00		0.00	0	0.00		0.00			
	15-	0	0.00		0.00	0	0.00		0.00			
	20-	1	217.81	95.43	340.18	217.81	95.43	340.18	0	0.00		
	25-	0	0.00		0.00	0	0.00		0.00			
	30-	0	0.00		0.00	2	209.46	126.24	292.68	209.46	126.24	292.68
	35-	3	233.76	157.93	309.60	233.76	157.93	309.60	4	311.69	224.13	399.25
	40-	1	82.89	36.31	129.47	82.89	36.31	129.47	3	248.67	168.01	329.34
	45-	0	0.00		0.00	3	231.41	156.34	306.47	231.41	156.34	306.47
	50-	2	132.07	79.60	184.55	132.07	79.60	184.55	2	132.07	79.60	184.55
	55-	0	0.00		0.00	2	107.40	64.73	150.07	107.40	64.73	150.07
	60-	0	0.00		0.00	0	0.00		0.00			
65+	0	0.00		0.00	0	0.00		0.00				
計	7	42.31	33.32	51.29	42.31	33.32	51.29	16	96.70	83.12	110.29	
36徳島 男 配偶なし	0-	0							0	0.00		
	5-	0							0	0.00		
	10-	0							0	0.00		
	15-	2	136.59	82.32	190.86	136.59	82.32	190.86	0	0.00		
	20-	4	320.66	230.58	410.74	320.66	230.58	410.74	7	561.16	442.00	680.31
	25-	3	274.85	185.69	364.01	274.85	185.69	364.01	9	824.55	670.16	978.94
	30-	1	118.30	51.83	184.76	118.30	51.83	184.76	6	709.77	547.00	872.55
	35-	0	0.00		0.00	0	0.00		0	0.00		
	40-	2	353.37	212.99	493.76	353.37	212.99	493.76	0	0.00		
	45-	0	0.00		0.00	0	0.00		0	0.00		
	50-	1	217.65	95.36	339.94	217.65	95.36	339.94	1	217.65	95.36	339.94
	55-	0	0.00		0.00	0	0.00		0	0.00		
	60-	0	0.00		0.00	0	0.00		0	0.00		
65+	0	0.00		0.00	0	0.00		0	0.00			
計	13	141.63	119.56	163.70	141.63	119.56	163.70	23	250.57	221.21	279.92	
36徳島 男 計	0-	0							0	0.00		
	5-	0							0	0.00		
	10-	0							0	0.00		
	15-	2	136.15	82.06	190.25	136.15	82.06	190.25	0	0.00		
	20-	4	299.32	215.24	383.41	299.32	215.24	383.41	7	523.81	412.59	635.04
	25-	4	257.96	185.49	330.43	257.96	185.49	330.43	9	580.41	471.72	689.10
	30-	1	55.55	24.34	86.76	55.55	24.34	86.76	8	444.40	356.13	532.68
	35-	3	147.73	99.80	195.65	147.73	99.80	195.65	4	196.97	141.63	252.30
	40-	3	169.26	114.35	224.17	169.26	114.35	224.17	3	169.26	114.35	224.17
	45-	0	0.00		0.00	0	0.00		3	169.25	114.34	224.15
	50-	3	151.99	102.69	201.30	151.99	102.69	201.30	3	151.99	102.69	201.30
	55-	0	0.00		0.00	0	0.00		2	84.60	50.99	118.22
	60-	0	0.00		0.00	0	0.00		0	0.00		
65+	0	0.00		0.00	0	0.00		0	0.00			
計	20	77.75	67.98	87.52	77.75	67.98	87.52	39	151.61	137.97	165.25	

地域	年齢	報告数	淋菌性尿道炎・頸管炎				報告数	クラミジア性尿道炎・頸管炎				
			推定値	人口10万対		推定値		人口10万対(回収率調整)		推定値	人口10万対(回収率調整)	
36徳島 女 配偶あり	0-	0	0.00		0.00	0	0.00		0.00			
	5-	0	0.00		0.00	2	1413.09	851.95	1974.23	1413.09	851.95	1974.23
	10-	0	0.00		0.00	3	484.02	327.03	641.02	484.02	327.03	641.02
	15-	0	0.00		0.00	2	177.60	107.04	248.16	177.60	107.04	248.16
	20-	0	0.00		0.00	0	0.00		0.00			
	25-	0	0.00		0.00	0	0.00		0.00			
	30-	0	0.00		0.00	0	0.00		0.00			
	35-	0	0.00		0.00	0	0.00		0.00			
	40-	0	0.00		0.00	0	0.00		0.00			
	45-	0	0.00		0.00	0	0.00		0.00			
	50-	1	59.72	26.16	93.28	59.72	26.16	93.28	0	0.00		
	55-	1	51.32	22.48	80.16	51.32	22.48	80.16	0	0.00		
	60-	0	0.00		0.00	0	0.00		0	0.00		
65+	0	0.00		0.00	0	0.00		0	0.00			
計	2	12.02	7.24	16.79	12.02	7.24	16.79	7	42.06	33.12	50.99	
36徳島 女 配偶なし	0-	0							0	0.00		
	5-	0							0	0.00		
	10-	0							0	0.00		
	15-	1	71.75	31.43	112.06	71.75	31.43	112.06	5	358.73	268.60	448.86
	20-	2	162.88	98.17	227.60	162.88	98.17	227.60	9	732.98	595.73	870.23
	25-	0	0.00		0.00	0	0.00		7	734.07	578.21	889.93
	30-	0	0.00		0.00	0	0.00		0	0.00		
	35-	0	0.00		0.00	2	317.21	191.19	443.23	317.21	191.19	443.23
	40-	0	0.00		0.00	1	200.57	87.88	313.27	200.57	87.88	313.27
	45-	0	0.00		0.00	0	0.00		0	0.00		
	50-	0	0.00		0.00	0	0.00		0	0.00		
	55-	0	0.00		0.00	0	0.00		0	0.00		
	60-	0	0.00		0.00	0	0.00		0	0.00		
65+	0	0.00		0.00	0	0.00		0	0.00			
計	3	23.88	16.13	31.62	23.88	16.13	31.62	24	191.02	169.11	212.92	
36徳島 女 計	0-	0							0	0.00		
	5-	0							0	0.00		
	10-	0							0	0.00		
	15-	1	71.31	31.24	111.38	71.31	31.24	111.38	5	356.56	266.97	446.15
	20-	2	146.05	88.02	204.08	146.05	88.02	204.08	11	803.27	667.22	939.32
	25-	0	0.00		0.00	0	0.00		10	635.57	522.66	748.47
	30-	0	0.00		0.00	2	109.88	66.22	153.54	109.88	66.22	153.54
	35-	0	0.00		0.00	2	93.78	56.52	131.05	93.78	56.52	131.05
	40-	0	0.00		0.00	1	53.05	23.24	82.86	53.05	23.24	82.86
	45-	0	0.00		0.00	0	0.00		0	0.00		
	50-	1	48.12	21.08	75.15	48.12	21.08	75.15	0	0.00		
	55-	1	41.03	17.97	64.08	41.03	17.97	64.08	0	0.00		
	60-	0	0.00		0.00	0	0.00		0	0.00		
65+	0	0.00		0.00	0	0.00		0	0.00			
計	5	17.12	12.82	21.42	17.12	12.82	21.42	31	106.13	95.42	116.84	

県別 STD 報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス										
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)						
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間					
99全国 男 配偶あり	0-																	
	5-																	
	10-																	
	15-	0	0.00		0.00			0	0.00		0.00							
	20-	1	44.03	19.29	68.77	31.04	13.60	48.48	1	44.03	19.29	68.77	31.04	13.60	48.48			
	25-	12	97.34	81.55	113.13	68.63	57.50	79.76	1	8.11	3.55	12.67	5.72	2.51	8.93			
	30-	18	68.13	59.11	77.16	48.03	41.67	54.40	7	26.50	20.87	32.12	18.68	14.71	22.65			
	35-	32	82.69	74.48	90.90	58.30	52.51	64.09	3	7.75	5.24	10.27	5.47	3.69	7.24			
	40-	33	88.01	79.40	96.62	62.05	55.98	68.12	10	26.67	21.93	31.41	18.80	15.46	22.14			
	45-	27	73.72	65.75	81.69	51.97	46.35	57.59	7	19.11	15.05	23.17	13.47	10.61	16.34			
	50-	25	67.92	60.29	75.55	47.88	42.50	53.27	7	19.02	14.98	23.06	13.41	10.56	16.26			
	55-	11	25.15	20.89	29.41	17.73	14.73	20.74	3	6.86	4.63	9.08	4.84	3.27	6.40			
	60-	6	11.23	8.65	13.80	7.92	6.10	9.73	6	11.23	8.65	13.80	7.92	6.10	9.73			
65+	13	9.67	8.17	11.18	6.82	5.76	7.88	12	8.93	7.48	10.38	6.30	5.27	7.32				
計	178	42.15	40.37	43.92	29.72	28.46	30.97	57	13.50	12.49	14.50	9.52	8.81	10.22				
99全国 男 配偶なし	0-																	
	5-																	
	10-																	
	15-	8	20.23	16.21	24.25	14.27	11.43	17.10	3	7.59	5.13	10.05	5.35	3.61	7.09			
	20-	49	131.55	120.99	142.11	92.74	85.30	100.19	4	10.74	7.72	13.76	7.57	5.44	9.70			
	25-	53	164.51	151.82	177.21	115.98	107.03	124.93	9	27.94	22.70	33.17	19.69	16.01	23.38			
	30-	36	141.93	128.64	155.22	100.06	90.69	109.43	11	43.37	36.02	50.71	30.57	25.39	35.75			
	35-	18	75.12	65.17	85.07	52.96	45.95	59.98	8	33.39	26.76	40.02	23.54	18.86	28.21			
	40-	8	44.50	35.66	53.34	31.37	25.14	37.60	3	16.69	11.27	22.10	11.76	7.95	15.58			
	45-	14	101.14	85.96	116.33	71.31	60.60	82.02	1	7.22	3.17	11.28	5.09	2.23	7.96			
	50-	4	35.22	25.33	45.12	24.83	17.86	31.81	1	8.81	3.86	13.75	6.21	2.72	9.70			
	55-	2	17.17	10.35	24.00	12.11	7.30	16.92	1	8.59	3.76	13.41	6.05	2.65	9.46			
	60-	2	17.31	10.43	24.18	12.20	7.35	17.05	0	0.00			0.00					
65+	1	3.54	1.55	5.53	2.50	1.09	3.90	0	0.00			0.00						
計	195	77.10	73.99	80.20	54.35	52.17	56.54	41	16.21	14.79	17.63	11.43	10.43	12.43				
99全国 男 計	0-																	
	5-																	
	10-																	
	15-	8	20.18	16.17	24.18	14.22	11.40	17.05	3	7.57	5.11	10.02	5.33	3.60	7.06			
	20-	50	126.52	116.47	136.57	89.20	82.11	96.28	5	12.65	9.47	15.83	8.92	6.68	11.16			
	25-	65	145.92	135.75	156.09	102.88	95.71	110.05	10	22.45	18.46	26.44	15.83	13.01	18.64			
	30-	54	104.28	96.31	112.25	73.52	67.90	79.14	18	34.76	30.16	39.36	24.51	21.26	27.75			
	35-	50	79.80	73.46	86.14	56.26	51.79	60.73	11	17.56	14.58	20.53	12.38	10.28	14.47			
	40-	41	73.91	67.42	80.39	52.11	47.53	56.68	13	23.43	19.78	27.09	16.52	13.95	19.10			
	45-	41	81.24	74.11	88.37	57.28	52.25	62.30	8	15.85	12.70	19.00	11.18	8.96	13.40			
	50-	29	60.21	53.93	66.49	42.45	38.02	46.88	8	16.61	13.31	19.91	11.71	9.38	14.04			
	55-	13	23.47	19.82	27.13	16.55	13.97	19.13	4	7.22	5.19	9.25	5.09	3.66	6.52			
	60-	8	12.31	9.86	14.75	8.68	6.95	10.40	6	9.23	7.11	11.35	6.51	5.01	8.00			
65+	14	8.61	7.32	9.90	6.07	5.16	6.98	12	7.38	6.18	8.58	5.20	4.36	6.05				
計	373	55.24	53.63	56.85	38.94	37.81	40.08	98	14.51	13.69	15.34	10.23	9.65	10.81				

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス										
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)						
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間					
99全国 女 配偶あり	0-																	
	5-																	
	10-																	
	15-	0	0.00		0.00			0	0.00		0.00							
	20-	12	320.20	268.27	372.14	225.74	189.13	262.36	8	213.47	171.06	255.87	150.50	120.60	180.39			
	25-	30	179.46	161.05	197.87	126.52	113.54	139.50	27	161.52	144.05	178.98	113.87	101.56	126.18			
	30-	31	97.71	87.85	107.57	68.88	61.93	75.84	31	97.71	87.85	107.57	68.88	61.93	75.84			
	35-	20	45.54	39.81	51.26	32.10	28.07	36.14	25	56.92	50.52	63.32	40.13	35.62	44.64			
	40-	10	24.26	19.95	28.57	17.10	14.06	20.14	31	75.19	67.61	82.78	53.01	47.66	58.36			
	45-	3	7.54	5.09	9.99	5.32	3.59	7.04	22	55.30	48.68	61.93	38.99	34.32	43.66			
	50-	4	10.00	7.19	12.81	7.05	5.07	9.03	22	54.99	48.41	61.58	38.77	34.13	43.42			
	55-	0	0.00		0.00				19	40.74	35.49	46.00	28.72	25.02	32.43			
	60-	1	1.88	0.82	2.94	1.33	0.58	2.07	12	22.59	18.93	26.25	15.93	13.34	18.51			
65+	1	0.93	0.41	1.46	0.66	0.29	1.03	22	20.56	18.10	23.02	14.49	12.76	16.23				
計	112	26.41	25.01	27.81	18.62	17.63	19.61	219	51.64	49.68	53.60	36.41	35.02	37.79				
99全国 女 配偶なし	0-																	
	5-																	
	10-																	
	15-	12	32.03	26.83	37.22	22.58	18.92	26.24	16	42.70	36.70	48.70	30.11	25.88	34.33			
	20-	32	91.33	82.25	100.40	64.38	57.99	70.78	43	122.72	112.20	133.23	86.52	79.10	93.93			
	25-	17	62.49	53.97	71.01	44.05	38.05	50.06	26	95.57	85.04	106.10	67.38	59.95	74.80			
	30-	10	51.86	42.64	61.07	36.56	30.06	43.06	17	88.16	76.15	100.17	62.15	53.68	70.62			
	35-	5	28.58	21.40	35.77	20.15	15.09	25.22	15	85.75	73.31	98.19	60.45	51.68	69.22			
	40-	5	36.92	27.64	46.19	28.03	19.49	32.57	9	66.45	54.00	78.90	46.85	38.07	55.62			
	45-	3	27.83	18.80	36.86	19.62	13.25	25.98	3	27.83	18.80	36.86	19.62	13.25	25.98			
	50-	1	10.98	4.81	17.15	7.74	3.39	12.09	7	76.87	60.54	93.19	54.19	42.68	65.70			
	55-	0	0.00		0.00				2	18.91	11.40	26.42	13.33	8.03	18.63			
	60-	0	0.00		0.00				4	27.74	19.95	35.54	19.56	14.06	25.06			
65+	1	0.97	0.42	1.51	0.68	0.30	1.06	6	5.7									

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
03岩手 男 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00		0.00			0	0.00		0.00				
	20-	0	0.00		0.00			0	0.00		0.00				
	25-	1	120.25	52.68	187.81	84.29	36.93	131.66	0	0.00		0.00			
	30-	1	63.70	27.91	99.49	44.65	19.56	69.74	1	63.70	27.91	99.49	44.65	19.56	69.74
	35-	0	0.00		0.00				1	48.81	21.38	76.24	34.22	14.99	53.44
	40-	2	98.89	59.60	138.18	69.32	41.78	96.86	0	0.00		0.00			
	45-	1	43.49	19.05	67.92	30.48	13.35	47.61	0	0.00		0.00			
	50-	1	38.20	16.74	59.66	26.78	11.73	41.82	0	0.00		0.00			
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
	65+	0	0.00		0.00				0	0.00		0.00			
計	6	21.39	16.49	26.30	15.00	11.56	18.44	2	7.13	4.30	9.96	5.00	3.01	6.98	
03岩手 男 配偶なし	0-														
	5-														
	10-														
	15-	1	37.16	16.28	58.04	26.05	11.41	40.68	0	0.00		0.00			
	20-	0	0.00		0.00				0	0.00		0.00			
	25-	3	170.54	115.21	225.86	119.55	80.77	158.33	0	0.00		0.00			
	30-	2	132.50	79.86	185.14	92.88	55.98	129.78	0	0.00		0.00			
	35-	0	0.00		0.00				1	72.10	31.59	112.61	50.54	22.14	78.94
	40-	0	0.00		0.00				0	0.00		0.00			
	45-	1	96.07	42.09	150.04	67.34	29.50	105.18	0	0.00		0.00			
	50-	1	100.94	44.22	157.66	70.76	31.00	110.52	0	0.00		0.00			
	55-	0	0.00		0.00				1	101.75	44.58	158.93	71.33	31.25	111.41
	60-	0	0.00		0.00				0	0.00		0.00			
	65+	0	0.00		0.00				0	0.00		0.00			
計	8	49.01	39.28	58.75	34.36	27.53	41.18	2	12.25	7.38	17.12	8.59	5.18	12.00	
03岩手 男 計	0-														
	5-														
	10-														
	15-	1	37.06	16.23	57.88	25.98	11.38	40.57	0	0.00		0.00			
	20-	0	0.00		0.00				0	0.00		0.00			
	25-	4	154.39	111.02	197.77	108.23	77.82	138.64	0	0.00		0.00			
	30-	3	97.42	65.82	129.03	68.29	46.14	90.45	1	32.47	14.23	50.72	22.76	9.97	35.56
	35-	0	0.00		0.00				2	58.21	35.08	81.34	40.81	24.59	57.02
	40-	2	63.41	38.22	88.61	44.45	26.79	62.12	0	0.00		0.00			
	45-	2	59.87	36.08	83.66	41.97	25.29	58.64	0	0.00		0.00			
	50-	2	55.43	33.40	77.45	38.85	23.42	54.29	0	0.00		0.00			
	55-	0	0.00		0.00				1	24.13	10.57	37.69	16.91	7.41	26.42
	60-	0	0.00		0.00				0	0.00		0.00			
	65+	0	0.00		0.00				0	0.00		0.00			
計	14	31.55	26.82	36.29	22.12	18.80	25.44	4	9.02	6.48	11.55	6.32	4.54	8.10	
03岩手 女 配偶あり	0-														
	5-														
	10-														
	15-	0	0.00		0.00				0	0.00		0.00			
	20-	0	0.00		0.00				1	355.02	155.56	554.49	248.87	109.05	388.70
	25-	1	91.64	40.15	143.13	64.24	28.14	100.33	4	366.55	263.58	469.52	256.95	184.77	329.13
	30-	0	0.00		0.00				3	161.28	108.96	213.59	113.05	76.38	149.73
	35-	0	0.00		0.00				2	86.75	52.28	121.22	60.81	36.65	84.98
	40-	0	0.00		0.00				0	0.00		0.00			
	45-	0	0.00		0.00				3	114.78	77.55	152.02	80.46	54.36	106.57
	50-	0	0.00		0.00				1	34.26	15.01	53.51	24.02	10.52	37.51
	55-	0	0.00		0.00				1	30.09	13.18	47.00	21.09	9.24	32.95
	60-	1	30.12	13.20	47.05	21.11	9.25	32.98	2	60.24	36.31	84.18	42.23	25.45	59.01
	65+	0	0.00		0.00				2	24.28	14.63	33.93	17.02	10.26	23.78
計	2	7.06	4.26	9.87	4.95	2.98	6.92	19	67.11	58.46	75.77	47.05	40.98	53.11	
03岩手 女 配偶なし	0-														
	5-														
	10-														
	15-	0	0.00		0.00				0	0.00		0.00			
	20-	1	51.65	22.63	80.67	36.21	15.86	56.55	3	154.94	104.68	205.21	108.62	73.38	143.85
	25-	2	135.85	81.87	189.82	95.23	57.39	133.07	5	339.62	254.29	424.96	238.08	178.26	297.90
	30-	0	0.00		0.00				3	261.95	176.98	346.92	183.63	124.06	243.19
	35-	0	0.00		0.00				1	98.78	43.28	154.28	69.24	30.34	108.15
	40-	0	0.00		0.00				1	117.35	51.41	183.28	82.26	36.04	128.48
	45-	0	0.00		0.00				0	0.00		0.00			
	50-	0	0.00		0.00				1	140.14	61.40	218.88	98.24	43.04	153.43
	55-	0	0.00		0.00				0	0.00		0.00			
	60-	0	0.00		0.00				0	0.00		0.00			
	65+	0	0.00		0.00				0	0.00		0.00			
計	3	13.94	9.42	18.46	9.77	6.60	12.94	14	65.04	55.27	74.81	45.59	38.75	52.44	
03岩手 女 計	0-														
	5-														
	10-														
	15-	0	0.00		0.00				0	0.00		0.00			
	20-	1	45.09	19.75	70.42	31.61	13.85	49.37	4	180.35	129.69	231.02	126.43	90.91	161.95
	25-	3	117.03	79.06	154.99	82.04	55.42	108.65	9	351.09	285.33	416.84	246.11	200.02	292.20
	30-	0	0.00		0.00				6	199.64	153.85	245.43	139.95	107.85	172.05
	35-	0	0.00		0.00				3	90.42	61.09	119.76	63.39	42.82	83.95
	40-	0	0.00		0.00				1	31.28	13.70	48.86	21.93	9.61	34.25
	45-	0	0.00		0.00				3	89.42	60.41	118.42	62.68	42.35	83.02
	50-	0	0.00		0.00				2	55.06	33.18	76.94	38.60	23.26	53.93
	55-	0	0.00		0.00				1	23.93	10.48	37.37	16.77	7.35	26.20
	60-	1	23.18	10.15	36.20	16.25	7.12	25.38	2	46.36	27.94	64.78	32.50	19.59	45.41
	65+	0	0.00		0.00				2	11.46	6.91	16.01	8.03	4.84	11.22
計	5	10.03	7.51	12.55	7.03	5.27	8.80	33	66.22	59.74	72.70	46.42	41.88	50.96	

県別 STD 報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間		
08茨城 男 配偶あり	0-5	0	0.00		0.00		0	0.00		0.00					
	10-15	0	0.00		0.00		0	0.00		0.00					
	20-25	0	0.00		0.00		0	0.00		0.00					
	30-35	1	25.30	11.08	39.51	11.08	4.85	17.30	0	0.00					
	35-40	5	89.45	66.97	111.93	39.18	29.33	49.02	0	0.00					
	40-45	4	74.48	53.56	95.41	32.62	23.46	41.79	1	18.62	8.16	29.08	8.16	3.57	12.74
	45-50	1	18.69	8.19	29.19	8.19	3.59	12.79	1	18.69	8.19	29.19	8.19	3.59	12.79
	50-55	5	86.05	64.42	107.67	37.69	28.22	47.16	0	0.00					
	55-60	1	14.01	6.14	21.88	6.14	2.69	9.58	1	14.01	6.14	21.88	6.14	2.69	9.58
	60-65	0	0.00		0.00		0.00		1	12.39	5.43	19.35	5.43	2.38	8.48
	65+	4	20.39	14.66	26.12	8.93	6.42	11.44	3	15.29	10.33	20.26	6.70	4.53	8.87
	計	21	33.18	29.11	37.25	14.53	12.75	16.32	7	11.06	8.71	13.41	4.84	3.82	5.87
	08茨城 男 配偶なし	0-5	0	0.00		0.00		0	0.00		0.00				
10-15		2	32.57	19.63	45.50	14.26	8.60	19.93	1	16.28	7.13	25.43	7.13	3.12	11.14
20-25		9	155.17	126.11	184.24	67.97	55.24	80.70	1	17.24	7.55	26.93	7.55	3.31	11.80
25-30		7	135.86	107.01	164.72	59.51	46.87	72.15	1	19.41	8.50	30.31	8.50	3.72	13.28
30-35		3	73.18	49.44	96.91	32.05	21.65	42.45	0	0.00					
35-40		4	105.10	75.57	134.62	46.03	33.10	58.97	0	0.00					
40-45		2	70.00	42.19	97.82	30.66	18.48	42.84	0	0.00					
45-50		3	136.20	92.02	180.39	58.66	40.30	79.01	0	0.00					
50-55		0	0.00		0.00		0.00		0	0.00					
55-60		0	0.00		0.00		0.00		0	0.00					
60-65		0	0.00		0.00		0.00		0	0.00					
65+		1	22.87	10.02	35.72	10.02	4.39	15.64	0	0.00					
計		31	77.43	69.62	85.25	33.91	30.49	37.34	3	7.49	5.06	9.92	3.28	2.22	4.35
08茨城 男 計	0-5	0	0.00		0.00		0	0.00		0.00					
	10-15	2	32.46	19.56	45.35	14.22	8.57	19.86	1	16.23	7.11	25.35	7.11	3.11	11.10
	20-25	9	145.20	118.01	172.40	63.60	51.69	75.51	1	16.13	7.07	25.20	7.07	3.10	11.04
	25-30	7	98.33	77.45	119.22	43.07	33.92	52.22	1	14.05	6.15	21.94	6.15	2.70	9.61
	30-35	4	49.67	35.72	63.63	21.76	15.64	27.87	0	0.00					
	35-40	9	95.79	77.85	113.73	41.96	34.10	49.81	0	0.00					
	40-45	6	72.93	56.20	89.66	31.94	24.61	39.27	1	12.15	5.32	18.98	5.32	2.33	8.32
	45-50	4	52.96	38.08	67.83	23.20	16.68	29.71	1	13.24	5.80	20.68	5.80	2.54	9.06
	50-55	5	64.72	48.45	80.98	28.35	21.22	35.47	0	0.00					
	55-60	1	11.00	4.82	17.18	4.82	2.11	7.52	1	11.00	4.82	17.18	4.82	2.11	7.52
	60-65	0	0.00		0.00		0.00		1	10.20	4.47	15.93	4.47	1.96	6.98
	65+	5	20.84	15.61	26.08	9.13	6.84	11.42	3	12.51	8.45	16.56	5.48	3.70	7.25
	計	52	50.33	46.41	54.25	22.04	20.33	23.76	10	9.68	7.96	11.40	4.24	3.49	4.99
08茨城 女 配偶あり	0-5	0	0.00		0.00		0	0.00		0.00					
	10-15	0	0.00		0.00		0	0.00		0.00					
	20-25	8	1255.27	1006.02	1504.52	549.81	440.63	658.98	2	313.82	189.14	438.49	137.45	82.84	192.06
	25-30	18	698.56	606.07	791.06	305.97	265.46	346.48	0	0.00					
	30-35	22	475.47	418.52	532.42	208.26	183.31	233.20	2	43.22	26.05	60.40	18.93	11.41	26.45
	35-40	16	255.83	219.89	291.76	112.05	96.31	127.79	1	15.99	7.00	24.97	7.00	3.07	10.94
	40-45	3	50.96	34.43	67.50	22.32	15.08	29.56	4	67.95	48.86	87.04	29.76	21.40	38.12
	45-50	2	33.94	20.45	47.42	14.86	8.96	20.77	4	67.87	48.80	86.94	29.73	21.38	38.08
	50-55	1	15.86	6.95	24.77	6.95	3.04	10.85	1	15.86	6.95	24.77	6.95	3.04	10.85
	55-60	0	0.00		0.00		0.00		1	13.36	5.85	20.87	5.85	2.56	9.14
	60-65	0	0.00		0.00		0.00		1	12.71	5.57	19.86	5.57	2.44	8.70
	65+	0	0.00		0.00		0.00		0	0.00					
	計	70	110.77	103.33	118.21	48.52	45.26	51.77	16	25.32	21.76	28.87	11.09	9.53	12.65
08茨城 女 配偶なし	0-5	0	0.00		0.00		0	0.00		0.00					
	10-15	9	159.01	129.23	188.79	69.65	56.60	82.69	4	70.67	50.82	90.53	30.95	22.26	39.65
	20-25	18	356.38	309.19	403.58	156.10	135.42	176.77	2	39.60	23.86	55.33	17.34	10.45	24.24
	25-30	9	229.63	186.62	272.64	100.58	81.74	119.42	2	51.03	30.75	71.30	22.35	13.47	31.23
	30-35	5	182.03	136.29	227.77	79.73	59.70	99.76	1	36.41	15.95	56.86	15.95	6.99	24.91
	35-40	3	123.86	83.68	164.04	54.25	36.65	71.85	1	41.29	18.09	64.49	18.08	7.92	28.24
	40-45	4	222.14	159.73	284.55	97.30	69.96	124.63	0	0.00					
	45-50	1	71.57	31.36	111.79	31.35	13.73	48.96	0	0.00					
	50-55	0	0.00		0.00		0.00		0	0.00					
	55-60	0	0.00		0.00		0.00		0	0.00					
	60-65	0	0.00		0.00		0.00		0	0.00					
	65+	0	0.00		0.00		0.00		0	0.00					
	計	49	116.33	107.00	125.67	50.95	46.86	55.04	10	23.74	19.52	27.96	10.40	8.55	12.25
08茨城 女 計	0-5	0	0.00		0.00		0	0.00		0.00					
	10-15	9	157.96	128.37	187.54	69.19	56.23	82.14	4	70.20	50.48	89.93	30.75	22.11	39.39
	20-25	26	457.10	406.73	507.46	200.21	178.15	222.27	4	70.32	50.57	90.08	30.80	22.15	39.45
	25-30	27	415.64	370.70	460.58	182.05	162.37	201.73	2	30.79	18.56	43.02	13.49	8.13	18.84
	30-35	27	366.16	326.57	405.75	160.38	143.04	177.72	3	40.68	27.49	53.88	17.82	12.04	23.60
	35-40	19	218.99	190.76	247.21	95.92	83.55	108.28	2	23.05	13.89	32.21	10.10	6.08	14.11
	40-45	7	91.06	71.72	110.40	39.88	31.41	48.36	4	52.03	37.42	66.65	22.79	16.39	29.19
	45-50	3	41.15	27.80	54.50	18.02	12.18	23.87	4	54.86	39.45	70.28	24.03	17.28	30.78
	50-55	1	13.26	5.81	20.72	5.81	2.54	9.07	1	13.26	5.81	20.72	5.81	2.54	9.07
	55-60	0	0.00		0.00		0.00		1	11.12	4.87	17.37	4.87	2.13	7.61
	60-65	0	0.00		0.00		0.00		1	10.22	4.48	15.96	4.48	1.96	6.99
	65+	0	0.00		0.00		0.00		0	0.00					
	計	119	112.99	107.17	118.81	49.49	46.94	52.04	26	24.69	21.97	27.41	10.81	9.62	12.00

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス					
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
12千葉	0-												
男	5-												
配偶あり	10-												
	15-	0	0.00		0.00			0.00			0.00		
	20-	0	0.00		0.00			0.00			0.00		
	25-	5	131.54	98.48	164.59	70.37	52.69	88.06	0	0.00	0.00		
	30-	2	23.69	14.28	33.11	12.68	7.64	17.71	1	11.85	5.19	18.50	6.34 2.78 9.90
	35-	8	63.61	50.97	76.25	34.03	27.27	40.79	0	0.00	0.00		
	40-	4	32.09	23.08	41.11	17.17	12.35	21.99	2	16.05	9.67	22.42	8.59 5.17 12.00
	45-	6	51.88	39.98	63.78	27.76	21.39	34.12	1	8.65	3.79	13.51	4.63 2.03 7.23
	50-	6	54.35	41.88	66.82	29.08	22.41	35.75	0	0.00	0.00		
	55-	4	30.61	22.01	39.21	16.37	11.77	20.97	0	0.00	0.00		
	60-	0	0.00		0.00				2	12.29	7.41	17.17	6.58 3.96 9.19
	65+	4	10.04	7.22	12.87	5.37	3.86	6.88	3	7.53	5.09	9.98	4.03 2.72 5.34
	計	39	30.07	27.36	32.77	16.08	14.64	17.53	9	6.94	5.64	8.24	3.71 3.02 4.41
12千葉	0-												
男	5-												
配偶なし	10-												
	15-	0	0.00		0.00				1	8.37	3.67	13.08	4.48 1.96 7.00
	20-	9	71.62	58.21	85.04	38.32	31.14	45.49	2	15.92	9.59	22.24	8.52 5.13 11.90
	25-	10	91.42	75.17	107.66	48.91	40.22	57.60	3	27.42	18.53	36.32	14.67 9.91 19.43
	30-	12	138.71	116.21	161.21	74.21	62.17	86.25	1	11.56	5.06	18.05	6.18 2.71 9.66
	35-	3	35.77	24.16	47.37	19.14	12.93	25.34	2	23.85	14.37	33.32	12.76 7.69 17.83
	40-	2	31.88	19.22	44.55	17.06	10.28	23.84	1	15.94	6.98	24.90	8.53 3.74 13.32
	45-	5	107.85	80.75	134.96	57.70	43.20	72.20	0	0.00	0.00		
	50-	0	0.00		0.00				1	28.21	12.36	44.06	15.09 6.61 23.57
	55-	1	27.79	12.17	43.40	14.87	6.51	23.22	0	0.00	0.00		
	60-	0	0.00		0.00				0	0.00	0.00		
	65+	0	0.00		0.00				0	0.00	0.00		
	計	42	50.89	46.48	55.30	27.23	24.86	29.59	11	13.33	11.07	15.59	7.13 5.92 8.34
12千葉	0-												
男	5-												
計	10-												
	15-	0	0.00		0.00				1	8.35	3.66	13.04	4.47 1.96 6.98
	20-	9	68.19	55.42	80.96	36.48	29.65	43.31	2	15.15	9.13	21.17	8.11 4.89 11.33
	25-	15	101.76	87.00	116.53	54.44	46.54	62.34	3	20.35	13.75	26.96	10.89 7.36 14.42
	30-	14	81.91	69.61	94.21	43.82	37.24	50.40	2	11.70	7.05	16.35	6.26 3.77 8.75
	35-	11	52.47	43.58	61.36	28.07	23.32	32.83	2	9.54	5.75	13.33	5.10 3.08 7.13
	40-	6	32.02	24.68	39.37	17.13	13.20	21.06	3	16.01	10.82	21.21	8.57 5.79 11.35
	45-	11	67.90	56.40	79.40	36.33	30.17	42.48	1	6.17	2.70	9.64	3.30 1.45 5.16
	50-	6	41.14	31.70	50.57	22.01	16.96	27.06	1	6.86	3.00	10.71	3.67 1.61 5.73
	55-	5	30.00	22.46	37.54	16.05	12.02	20.08	0	0.00	0.00		
	60-	0	0.00		0.00				2	10.01	6.04	13.99	5.36 3.23 7.49
	65+	4	8.31	5.98	10.65	4.45	3.20	5.70	3	6.23	4.21	8.26	3.34 2.25 4.42
	計	81	38.16	35.78	40.54	20.42	19.14	21.69	20	9.42	8.24	10.61	5.04 4.41 5.67
地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス					
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間	
12千葉	0-												
女	5-												
配偶あり	10-												
	15-	0	0.00		0.00			0.00			0.00		
	20-	0	0.00		0.00			0.00	2	182.05	109.72	254.38	97.40 58.70 136.10
	25-	1	19.11	8.37	29.85	10.22	4.48	15.97	5	95.55	71.54	119.56	51.12 38.27 63.96
	30-	2	19.58	11.80	27.37	10.48	6.31	14.64	6	58.75	45.28	72.23	31.43 24.22 38.64
	35-	0	0.00		0.00				7	49.04	38.62	59.45	26.23 20.66 31.81
	40-	0	0.00		0.00				7	52.28	41.17	63.38	27.97 22.03 33.91
	45-	0	0.00		0.00				5	41.19	30.84	51.54	22.04 16.50 27.58
	50-	0	0.00		0.00				2	17.05	10.27	23.82	9.12 5.50 12.75
	55-	0	0.00		0.00				8	57.23	45.86	68.60	30.62 24.54 36.70
	60-	0	0.00		0.00				5	30.10	22.54	37.67	16.11 12.06 20.15
	65+	0	0.00		0.00				2	6.36	3.83	8.89	3.40 2.05 4.75
	計	3	2.30	1.56	3.05	1.23	0.83	1.63	49	37.64	34.62	40.66	20.14 18.52 21.76
12千葉	0-												
女	5-												
配偶なし	10-												
	15-	0	0.00		0.00				2	18.06	10.88	25.24	9.66 5.82 13.50
	20-	0	0.00		0.00				12	107.12	89.74	124.49	57.31 48.01 66.60
	25-	0	0.00		0.00				3	33.29	22.49	44.09	17.81 12.03 23.59
	30-	0	0.00		0.00				6	95.90	73.90	117.90	51.31 39.54 63.07
	35-	0	0.00		0.00				3	52.79	35.66	69.91	28.24 19.08 37.40
	40-	0	0.00		0.00				2	46.41	27.97	64.85	24.83 14.96 34.69
	45-	0	0.00		0.00				0	0.00	0.00		
	50-	1	38.06	16.67	59.45	20.36	8.92	31.81	3	114.19	77.14	151.23	61.09 41.27 80.91
	55-	0	0.00		0.00				0	0.00	0.00		
	60-	0	0.00		0.00				1	23.57	10.33	36.82	12.61 5.52 19.70
	65+	0	0.00		0.00				1	3.81	1.67	5.95	2.04 0.89 3.18
	計	1	1.15	0.50	1.80	0.62	0.27	0.96	33	37.95	34.23	41.66	20.30 18.32 22.29
12千葉	0-												
女	5-												
計	10-												
	15-	0	0.00		0.00				2	17.96	10.83	25.10	9.61 5.79 13.43
	20-	0	0.00		0.00				14	113.81	96.72	130.90	60.89 51.74 70.03
	25-	1	7.02	3.08	10.96	3.76	1.65	5.87	8	56.16	45.00	67.32	30.05 24.08 36.02
	30-	2	12.14	7.32	16.97	6.50	3.92	9.08	12	72.87	61.05	84.69	38.98 32.66 45.31
	35-	0	0.00		0.00				10	50.10	41.20	59.01	26.81 22.04 31.57
	40-	0	0.00		0.00				9	50.85	41.32	60.37	27.20 22.11 32.30
	45-	0	0.00		0.00				5	32.53	24.36	40.71	17.40 13.03 21.78
	50-	1	6.96	3.05	10.88	3.73	1.63	5.82	5	34.82	26.07	43.57	18.63 13.95 23.31
	55-	0	0.00		0.00				8	46.92	37.60	56.24	25.10 20.12 30.09
	60-	0	0.00		0.00				6	28.78	22.17	35.38	15.39 11.86 18.93
	65+	0	0.00		0.00				3	5.20	3.51	6.89	2.78 1.88 3.68
	計	4	1.84	1.32	2.36	0.99	0.71	1.26	82	37.76	35.42	40.11	20.20 18.95 21.46

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
16 富山 男 配偶あり	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	0	0.00		0.00		0	0.00		0.00					
	20-	1	1061.66	465.36	1657.97	974.61	427.20	1522.01	0	0.00		0.00			
	25-	0	0.00		0.00			0	0.00		0.00				
	30-	2	141.85	85.49	198.21	130.22	78.48	181.96	1	70.93	31.07	110.78	65.11	28.52	101.70
	35-	3	140.22	94.73	185.71	128.72	86.97	170.48	0	0.00		0.00			
	40-	5	258.18	193.31	323.06	237.01	177.46	296.57	0	0.00		0.00			
	45-	1	52.23	22.88	81.57	47.94	21.00	74.88	3	156.68	105.85	207.51	143.83	97.17	190.49
	50-	0	0.00		0.00			0	0.00		0.00		91.19	54.96	127.42
	55-	1	40.97	17.95	64.00	37.61	16.48	58.75	0	0.00		0.00			
	60-	2	61.35	36.97	85.72	56.32	33.94	78.69	1	30.67	13.44	47.91	28.16	12.34	43.98
	65+	1	12.25	5.37	19.14	11.25	4.93	17.57	1	12.25	5.37	19.14	11.25	4.93	17.57
	計	16	66.67	57.30	76.03	61.20	52.60	69.80	8	33.33	26.71	39.96	30.60	24.52	36.68
	16 富山 男 配偶なし	0-	0	0.00		0.00		0	0.00		0.00				
5-		0	0.00		0.00		0	0.00		0.00					
10-		0	0.00		0.00		0	0.00		0.00					
15-		1	49.81	21.82	77.81	45.73	20.03	71.43	0	0.00		0.00			
20-		2	115.01	69.31	160.70	105.58	63.63	147.52	0	0.00		0.00			
25-		6	370.22	285.30	455.14	339.86	261.91	417.81	1	61.70	27.03	96.37	56.64	24.82	88.47
30-		3	219.28	148.13	290.38	201.28	135.99	266.57	1	73.09	32.02	114.15	67.09	29.39	104.79
35-		3	235.09	158.83	311.35	215.81	145.80	285.82	0	0.00		0.00			
40-		2	222.02	133.81	310.23	203.81	122.84	284.79	0	0.00		0.00			
45-		1	148.07	64.87	231.26	135.93	59.55	212.30	0	0.00		0.00			
50-		0	0.00		0.00			0	0.00		0.00				
55-		0	0.00		0.00			0	0.00		0.00				
60-		0	0.00		0.00			0	0.00		0.00				
65+		0	0.00		0.00			0	0.00		0.00				
計		18	140.51	121.90	159.12	128.99	111.91	146.07	2	15.61	9.41	21.82	14.33	8.64	20.03
16 富山 男 計		0-	0	0.00		0.00		0	0.00		0.00				
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	1	49.73	21.79	77.67	45.65	20.00	71.30	0	0.00		0.00			
	20-	3	163.65	110.56	216.74	150.23	101.49	198.96	0	0.00		0.00			
	25-	6	266.94	205.71	328.17	245.05	188.84	301.26	1	44.49	19.49	69.49	40.84	17.89	63.79
	30-	5	179.97	134.75	225.20	165.22	123.70	206.73	2	71.99	43.39	100.59	66.09	39.83	92.34
	35-	6	175.67	135.37	215.96	161.26	124.27	198.25	0	0.00		0.00			
	40-	7	246.70	194.31	299.09	226.47	178.38	274.57	0	0.00		0.00			
	45-	2	77.22	46.54	107.90	70.89	42.72	99.05	3	115.83	78.25	153.40	106.33	71.83	140.82
	50-	0	0.00		0.00			0	0.00		0.00				
	55-	1	33.02	14.47	51.58	30.32	13.28	47.35	0	0.00		0.00			
	60-	2	51.59	31.09	72.08	47.36	28.54	66.17	1	25.79	11.30	40.29	23.68	10.37	36.98
	65+	1	10.39	4.55	16.23	9.54	4.18	14.90	1	10.39	4.55	16.23	9.54	4.18	14.90
	計	34	92.37	83.46	101.27	84.79	76.62	92.96	10	27.17	22.34	31.99	24.94	20.51	29.37

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
16 富山 女 配偶あり	0-	0	0.00		0.00		0	0.00		0.00					
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	0	0.00		0.00		0	0.00		0.00					
	20-	1	59.74	26.17	93.31	54.84	24.03	85.66	5	298.70	223.65	373.75	274.21	205.31	343.11
	25-	1	41.36	18.12	64.59	37.96	16.63	59.30	4	165.42	118.95	211.89	151.86	109.19	194.52
	30-	2	91.44	55.11	127.77	83.94	50.59	117.29	2	91.44	55.11	127.77	83.94	50.59	117.29
	35-	0	0.00		0.00			0	0.00		0.00				
	40-	0	0.00		0.00			0	0.00		0.00				
	45-	0	0.00		0.00			0	0.00		0.00				
	50-	0	0.00		0.00			0	0.00		0.00				
	55-	0	0.00		0.00			0	0.00		0.00				
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	0	0.00		0.00			0	0.00		0.00				
	計	4	16.67	11.99	21.36	15.30	11.00	19.60	17	70.85	61.20	80.51	65.04	56.18	73.91
	16 富山 女 配偶なし	0-	0	0.00		0.00		0	0.00		0.00				
5-		0	0.00		0.00		0	0.00		0.00					
10-		0	0.00		0.00		0	0.00		0.00					
15-		0	0.00		0.00		0	0.00		0.00					
20-		1	62.85	27.53	98.17	57.70	25.28	90.12	3	188.55	127.39	249.72	173.09	116.94	229.24
25-		2	157.69	95.04	220.34	144.76	87.25	202.28	3	236.54	159.81	313.27	217.14	146.70	287.58
30-		0	0.00		0.00			0	0.00		0.00				
35-		0	0.00		0.00			0	0.00		0.00				
40-		0	0.00		0.00			0	0.00		0.00				
45-		0	0.00		0.00			0	0.00		0.00				
50-		0	0.00		0.00			0	0.00		0.00				
55-		0	0.00		0.00			0	0.00		0.00				
60-		0	0.00		0.00			0	0.00		0.00				
65+		0	0.00		0.00			0	0.00		0.00				
計		3	18.14	12.26	24.03	16.65	11.25	22.06	12	72.57	60.80	84.34	66.62	55.81	77.42
16 富山 女 計		0-	0	0.00		0.00		0	0.00		0.00				
	5-	0	0.00		0.00		0	0.00		0.00					
	10-	0	0.00		0.00		0	0.00		0.00					
	15-	0	0.00		0.00		0	0.00		0.00					
	20-	1	56.81	24.89	88.73	52.15	22.85	81.46	3	170.43	115.14	225.72	156.46	105.70	207.21
	25-	2	94.24	56.80	131.68	86.51	52.14	120.88	4	188.48	135.53	241.43	173.02	124.41	221.63
	30-	1	38.30	16.78	59.83	35.16	15.40	54.92	6	229.83	177.11	282.54	210.98	162.59	259.38
	35-	1	30.56	13.39	47.74	28.06	12.29	43.82	5	152.81	114.41	191.21	140.28	105.03	175.53
	40-	2	71.59	43.15	100.04	65.72	39.61	91.83	3	107.39	72.55	142.23	98.58	68.60	130.56
	45-	0	0.00		0.00			0	0.00		0.00				
	50-	0	0.00		0.00			0	0.00		0.00				
	55-	0	0.00		0.00			0	0.00		0.00				
	60-	0	0.00		0.00			0	0.00		0.00				
	65+	0	0.00		0.00			0	0.00		0.00				
	計	7	17.27	13.60	20.94	15.86	12.49	19.22	29	71.55	64.09	79.02	65.69	58.83	72.54

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス						
		報告数		人口10万対		人口10万対(回収率調整)		報告数		人口10万対		人口10万対(回収率調整)		
		推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	推定値	95%信頼区間	
21岐阜 男 配偶あり	0-													
	5-													
	10-													
	15-	0	0.00		0.00			0	0.00		0.00			
	20-	0	0.00		0.00			0	0.00		0.00			
	25-	0	0.00		0.00			0	0.00		0.00			
	30-	2	72.26	43.55	100.98	51.74	31.18	72.30	0	0.00		0.00		
	35-	3	74.73	50.49	98.98	53.51	36.15	70.87	1	24.91	10.91	38.91	17.84	7.81
	40-	4	104.86	75.40	134.31	75.08	53.98	96.17	0	0.00		0.00		
	45-	4	102.80	73.92	131.68	73.60	52.93	94.28	0	0.00		0.00		
	50-	2	50.78	30.60	70.95	36.36	21.91	50.80	1	25.39	11.12	39.65	18.18	7.96
	55-	1	21.58	9.45	33.70	15.45	6.77	24.13	0	0.00		0.00		
	60-	1	17.17	7.52	26.82	12.30	5.39	19.20	0	0.00		0.00		
65+	0	0.00		0.00				1	6.72	2.94	10.49	4.81	2.11	
計	17	37.52	32.41	42.63	26.86	23.20	30.53	3	6.62	4.47	8.77	4.74	3.20	
21岐阜 男 配偶なし	0-													
	5-													
	10-													
	15-	0	0.00		0.00				1	23.68	10.37	36.98	16.95	7.43
	20-	9	241.74	196.47	287.02	173.09	140.67	205.51	0	0.00		0.00		
	25-	4	126.24	90.78	161.71	90.39	65.00	115.78	0	0.00		0.00		
	30-	3	123.06	83.14	162.98	88.11	59.53	116.70	0	0.00		0.00		
	35-	1	44.98	19.70	70.25	32.20	14.11	50.30	2	89.95	54.21	125.69	64.40	38.82
	40-	0	0.00		0.00				0	0.00		0.00		
	45-	1	79.72	34.93	124.51	57.08	25.01	89.15	0	0.00		0.00		
	50-	2	200.99	121.13	280.84	143.91	86.73	201.08	0	0.00		0.00		
	55-	0	0.00		0.00				0	0.00		0.00		
	60-	0	0.00		0.00				0	0.00		0.00		
65+	0	0.00		0.00				0	0.00		0.00			
計	20	81.81	71.53	92.09	58.58	51.22	65.93	3	12.27	8.29	16.25	8.79	5.94	
21岐阜 男 計	0-													
	5-													
	10-													
	15-	0	0.00		0.00				1	23.61	10.35	36.88	16.91	7.41
	20-	9	227.31	184.73	269.88	162.75	132.27	193.23	0	0.00		0.00		
	25-	4	89.70	64.50	114.91	64.23	46.18	82.27	0	0.00		0.00		
	30-	5	96.05	71.92	120.19	68.77	51.49	86.06	0	0.00		0.00		
	35-	4	64.13	46.11	82.14	45.91	33.01	58.81	3	48.09	32.49	63.70	34.44	23.26
	40-	4	73.49	52.84	94.13	52.62	37.83	67.40	0	0.00		0.00		
	45-	5	97.17	72.75	121.59	69.58	52.09	87.06	0	0.00		0.00		
	50-	4	81.07	58.29	103.85	58.05	41.74	74.36	1	20.27	8.88	31.66	14.51	6.36
	55-	1	17.81	7.80	27.81	12.75	5.59	19.92	0	0.00		0.00		
	60-	1	14.66	6.42	22.90	10.50	4.60	16.40	0	0.00		0.00		
65+	0	0.00		0.00				1	5.65	2.47	8.82	4.05	1.77	
計	37	53.04	48.14	57.94	37.98	34.47	41.49	6	8.60	6.63	10.57	6.16	4.75	
21岐阜 女 配偶あり	0-													
	5-													
	10-													
	15-	0	0.00		0.00				0	0.00		0.00		
	20-	2	478.44	288.38	668.50	342.56	206.48	478.65	0	0.00		0.00		
	25-	1	53.87	23.60	84.13	38.57	16.90	60.24	3	161.60	109.18	214.02	115.70	78.17
	30-	1	29.69	13.01	46.38	21.26	9.31	33.20	1	29.69	13.01	46.38	21.26	9.31
	35-	0	0.00		0.00				3	65.25	44.08	86.41	46.72	31.56
	40-	2	46.52	28.04	65.01	33.31	20.07	46.54	3	69.78	47.14	92.42	49.96	33.75
	45-	0	0.00		0.00				4	92.48	66.50	118.47	66.22	47.61
	50-	1	22.95	10.05	35.84	16.43	7.20	25.66	5	114.73	85.90	143.56	82.15	61.50
	55-	0	0.00		0.00				2	40.07	24.15	56.00	28.69	17.29
	60-	0	0.00		0.00				0	0.00		0.00		
65+	0	0.00		0.00				2	17.03	10.26	23.79	12.19	7.35	
計	7	15.34	12.08	18.60	10.98	8.65	13.31	23	50.39	44.49	56.30	36.08	31.86	
21岐阜 女 配偶なし	0-													
	5-													
	10-													
	15-	1	24.45	10.71	38.18	17.50	7.67	27.34	3	73.34	49.55	97.13	52.51	35.47
	20-	5	136.11	101.91	170.31	97.45	72.96	121.94	2	54.44	32.81	76.07	38.98	23.49
	25-	1	38.37	16.81	59.93	27.47	12.04	42.91	2	76.74	46.25	107.24	54.95	33.12
	30-	3	172.08	116.26	227.90	123.21	83.24	163.18	4	229.44	164.98	293.90	164.28	118.13
	35-	1	64.85	28.41	101.29	46.43	20.34	72.52	1	64.85	28.41	101.29	46.43	20.34
	40-	0	0.00		0.00				0	0.00		0.00		
	45-	1	100.73	44.13	157.34	72.13	31.60	112.65	0	0.00		0.00		
	50-	0	0.00		0.00				0	0.00		0.00		
	55-	0	0.00		0.00				0	0.00		0.00		
	60-	0	0.00		0.00				0	0.00		0.00		
65+	0	0.00		0.00				0	0.00		0.00			
計	12	39.56	33.14	45.97	28.32	23.73	32.92	12	39.56	33.14	45.97	28.32	23.73	
21岐阜 女 計	0-													
	5-													
	10-													
	15-	1	24.32	10.65	37.98	17.41	7.63	27.19	3	72.95	49.28	96.61	52.23	35.29
	20-	7	171.08	134.75	207.42	122.50	96.48	148.51	2	48.88	29.46	68.30	35.00	21.09
	25-	2	44.82	27.01	62.62	32.09	19.34	44.84	5	112.04	83.89	140.20	80.22	60.06
	30-	4	78.26	56.27	100.24	56.03	40.29	71.77	5	97.82	73.24	122.40	70.04	52.44
	35-	1	16.29	7.13	25.44	11.66	5.11	18.21	4	65.15	46.84	83.45	46.64	33.54
	40-	2	36.38	21.92	50.83	26.05	15.70	36.39	3	54.57	36.86	72.27	39.07	26.39
	45-	1	18.80	8.24	29.37	13.46	5.90	21.03	4	75.22	54.09	96.35	53.86	38.73
	50-	1	19.29	8.45	30.13	13.81	6.05	21.58	5	96.46	72.22	120.70	69.07	51.71
	55-	0	0.00		0.00				2	33.59	20.24	46.93	24.05	14.49
	60-	0	0.00		0.00				0	0.00		0.00		
65+	0	0.00		0.00				2	8.66	5.22	12.11	6.20	3.74	
計	19	25.01	21.78	28.23	17.91	15.60	20.21	35	46.07	41.69	50.44	32.98	29.85	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎					性器ヘルペス								
		報告数	人口10万対		報告数	人口10万対(回収率調整)		報告数	人口10万対		報告数	人口10万対(回収率調整)			
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
28兵庫 男 配偶あり	0-5	0	0.00		0.00			0	0.00		0.00				
	15-20	0	0.00		0.00			1	156.24	68.45	244.03	143.74	62.98	224.51	
	25-30	6	179.03	137.96	220.10	164.71	126.93	202.49	1	29.84	13.07	46.61	27.45	12.03	42.88
	35-40	9	122.92	99.90	145.95	113.09	91.91	134.27	4	54.63	39.28	69.98	50.26	36.14	64.38
	45-50	13	117.68	99.34	136.02	108.27	91.40	125.14	0	0.00		0.00			
	55-60	14	131.06	111.38	150.74	120.57	102.47	138.68	5	46.81	35.04	58.57	43.06	32.24	53.88
	65+	14	135.82	115.42	156.21	124.95	106.19	143.72	1	9.70	4.25	15.15	8.93	3.91	13.94
	計	9	91.16	74.08	108.23	83.87	68.16	99.57	4	40.52	29.13	51.90	37.27	26.80	47.75
		3	26.25	17.74	34.77	24.15	16.32	31.99	2	17.50	10.55	24.46	16.10	9.70	22.50
		3	20.85	14.09	27.61	19.18	12.96	25.41	2	13.90	8.38	19.42	12.79	7.71	17.87
		3	8.26	5.58	10.94	7.60	5.13	10.06	3	8.26	5.58	10.94	7.60	5.13	10.06
	計	74	64.12	59.93	68.31	58.99	55.14	62.85	23	19.93	17.59	22.27	18.34	16.19	20.48
	28兵庫 男 配偶なし	0-5	0						0						
15-20		4	36.16	26.00	46.31	33.26	23.92	42.61	0	0.00		0.00			
25-30		16	157.52	135.40	179.65	144.92	124.56	165.28	1	9.85	4.31	15.38	9.06	3.97	14.15
35-40		21	247.49	217.14	277.83	227.69	199.77	255.60	3	35.36	23.89	46.83	32.53	21.97	43.08
45-50		13	201.44	170.05	232.83	185.32	156.44	214.20	6	92.97	71.65	114.30	85.53	65.91	105.16
55-60		7	114.13	89.89	138.37	105.00	82.70	127.30	3	48.91	33.04	64.78	45.00	30.40	59.60
65+		2	43.27	26.08	60.47	39.81	23.99	55.63	2	43.27	26.08	60.47	39.81	23.99	55.63
計		1	28.12	12.32	43.92	25.87	11.33	40.41	1	28.12	12.32	43.92	25.87	11.33	40.41
		1	34.52	15.12	53.91	31.76	13.91	49.60	0	0.00		0.00			
		1	32.90	14.41	51.38	30.26	13.26	47.27	0	0.00		0.00			
		2	61.61	37.13	86.08	56.68	34.16	79.20	0	0.00		0.00			
計		68	100.58	93.73	107.44	92.54	86.23	98.84	16	23.67	20.34	26.99	21.77	18.71	24.83
28兵庫 男 計		0-5	0						0						
	15-20	4	36.04	25.91	46.16	33.15	23.84	42.47	0	0.00		0.00			
	25-30	16	148.19	127.37	169.00	136.33	117.18	155.48	2	18.52	11.16	25.88	17.04	10.27	23.81
	35-40	27	228.10	203.44	252.77	209.86	187.16	232.55	4	33.79	24.30	43.29	31.09	22.36	39.82
	45-50	22	159.71	140.58	178.84	146.93	129.33	164.53	10	72.59	59.70	85.49	66.79	54.92	78.65
	55-60	20	116.41	101.79	131.04	107.10	93.64	120.56	3	17.46	11.80	23.13	16.07	10.85	21.28
	65+	16	104.55	89.86	119.23	96.18	82.67	109.69	7	45.74	36.02	55.45	42.08	33.14	51.02
	計	15	108.19	92.50	123.89	99.54	85.10	113.98	2	14.43	8.69	20.16	13.27	8.00	18.54
		10	78.31	64.39	92.22	72.04	59.24	84.84	4	31.32	22.52	40.12	28.82	20.72	36.91
		4	27.65	19.88	35.42	25.44	18.29	32.58	2	13.82	8.33	19.32	12.72	7.66	17.77
		5	28.35	21.23	35.48	26.08	19.53	32.64	2	11.34	6.83	15.85	10.43	6.29	14.58
	計	3	6.78	4.58	8.97	6.23	4.21	8.26	3	6.78	4.58	8.97	6.23	4.21	8.26
	計	142	77.59	73.93	81.25	71.38	68.02	74.75	39	21.31	19.39	23.23	19.61	17.84	21.37
28兵庫 女 配偶あり	0-5	0						0							
	15-20	2	199.73	120.38	279.09	183.75	110.75	256.76	2	199.73	120.38	279.09	183.75	110.75	256.76
	25-30	6	133.77	103.09	164.46	123.07	94.84	151.30	11	245.25	203.70	286.79	225.63	187.40	263.85
	35-40	5	56.43	42.25	70.61	51.92	38.87	64.96	11	124.15	103.12	145.18	114.22	94.87	133.57
	45-50	3	23.87	16.12	31.61	21.96	14.83	29.08	7	55.69	43.86	67.52	51.24	40.35	62.12
	55-60	1	8.52	3.73	13.31	7.84	3.44	12.25	13	110.81	93.54	128.07	101.94	86.05	117.83
	65+	0	0.00		0.00	0.00			3	26.85	18.14	35.56	24.70	16.69	32.71
	計	0	0.00		0.00	0.00			6	55.59	42.84	68.35	51.15	39.41	62.88
		0	0.00		0.00	0.00			6	48.87	37.66	60.08	44.96	34.65	55.27
		0	0.00		0.00	0.00			3	20.87	14.10	27.65	19.20	12.97	25.43
		0	0.00		0.00	0.00			9	31.24	25.39	37.09	28.74	23.36	34.12
	計	17	14.84	12.64	16.63	13.47	11.63	15.30	71	61.13	57.06	65.21	56.24	52.49	59.99
	28兵庫 女 配偶なし	0-5	0						0						
15-20		2	18.56	11.18	25.93	17.07	10.29	23.85	5	46.39	34.73	58.04	42.68	31.95	53.40
25-30		6	57.93	44.64	71.22	53.30	41.07	65.52	19	183.44	159.80	207.09	168.77	147.01	190.52
35-40		1	12.54	5.49	19.59	11.54	5.05	18.02	10	125.42	103.13	147.70	115.38	94.88	135.89
45-50		2	34.72	20.93	48.52	31.94	19.25	44.64	1	17.36	7.61	27.12	15.97	7.00	24.95
55-60		1	18.70	8.19	29.20	17.20	7.54	26.87	8	149.58	119.86	179.29	137.61	110.27	164.95
65+		1	23.38	10.24	36.51	21.51	9.42	33.59	4	93.50	67.23	119.77	86.02	61.85	110.19
計		1	28.52	12.50	44.55	26.24	11.50	40.98	2	57.04	34.38	79.71	52.48	31.63	73.33
		0	0.00		0.00	0.00			2	69.25	41.74	96.77	63.71	38.40	89.02
		0	0.00		0.00	0.00			2	63.18	38.08	88.29	58.13	35.03	81.23
		0	0.00		0.00	0.00			3	67.36	45.51	89.21	61.97	41.87	82.08
		0	0.00		0.00	0.00			5	16.70	12.50	20.89	15.36	11.50	19.22
計		14	15.83	13.45	18.20	14.56	12.37	16.75	61	68.96	64.00	73.92	63.44	58.88	68.01
28兵庫 女 計	0-5	0						0							
	15-20	2	18.45	11.12	25.78	16.97	10.23	23.72	5	46.12	34.53	57.71	42.43	31.77	53.09
	25-30	8	70.43	56.44	84.42	64.80	51.92	77.67	21	184.88	162.21	207.55	170.09	149.23	190.94
	35-40	7	56.19	44.25	68.12	51.69	40.71	62.67	21	168.56	147.89	189.22	155.07	136.06	174.09
	45-50	1	47.88	37.71	58.05	44.05	34.69	53.40	12	82.08	68.76	95.39	75.51	63.26	87.76
	55-60	4	22.32	16.05	28.60	20.54	14.77	26.31	15	83.72	71.57	95.86	77.02	65.84	88.19
	65+	2	12.49	7.53	17.46	11.49	6.93	16.06	17	106.18	91.71	120.65	97.69	84.37	111.00
	計	1	6.81	2.98	10.64	6.27	2.75	9.79	5	34.06	25.50	42.62	31.33	23.46	39.21
		0	0.00		0.00	0.00			8	58.48	46.86	70.09	53.80	43.11	64.49
		0	0.00		0.00	0.00			8	51.80	41.51	62.09	47.66	38.19	57.13
		0	0.00		0.00	0.00			6	31.87	24.56	39.18	29.32	22.60	36.05
	計	0	0.00		0.00	0.00			14	23.83	20.25	27.40	21.92	18.63	25.21
	計	31	15.15	13.62	16.68	13.94	12.53	15.35	132	64.52	61.36	67.67	59.36	56.45	62.26

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	非淋菌性非クラミジア性尿道炎・頸管炎						性器ヘルペス							
		報告数	人口10万対		人口10万対(回収率調整)		報告数	人口10万対		人口10万対(回収率調整)					
		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間		推定値	95%信頼区間			
36 徳島 男 配偶あり	0-														
	5-	0	0.00		0.00			0.00			0.00				
	10-	0	0.00		0.00			0.00		0.00					
	15-	0	0.00		0.00			0.00		0.00					
	20-	0	0.00		0.00			0.00		0.00					
	25-	0	0.00		0.00			0.00		0.00					
	30-	1	104.73	45.88	163.58	104.73	45.88	163.58	0	0.00		0.00			
	35-	0	0.00		0.00			0.00	77.92	34.14	121.71	77.92	34.14	121.71	
	40-	0	0.00		0.00			0.00	165.78	99.92	231.65	165.78	99.92	231.65	
	45-	0	0.00		0.00			0.00	77.14	33.79	120.48	77.14	33.79	120.48	
	50-	2	132.07	79.60	184.55	132.07	79.60	184.55	0	0.00		0.00			
	55-	1	53.70	23.53	83.87	53.70	23.53	83.87	0	0.00		0.00			
	60-	0	0.00		0.00			0.00							
65+	1	17.69	7.75	27.64	17.69	7.75	27.64	1	17.69	7.75	27.64	17.69	7.75	27.64	
計	5	30.22	22.63	37.81	30.22	22.63	37.81	5	30.22	22.63	37.81	30.22	22.63	37.81	
36 徳島 男 配偶なし	0-														
	5-	0	0.00		0.00			0.00			0.00				
	10-	0	0.00		0.00			0.00			0.00				
	15-	0	0.00		0.00			0.00			0.00				
	20-	4	320.66	230.58	410.74	320.66	230.58	410.74	0	0.00		0.00			
	25-	2	183.23	110.43	256.03	183.23	110.43	256.03	1	91.62	40.14	143.10	91.62	40.14	143.10
	30-	0	0.00		0.00			0.00	354.89	239.77	470.00	354.89	239.77	470.00	
	35-	0	0.00		0.00			0.00							
	40-	0	0.00		0.00			0.00							
	45-	2	420.05	253.18	586.92	420.05	253.18	586.92	0	0.00		0.00			
	50-	0	0.00		0.00			0.00							
	55-	0	0.00		0.00			0.00							
	60-	0	0.00		0.00			0.00							
65+	0	0.00		0.00			0.00								
計	8	87.15	69.84	104.47	87.15	69.84	104.47	4	43.58	31.33	55.82	43.58	31.33	55.82	
36 徳島 男 計	0-														
	5-	0	0.00		0.00			0.00			0.00				
	10-	0	0.00		0.00			0.00			0.00				
	15-	0	0.00		0.00			0.00			0.00				
	20-	4	299.32	215.24	383.41	299.32	215.24	383.41	0	0.00		0.00			
	25-	2	128.98	77.73	180.23	128.98	77.73	180.23	1	64.49	28.25	100.73	64.49	28.25	100.73
	30-	1	55.55	24.34	86.76	55.55	24.34	86.76	3	166.65	112.59	220.71	166.65	112.59	220.71
	35-	0	0.00		0.00			0.00	1	49.24	21.57	76.91	49.24	21.57	76.91
	40-	0	0.00		0.00			0.00	2	112.84	68.01	157.68	112.84	68.01	157.68
	45-	2	112.83	68.00	157.66	112.83	68.00	157.66	1	56.42	24.72	88.12	56.42	24.72	88.12
	50-	2	101.33	61.07	141.59	101.33	61.07	141.59	0	0.00		0.00			
	55-	1	42.30	18.53	66.07	42.30	18.53	66.07	0	0.00		0.00			
	60-	0	0.00		0.00			0.00							
65+	1	14.39	6.31	22.48	14.39	6.31	22.48	1	14.39	6.31	22.48	14.39	6.31	22.48	
計	13	50.54	42.66	58.41	50.54	42.66	58.41	9	34.99	28.43	41.54	34.99	28.43	41.54	
36 徳島 女 配偶あり	0-														
	5-	0	0.00		0.00			0.00			0.00				
	10-	0	0.00		0.00			0.00			0.00				
	15-	0	0.00		0.00			0.00			0.00				
	20-	3	484.02	327.03	641.02	484.02	327.03	641.02	3	706.54	309.64	1103.44	706.54	309.64	1103.44
	25-	0	0.00		0.00			0.00	3	266.40	179.99	352.82	266.40	179.99	352.82
	30-	0	0.00		0.00			0.00	1	66.58	29.17	103.98	66.58	29.17	103.98
	35-	0	0.00		0.00			0.00	2	144.25	86.94	201.56	144.25	86.94	201.56
	40-	1	67.17	29.43	104.92	67.17	29.43	104.92	3	201.52	136.15	266.90	201.52	136.15	266.90
	45-	2	119.44	71.98	166.89	119.44	71.98	166.89	6	358.32	276.13	440.50	358.32	276.13	440.50
	50-	0	0.00		0.00			0.00	0	0.00		0.00			
	55-	0	0.00		0.00			0.00	1	48.20	21.12	75.28	48.20	21.12	75.28
	60-	1	21.40	9.37	33.42	21.40	9.37	33.42	4	85.59	61.54	109.63	85.59	61.54	109.63
65+	1	54.07	43.94	64.20	54.07	43.94	64.20	24	144.19	127.65	160.73	144.19	127.65	160.73	
計	9	54.07	43.94	64.20	54.07	43.94	64.20	24	144.19	127.65	160.73	144.19	127.65	160.73	
36 徳島 女 配偶なし	0-														
	5-	0	0.00		0.00			0.00			0.00				
	10-	0	0.00		0.00			0.00			0.00				
	15-	0	0.00		0.00			0.00			0.00				
	20-	1	81.44	35.68	127.20	81.44	35.68	127.20	2	162.88	98.17	227.60	162.88	98.17	227.60
	25-	2	209.73	126.41	293.06	209.73	126.41	293.06	1	104.87	45.94	163.79	104.87	45.94	163.79
	30-	0	0.00		0.00			0.00	1	144.09	63.13	225.05	144.09	63.13	225.05
	35-	0	0.00		0.00			0.00	0	0.00		0.00			
	40-	0	0.00		0.00			0.00	1	200.57	87.88	313.27	200.57	87.88	313.27
	45-	0	0.00		0.00			0.00	0	0.00		0.00			
	50-	0	0.00		0.00			0.00	0	0.00		0.00			
	55-	0	0.00		0.00			0.00	0	0.00		0.00			
	60-	0	0.00		0.00			0.00	0	0.00		0.00			
65+	1	19.21	8.41	30.00	19.21	8.41	30.00	0	0.00		0.00				
計	4	31.84	22.89	40.78	31.84	22.89	40.78	6	47.75	36.80	58.71	47.75	36.80	58.71	
36 徳島 女 計	0-														
	5-	0	0.00		0.00			0.00			0.00				
	10-	0	0.00		0.00			0.00			0.00				
	15-	0	0.00		0.00			0.00			0.00				
	20-	1	73.02	31.99	114.06	73.02	31.99	114.06	3	219.07	148.01	290.14	219.07	148.01	290.14
	25-	5	317.78	237.94	397.63	317.78	237.94	397.63	4	254.23	182.81	325.65	254.23	182.81	325.65
	30-	0	0.00		0.00			0.00	4	219.76	158.03	281.50	219.76	158.03	281.50
	35-	0	0.00		0.00			0.00	1	46.89	20.54	73.24	46.89	20.54	73.24
	40-	2	106.10	63.94	148.25	106.10	63.94	148.25	3	159.15	107.52	210.77	159.15	107.52	210.77
	45-	1	52.09	22.82	81.36	52.09	22.82	81.36	3	156.26	105.57	206.96	156.26	105.57	206.96
	50-	2	96.23	58.00	134.47	96.23	58.00	134.47	6	288.70	222.48	354.92	288.70	222.48	354.92
	55-	0	0.00		0.00			0.00	0	0.00		0.00			
	60-	0	0.00		0.00			0.00	1	36.90	16.16	57.63	36.90	16.16	57.63
65+	2	20.24	12.20	28.29	20.24	12.20	28.29	4	40.49	29.11	51.86	40.49	29.11	51.86	
計	13	44.51	37.57	51.44	44.51	37.57	51.44	30	102.71	92.17	113.25	102.71	92.17	113.25	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
			推定値	95%信頼区間	推定値	95%信頼区間	
99全国 男 配偶あり	0-						
	5-						
	10-						
	15-	0	0.00		0.00		
	20-	3	132.08	89.24	174.93	93.12	62.91
	25-	3	24.34	16.44	32.23	17.16	11.59
	30-	7	26.50	20.87	32.12	18.68	14.71
	35-	9	23.26	18.90	27.61	16.40	13.32
	40-	11	29.34	24.37	34.31	20.68	17.16
	45-	10	27.30	22.45	32.16	19.25	15.83
	50-	6	16.30	12.56	20.04	11.49	8.86
	55-	2	4.57	2.76	6.39	3.22	1.94
	60-	3	5.61	3.79	7.43	3.96	2.67
	65+	8	5.95	4.77	7.14	4.20	3.36
計	62	14.68	13.63	15.73	10.35	9.61	
99全国 男 配偶なし	0-						
	5-						
	10-						
	15-	4	10.12	7.27	12.96	7.13	5.13
	20-	13	34.90	29.46	40.34	24.61	20.77
	25-	15	46.56	39.80	53.32	32.82	28.06
	30-	10	39.42	32.42	46.43	27.79	22.86
	35-	9	37.56	30.53	44.60	26.48	21.52
	40-	6	33.37	25.72	41.03	23.53	18.13
	45-	5	36.12	27.05	45.20	25.47	19.07
	50-	1	8.81	3.86	13.75	6.21	2.72
	55-	1	8.59	3.76	13.41	6.05	2.65
	60-	0	0.00			0.00	
	65+	1	3.54	1.55	5.53	2.50	1.09
計	65	25.70	23.91	27.49	18.12	16.85	
99全国 男 計	0-						
	5-						
	10-						
	15-	4	10.09	7.25	12.92	7.11	5.11
	20-	16	40.49	34.80	46.17	28.54	24.53
	25-	18	40.41	35.06	45.76	28.49	24.72
	30-	17	32.83	28.35	37.30	23.14	19.99
	35-	18	28.73	24.92	32.53	20.25	17.57
	40-	17	30.65	26.47	34.82	21.60	18.66
	45-	15	29.72	25.41	34.03	20.95	17.91
	50-	7	14.53	11.45	17.62	10.25	8.07
	55-	3	5.42	3.66	7.17	3.82	2.58
	60-	3	4.62	3.12	6.11	3.25	2.20
	65+	9	5.54	4.50	6.57	3.90	3.17
計	127	18.81	17.87	19.75	13.26	12.60	
99全国 女 配偶あり	0-						
	5-						
	10-						
	15-	1	472.13	206.88	737.37	332.85	145.85
	20-	4	106.73	76.75	136.72	75.25	54.11
	25-	8	47.86	38.35	57.36	33.74	27.04
	30-	11	34.67	28.80	40.54	24.44	20.30
	35-	7	15.94	12.55	19.32	11.24	8.85
	40-	8	19.41	15.55	23.26	13.68	10.96
	45-	5	12.57	9.41	15.73	8.86	6.63
	50-	1	2.50	1.10	3.90	1.76	0.77
	55-	0	0.00			0.00	
	60-	0	0.00			0.00	
	65+	3	2.80	1.89	3.71	1.98	1.34
計	48	11.32	10.40	12.24	7.98	7.33	
99全国 女 配偶なし	0-						
	5-						
	10-						
	15-	11	29.36	24.38	34.33	20.70	17.19
	20-	34	97.03	87.68	106.38	68.41	61.82
	25-	23	84.54	74.64	94.45	59.60	52.62
	30-	16	82.97	71.32	94.63	58.50	50.28
	35-	6	34.30	26.43	42.17	24.18	18.63
	40-	3	22.15	14.96	29.34	15.62	10.55
	45-	2	18.55	11.18	25.92	13.08	7.88
	50-	2	21.96	13.24	30.69	15.48	9.33
	55-	1	9.46	4.14	14.77	6.67	2.92
	60-	0	0.00			0.00	
	65+	0	0.00			0.00	
計	98	32.83	30.97	34.69	23.15	21.83	
99全国 女 計	0-						
	5-						
	10-						
	15-	12	31.85	26.68	37.01	22.45	18.81
	20-	38	97.97	89.04	106.90	69.07	62.77
	25-	31	70.58	63.46	77.70	49.76	44.74
	30-	27	52.93	47.21	58.65	37.32	33.28
	35-	13	21.17	17.87	24.47	14.92	12.60
	40-	11	20.08	16.68	23.49	14.16	11.76
	45-	7	13.84	10.90	16.79	9.76	7.69
	50-	3	6.11	4.13	8.09	4.31	2.91
	55-	1	1.75	0.77	2.73	1.23	0.54
	60-	0	0.00			0.00	
	65+	3	1.42	0.96	1.89	1.00	0.68
計	146	20.20	19.27	21.14	14.24	13.58	

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
			推定値	95%信頼区間	推定値	95%信頼区間	
03岩手	0-						
男	5-						
配偶あり	10-						
	15-	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	0	0.00		0.00		
	30-	0	0.00		0.00		
	35-	1	48.81	21.38	76.24	34.22	14.99
	40-	1	49.44	21.66	77.23	34.66	15.18
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	2	7.13	4.30	9.96	5.00	3.01
03岩手	0-						
男	5-						
配偶なし	10-						
	15-	0	0.00		0.00		
	20-	1	49.62	21.74	77.50	34.78	15.24
	25-	0	0.00		0.00		
	30-	2	132.50	79.86	185.14	92.88	55.98
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	1	96.07	42.09	150.04	67.34	29.50
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	4	24.51	17.62	31.39	17.18	12.35
03岩手	0-						
男	5-						
計	10-						
	15-	0	0.00		0.00		
	20-	1	45.54	19.95	71.12	31.92	13.98
	25-	0	0.00		0.00		
	30-	2	64.95	39.14	90.75	45.53	27.44
	35-	1	29.11	12.75	45.46	20.40	8.94
	40-	1	31.71	13.89	49.52	22.23	9.74
	45-	1	29.94	13.11	46.76	20.98	9.19
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	6	13.52	10.42	16.63	9.48	7.31
03岩手	0-						
女	5-						
配偶あり	10-						
	15-	0	0.00		0.00		
	20-	1	355.02	155.56	554.49	248.87	109.05
	25-	1	91.64	40.15	143.13	64.24	28.14
	30-	2	107.52	64.80	150.24	75.37	45.42
	35-	0	0.00		0.00		
	40-	1	42.65	18.69	66.62	29.90	13.10
	45-	1	38.26	16.76	59.76	26.82	11.75
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	6	21.19	16.33	26.06	14.86	11.45
03岩手	0-						
女	5-						
配偶なし	10-						
	15-	0	0.00		0.00		
	20-	4	206.59	148.55	264.63	144.82	104.14
	25-	1	67.92	29.76	106.09	47.62	20.86
	30-	3	261.95	176.98	346.92	183.63	124.06
	35-	0	0.00		0.00		
	40-	2	234.70	141.45	327.94	164.52	99.16
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	10	46.46	38.20	54.71	32.57	26.78
03岩手	0-						
女	5-						
計	10-						
	15-	0	0.00		0.00		
	20-	5	225.44	168.79	282.09	158.04	118.33
	25-	2	78.02	47.02	109.02	54.69	32.96
	30-	5	166.37	124.56	208.17	116.62	87.32
	35-	0	0.00		0.00		
	40-	3	93.84	63.40	124.29	65.79	44.44
	45-	1	29.81	13.06	46.55	20.89	9.15
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	16	32.11	27.60	36.62	22.51	19.34

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
			推定値	95%信頼区間	推定値	95%信頼区間	
08茨城	0-						
男	5-						
配偶あり	10-						
	15-	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	0	0.00		0.00		
	30-	0	0.00		0.00		
	35-	1	17.89	7.84	27.94	7.84	3.43
	40-	2	37.24	22.44	52.04	16.31	9.83
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	1	14.01	6.14	21.88	6.14	2.69
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	4	6.32	4.54	8.10	2.77	1.99
08茨城	0-						
男	5-						
配偶なし	10-						
	15-	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	3	58.23	39.34	77.12	25.50	17.23
	30-	0	0.00		0.00		
	35-	2	52.55	31.67	73.43	23.02	13.87
	40-	0	0.00		0.00		
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	5	12.49	9.35	15.63	5.47	4.10
08茨城	0-						
男	5-						
計	10-						
	15-	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	3	42.14	28.47	55.81	18.46	12.47
	30-	0	0.00		0.00		
	35-	3	31.93	21.57	42.29	13.99	9.45
	40-	2	24.31	14.65	33.97	10.65	6.42
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	1	11.00	4.82	17.18	4.82	2.11
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	9	8.71	7.08	10.34	3.82	3.10
							4.53
地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
			推定値	95%信頼区間	推定値	95%信頼区間	
08茨城	0-						
女	5-						
配偶あり	10-						
	15-	0	0.00		0.00		
	20-	1	156.91	68.74	245.07	68.73	30.11
	25-	0	0.00		0.00		
	30-	1	21.61	9.47	33.76	9.47	4.15
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	1	16.97	7.43	26.50	7.43	3.26
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	1	6.40	2.80	9.99	2.80	1.23
	計	4	6.33	4.55	8.11	2.77	1.99
08茨城	0-						
女	5-						
配偶なし	10-						
	15-	3	53.00	35.81	70.20	23.22	15.68
	20-	3	59.40	40.13	78.67	26.02	17.58
	25-	6	153.09	117.97	188.20	67.05	51.67
	30-	2	72.81	43.88	101.74	31.89	19.22
	35-	1	41.29	18.09	64.49	18.08	7.92
	40-	0	0.00		0.00		
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	15	35.61	30.45	40.78	15.60	13.34
08茨城	0-						
女	5-						
計	10-						
	15-	3	52.65	35.57	69.73	23.06	15.58
	20-	4	70.32	50.57	90.08	30.80	22.15
	25-	6	92.36	71.18	113.55	40.46	31.18
	30-	3	40.68	27.49	53.88	17.82	12.04
	35-	1	11.53	5.05	18.00	5.05	2.21
	40-	0	0.00		0.00		
	45-	1	13.72	6.01	21.42	6.01	2.63
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	1	3.32	1.46	5.19	1.46	0.64
	計	19	18.04	15.72	20.37	7.90	6.88
							8.92

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
			推定値	95%信頼区間	推定値	95%信頼区間	
12千葉	0-						
男	5-						
配偶あり	10-						
	15-	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	0	0.00		0.00		
	30-	1	11.85	5.19	18.50	6.34	2.78
	35-	2	15.90	9.58	22.22	8.51	5.13
	40-	1	8.02	3.52	12.53	4.29	1.88
	45-	3	25.94	17.53	34.36	13.88	9.38
	50-	3	27.17	18.36	35.99	14.54	9.82
	55-	0	0.00		0.00		
	60-	1	6.15	2.69	9.60	3.29	1.44
	65+	0	0.00		0.00		
	計	11	8.48	7.04	9.92	4.54	3.77
12千葉	0-						
男	5-						
配偶なし	10-						
	15-	2	16.74	10.09	23.40	8.96	5.40
	20-	3	23.87	16.13	31.62	12.77	8.63
	25-	2	18.28	11.02	25.55	9.78	5.89
	30-	2	23.12	13.93	32.30	12.37	7.45
	35-	3	35.77	24.16	47.37	19.14	12.93
	40-	2	31.88	19.22	44.55	17.06	10.28
	45-	2	43.14	26.00	60.28	23.08	13.91
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	16	19.39	16.66	22.11	10.37	8.91
12千葉	0-						
男	5-						
計	10-						
	15-	2	16.70	10.07	23.34	8.93	5.38
	20-	3	22.73	15.36	30.10	12.16	8.22
	25-	2	13.57	8.18	18.96	7.26	4.37
	30-	3	17.55	11.86	23.25	9.39	6.34
	35-	5	23.85	17.86	29.84	12.76	9.55
	40-	3	16.01	10.82	21.21	8.57	5.79
	45-	5	30.86	23.11	38.62	16.51	12.36
	50-	3	20.57	13.90	27.24	11.00	7.43
	55-	0	0.00		0.00		
	60-	1	5.01	2.19	7.82	2.68	1.17
	65+	0	0.00		0.00		
	計	27	12.72	11.35	14.10	6.81	6.07
地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
			推定値	95%信頼区間	推定値	95%信頼区間	
12千葉	0-						
女	5-						
配偶あり	10-						
	15-	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	4	76.44	54.96	97.91	40.90	29.41
	30-	3	29.38	19.85	38.91	15.72	10.62
	35-	3	21.02	14.20	27.83	11.24	7.60
	40-	1	7.47	3.27	11.66	4.00	1.75
	45-	1	8.24	3.61	12.87	4.41	1.93
	50-	1	8.52	3.73	13.31	4.56	2.00
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	13	9.99	8.43	11.54	5.34	4.51
12千葉	0-						
女	5-						
配偶なし	10-						
	15-	2	18.06	10.88	25.24	9.66	5.82
	20-	8	71.41	57.23	85.60	38.21	30.62
	25-	3	33.29	22.49	44.09	17.81	12.03
	30-	1	15.98	7.00	24.96	8.55	3.75
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	0	0.00		0.00		
	50-	0	0.00		0.00		
	55-	1	32.56	14.26	50.85	17.42	7.63
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	15	17.25	14.75	19.75	9.23	7.89
12千葉	0-						
女	5-						
計	10-						
	15-	2	17.96	10.83	25.10	9.61	5.79
	20-	8	65.03	52.11	77.95	34.79	27.88
	25-	7	49.14	38.70	59.58	26.29	20.71
	30-	4	24.29	17.46	31.11	12.99	9.34
	35-	3	15.03	10.15	19.91	8.04	5.43
	40-	1	5.65	2.48	8.82	3.02	1.32
	45-	1	6.51	2.85	10.16	3.48	1.52
	50-	1	6.96	3.05	10.88	3.73	1.63
	55-	1	5.87	2.57	9.16	3.14	1.37
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	28	12.90	11.53	14.26	6.90	6.17

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ				
			人口10万対		人口10万対(回収率調整)		
		推定値	95%信頼区間		推定値	95%信頼区間	
16富山	0-						
男	5-						
配偶あり	10-						
	15-	0	0.00		0.00		
	20-	1	1061.66	465.36	1657.97	974.61	427.20
	25-	0	0.00		0.00		
	30-	1	70.93	31.07	110.78	65.11	28.52
	35-	0	0.00		0.00		
	40-	1	51.64	22.62	80.65	47.40	20.77
	45-	1	52.23	22.88	81.57	47.94	21.00
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	1	12.25	5.37	19.14	11.25	4.93
	計	5	20.83	15.60	26.07	19.12	14.32
16富山	0-						
男	5-						
配偶なし	10-						
	15-	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	1	61.70	27.03	96.37	56.64	24.82
	30-	2	146.17	88.10	204.25	134.19	80.87
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	1	148.07	64.87	231.26	135.93	59.55
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	4	31.23	22.45	40.00	28.66	20.61
16富山	0-						
男	5-						
計	10-						
	15-	0	0.00		0.00		
	20-	1	54.55	23.90	85.20	50.08	21.94
	25-	1	44.49	19.49	69.49	40.84	17.89
	30-	3	107.98	72.95	143.02	99.13	66.97
	35-	0	0.00		0.00		
	40-	1	35.24	15.44	55.05	32.35	14.17
	45-	2	77.22	46.54	107.90	70.89	42.72
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	1	10.39	4.55	16.23	9.54	4.18
	計	9	24.45	19.87	29.03	22.44	18.24
16富山	0-						
女	5-						
配偶あり	10-						
	15-	0	0.00		0.00		
	20-	0	0.00		0.00		
	25-	0	0.00		0.00		
	30-	1	59.74	26.17	93.31	54.84	24.03
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	1	46.58	20.41	72.75	42.76	18.73
	50-	0	0.00		0.00		
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	1	15.48	6.78	24.17	14.21	6.22
	計	3	12.50	8.45	16.56	11.48	7.75
16富山	0-						
女	5-						
配偶なし	10-						
	15-	1	53.00	23.22	82.78	48.65	21.32
	20-	0	0.00		0.00		
	25-	0	0.00		0.00		
	30-	0	0.00		0.00		
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	0	0.00		0.00		
	50-	1	241.07	105.62	376.51	221.30	96.96
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	0	0.00		0.00		
	計	2	12.09	7.29	16.90	11.10	6.69
16富山	0-						
女	5-						
計	10-						
	15-	1	52.80	23.13	82.47	48.47	21.23
	20-	0	0.00		0.00		
	25-	0	0.00		0.00		
	30-	1	38.30	16.78	59.83	35.16	15.40
	35-	0	0.00		0.00		
	40-	0	0.00		0.00		
	45-	1	38.06	16.68	59.45	34.94	15.31
	50-	1	37.90	16.60	59.20	34.79	15.24
	55-	0	0.00		0.00		
	60-	0	0.00		0.00		
	65+	1	7.34	3.22	11.46	6.74	2.95
	計	5	12.34	9.24	15.44	11.33	8.48

県別STD報告数、罹患率(年間)および回収率調整罹患率(年間)

地域	年齢	報告数	尖圭コンジローマ					
			人口10万対		人口10万対(回収率調整)			
		推定値	95%信頼区間	推定値	95%信頼区間			
21岐阜 男 配偶あり	0-	0	0.00		0.00			
	5-	0	0.00		0.00			
	10-	0	0.00		0.00			
	15-	0	0.00		0.00			
	20-	0	0.00		0.00			
	25-	0	0.00		0.00			
	30-	1	36.13	15.83	56.43	25.87	11.33	40.41
	35-	1	24.91	10.91	38.91	17.84	7.81	27.86
	40-	0	0.00		0.00			
	45-	0	0.00		0.00			
	50-	2	50.78	30.60	70.95	36.36	21.91	50.80
	55-	0	0.00		0.00			
	60-	1	17.17	7.52	26.82	12.30	5.39	19.20
65+	0	0.00		0.00				
計	5	11.04	8.26	13.81	7.90	5.92	9.89	
21岐阜 男 配偶なし	0-	0						
	5-	0						
	10-	0						
	15-	1	23.68	10.37	36.98	16.95	7.43	26.48
	20-	2	53.72	32.38	75.07	38.46	23.18	53.75
	25-	0	0.00		0.00			
	30-	3	123.06	83.14	162.98	88.11	59.53	116.70
	35-	1	44.98	19.70	70.25	32.20	14.11	50.30
	40-	0	0.00		0.00			
	45-	0	0.00		0.00			
	50-	0	0.00		0.00			
	55-	1	101.94	44.66	159.22	72.99	31.98	114.00
	60-	0	0.00		0.00			
65+	0	0.00		0.00				
計	8	32.72	26.22	39.22	23.43	18.78	28.08	
21岐阜 男 計	0-	0						
	5-	0						
	10-	0						
	15-	1	23.61	10.35	36.88	16.91	7.41	26.41
	20-	2	50.51	30.44	70.58	36.17	21.80	50.54
	25-	0	0.00		0.00			
	30-	4	76.84	55.25	98.43	55.02	39.56	70.48
	35-	2	32.06	19.32	44.80	22.96	13.84	32.08
	40-	0	0.00		0.00			
	45-	0	0.00		0.00			
	50-	2	40.54	24.43	56.64	29.02	17.49	40.56
	55-	1	17.81	7.80	27.81	12.75	5.59	19.92
	60-	1	14.66	6.42	22.90	10.50	4.60	16.40
65+	0	0.00		0.00				
計	13	18.64	15.73	21.54	13.34	11.26	15.42	
21岐阜 女 配偶あり	0-	0						
	5-	0						
	10-	0						
	15-	0	0.00		0.00			
	20-	2	478.44	288.38	668.50	342.56	206.48	478.65
	25-	2	107.73	64.93	150.54	77.14	46.49	107.78
	30-	1	29.69	13.01	46.38	21.26	9.31	33.20
	35-	1	21.75	9.53	33.97	15.57	6.82	24.32
	40-	4	93.04	66.90	119.18	66.62	47.90	85.33
	45-	1	23.12	10.13	36.11	16.55	7.25	25.86
	50-	0	0.00		0.00			
	55-	0	0.00		0.00			
	60-	0	0.00		0.00			
65+	0	0.00		0.00				
計	11	24.10	20.02	28.19	17.26	14.33	20.18	
21岐阜 女 配偶なし	0-	0						
	5-	0						
	10-	0						
	15-	2	48.89	29.47	68.32	35.01	21.10	48.92
	20-	7	190.55	150.08	231.02	136.43	107.46	165.41
	25-	1	38.37	16.81	59.93	27.47	12.04	42.91
	30-	8	458.88	367.73	550.03	328.56	263.30	393.82
	35-	0	0.00		0.00			
	40-	1	83.41	36.54	130.28	59.72	26.17	93.28
	45-	0	0.00		0.00			
	50-	0	0.00		0.00			
	55-	0	0.00		0.00			
	60-	0	0.00		0.00			
65+	0	0.00		0.00				
計	19	62.63	54.56	70.71	44.85	39.06	50.63	
21岐阜 女 計	0-	0						
	5-	0						
	10-	0						
	15-	2	48.63	29.31	67.96	34.82	20.99	48.66
	20-	9	219.96	178.77	261.16	157.49	128.00	186.99
	25-	3	67.23	45.42	89.04	48.13	32.52	63.75
	30-	9	176.08	143.10	209.06	126.07	102.46	149.68
	35-	1	16.29	7.13	25.44	11.66	5.11	18.21
	40-	5	90.94	68.09	113.80	65.11	48.75	81.48
	45-	1	18.80	8.24	29.37	13.46	5.90	21.03
	50-	0	0.00		0.00			
	55-	0	0.00		0.00			
	60-	0	0.00		0.00			
65+	0	0.00		0.00				
計	30	39.49	35.44	43.54	28.27	25.37	31.17	