

- Characterization of St-Valerien-Like Virus Genome Detected in Japan. Doi: 10.1292/jvms.13-0468; J. Vet. Med. Sci. 76(7):1045-1050, 2014.
18. Fujii Y, Nakagomi T, Nishimura N, Noguchi A, Miura S, Ito H, Doan Y.H, Takahashi T, Ozaki T, **Katayama K**, Nakagomi O. Spread and predominance in Japan of novel G1P[8] double-reassortant rotavirus strains possessing a DS-1-like genotype constellation typical of G2P[4] strains. *Infect Genet Evol.* Vol. 28:426-33. doi: 10.1016/j.meegid.2014.08.001. Epub Aug 8, 2014.
 19. Mizukoshi F, Kuroda M, Tsukagoshi H, Sekizuka T, Funatogawa K, Morita Y, Noda M, **Katayama K**, Kimura H. A food-borne outbreak of gastroenteritis due to genotype G1P[8] rotavirus among adolescents in Japan. *Microbiol Immunol.* doi: 10.1111/1348-0421.12176. 58(9): 536-9. Sep, 2014.
 20. Nagai M, Aoki H, Sakoda Y, Kozasa T, Tominaga-Teshima K, Mine J, Abe Y, Tamura T, Kobayashi T, Nishine K, Tateishi K, Suzuki Y, Fukuhara M, Ohmori K, Todaka R, **Katayama K**, Mizutani T, Nakamura S, Kida H, Shirai J. Molecular, biological, and antigenic characterization of a Border disease virus isolated from a pig during classical swine fever surveillance in Japan. *J Vet Diagn Invest.* 26(4): 547-552. [Epub ahead of print] Jul 15, 2014.
 21. Dennis FE, Fujii Y, Haga K, Damanka S, Lartey B, Agbemabiese CA, Ohta N, Armah GE, **Katayama K**. Identification of novel Ghanaian G8P[6] human-bovine reassortant rotavirus strain by next generation sequencing. *PLoS One.* 2014 Jun 27; 9 (6):e100699. doi: 10.1371/journal.pone.0100699. eCollection 2014.
 22. Masuda T, Nagai M, Yamasato H, Tsuchiaka S, Okazaki S, **Katayama Y**, Oba M, Nishiura N,

- Sassa Y, Omatsu T, Furuya T, Koyama S, Shirai J, Taniguchi K, Fujii Y, Todaka R, Katayama K, Mizutani T. Identification of novel bovine group A rotavirus G15P[14] strain from epizootic diarrhea of adult cows by de novo sequencing using a next-generation sequencer. *Vet Microbiol.* 2014 Jun 25; 171(1-2):66-73. doi: 10.1016/j.vetmic.2014.03.009. Epub. Mar 18, 2014.
23. Katayama K, Murakami K, Sharp TM, Guix S, Oka T, Takai-Todaka R, Nakanishi A, Crawford SE, Atmar RL, Estes MK. Plasmid-based human norovirus reverse genetics system produces reporter-tagged progeny virus containing infectious genomic RNA. *Proc Natl Acad Sci U S A.* Sep 23; 111 (38) ; E4043-52, Epub Sep 5, 2014 .
24. Komoto S, Pongsuwanna Y, Ide T, Wakuda M, Guntapong R, Dennis FE, Haga K, Fujii Y, Katayama K, Taniguti K. Whole genomic analysis of porcine G10P[5] rotavirus strain P343 provides evidence for bovine-to-porcine interspecies transmission. *Veterinary Microbiology* 174, 577-583, 2014.
- H. 知的財産権の出願・登録状況
なし

研究成果の刊行に関する一覧表 (平成 24-26 年度)

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Larsson JT, Torpdahl M, MLVA working group (Izumiya H), Møller Nielsen E	Proof-of-concept study for successful inter-laboratory comparison of MLVA results.	Euro Surveill	18(35)	20566	2013
Nadon CA, Trees E, Ng LK, Møller Nielsen E, Reimer A, Maxwell N, Kubota KA, Gerner-Smidt P, MLVA Harmonization Working Group (Izumiya H)	Development and application of MLVA methods as a tool for inter-laboratory surveillance.	Euro Surveill	18(35)	20565	2013
Iyoda S, Manning SD, Seto K, Kimata K, Isobe J, Etoh Y, Ichihara S, Migita Y, Ogata K, Honda M, Kubota T, Kawano K, Matsumoto K, Kudaka J, Asai N, Yabata J, Tominaga K, Terajima J, Morita-Ishihara T, Izumiya H, Ogura Y, Saitoh T, Iguchi A, Kobayashi H, Hara-Kudo Y, and Ohnishi M, EHEC Working Group in Japan	Phylogenetic clades 6 and 8 of enterohemorrhagic <i>Escherichia coli</i> O157:H7 with particular <i>stx</i> subtypes are more frequently found in isolates from hemolytic uremic syndrome patients than from asymptomatic carriers.	Open Forum Infectious Diseases	1 (2)	first published online July 18, 2014.	2014

Masakado Matsumoto, Reiji Hiramatsu, Kazuhiro Yamada, Masahiro Suzukil, Yoshio Miwa, Mitsutaka Yabutani, Yuhki Nagai, Michiyo Tsuchiya, Makiko Noda, Akihiro Nagata, Keiko Kawakami, Tomoko Shima, Norio Tatsumi and Hiroko Minagawa	Phenotypic and Genetic Analyses of <i>Campylobacter jejuni</i> Lior Serotype 76 Isolated from Chicken Meat and Clinical Specimens.	Jpn J Infect Dis	66	72-75	2013
Taguchi M, Kawahara R, Seto K, Harada T, Kumeda Y	Extended-Spectrum β -Lactamase- and AmpC β -Lactamase-Producing <i>Salmonella enterica</i> Strains Isolated from Domestic Retail Chicken Meat from 2006 to 2011.	Jpn J Infect Dis	65	555-557	2012
Ooka T, Seto K, Kawano K, Kobayashi H, Etoh Y, Ichihara S, Kaneko A, Isobe J, Yamaguchi K, Horikawa K, Gomes TAT, Linden A, Bardiau M, Mainil JG, Beutin L, Ogura Y, Hayashi T	Clinical Significance of <i>Escherichia albertii</i> .	Emerg Infect	18	488-492	2012
Osawa K, Shigematsu K, Iguchi A, Shirai H, Imayama T, Seto K, Raharjo D, Fujisawa M, Osawa R, Shirakawa T	Modulation of O-antigen chain length by the <i>wzz</i> gene in <i>Escherichia coli</i> 0157 influences its sensitivities to serum complement.	Microbiol Immunol	57	616-623	2013

Harada T, Hirai Y, Itou T, Hayashida M, Seto K, Taguchi M, Kumeda Y	Laboratory investigation of an <i>Escherichia coli</i> O157:H7 strain possessing a <i>vtx2c</i> gene with an IS1203 variant insertion sequence isolated from an asymptomatic food handler in Japan.	Diagn Microbiol Infect Dis	77	176-178	2013
Harada T, Itoh K, Yamaguchi Y, Hirai Y, Kanki M, Kawatsu K, Seto K, Taguchi M, Kumeda Y	A foodborne outbreak of Gastrointestinal illness caused by enterotoxigenic <i>Escherichia coli</i> serotype O169: H41 in Osaka, Japan.	Jpn J Infect Dis	66	530-533	2013
Kanki M, Seto K, Kumeda Y	Simultaneous immunomagnetic separation method for the detection of <i>Escherichia coli</i> O26, O111, and O157 from food samples.	J Food Protect	77	15-22	2014
Themphachana M, Nakaguchia Y, Nishibuchi M, Seto K, Rattanachuy P, Singkhamanan K, Sukhumungoon P	First report in Thailand of a <i>stx</i> -negative <i>Escherichia coli</i> O157 strain from a patient with diarrhea.	Southeast Asian J Trop. Med. Public Health	45	881-889	2014
Okamoto F, Murakami K, Maeda E, Oishi A, Etoh Y, Kaida M, Makigusa M, Nakashima K, Jinnouchi Y, Takemoto H, Kakegawa H, Yamasaki C, Manabe S, Sasaki M, Ogata K, Ikebe T and Sera N	A foodborne outbreak of group A streptococcal infection in Fukuoka Prefecture, Japan.	Jpn J Infect Dis	67	321-322	2014

Maeda E, Murakami K, Etoh Y, Onozuka D, Sera N, Asoshima N, Honda M, Narimatsu H, Iyoda S, Watahiki M and Fujimoto S	Does Sequence Type 33 of Shiga Toxin-Producing <i>Escherichia coli</i> O91 Cause Only Mild Symptoms?	J Clin Microbiol	53	362-364	2015
Noda T, Murakami K, Etoh Y, Okamoto F, Yatsuyanagi J, Sera N, Furuta M, Onozuka D, Oda T, Asai T and Fujimoto S	Increase in resistance to extended-spectrum cephalosporins in <i>Salmonella</i> isolated from retail chicken products in Japan.	PLoS One	In press		2015
Hansman GS, Shahzad-Ul-Hussan S, McLellan JS, Chuang GY, Georgiev I, Shimoike T, Katayama K, Bewley CA, Kwong PD	Structural basis for norovirus inhibition and fucose mimicry by citrate.	J Virol	86	284-292	2012
Hansman GS, Taylor DW, McLellan JS, Smith TJ, Georgiev I, Tame JRH, Park SY, Yamazaki M, Gondaira F, Miki M, Katayama K, Murata K, and Kwong PD	Structural Basis for Broad Detection of Genogroup II Noroviruses by a Monoclonal Antibody That Binds to a Site Occluded in the Viral Particle	J Virol	86	3635-3646	2012
Matsuhira, T., Kaji, C., Murakami, S., Maebashi, K., Oka, T., Takeda, N. and Katayama, K	Evaluation of four antiseptics using a novel murine norovirus.	Exp Anim	61	35-40	2012
Oka T, Mori K, Iritani N, Harada S, Ueki Y, Iizuka S, Mise K, Murakami K, Wakita T, and Katayama K	Human sapovirus classification based on complete capsid nucleotide sequences.	Arch Virol	157	349-352	2012

Sharp TM, Crawford SE, Ajami NJ, Neill F, Atmar RL, Katayama K, Utama B, Estes MK	Secretory pathway antagonism by calicivirus homologues of Norwalk virus nonstructural protein p22 is restricted to noroviruses.	Virology Journal	9	181	2012
Fujii Y, Shimoike T, Takagi H, Murakami K, Todaka-Takai R, Park YB and Katayama K	Amplification of all 11 RNA segments of group A rotaviruses based on reverse transcription polymerase chain reaction.	Microbiol Immunol	56	630-638	2012
Yokoyama M, Oka T, Kojima H, Nagano T, Okabe T, Katayama K, Wakita T, Kanda T and Sato H	Structural basis for specific recognition of substrates by sapovirus protease.	Frontiers in Microbiology	3	312	2012
Miki M and Katayama K	<i>In silico</i> 3D structure analysis accelerates the solution of a real viral structure and antibodies docking mechanism.	Frontiers in Microbiology	3	387	2012
Kitamoto N, Oka T, Katayama K, Li TC, Takeda N, Kato Y, Miyoshi T, Tanaka T	Novel monoclonal antibodies broadly reactive to human recombinant sapovirus-like particles.	Microbiol Immunol	56(11)	760-770	2012
Harada S, Oka T, Tokuoka E, Kiyota N, Nishimura K, Shimada Y, Ueno T, Ikezawa S, Wakita T, Wang Q, Saif LJ, and Katayama K	A confirmation of sapovirus re-infection gastroenteritis cases with different genogroups and genetic shifts in the evolving sapovirus genotypes, 2002-2011.	Arch Virol	157	1999-2003	2012
Harada S, Tokuoka E, Kiyota N, Katayama K, Oka T	Phylogenetic analysis of the nonstructural and structural protein encoding region sequences, indicating successive appearance of genomically diverse sapovirus strains from gastroenteritis patients.	Jpn J Infect Dis	66(5)	454-457	2013

Minami-Fukuda F, Nagai M, Takai H, Murakami T, Ozawa T, Tsuchiaka S, Okazaki S, Katayama Y, Oba M, Nishiura N, Sassa Y, Omatsu T, Furuya T, Koyama S, Shirai J, Tsunemitsu H, Fujii Y, Katayama K, Mizutani T	Detection of Bovine Group A Rotavirus Using Rapid Antigen Detection Kits, RT-PCR and Next-Generation DNA Sequencing.	J Vet Med Sci	75(12)	1651-1655	2013
Murakami K, Kurihara C, Oka T, Shimoike T, Fujii Y, Takai-Todaka R, Park Y, Wakita T, Matsuda T, Hokari R, Miura S, Katayama K	Norovirus binding to intestinal epithelial cells is independent of histo-blood group antigens.	PLoS One	8(6)	e66534	2013
Kroneman A, Vega E, Vennema H, Vinjé J, White PA, Hansman G, Green K, Martella V, Katayama K, Koopmans M	Proposal for a unified norovirus nomenclature and genotyping.	Arch Virol	158	2059-2068	2013
Iizuka S, Takai-Todaka R, Ohshiro H, Kitajima M, Wang Q, Saif LJ, Wakita T, Noda M, Katayama K, Oka T	Detection of multiple human sapoviruses from imported frozen individual clams.	Food Environ Virol	5	119-26	2013
Fujii Y, Nakagomi T, Nishimura N, Noguchi A, Miura S, Ito H, Doan Y.H, Takahashi T, Ozaki T, Katayama K, Nakagomi O	Spread and predominance in Japan of novel G1P[8] double-reassortant rotavirus strains possessing a DS-1-like genotype constellation typical of G2P[4] strains.	Infect Genet Evol	28	426-433	2014

Mizukoshi F, Kuroda M, Tsukagoshi H, Sekizuka T, Funatogawa K, Morita Y, Noda M, Katayama K, Kimura H	A food-borne outbreak of gastroenteritis due to genotype G1P[8] rotavirus among adolescents in Japan.	Microbiol Immunol	58	536-539	2014
Nagai M, Aoki H, Sakoda Y, Kozasa T, Tominaga-Teshima K, Mine J, Abe Y, Tamura T, Kobayashi T, Nishine K, Tateishi K, Suzuki Y, Fukuhara M, Ohmori K, Todaka R, Katayama K, Mizutani T, Nakamura S, Kida H, Shirai J	Molecular, biological, and antigenic characterization of a Border disease virus isolated from a pig during classical swine fever surveillance in Japan.	J Vet Diagn Invest	26	547-552	2014
Dennis FE, Fujii Y, Haga K, Damanka S, Lartey B, Agbemabiese CA, Ohta N, Armah GE, Katayama K	Identification of novel Ghanaian G8P[6] human-bovine reassortant rotavirus strain by next generation sequencing.	PLoS One	9(6)	e100699	2014
Masuda T, Nagai M, Yamasato H, Tsuchiaka S, Okazaki S, Katayama Y, Oba M, Nishiura N, Sassa Y, Omatsu T, Furuya T, Koyama S, Shirai J, Taniguchi K, Fujii Y, Todaka R, Katayama K, Mizutani T	Identification of novel bovine group A rotavirus G15P[14] strain from epizootic diarrhea of adult cows by de novo sequencing using a next-generation sequencer.	Vet Microbiol	171	66-73	2014

Katayama K, Murakami K, Sharp TM, Guix S, Oka T, Takai-Todaka R, Nakanishi A, Crawford SE, Atmar RL, Estes MK	Plasmid-based human norovirus reverse genetics system produces reporter-tagged progeny virus containing infectious genomic RNA.	Proc Natl Acad Sci U S A	111	E4043-52	2014
Komoto S, Pongsuwanna Y, Ide T, Wakuda M, Guntapong R, Dennis FE, Haga K, Fujii Y, Katayama K, Taniguti K	Whole genomic analysis of porcine G10P[5] rotavirus strain P343 provides evidence for bovine-to-porcine interspecies transmission.	Veterinary Microbiology	174	577-583	2014
Sato G, Ido H, Kiuchi M, Kataoka M, Katayama K and Tohya Y	Characterization of St-Valerien-Like Virus Genome Detected in Japan.	J Vet Med Sci	76	1045-1050	2014
寺嶋 淳	肉の生食と消化管感染症 特集 感染症：診断と治療の進歩	日本内科学会雑誌	101	3154-3161	2012
寺嶋 淳、伊豫田淳、泉谷秀昌、齊藤剛仁、三戸部治郎、石原明子、大西 真	最近の腸管出血性大腸菌感染症の動向について	日本食品微生物学会雑誌	29	88-93	2012
寺嶋 淳、伊豫田淳、泉谷秀昌、齊藤剛仁、三戸部治郎、石原明子、大西 真	腸管出血性大腸菌感染症：分子疫学的現状 特集 問題となる食中毒の up-to-date	化学療法の領域	28	1232-40	2012
小林直樹、工藤由起子、寺嶋 淳	腸管出血性大腸菌感染症 特集 話題の新興・再興感染症	臨床と微生物	41	27-31	2014
小嶋由香、佐藤弘康、池田徹也、瀬戸順次、鈴木裕、小西典子、齊木大、松本裕子、田辺純子、坂本裕美子、勢戸和子、伊豫田淳、寺嶋淳、大西真	白菜浅漬による O157 食中毒事例における IS-printing system 解析例について	IASR	34	127-128	2013

笠原ひとみ, 上田ひろみ, 宮坂たつ子, 藤田暁, 小野諭子, 関映子, 他	プール水が原因と推定された腸管出血性大腸菌O28 集団感染事例ー長野県	病原微生物検出情報	34(5)	132-133	2013
小嶋由香, 平井有紀, 松葉友美, 石井圭, 平井晋一郎, 横山栄二, 他	中国北京ツアー参加者における複数の腸管出血性大腸菌感染症事例	病原微生物検出情報	34(5)	137-139	2013
勢戸和子	O157 以外の志賀毒素産生性大腸菌の重要性	FFI ジャーナル	217	67-75	2012
勢戸和子, 伊豫田淳, 寺嶋淳	腸管出血性大腸菌の迅速診断法と確定診断	小児科臨床	65	2583-2587	2012
川津健太郎, 勢戸和子, 久米田裕子	食中毒細菌の簡易迅速検査法	微生物の簡易迅速検査法 (株式会社テクノシステム)		521-530	2013
大平文人, 勢戸和子, 笹井康典	保育所における細菌性赤痢集団発生事例	小児科	77	1027-1035	2014
片山和彦	ロタウイルス概要	IASR	35(3)		2014
片山和彦	ノーウォークウイルス (ノロウイルス) の遺伝子型 2014 年版	IASR	35(7)		2014
片山和彦	ノロウイルス感染症とその対策	救命救急	17	12-15	2014
片山和彦	質疑応答臨床一般 夏場にノロウイルスによる胃腸炎や食中毒が発生する可能性	日本医事新報	4723	59-60	2014
片山和彦	特集 ノロウイルス感染症 ノロウイルスとは	調剤と情報	20(12)	10-12	2014
片山和彦	特集 ノロウイルス感染症 ノロウイルスの感染拡大を防ぐには	調剤と情報	20(12)	14-19	2014
片山和彦	備えて立ち向かう感染性胃腸炎 ノロウイルス・ロタウイルス ノロウイルス感染症とは-ウイルスの特徴・流行変遷・臨床病態	感染症対策 ICT ジャーナル	9(4)		2014
片山和彦	ウイルス性胃腸炎	SRL 社 宝函	35(4)	23-34	2015
片山和彦	ヒトに感染するノロウイルスの感染様式の研究	黎明	23	pi-ii	2014

