

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Kurosaki M, Tsuchiya K, Nakanishi H, Itakura J, <u>Izumi N.</u>	Serum HBV RNA as a possible marker of HBV replication in the liver during nucleot(s)ide analogue therapy.	J Gastroenterol	48	777-8	2013
	Aoki T, Kokudo N, Matsuyama Y, <u>Izumi N.</u> , Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Makuuchi M	Prognostic Impact of Spontaneous Tumor Rupture in Patients With Hepatocellular Carcinoma: An Analysis of 1160 Cases From a Nationwide Survey.	Ann Surg	In press		
	Takayasu K, Arii S, Sakamoto M, Matsuyama Y, Kudo M, Ichida T, Nakashima O, Matsui O, <u>Izumi N.</u> , Ku Y, Kokudo N, Makuuchi M; Liver Cancer Study Group of Japan.	Clinical implication of hypovascular hepatocellular carcinoma studied in 4,474 patients with solitary tumour equal or less than 3 cm.	Liver Int	33	762-70	2013
	Kudo M, Matsui O, Sakamoto M, Kitao A, Kim T, Ariizumi S, Ichikawa T, Kobayashi S, Imai Y, <u>Izumi N.</u> , Fujinaga Y, Arii S.	Role of gadolinium-ethoxybenzyl-diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging in the management of hepatocellular carcinoma: consensus at the Symposium of the 48th Annual Meeting of the Liver Cancer Study Group of Japan.	Oncology	84 Suppl 1	21-7	2013
	Toyota J, Ozeki I, Karino Y, Asahina Y, <u>Izumi N.</u> , Takahashi S, Kawakami Y, Chayama K, Kamiya N, Aoki K, Yamada I, Suzuki Y, Suzuki F, Kumada H.	Virological response and safety of 24-week telaprevir alone in Japanese patients infected with hepatitis C virus subtype 1b.	J Viral Hepat	20	167-73	2013
	Hosokawa T, Kurosaki M, Tsuchiya K, Matsuda S, Muraoka M, Suzuki Y, Tamaki N, Yasui Y, Nakata T, Nishimura T, Suzuki S, Ueda K, Nakanishi H, Itakura J, Takahashi Y, <u>Izumi N.</u>	Hyperglycemia is a significant prognostic factor of hepatocellular carcinoma after curative therapy.	World J Gastroenterol	19	249-57	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Izumi N, Asahina Y, Kurosaki M, Yamada G, Kawai T, Kajiwara E, Okamura Y, Takeuchi T, Yokosuka O, Kariyama K, Toyota J, Inao M, Tanaka E, Moriwaki H, Adachi H, Katsuyama S, Kudo M, Takaguchi K, Hiasa Y, Cahyama K, Yatsushashi H, Oketani M, Kumada H.	Inhibition of hepatocellular carcinoma by PegIFN α -2a in patients with chronic hepatitis C : a nationwide multicenter cooperative study.	J Gastroenterol	In press		2013
	Oze T, Hiramatsu N, Mita E, Akuta N, Sakamoto N, Nagano H, Itoh Y, Kaneko S, Izumi N, Nomura H, Hayashi N, Takehara T.	A multicenter survey of re-treatment with pegylated interferon plus ribavirin combination therapy for patients with chronic hepatitis C in Japan.	Hepatol Res	43	35-43	2013
	Tamaki N, Kurosaki M, Tanaka K, Suzuki Y, Hoshioka Y, Kato T, Yasui Y, Hosokawa T, Ueda K, Tsuchiya K, Nakanishi H, Itakura J, Asahina Y, Izumi N.	Noninvasive estimation of fibrosis progression overtime using the FIB-4 index in chronic hepatitis C.	J Viral Hepat	20	26451	2013
	Ueda T, Tsuchiya K, Hashimoto S, Inoue T, Enomoto N, Inao M, Tanaka A, Kaito M, Imazeki F, Nishiguchi S, Mochida S, Yokosuka O, Yatsushashi H, Izumi N, Kudo M.	Retreatment with peginterferon α -2a + ribavirin in patients who failed previous peginterferon α -2b + ribavirin combination therapy.	Dig Dis	30	554-60	2012
	Toyoda H, Kumada T, Shimada N, Takaguchi K, Ide T, Sata M, Ginba H, Matsuyama K, Izumi N.	Significance of a reduction in HCVRNA levels at 4 and 12 weeks in patients infected with HCV genotype 1b for the prediction of the outcome of combination therapy with peginterferon and ribavirin.	BMC Infect Dis	12	324	2012
	Hasegawa K, Kokudo N, Makuuchi M, Izumi N, Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Matsuyama Y.	Comparison of resection and ablation for hepatocellular carcinoma: a cohort study based on a Japanese nationwide survey.	J Hepatol	In press		2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Toyoda H, Kumada T, Shimada N, Takaguchi K, Ide T, Sata M, Ginba H, Matsuyama K, <u>Izumi N</u> .	Baseline factors and early viral response (week 4) to antiviral therapy with peginterferon and ribavirin for predicting sustained virologic response in patients infected with hepatitis C virus genotype 1: a multicenter study.	J Med Virol	85	65-70	2013
	Ikeda K, <u>Izumi N</u> , Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, Koike K, Hayashi N, Kumada H.	Fibrosis score consisting of four serum markers successfully predicts pathological fibrotic stages of chronic hepatitis B.	Hepato Res	In press		2013
	Osaki Y, Ikeda K, <u>Izumi N</u> , Yamashita S, Kumada H, Hatta S, Okita K.	Clinical effectiveness of bipolar radiofrequency ablation for small liver cancer.	J Gastroenterol	In press		2013
	Arao T, Ueshima K, Matsumoto K, Nagai T, Kimura H, Hagiwara S, Sakurai T, Haji S, Kanazawa A, Hidaka H, Iso Y, Kubota K, Shimada M, Utsunomiya T, Hirooka M, Hiasa Y, Toyoki Y, Hakamada K, Yasui K, Kumada T, Toyoda H, Sato S, Hisai H, Kuzuya T, Tsuchiya K, <u>Izumi N</u> , Arii S, Nishio K, Kudo M.	FGF3/FGF4 amplification and multiple lung metastasis in responders to sorafenib in hepatocellular carcinoma	Hepatology	In press		2012
	Kudo M, Tateishi R, Yamashita T, Ikeda M, Furuse J, Ikeda K, Kokudo N, <u>Izumi N</u> , Matsui O.	Current status of hepatocellular carcinoma treatment in Japan: case study and discussion-voting system.	Clin Drug Investig	32 Suppl 2	37-51	2012
	Akiba T, Hora K, Imawari M, Sato C, Tanaka E, <u>Izumi N</u> , Harada T, Ando R, Kikuchi K, Tomo T, Hirakata H, Akizawa T.	2011 Japanese society for dialysis therapy guidelines for the treatment of hepatitis C virus infection in dialysis patients.	Ther Apher Dial	16	289-310	2012
	Kurosaki M, Tanaka Y, Nishida N, Sakamoto N, Enomoto N, Matsuura K, Asahina Y, Nakagawa M, Watanabe M, Sakamoto M, Maekawa S, Tokunaga K, Mizokami M, <u>Izumi N</u> .	A model incorporating the ITPA genotype identifies patients at high risk of anemia and treatment failure with pegylated-interferon plus ribavirin therapy for chronic hepatitis C.	J Med Virol	85	449-58	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Nishida N, Sawai H, Matsuura K, Sugiyama M, Ahn SH, Park JY, Hige S, Kang JH, Suzuki K, Kurosaki M, Asahina Y, Mochida S, Watanabe M, Tanaka E, Honda M, Kaneko S, Orito E, Itoh Y, Mita E, Tamori A, Murawaki Y, Hiasa Y, Sakaida I, Korenaga M, Hino K, Ide T, Kawashima M, Mawatari Y, Sageshima M, Ogasawara Y, Koike A, <u>Izumi N</u> , Han KH, Tanaka Y, Tokunaga K, Mizokami M.	Genome-wide association study confirming association of HLS-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean.	PLoS One	7	E39175	2012
	Sawai H, Nishida N, Mbarek H, Matsuda K, Mawatari Y, Yamaoka M, Hige S, Kang JH, Abe K, Mochida S, Watanabe M, Kurosaki M, Asahina Y, <u>Izumi N</u> , Honda M, Kaneko S, Tanaka E, Matsuura K, Itoh Y, Mita E, Korenaga M, Hino K, Murawaki Y, Hiasa Y, Ide T, Ito K, Sugiyama M, Ahn SH, Han KH, Park JY, Yuen MF, Nakamura Y, Tanaka Y, Mizokami M, Tokunaga K.	No association for Chinese HBV-related hepatocellular carcinoma susceptibility SNP in other East Asian populations.	BMC Med Genet	13	47	2012
	Asahina Y, Tsuchiya K, Muraoka M, Tanaka K, Suzuki Y, Tamaki N, Hoshioka Y, Yasui Y, Katoh T, Hosokawa T, Ueda K, Nakanishi H, Itakura J, Takahashi Y, Kurosaki M, Enomoto N, Nitta S, Sakamoto N, <u>Izumi N</u> .	Association of gene expression involving innate immunity and genetic variation in interleukin 28B with antiviral response.	Hepatology	55	20-9	2012
	Kurosaki M, Hiramatsu N, Sakamoto M, Iwasaki M, Tamori A, Matsuura K, Kakinuma S, Sugauchi F, Sakamoto N, Nakagawa M, <u>Izumi N</u> .	Data mining model using simple and readily available factors could identify patients at high risk for hepatocellular carcinoma in chronic hepatitis C.	J Hepatol	56	602-8	2012

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Kurosaki M, Hiramatsu N, Sakamoto M, Suzuki Y, Iwasaki M, Tamori A, Matsuura K, Kakinuma S, Sugauchi F, Sakamoto N, Nakagawa M, Yatsuhashi H, <u>Izumi N.</u>	Age and ribavirin dose are independent predictors of relapse after interferon therapy in chronic hepatitis C revealed by data mining analysis.	Antivir Ther	17	35-43	2012
	<u>Izumi N.</u>	Prediction and prevention of intrahepatic recurrence of hepatocellular carcinoma.	Hepatol Res	42	226-32	2012
	Matsumoto A, Tanaka E, Suzuki Y, Kobayashi M, Tanaka Y, Shinkai N, Hige S, <u>Yatsuhashi H.</u> Nagaoka S, Chayama K, Tsuge M, Yokosuka O, Imazeki F, Nishiguchi S, Saito M, Fujiwara K, Torii N, Hiramatsu N, Karino Y, Kumada H.	Combination of hepatitis B viral antigens and DNA for prediction of relapse after discontinuation of nucleos(t)ide analogs in patients with chronic hepatitis B.	Hepatol Res	42(2)	139-149	2012
	Toyama T, Ishida H, Ishibashi H, <u>Yatsuhashi H.</u> Nakamuta M, Shimada M, Ohta H, Satoh T, Kato M, Hijioka T, Takano H, Komeda T, Yagura M, Mano H, Watanabe Y, Kobayashi M, Mita E.	Long-term outcomes of add-on adefovir dipivoxil therapy to ongoing lamivudine in patients with lamivudine-resistant chronic hepatitis B	Hepatol Res	42(12)	1168-74	2012
	Migita K, Abiru S, Ohtani M, Jiuchi Y, Maeda Y, Bae SK, Bekki S, Hashimoto S, Yesmembetov K, Nagaoka S, Nakamura M, Komori A, Ichikawa T, Nakao K, <u>Yatsuhashi H.</u> Ishibashi H, Yasunami M.	HLA-DP gene polymorphisms and hepatitis B infection in the Japanese population.	Transl Res	160(6)	443-4	2012
	Bae SK, <u>Yatsuhashi H.</u> Hashimoto S, Motoyoshi Y, Ozawa E, Nagaoka S, Abiru S, Komori A, Migita K, Nakamura M, Ito M, Miyakawa Y, Ishibashi H.	Prediction of early HBeAg seroconversion by decreased titers of HBeAg in the serum combined with increased grades of lobular inflammation in the liver.	Med Sci Monit	18(12)	CR 698-705	2012
	Taura N, Ichikawa T, Miyaaki H, Ozawa E, Tsutsumi T, Tsuruta S, Kato Y, Goto T, Kinoshita N, Fukushima M, Kato H, Ohata K, Ohba K, Masuda J, Hamasaki K, <u>Yatsuhashi H.</u> Nakao K.	Frequency of elevated biomarkers in patients with cryptogenic hepatocellular carcinoma.	Med Sci Monit	19	742-50	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	八橋 弘	特集／ウイルス性肝性肝炎治療の新たな展開，治療選択肢拡大で求められる適時・適切治療	Japan Medicine Monthly	41	1	2013
	八橋 弘	C型肝炎薬物治療の可能性，プロテアーゼ阻害薬含む3剤併用療法の時代に，インターフェロンフリーの可能性も	Japan Medicine Monthly	41	2	2013
	水田敏彦，藤崎邦夫，梶原英二，杉 和洋，中尾一彦，渡邊 洋，道免和文，藤山重俊，東 雅司，丸山俊博，佐田通夫，林 純，向坂彰太郎，佐々木裕，八橋 弘，原田 大，石橋大海，桶谷 眞，坪内博仁	1型高ウイルス量C型慢性肝炎に対するPEG-IFN α -2a + Ribavirin療法の治療成績－九州多施設共同研究－	肝臓	54(4)	266-276	2013
	八橋 弘，中村実可，釘山有希，佐々木龍，戸次鎮宗，橋元 悟，斐 成寛，大谷正史，佐伯 哲，長岡進矢，小森敦正，阿比留正剛	全自動生物化学発光免疫測定装置「BLEIA®-1200」専用試薬「BLEIA®‘栄研’HCV抗体」の性能評価	医学と薬学	69(4)	643-653	2013
	八橋 弘	特集／ウイルス肝炎－治療の最前線－，《トピックス》データマイニングを用いた治療効果予測	Modern Physician	33(4)	491-494	2013
	八橋 弘，浜田るみこ，中村実可，玉田陽子，釘山有希，佐々木龍，戸次鎮宗，橋元 悟，斐 成寛，大谷正史，佐伯 哲，長岡進矢，小森敦正，阿比留正剛	HCV抗体検出試薬「エクルーシス試薬Anti-HCV II」の基本的性能評価	医学と薬学	69(2)	319-327	2013
	八橋 弘	ウイルス肝炎と肝臓の撲滅を目指した実地診療のすすめかた，B型肝炎の自然経過と治療の進歩－実地医家はどのように対処すればよいのか－	Medical Practice	30(2)	186-193	2013
	玉田陽子，八橋 弘	ウイルス肝炎の臨床の最新の知識と実地診療への応用，A型肝炎の現状と今後の展望－診療のすすめかた－	Medical Practice	30(2)	236-241	2013
	八橋 弘，玉田陽子，山崎一美，長岡進矢，小森敦正，阿比留正剛	特集／肝炎から肝硬変・肝臓まで，ウイルス性急性肝炎の診療	臨床と研究	90(2)	13-18	2013
	Bae SK, Yatsunami H, Takahara I, Tamada Y, Hashimoto S, Motoyoshi Y, Ozawa E, Nagaoka S, Yanagi K, Abiru S, Komori A, Ishibashi H.	Sequential occurrence of acute hepatitis B among members of a high school Sumo wrestling club.	Hepatol Res	44(10)	E267-72.	2014

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Omata M, Nishiguchi S, Ueno Y, Mochizuki H, Izumi N, Ikeda F, Toyoda H, Yokosuka O, Nirei K, Genda T, Umemura T, Takehara T, Sakamoto N, Nishigaki Y, Nakane K, Toda N, Ide T, Yanase M, Hino K, Gao B, Garrison KL, Dvory-Sobol H, Ishizaki A, Omote M, Brainard D, Knox S, Symonds WT, McHutchison JG, <u>Yatsushashi H</u> , Mizokami M.	Sofosbuvir plus ribavirin in Japanese patients with chronic genotype 2 HCV infection: an open-label, phase 3 trial.	J Viral Hepat	21(11)	762-8	2014
	Kumada H, Hayashi N, Izumi N, Okanoue T, Tsubouchi H, Yatsushashi H, Kato M, Rito K, Komada Y, Seto C, Goto S.	Simeprevir (TMC435) once daily with peginterferon- α -2b and ribavirin in patients with genotype 1 hepatitis C virus infection: The CONCERTO-4 study.	Hepatology Res	PMID: 24961662		2014
	Yamasaki K, Tateyama M, Abiru S, Komori A, Nagaoka S, Saeki A, Hashimoto S, Sasaki R, Bekki S, Kugiyama Y, Miyazoe Y, Kuno A, Korenaga M, Togayachi A, Ocho M, Mizokami M, Narimatsu H, <u>Yatsushashi H</u> .	Elevated serum levels of WFA+ -M2BP predict the development of hepatocellular carcinoma in hepatitis C patients.	Hepatology	60(5)	1563-70	2014
	Nakamura T, Sata M, Hiroishi K, Masaki N, Moriwaki H, Murawaki Y, <u>Yatsushashi H</u> , Fujiyama S, Imawari M.	Contribution of diuretic therapy with human serum albumin to the management of ascites in patients with advanced liver cirrhosis: A prospective cohort study.	Mol Clin Oncol	2(3)	349-355	2014
	S K Bae, S Abiru, Y Kamohara, S Hashimoto, M Otani, A Saeki, S Nagaoka, K Yamasaki, A Komori, M Ito, H Fujioka, <u>H Yatsushashi</u> .	Hepatic inflammatory pseudotumor associated with xanthogranulomatous cholangitis mimicking cholangiocarcinoma: a case report.	Internal Medicine			2014
	Yokoyama S, <u>Kawakami Y</u> , Imamura M, Hayes CN, Kohno H, Kohno H, Tsuji K, Aisaka Y, Kira S, Yamashina K, Nonaka M, Takahashi S, Moriya T, Kitamoto M, Aimitsu S, Nakanishi T, Kawakami H, Chayama K.	Effect of prolonged administration of pegylated interferon/ribavirin therapy in genotypes 2a and 2b: Propensity score-matched analysis.	J Gastroenterol Hepatol	30(2)	337-44	2015

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Selitsky SR, Baran-Gale J, Honda M, Yamane D, Masaki T, Fannin EE, Guerra B, Shirasaki T, <u>Shimakami T</u> , Kaneko S, Lanford RE, Lemon SM, Sethupathy P.	Small tRNA-derived RNAs are increased and more abundant than microRNAs in chronic hepatitis B and C.	Sci Rep	5	7625-	2015
	Yamane D, McGivern DR, Wauthier E, Yi M, Madden VJ, Welsch C, Antes I, Wen Y, Chugh PE, McGee CE, Widman DG, Misumi I, Bandyopadhyay S, Kim S, <u>Shimakami T</u> , Oikawa T, Whitmire JK, Heise MT, Dittmer DP, Kao CC, Pitson SM, Merrill AH Jr, Reid LM, and Lemon SM.	Regulation of the hepatitis C virus RNA replicase by endogenous lipid peroxidation.	Nature Medicine	20	927-35	2014
	Shirasaki T, Honda M, <u>Shimakami T</u> , Murai K, Shiimoto T, Okada H, Takabatake R, Tokumaru A, Sakai Y, Yamashita T, Lemon SM, Murakami S, Kaneko S.	Impaired IFN signaling in chronic hepatitis C patients with advanced fibrosis via the TGF- β signaling pathway.	Hepatology	60	1519-30	2014
	<u>Shimakami T</u> , Honda M, Shirasaki T, Takabatake R, Liu F, Murai K, Shiimoto T, Funaki M, Yamane D, Murakami S, Lemon SM, Kaneko S	The acyclic retinoid Peretinoin inhibits hepatitis C virus replication and infectious virus release in vitro.	Sci Rep	4	4688-	2014
	Li Y, Masaki T, <u>Shimakami T</u> , Lemon SM.	hnRNP L and NF90 Interact with Hepatitis C Virus 5'-Terminal Untranslated RNA and Promote Efficient Replication.	J Virol	88	7199-209	2014
	Honda M, Shirasaki T, <u>Shimakami T</u> , Sakai A, Horii R, Arai K, Yamashita T, Sakai Y, Yamashita T, Okada H, Murai K, Nakamura M, Mizukoshi E, Kaneko S	Hepatic interferon-stimulated genes are differentially regulated in the liver of chronic hepatitis C patients with different interleukin-28B genotypes.	Hepatology	59	828-38	2014
	Spaniel C, Honda M, Selitsky SR, Yamane D, <u>Shimakami T</u> , Kaneko S, Lanford RE, Lemon SM	microRNA-122 abundance in hepatocellular carcinoma and non-tumor liver tissue from Japanese patients with persistent HCV versus HBV infection.	PLoS One	8	e76867	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Shirasaki T, Honda M, Shimakami T, Horii R, Yamashita T, Sakai Y, Sakai A, Okada H, Watanabe R, Murakami S, Yi M, Lemon SM, Kaneko S	MicroRNA-27a regulates lipid metabolism and inhibits hepatitis C virus replication in human hepatoma cells.	J Virol	87	5270-86	2013
	Kozuka R, Enomoto M, Hai H, Ogawa T, Nakaya M, Hagihara A, Fujii H, Kobayashi S, Iwai S, Morikawa H, Tamori A, Kawada N.	Changes in sequences of core region, interferon sensitivity-determining region and interferon and ribavirin resistance-determining region of hepatitis C virus genotype 1 during interferon-alpha and ribavirin therapy, and efficacy of retreatment.	Hepatology Res	10	1157-1167	2012
	Kawamura E, Enomoto M, Kotani K, Hagihara A, Fujii H, Kobayashi S, Iwai S, Morikawa H, Kawabe J, Tominaga K, Tamori A, Shiomi S, Kawada N.	Effect of mosapride citrate on gastric emptying in interferon-induced gastroparesis.	Dig Dis Sci	57	1510-1516	2012
	Yamaguchi Y, Tamori A, Tanaka Y, Iwai S, Kobayashi S, Fujii H, Morikawa H, Hagihara A, Enomoto M, Kawada N.	Response-guided therapy for patients with chronic hepatitis who have high viral loads of hepatitis C virus genotype 2.	Hepatology Res	42	549-557	2012
	Kozuka R, Enomoto M, Morikawa H, Tamori A, Kawada N.	Anti-hepatitis B virus therapy: To stop, or not to stop: Has the question been solved?	Hepatology Res	42	946-47	2012
	Sasaki Y, Ohfuji S, Fukushima W, Tamori A, Enomoto M, Habu D, Iwai S, Uchida-Kobayashi S, Fujii H, Shiomi S, Kawada N, Hirota Y.	Effect of caffeine-containing beverage consumption on serum alanine aminotransferase levels in patients with chronic hepatitis C virus infection: a hospital-based cohort study.	PLoS One	8	e83382	2013
	Tooyama M, Tamori A, Nakano A, Hao H, Thuy LTT, Enomoto M, Kawada N.	A pregnant woman with acute hepatitis B in whom vertical transmission was prevented by tenofovir disoproxil fumarate.	Clin J Gastroenterol	6	173-6	2013
	Tamori A, Kawada N.	HLA class II associated with outcomes of hepatitis B and C infections.	World J Gastroenterol	19	5395-401	2013
	Enomoto M, Tamori A, Kobayashi S, Iwai S, Morikawa H, Kawada N.	Treatment guidelines for HCV genotype 1: mono for low, triple for high, and dual for 'middle'?	J Gastroenterol	48	555-6	2013

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Morikawa H, Kozuka R, Fujii H, Iwai S, Enomoto M, Tamori A, Saito S, <u>Kawada N.</u>	Combination therapy of natural human interferon-beta and ribavirin for chronic hepatitis C patients with injection drug use.	Hepatol Res	43	1013-9	2013
	Enomoto M, Tamori A, Nishiguchi S, <u>Kawada N.</u>	Combination therapy with a nucleos(t)ide analogue and interferon for chronic hepatitis B: simultaneous or sequential.	J Gastroenterol	48	999-1005	2013
	Hayashi F, Matsumoto Y, Momoki C, Yuikawa M, Okada G, Hamakawa E, Kawamura E, Hagihara A, Toyama M, Fujii H, Kobayashi S, Iwai S, Morikawa H, Enomoto M, Tamori A, <u>Kawada N.</u> Habu D.	Physical inactivity and insufficient dietary intake are associated with the frequency of sarcopenia in patients with compensated viral liver cirrhosis.	Hepatol Res	43	1264-75	2013
	Enomoto M, Tamori A, Murakami Y, <u>Kawada N.</u>	Interferon- α/β for treatment of chronic hepatitis C infection in the era of direct-acting antiviral agents.	Hepatol Res	44	371-376	2014
	Hai H, Tamori A, Enomoto M, Morikawa H, Uchida-Kobayashi S, Fujii H, Hagihara A, Kawamura E, Thuy le TT, Tanaka Y, <u>Kawada N.</u>	Relationship between inosine triphosphate genotype and outcome of extended therapy in hepatitis C virus patients with a late viral response to pegylated-interferon and ribavirin.	J Gastroenterol Hepatol	29	201-7	2014
	Yamakawa K, Uchida-Kobayashi S, Yamakawa T, Tamori A and <u>Kawada N.</u>	Response-Guided Peginterferon α -2a Monotherapy for Hemodialysis Patients with Chronic Hepatitis C.	J Virol Antivir Res	3	1	2014
	Enomoto M, Morikawa H, Tamori A, <u>Kawada N.</u>	Noninvasive assessment of liver fibrosis in patients with chronic hepatitis B.	World J Gastroenterol	20	12031-8	2014
	Hai H, Tamori A, <u>Kawada N.</u>	Role of hepatitis B virus DNA integration in human hepatocarcinogenesis.	World J Gastroenterol	20	6236-43	2014
	Tamori A, Hino M, Kawamura E, Fujii H, Uchida-Kobayashi S, Morikawa H, Nakamae H, Enomoto M, Murakami Y, <u>Kawada N.</u>	Prospective long-term study of hepatitis B virus reactivation in patients with hematologic malignancy.	J Gastroenterol Hepatol	29	1715-21	2014

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Enomoto M, Morikawa H, Murakami Y, Tamori A, <u>Kawada N.</u>	Adjuvant epoetin- β with peginterferon- α and ribavirin in Japanese ribavirin-intolerant relapsed patients with chronic hepatitis C genotype 2.	Hepatol Res	44	E290-6	2014
	Murakami Y, Hayakawa M, Yano Y, Tanahashi T, Enomoto M, Tamori A, <u>Kawada N</u> , Iwadate M, Umeyama H.	Discovering novel direct acting antiviral agents for HBV using in silico screening.	Biochem Biophys Res Commun	456	20-8	2015
	Tamori A, Kioka K, Sakaguchi H, Enomoto M, Hai H, Kawamura E, Hagihara A, Fujii H, Uchida-Kobayashi S, Iwai S, Morikawa H, Murakami Y, Kawasaki Y, Tsuruta D, <u>Kawada N.</u>	Effects on anemia of drug adjustment in patients with chronic hepatitis C during telaprevir-combined therapy.	Ann Hepatol	14	28-35	2015
	Addo L, Tanaka H, Yamamoto M, Toki Y, Ito S, Ikuta K, Sasaki K, Ohtake T, Torimoto Y, Fujiya M, <u>Kohgo Y.</u>	Hepatic nerve growth factor induced by iron overload triggers defenestration in liver sinusoidal endothelial cells.	Biochim Biophys Acta	1852(1)	175-83	2014
	Hasebe T, Sawada K, Nakajima S, Maeda S, Abe M, Suzuki Y, Ohtake T, Hasebe C, Fujiya M, <u>Kohgo Y.</u>	Effective control of relapsing disseminated intravascular coagulation in a patient with decompensated liver cirrhosis by recombinant soluble thrombomodulin.	Intern Med	53(1)	29-33	2014
	Sasaki Y, Shimonaka Y, Ikuta K, Hosoki T, Sasaki K, Torimoto Y, Kanada H, Moriguchi Y, <u>Kohgo Y.</u>	Hepcidin production in response to iron is controlled by monocyte-derived humoral factors.	Int J Hematol	99(1)	12-20	2014
	Kawaguchi T, Shiraishi K, Ito T, Suzuki K, Koreeda C, Ohtake T, Iwasa M, Tokumoto Y, Endo R, Kawamura NH, Shiraki M, Habu D, Tsuruta S, Miwa Y, Kawaguchi A, Kakuma T, Sakai H, Kawada N, Hanai T, Takahashi SI, Kato A, Onji M, et al.	Branched-chain Amino Acids Prevent Hepato carcinogenesis and Prolong Survival of Patients With Cirrhosis.	Clin Gastroenterol Hepatol	12(6)	1012-8	2014
	Ichiki K, Ikuta K, Addo L, Tanaka H, Sasaki Y, Shimonaka Y, Sasaki K, Ito S, Shindo M, Ohtake T, Fujiya M, Torimoto Y, <u>Kohgo Y.</u>	Upregulation of iron regulatory hormone hepcidin by interferon a.	J Gastroenterol Hepatol	29(2)	387-94	2014

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Sawada K, Ohtake T, Hasebe T, Abe M, Tanaka H, Ikuta K, Suzuki Y, Fujiya M, Hasebe C, <u>Kohgo Y.</u>	Augmented hepatic Toll-like receptors by fatty acids trigger the pro-inflammatory state of non-alcoholic fatty liver disease in mice.	Hepatol Res	44(8)	920-34	2014
	Suzuki Y, Ohtake T, Nishiguchi S, Hashimoto E, Aoyagi Y, Onji M, <u>Kohgo Y.</u>	Japan Non-B, Non-C Liver Cirrhosis Study Group. Survey of non-B, non-C liver cirrhosis in Japan.	Hepatol Res	43(10)	1020-31	2013
	Yoneda M, Imajo K, Eguchi Y, Fujii H, Sumida Y, Hyogo H, Ono M, Suzuki Y, Kawaguchi T, Aoki N, Sata M, Kanemasa K, <u>Kohgo Y.</u> , Saibara T, Chayama K, Itoh Y, Yoshikawa T, Anzai K, Fujimoto K, Okanoue T, Nakajima A; Japan Study Group of Nonalcoholic Fatty Liver Disease (JSG-NAFLD).	Noninvasive scoring systems in patients with nonalcoholic fatty liver disease with normal alanine aminotransferase levels.	J Gastroenterol	48(9)	1051-60	2013
	Shima T, Uto H, Ueki K, Takamura T, <u>Kohgo Y.</u> , Kawata S, Yasui K, Park H, Nakamura N, Nakatou T, Tanaka N, Umemura A, Mizuno M, Tanaka J, Okanoue T.	Clinicopathological features of liver injury in patients with type 2 diabetes mellitus and comparative study of histologically proven nonalcoholic fatty liver diseases with or without type 2 diabetes mellitus.	J Gastroenterol	48(4)	515-25	2013
	Sumida Y, Yoneda M, Hyogo H, Itoh Y, Ono M, Fujii H, Eguchi Y, Suzuki Y, Aoki N, Kanemasa K, Fujita K, Chayama K, Saibara T, Kawada N, Fujimoto K, <u>Kohgo Y.</u> , Yoshikawa T, Okanoue T; Japan Study Group of Nonalcoholic Fatty Liver Disease (JSG-NAFLD).	Validation of the FIB4 index in a Japanese nonalcoholic fatty liver disease population.	BMC Gastroenterol	12	2	2012
	Tanaka H, Li Z, Ikuta K, Addo L, Akutsu H, Nakamura M, Sasaki K, Ohtake T, Fujiya M, Torimoto Y, Glass J, <u>Kohgo Y.</u>	Iron facilitator LS081 reduces hypoxia-inducible factor-1 α protein and functions as anticancer agent in hepatocellular carcinoma.	Cancer Sci	103	767-74	2012

関連	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
	Wakita Y, Kanda H, Shimizu C, Nakakita Y, Kaneda H, Segawa S, Ozaki M, Shigyo T, Ohtake T, Fujiya M, <u>Kohgo Y.</u>	Effect of Lactobacillus brevis SBC8803 on Gamma- Glutamyl Transferase in Japanese Habitual Drinkers: A Double-Blind, Placebo-Controlled Study.	Food and Nutrition Sciences	3	678-684	2012
	Motomura W, Yoshiza ki T, Takahashi N, Kumei S, Mizukami Y, Jang SJ, <u>Kohgo Y.</u>	Analysis of vanin-1 upregulation and lipid accumulation in hepatocytes in response to a high-fat diet and free fatty acids.	J Clin Biochem Nutr	51	163-9	2012

