

平成 24～26 年度 研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
横須賀 収	B型慢性肝炎	浦部晶夫、大田健、川合眞一、島田和幸、菅野健太郎	今日の処方改訂第5版	南江堂	東京	2013	327-329
新井誠人、横須賀 収	無症候性キャリア	田中榮司、竹原徹郎、持田智	Hepatology Practice 第1巻 B型肝炎の診療を極める	文光堂	東京	2013	89-94
柘植雅貴、茶山一彰	B型肝炎に対する抗ウイルス療法	林紀夫、日比紀文、上西紀夫、下瀬川徹	Annual Review 2014 消化器	中外医学社		2014	104-111
柘植雅貴、茶山一彰	HBV の感染実験系	田中榮司、竹原徹郎、持田智	Hepatology Practice 第1巻 B型肝炎の診療を極める	文光堂		2013	185-192
柘植雅貴、茶山一彰	B型肝炎、D型肝炎	浅香正博、菅野健太郎、千葉勉	カラー版 消化器病学	西村書店		2013	1150-1155
八橋 弘	PegIFN と HBs 抗原量	溝上雅史編集	別冊・医学のあゆみ B型肝炎 - 最新治療コンセンサス	医歯薬出版株式会社	東京	2013	63-68
八橋 弘	.HBV とその感染症の基礎, 4. HBV 感染の診断法	持田智編集	de novo B型肝炎 - HBV 再活性化予防のための基礎知識 -	医薬ジャーナル社	大阪	2013	55-67
長岡進矢、八橋 弘	インターフェロン治療, -III. 治療編, 2. 抗ウイルス薬による治療-	田中榮司他	HEPATOLOGY PRACTICE 1 B型肝炎の診療を極める - 基本から最前線まで	文光堂	東京	2013	97-103
黒崎雅之、泉並木	肝発癌リスクの評価	田中榮二、竹原徹郎、持田智	B型肝炎の診療を極める	文光堂	東京	2014	152-159

雑誌

発表者氏名	論文タイトル名	発表誌名	巻・号	ページ	出版年
Arai M, Togo S, Kanda T, Fujiwara K, Imazeki F, Yokosuka O.	Quantification of hepatitis B surface antigen can help predict spontaneous hepatitis B surface antigen seroclearance.	Eur J Gastroenterol Hepatol.	24(4)	414-8.	2012
Kanda T, Shinozaki M, Kamezaki H, Wu S, Nakamoto S, Arai M, Fujiwara K, Goto N, Imazeki F, Yokosuka O.	Efficacy of lamivudine or entecavir on acute exacerbation of chronic hepatitis B.	Int J Med Sci.	9(1)	27-32	2012
Seimiya M, Ohno S, Yamamoto H, Fujiwara K, Yoshida T, Sawabe Y, Sogawa K, Matsushita K, Yokosuka O, Nomura F.	Child-pugh score is altered by the albumin measurement method.	Hepatology	57(5)	2093-4	2013
Wu S, Kanda T, Imazeki F, Nakamoto S, Tanaka T, Arai M, Roger T, Shirasawa H, Nomura F, Yokosuka O.	Hepatitis B virus e antigen physically associates with receptor-interacting serine/threonine protein kinase 2 and regulates IL-6 gene expression.	J Infect Dis.	206(3)	415-20	2012
Saito T, Chiba T, Yuki K, Zen Y, Oshima M, Koide S, Motoyama T, Ogasawara S, Suzuki E, Ooka Y, Tawada A, Tada M, Kanai F, Takiguchi Y, Iwama A, Yokosuka O.	Metformin, a diabetes drug, eliminates tumor-initiating hepatocellular carcinoma cells.	PLoS One.	29	e70010	2013
Chiba T, Suzuki E, Yuki K, Zen Y, Oshima M, Miyagi S, Saraya A, Koide S, Motoyama T, Ogasawara S, Ooka Y, Tawada A, Nakatsura T, Hayashi T, Yamashita T, Kaneko S, Miyazaki M, Iwama A, Yokosuka O.	Disulfiram Eradicates Tumor-Initiating Hepatocellular Carcinoma Cells in ROS-p38 MAPK Pathway-Dependent and -Independent Manners.	PLoS One.	13	e84807	2014
Nakamoto S, Kanda T, Nakaseko C, Sakaida E, Ohwada C, Takeuchi M, Takeda Y, Mimura N, Iseki T, Wu S, Arai M, Imazeki F, Saito K, Shirasawa H, Yokosuka O.	Reactivation of Hepatitis B Virus in Hematopoietic Stem Cell Transplant Recipients in Japan: Efficacy of Nucleos(t)ide Analogues for Prevention and Treatment.	Int J Mol Sci	15	21455-67	2014
Nakamura M, Kanda T, Nakamoto S, Haga Y, Sasaki R, Jiang X, Yasui S, Arai M, Yokosuka O.	Reappearance of serum HBV DNA in patients with hepatitis B surface antigen seroclearance.	Hepatology			In press

Nishida N, Sawai H, Kashiwase K, Minami M, Sugiyama M, Seto WK, Yuen MF, Posuwan N, Poovorawan Y, Ahn SH, Han KH, Matsuura K, Tanaka Y, Kurosaki M, Asahina Y, Izumi N, Kang JH, Hige S, Ide T, Yamamoto K, Sakaida I, Murawaki Y, Itoh Y, Tamori A, Orito E, Hiasa Y, Honda M, Kaneko S, Mita E, Suzuki K, Hino K, Tanaka E, Mochida S, Watanabe M, Eguchi Y, Masaki N, Murata K, Korenaga M, Mawatari Y, Ohashi J, Kawashima M, Tokunaga K, Mizokami M.	New susceptibility and resistance HLA-DP alleles to HBV-related diseases identified by a trans-ethnic association study in Asia.	PLoS One	9 • 2	e86449	2014
Nishida N, Sawai H, Matsuura K, Sugiyama M, Ahn SH, Park JY, Hige S, Kang JH, Suzuki K, Kurosaki M, Asahina Y, Mochida S, Watanabe M, Tanaka E, Honda M, Kaneko S, Orito E, Itoh Y, Mita E, Tamori A, Murawaki Y, Hiasa Y, Sakaida I, Korenaga M, Hino K, Ide T, Kawashima M, Mawatari Y, Sageshima M, Ogasawara Y, Koike A, Izumi N, Han KH, Tanaka Y, Tokunaga K, Mizokami M.	Genome-wide association study confirming association of HLA-DP with protection against chronic hepatitis B and viral clearance in Japanese and Korean	PLoS One	7 • 6	e39175	2012
Ninomiya M., Ueno Y., Shimosegawa T.	Application of deep sequence technology in hepatology.	Hepatol Res	44(2)	141-8.	2014
Inoue J, Ueno Y, Kawamura K, Yamamoto T, Mano Y, Miura M, Kobayashi T, Niitsuma H, Kondo Y, Kakazu E, Ninomiya M, Kimura O, Obara N, Kawagishi N, Kinouchi Y, Shimosegawa T.	Association between S21 substitution in the core protein of hepatitis B virus and fulminant hepatitis.	J Clinical Virol	55(2):	147-52.	2012
Matsumoto A, Yatsushashi H, Nagaoka S, Suzuki Y, Hosaka T, Tsuge M, Chayama K, Kanda T, Yokosuka O, Nishiguchi S, Saito M, Miyase S, Kang JH, Shinkai N, Tanaka Y, Umemura T, Tanaka E	Factors associated with the effect of interferon- α sequential therapy in order to discontinue nucleos(t)ide analogue treatment in patients with chronic hepatitis B	Hepatol Res			in press
Kamijo N, Matsumoto A, Umemura T, Shibata S, Ichikawa Y, Kimura T, Komatsu M, Tanaka E	Mutations of Pre-core and BCP Before and After HBeAg Seroconversion	World J Gastroenterol	21(2)	541-548	2015

Tanaka E, Matsumoto A	Guidelines for avoiding risks resulting from discontinuation of nucleoside/nucleotide analogs in patients with chronic hepatitis B	Hepatol Res	44 (1)	1-8	2014
Zhou B, Wang Z, Yang J, Sun J, Li H, Tanaka Y, Mizokami M, Hou J.	Novel evidence of HBV recombination in family cluster infections in western China.	PLoS One.	7(6)	e38241	2012
Sawada N, Inoue M, Iwasaki M, Sasazuki S, Shimazu T, Yamaji T, Takachi R, Tanaka Y, Mizokami M, Tsugane S; Japan Public Health Center-Based Prospective Study Group.	Consumption of n-3 fatty acids and fish reduces risk of hepatocellular carcinoma.	Gastroente-rology.	142(7)	1468-75	2012
Shinkai N, Matsuura K, Sugauchi F, Watanabe T, Murakami S, Iio E, Ogawa S, Nojiri S, Joh T, Tanaka Y.	Application of a newly developed high-sensitivity HBsAg chemiluminescent enzyme immunoassay for hepatitis B patients with HBsAg seroclearance.	J Clin Microbiol..	51(11)	3484-91	2013
Sakamoto T, Tanaka Y, Watanabe T, Iijima S, Kani S, Sugiyama M, Murakami S, Matsuura K, Kusakabe A, Shinkai N, Fuminaka S, Mizokami M	Mechanism of the dependence of hepatitis B virus genotype G on co-infection with other genotypes for viral replication.	J Viral Hepat.	20(4)	e27-36	2013
Kohno T., Tsuge M., Murakami E., Hiraga N., Abe H., Miki D., Imamura M., Ochi H., Hayes C.N. and Chayama K.	Human microRNA hsa-miR-1231 suppresses hepatitis B virus replication by targeting core mRNA.	J Viral Hepat	21(9)	e89-97	2014
Kosaka K., Hiraga N., Imamura M., Yoshimi S., Murakami E., Nakahara T., Honda Y., Ono A., Kawaoka T., Tsuge M., Abe H., Hayes C.N., Miki D., Aikata H., Ochi H., Ishida Y., Tateno C., Yoshizato K., Sasaki T. and Chayama K.	A novel TK-NOG based humanized mouse model for the study of HBV and HCV infections.	Biochem Biophys Res Commun	441(1)	230-5	2013
Ohishi W., Cologne J.B., Fujiwara S., Suzuki G, Hayashi T., Niwa Y., Akahoshi M., Ueda K., Tsuge M. and Chayama K.	Serum interleukin-6 associated with hepatocellular carcinoma risk: A nested case-control study.	Int J Cancer	134(1)	154-63	2013

Arataki K., Hayes C.N., Akamatsu S., Akiyama R., Abe H., Tsuge M., Miki D., Ochi H., Hiraga N., Imamura M., Takahashi S., Aikata H., Kawaoka T., Kawakami H., Ohishi W. and Chayama K.	Circulating microRNA-22 correlates with microRNA-122 and represents viral replication and liver injury in patients with chronic hepatitis B.	J Med Virol	85(5)	789-98	2013
Tsuge M., Murakami E., Imamura M., Abe H., Miki D., Hiraga N., Takahashi S., Ochi H., Nelson Hayes C., Ginba H., Matsuyama K., Kawakami H. and Chayama K.	Serum HBV RNA and HBeAg are useful markers for the safe discontinuation of nucleotide analogue treatments in chronic hepatitis B patients.	J Gastroenterol	48(10)	1188-204	2013
Hayes CN, Akamatsu S, Tsuge M, Miki D, Akiyama R, Abe H, Ochi H, Hiraga N, Imamura M, Takahashi S, Aikata H, Kawaoka T, Kawakami Y, Ohishi W, Chayama K.	Hepatitis B Virus-Specific miRNAs and Argonaute2 Play a Role in the Viral Life Cycle.	PLoS One.	7(10)	e47490	2012
Okazaki A, Hiraga N, Imamura M, Hayes CN, Tsuge M, Takahashi S, Aikata H, Abe H, Miki D, Ochi H, Tateno C, Yoshizato K, Ohdan H, Chayama K.	Severe necroinflammatory reaction caused by natural killer cell-mediated Fas/Fas ligand interaction and dendritic cells in human hepatocyte chimeric mouse.	Hepatology	56(2)	555-66	2012
K. Yoshioka	What is the benefit of computer-assisted image analysis of liver fibrosis area?	J Gastroenterol	48(8)	996-7	2013
K. Yoshioka	How to adjust the inflammation-induced overestimation of liver fibrosis using transient elastography?	Hepatol Res	43(2)	182-4	2013
Ito K, Yotsuyanagi H, Yatsushashi H, Karino Y, Takikawa Y, Saito T, Arase Y, Imazeki F, Kurosaki M, Umemura T, Ichida T, Toyoda H, Yoneda M, Mita E, Yamamoto K, Michitaka K, Maeshiro T, Tanuma J, Tanaka Y, Sugiyama M, Murata K, Masaki N, Mizokami M; Japanese AHB Study Group.	Risk factors for long-term persistence of serum hepatitis B surface antigen following acute hepatitis B virus infection in Japanese adults.	Hepatology.	59(1)	89-97	2014
Matsumoto A, Tanaka E, Suzuki Y, Kobayashi M, Tanaka Y, Shinkai N, Hige S, Yatsushashi H, Nagaoka S, Chayama K, Tsuge M, Yokosuka O, Imazeki F, Nishiguchi S, Saito M, Fujiwara K, Torii N, Hiramatsu N, Karino Y, Kumada H.	Combination of hepatitis B viral antigens and DNA for prediction of relapse after discontinuation of nucleos(t)ide analogs in patients with chronic hepatitis B.	Hepatol Res.	42(2)	139-149.	2012

Tamada Y, Yatsuhashi H, Masaki N, Nakamuta M, Mita E, Komatsu T, Watanabe Y, Muro T, Shimada M, Hijioka T, Satoh T, Mano Y, Komeda T, Takahashi M, Kohno H, Ota H, Hayashi S, Miyakawa Y, Abiru S, Ishibashi H.	Hepatitis B virus strains of subgenotype A2 with an identical sequence spreading rapidly from the capital region to all over Japan in patients with acute hepatitis B.	Gut.	61(5)	765-73.	2012
Toyama T, Ishida H, Ishibashi H, Yatsuhashi H, Nakamuta M, Shimada M, Ohta H, Satoh T, Kato M, Hijioka T, Takano H, Komeda T, Yagura M, Mano H, Watanabe Y, Kobayashi M, Mita E.	Long-term outcomes of add-on adefovir dipivoxil therapy to ongoing lamivudine in patients with lamivudine-resistant chronic hepatitis B.	Hepatol Res.	42(12)	1168-1174.	2012
Migita K, Abiru S, Ohtani M, Jiuchi Y, Maeda Y, Bae SK, Bekki S, Hashimoto S, Yesmembetov K, Nagaoka S, Nakamura M, Komori A, Ichikawa T, Nakao K, Yatsuhashi H, Ishibashi H, Yasunami M.	HLA-DP gene polymorphisms and hepatitis B infection in the Japanese population.	Transl Res.	160(6)	443-4.	2012
Oketani M, Ido A, Uto H, Tsubouchi H.	Prevention of hepatitis B virus reactivation in patients receiving immunosuppressive therapy or chemotherapy.	Hepatol Res	42(7)	627-636	2012
Michitaka K, Hiraoka A, Imai Y, Utsunomiya H, Tatsukawa H, Shimizu Y, Ninomiya K, Yamago H, Tanihira T, Hasebe A, Ninomiya T, Horiike N, Abe M, Hiasa Y, Onji M, Abe E, Ochi H.	Clinical features and hepatitis B virus (HBV) genotypes in pregnant women chronically infected with HBV.	Intern Med	51	3317-3322	2012
Akbar SM, Chen S, Al-Mahtab M, Abe M, Hiasa Y, Onji M.	Strong and multi-antigen specific immunity by hepatitis B core antigen (HBcAg)-based vaccines in a murine model of chronic hepatitis B: HBcAg is a candidate for a therapeutic vaccine against hepatitis B virus.	Antiviral Res	96	59-64	2012
Shimizu Y, Hiraoka A, Yamago H, Shiraishi A, Imai Y, Tatsukawa H, Tanihira T, Miyata H, Ninomiya T, Tokumoto Y, Abe M, Hiasa Y, Michitaka K.	Hypophosphatemia in patients with hepatitis B virus infection undergoing long-term adefovir dipivoxil therapy.	Hepatol Res	44	1081-1087	2014

Shimizu Y, Hiraoka A, Yamago H, Shiraishi A, Imai Y, Tatsukawa H, Tanihira T, Miyata H, Ninomiya T, Tokumoto Y, Abe M, Hiasa Y, Michitaka K.	Hypophosphatemia in patients with hepatitis B virus infection undergoing long-term adefovir dipivoxil therapy.	Hepatol Res	44	1081-1087	2014
Kawaguchi T, Kohjima M, Ichikawa T, Seike M, Ide Y, Mizuta T, Honda K, Nakao K, Nakamuta M, Sata M.	The morbidity and associated risk factors of cancer in chronic liver disease patients with diabetes mellitus: a multicenter field survey.	J Gastroenterol			In press
Kawaguchi T, Shiraishi K, Ito T, Suzuki K, Koreeda C, Ohtake T, Iwasa M, Tokumoto Y, Endo R, Kawamura NH, Shiraki M, Habu D, Tsuruta S, Miwa Y, Kawaguchi A, Kakuma T, Sakai H, Kawada N, Hanai T, Takahashi SI, Kato A, Onji M, Takei Y, Kohgo Y, Seki T, Tamano M, Katayama K, Mine T, Sata M, Moriwaki H, Suzuki K.	Branched-chain amino acids prevent hepatocarcinogenesis and prolong survival of patients with cirrhosis.	Clin Gastroenterol Hepatol	12	1012-1018.e1	2014
Hori M, Tanaka M, Ando E, Sakata M, Simose S, Ohno M, Yutani S, Kuraoka K, Kuromatsu R, Sumie S, Sata M	Long-term outcome of elderly patients (75 years or older) with hepatocellular carcinoma	Hepatol Res	44	975-982	2014
Tamura Y, Suda T, Arii S, Sata M, Moriyasu F, Imamura H, Kawasaki S, Izumi N, Takayama T, Kokudo N, Yamamoto M, Iijima H, Aoyagi Y	Value of highly sensitive fucosylated fraction of alpha-fetoprotein for prediction of hepatocellular carcinoma recurrence after curative treatment	Dig Dis Sci	58	2406-2412	2013
Tonan T, Fujimoto K, Qayyum A, Kawaguchi T, Kawaguchi A, Nakashima O, Okuda K, Hayabuchi N, Sata M.	Quantification of hepatic iron concentration in chronic viral hepatitis: usefulness of T2-weighted single-shot spin-echo echo-planar MR imaging	PLoS One	8	e33868(Page 1-7)	2012
Yamashita T, Kitao A, Matsui O, Hayashi T, Nio K, Kondo M, Ohno N, Miyati T, Okada H, Yamashita T, Mizukoshi E, Honda M, Nakanuma Y, Takamura H, Ohta T, Nakamoto Y, Yamamoto M, Takayama T, Arii S, Wang X, Kaneko S	Gd-EOB-DTPA-enhanced magnetic resonance imaging and alpha-fetoprotein predict prognosis of early-stage hepatocellular carcinoma.	Hepatology	60 (5)	1674-1685	2014

Nakagawa H, Mizukoshi E, Iida N, Terashima T, Kitahara M, Marukawa Y, Kitamura K, Nakamoto Y, Hiroishi K, Imawari M, Kaneko S	In vivo immunological antitumor effect of OK-432-stimulated dendritic cell transfer after radiofrequency ablation.	Cancer Immunol. Immunother.	63 (4)	347-356	2014
Yamashita T, Honda M, Nakamoto Y, Baba M, Nio K, Hara Y, Zeng SS, Hayashi T, Kondo M, Takatori H, Yamashita T, Mizukoshi E, Ikeda H, Zen Y, Takamura H, Wang XW, Kaneko S	Discrete nature of EpCAM+ and CD90+ cancer stem cells in human hepatocellular carcinoma.	Hepatology	57(4)	1484-1497	2013
Arihara F, Mizukoshi E, Kitahara M, Takata Y, Arai K, Yamashita T, Nakamoto Y, Kaneko S	Increase in CD14+HLA-DR ⁻ /low myeloid-derived suppressor cells in hepatocellular carcinoma patients and its impact on prognosis.	Cancer Immunol. Immunother.	62 (8)	1421-1430	2013
Shugo H, Ooshio T, Naito M, Naka K, Hoshii T, Tadokoro Y, Muraguchi T, Tamase A, Uema N, Yamashita T, Nakamoto Y, Suda T, Kaneko S, Hirao A	Nucleostemin in Injury-Induced Liver Regeneration.	Stem Cells Dev.	21 (16)	3044-3054	2012
Kaneko S, Furuse J, Kudo M, Ikeda K, Honda M, Nakamoto Y, Onchi M, Shiota G, Yokosuka O, Sakaida I, Takehara T, Ueno Y, Hiroishi K, Nishiguchi S, Moriwaki H, Yamamoto K, Sata M, Obi S, Miyayama S, Imai Y	Guideline on the use of new anticancer drugs for the treatment of Hepatocellular Carcinoma 2010 update.	Hepatol. Res.	42 (6)	523-542	2012
Miwa S, Nishida H, Tanzawa Y, Takata M, Takeuchi A, Yamamoto N, Shirai T, Hayashi K, Kimura H, Igarashi K, Mizukoshi E, Nakamoto Y, Kaneko S, Tsuchiya H	TNF- α and Tumor Lysate Promote the Maturation of Dendritic Cells for Immunotherapy for Advanced Malignant Bone and Soft Tissue Tumors.	PLoS One.	7 (12)	e52926	2012
Tanaka H, Iijima H, Higashiura A, Yoh K, Ishii A, Takashima T, Sakai Y, Aizawa N., Iwata K, Ikeda N, Iwata Y, Enomoto H, Saito M, Imanishi H, Hirota S, Fujimoto J, Nishiguchi S.	New malignant grading system for hepatocellular carcinoma using the Sonazoid contrast agent for ultrasonography.	J Gastroenterol	49	755-63	2014

Kato J, Okamoto T, Motoyama H, Uchiyama R, Kirchhofer D, Van Rooijen N, Enomoto H, Nishiguchi S, Kawada N, Fujimoto J, Tsutsui H.	Interferon γ -mediated tissue factor expression contributes to T cell-mediated hepatitis via induction of hypercoagulation in mice.	Hepatology.	57(1)	362-72	2013
Enomoto M., Nishiguchi S., Tamori A., Kobayashi S., Sakaguchi H., Shiomi S., Kim SR., Enomoto H., Saito M., Imanishi H., Kawada N.	Entecavir and interferon- α sequential therapy in Japanese patients with hepatitis B e antigen-positive chronic hepatitis B.	J Gastroenterol	48	397-404	2013
Tanaka H, Iijima H, Nouse K, Aoki N, Iwai T, Takashima T, Sakai Y., Aizawa N, Iwata K, Ikeda N, Iwata Y, Enomoto H, Saito M, Imanishi H, Nishiguchi S.	Cost-effectiveness analysis on the surveillance for hepatocellular carcinoma in liver cirrhosis patients using contrast-enhanced ultrasonography.	Hepatol Res.	42(4)	376-84	2012
Tsuchiya K, Asahina Y, Matsuda S, Muraoka M, Nakata T, Suzuki Y, Tamaki N, Yasui Y, Suzuki S, Hosokawa T, Nishimura T, Ueda K, Kuzuya T, Nakanishi H, Itakura J, Takahashi Y, Kurosaki M, Enomoto N, Izumi N.	Changes in plasma vascular endothelial growth factor at 8 weeks after sorafenib administration as predictors of survival for advanced hepatocellular carcinoma.	Cancer	120(2)	229-37	2014
Abe T, Hashiguchi A, Yamazaki K, Ebinuma H, Saito H, Kumada H, Izumi N, Masaki N, Sakamoto M.	Quantification of collagen and elastic fibers using whole-slide images of liver biopsy specimens.	Pathol Int	63	305-10	2013
Nakanishi H, Kurosaki M, Nakanishi K, Tsuchiya K, Noda T, Tamaki N, Yasui Y, Hosokawa T, Ueda K, Itakura J, Anami K, Asahina Y, Enomoto N, Higuchi T, Izumi N.	Impaired brain activity in cirrhotic patients with minimal hepatic encephalopathy: Evaluation by near-infrared spectroscopy.	Hepatol Res	44(3)	319-26	2014
Aoki T, Kokudo N, Matsuyama Y, Izumi N, Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Makuuchi M	Prognostic Impact of Spontaneous Tumor Rupture in Patients With Hepatocellular Carcinoma: An Analysis of 1160 Cases From a Nationwide Survey.	Ann Surg	259(3)	532-42	2014

Hasegawa K, Kokudo N, Makuuchi M, Izumi N, Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Matsuyama Y.	Comparison of resection and ablation for hepatocellular carcinoma: a cohort study based on a Japanese nationwide survey.	J Hepatol	58(4)	724-9	2013
Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, Koike K, Hayashi N, Kumada H.	Fibrosis score consisting of four serum markers successfully predicts pathological fibrotic stages of chronic hepatitis B.	Hepatol Res	43(6)	596-604	2013
Osaki Y, Ikeda K, Izumi N, Yamashita S, Kumada H, Hatta S, Okita K.	Clinical effectiveness of bipolar radiofrequency ablation for small liver cancer.	J Gastroenterol	48(7)	874-83	2013
Arao T, Ueshima K, Matsumoto K, Nagai T, Kimura H, Hagiwara S, Sakurai T, Haji S, Kanazawa A, Hidaka H, Iso Y, Kubota K, Shimada M, Utsunomiya T, Hirooka M, Hiasa Y, Toyoki Y, Hakamada K, Yasui K, Kumada T, Toyoda H, Sato S, Hisai H, Kuzuya T, Tsuchiya K, Izumi N, Arii S, Nishio K, Kudo M.	FGF3/FGF4 amplification and multiple lung metastasis in responders to sorafenib in hepatocellular carcinoma	Hepatology	57(4)	1407-15	2013
Asahina Y, Tsuchiya K, Muraoka M, Tanaka K, Suzuki Y, Tamaki N, Hoshioka Y, Yasui Y, Katoh T, Hosokawa T, Ueda K, Nakanishi H, Itakura J, Takahashi Y, Kurosaki M, Enomoto N, Nitta S, Sakamoto N, Izumi N.	Association of gene expression involving innate immunity and genetic variation in interleukin 28B with antiviral response.	Hepatology	55	20-9	2012
Kamitsukasa H, Iri M, Tanaka A, Nagashima S, Takahashi M, Nishizawa T, Okamoto H.	Spontaneous reactivation of hepatitis B virus (HBV) infection in patients with resolved or occult HBV infection.	J Med Virol	doi: 10.1002/jmv.24115. [Epub ahead of print].		2015

Okamoto D, Nakayama H, Ikeda T, Ikeya S, Nagashima S, Takahashi M, Sugai Y, Okamoto H.	Molecular analysis of the interspousal transmission of hepatitis B virus in two Japanese patients who acquired fulminant hepatitis B after 50 and 49 years of marriage.	J Med Virol	86	1851-60	2014
Minekawa T, Takehara S, Takahashi M, Okamoto H	Development of a highly sensitive bioluminescent enzyme immunoassay for hepatitis B virus surface antigen capable of detecting divergent mutants.	Clin Vaccine Immunol	20(8)	1255-65	2013