

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Keiji Ueda	Change in Cellular Gene Expression by Hepatitis B virus (HBV)		<i>Epidemiology I</i>	iConcept Press Ltd	Hong Kong	2014	219-231
上田啓次	DNAウイルス	荒川宜親、神谷 茂、柳雄介	病原微生物学	東京化学同人	東京	2014	167-180
上田啓次	感染	米田悦啓、岡村康司、金井好克、西田幸二	プログレッシブ生物学	南山堂	東京	2014	234-249
良元伸男、黒田俊一	DDSナノキャリア・バイオナノカプセルによるバイオイメージング		ナノ・マイクロカプセル(粒子)の調製・評価・応用 検討例集	株式会社 技術情報協会	東京	2014	第3章 ナノ・マイクロカプセルの応用例 第15節 診断
Kuroda S	Bio-nanocapsules: Nanocarriers Harboring Virus-Derived Transfection Machinery for Use as Pinpoint Drug Delivery Systems	Akira Tsuda & Peter Gehr	<i>Nanoparticles: Drug Inhalation Therapy – Events at Air-Blood Tissue Barrier</i>	Francis & Taylor, publisher CRC	New York, USA	2014	235-246
Thirion M, Kanda T, Murakami Y, Ochiya T, <u>Iizasa H.</u>	MicroRNAs and oncogenic human viruses.	Sadegh Babashah	<i>MicroRNAs: Key Regulators of Oncogenesis.</i>	Springer	New York	2014	155-182
三善英知 鎌田佳宏	肝癌の診断・治療におけるバイオマーカーの有用性	小俣政男 椎名秀一朗 坂本直哉 丸澤宏之	肝疾患Review2014-2015	日本メディカルセンター		2014	45-50
三善英知 鎌田佳宏	Topics 肝癌の新しいバイオマーカー	金子周一 竹原徹郎 持田 智	HEPATOLOGY PRACTICE Vol.5肝癌の診療を極める～基本から最前線まで～	文光堂		2014	46-53
Moriwaki K and <u>Miyoshi, E</u>	Lectin flow cytometry	Hirabayashi J	<i>Lectins Methods and Protocols</i>	Human Press		2014	

<u>Miyoshi E</u> and Kamada Y	Glycobiology: Biology and Medicine Hepatosteatosi and Primary Hepatoma			Springer		2015	
-------------------------------------	---	--	--	----------	--	------	--

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Xin Zheng, Eriko Ohsaki, <u>Keiji Ueda</u>	The Mechanism of Angiopoietin-1 Up-regulation in KSHV-infected PEL Cell Lines	<i>J. Virol.</i>		in press	2015
<u>Keiji Ueda</u> ^{1,*} , Hiroko Omori	Successful Generation of Hepatitis B virus (HBV) Pseudotype Particle; a versatile tool for Identification of the HBV Receptor and Investigation of HBV infectivity	<i>J. Liver</i>	3 (5)	1000169	2014
Tanaka T, Kasai H, Yamashita A, Okuyama-Dobashi K, Yasumoto J, Maekawa S, Enomoto N, Okamoto T, Matsuura Y, Morimatsu M, Manabe N, Ochiai K, Yamashita K, <u>Moriishi K</u>	Hallmarks of hepatitis C virus in equine hepacivirus.	<i>J. Virol.</i>	88	13352-13366	2014
Salam KA, Furuta A, Noda N, Tsuneda S, Sekiguchi Y, Yamashita A, <u>Moriishi K</u> , Nakakoshi M, Tani H, Roy SR, Tanaka J, Tsubuki M, Akimitsu N	PBDE: Structure- Activity Studies for the Inhibition of Hepatitis C Virus NS3 Helicase	<i>Molecules,</i>	19	4006-4020	2014
Matsuzawa T, Kawamura T, Ogawa Y, Maeda K, Nakata H, <u>Moriishi K</u> , Koyanagi Y, Gatanaga H, Shimada S, Mitsuya H	EFdA, a Reverse Transcriptase Inhibitor, Potently Blocks HIV-1 Ex Vivo Infection of Langerhans Cells within Epithelium	<i>J. Invest. Dermatol</i>	134	1158-1161	2014

Furuta A, Salam KA, Hermawan I, Akimitsu N, Tanaka J, Tani H, Yamashita A, <u>Moriishi K</u> , Nakakoshi M, Tsubuki M, Peng PW, Suzuki Y, Yamamoto N, Sekiguchi Y, Tsuneda S, Noda N	Identification and biochemical characterization of halisulfate 3 and suvanine as novel inhibitors of hepatitis C virus NS3 helicase from a marine sponge.	<i>Mar. Drugs</i>	12	462-476	2014
Allen SJ, Mott KR, Matsuura Y, <u>Moriishi K</u> , Kousoulas KG, Ghiasi H	Binding of HSV-1 Glycoprotein K (gK) to Signal Peptide Peptidase (SPP) Is Required for Virus Infectivity	<i>PLOS one</i>	9	e85360,	2014
Yoshimoto N, Tatematsu K, Iijima M, Niimi T, Maturana AD, Fujii I, Kondo A, Tanizawa K, and <u>Kuroda S.</u>	High-throughput de novo screening of receptor agonists with an automated single-cell analysis and isolation system	<i>Scientific Reports</i>	4	4242 (E-pub 9 pages)	2014
Ohno M, Otsuka M, Kishikawa T, Shibata C, Yoshikawa T, Takata A, Muroyama R, Kowatari N, Sato M, Kato N, <u>Kuroda S.</u> and Koike K.	Specific delivery of microRNA93 into HBV-replicating hepatocytes downregulates protein expression of liver cancer susceptible gene MICA	<i>Oncotarget</i>	5	5581-5590	2014
Yoshimoto N., and <u>Kuroda, S.</u>	Single-cell-based breeding: Rational strategy for the establishment of cell lines from a single cell with the most favorable properties.	<i>J. Biosci. Bioeng.</i>	117	394-400	2014
Fukuhara T, Wada M, Nakamura S, Ono C, Shiokawa M, Yamamoto S, Motomura T, <u>Okamoto T.</u> Okuzaki D, Yamamoto M, Saito I, Wakita T, Koike K, and Matsuura Y.	Amphipathic α -Helices in apolipoproteins are crucial to the formation of infectious hepatitis C virus particles.	<i>PLoS Pathog</i>		doi: 10.1371/journal.ppat.1004534	2014
Shiokawa M, Fukuhara T, Ono C, Yamamoto S, <u>Okamoto T.</u> Watanabe N, Wakita T, and Matsuura Y.	Novel permissive cell lines for a complete propagation of hepatitis C virus.	<i>J Virol</i>	88	5578-5594	2014

Nishikawa J, Yoshiyama H, Iizasa H, Kanehiro Y, Nakamura M, Nishimura J, Saito M, Okamoto T, Sakai K, Suehiro Y, Yamasaki T, Oga A, Yanai H, Sakaida I.	Epstein-Barr virus in gastric carcinoma.	Cancers	6	2259-2274	2014
Okamoto T, Hayashi Y, Mizuno H, Yanai H, Nishikawa J, Nakazawa T, Iizasa H, Jinushi M, Sakaida I, Yoshiyama H.	Colonization of an acid resistant <i>Kingella denitrificans</i> in the stomach may contribute to gastric dysbiosis by <i>Helicobacter pylori</i> .	J Infect Chemother	20	169-174	2014
Sai Y, Nishimura T, Muta M, Iizasa H, Miyata T, Nakashima E.	Basic fibroblast growth factor is essential to maintain endothelial progenitor cell phenotype in TR-BME2 cells.	Biol Pharm Bull	37	688-693	2014
Kanda T, Miyata M, Kano M, Kondo S, Yoshizaki T, Iizasa H.	Clustered microRNAs of the Epstein-Barr Virus cooperatively downregulate an epithelial cell-specific metastasis suppressor.	J Virol	89	2684-2697	2015
鎌田佳宏 三善英知 竹原徹郎	NAFLDの診断と検査法のupdate	日本消化器病学会 雑誌	111(1)	25-34	2014
鎌田佳宏 三善英知 吉田雄一 竹原徹郎	サイトカインとNASH	最新醫學	69(9)	35-41	2014
Azuma K Shinzaki S Asazawa H Kuroki E Kawamoto S Kamada Y Hayakawa K and Miyoshi E	Twin studies on the influence of genetic factors on serum agalactosyl immunoglobulin G level.	Biomedical Reports	2	213-216	2014
Onuki K Sugiyama H Ishige K Kawamoto T Ota T Ariizumi S Yamato M Kadota S Takeuchi K Ishikawa A Onodera M Onizawa K Yamamoto M Miyoshi E Shoda J	Expression of <i>N</i> -acetylglucosaminyltransferase V in the subserosal layer correlates with postsurgical survival of pathological tumor stage 2 carcinoma of the gallbladder.	J Gastroenterology	49(4)	702-714	2014

<p>Sato M Kamada Y Takeda Y Kida S Ohara Y Fuji H Akita M Mizutani K Yoshida Y Yamada M Hogaku K Takehara T <u>Miyoshi E</u></p>	<p>Fetuin-A negatively correlates with liver and vascular fibrosis in nonalcoholic fatty liver disease subjects.</p>	<p>Liver International</p>				<p>in press</p>
<p>Tomita Y Azuma K Nonaka Y Kamada Y Tomoeda M Kishida M Tanemura M <u>Miyoshi E</u></p>	<p>Pancreatic fatty degeneration and fibrosis as predisposing factors for development of pancreatic ductal adenocarcinoma.</p>	<p>Pancreas</p>				<p>in press</p>
<p>Fujita K Shimomura M Umemura M Nakata W Sato M Nagahara A Nakai Y Takamatsu S <u>Miyoshi E</u> Nonomura N</p>	<p>Serum fucosylated haptoglobin as a novel prognostic biomarker predicting a high Gleason score of prostate cancer</p>	<p>The Prostate</p>	<p>74(10)</p>	<p>1052-1058</p>	<p>2014</p>	
<p>Furukawa K Kawamoto K Eguchi H Tanemura M Tomimaru Y Akita H Hama N Wada H Kobayashi S Nonaka Y Takamatsu S Shinzaki S Kumada T Satomura S Ito T Serada S Naka T Mori M Doki Y <u>Miyoshi E</u> Nagano N</p>	<p>Clinico-pathological significance of leucine-rich alpha-2-glycoprotein-1 in sera of patients with pancreatic cancer.</p>	<p>Pancreas</p>	<p>44(1)</p>	<p>93-98</p>	<p>2015</p>	

<p>Asazawa H Kamada Y Takeda Y Takamatsu S Shinzaki S Kim Y Nezu R Kuzushita N Mita E Kato M <u>Miyoshi E</u></p>	<p>Serum fucosylated haptoglobin in chronic liver disease as a potential biomarker of hepatocellular carcinoma development.</p>	<p><i>Clin Chem Lab Med.</i></p>	<p>53(1)</p>	<p>95-102</p>	<p>2014</p>
<p>Kamada Y Sato M Kida S Akita M Mizutani K Fuji H Sobajima T Yoshida Y Shinzaki S Takamatsu S Takehara T <u>Miyoshi E</u></p>	<p><i>N</i>-acetylglucosaminyltransferase V exacerbates concanavalin A-induced mouse hepatitis.</p>	<p><i>Molecular Medicine Reports</i></p>			<p>in press</p>
<p>Azuma K Serada S Takamatsu S Terao N Takeishi S Kamada Y Naka T <u>Miyoshi E</u></p>	<p>Identification of sialylated glycoproteins in doxorubicin-treated hepatoma cells with glycoproteomic analyses.</p>	<p><i>J Proteome Research</i></p>	<p>13(11)</p>	<p>4869-4877</p>	<p>2014</p>
<p>Ohkura T Fujioka Y Nakanishi R Shiochi H Sumi K Yamamoto N Matsuzawa K Izawa S Ohkura H Ueta E Kato M <u>Miyoshi E</u> Taniguchi S Yamamoto K</p>	<p>Low level galectin-3 concentrations are associated with insulin resistance in patients with type 2 diabetes mellitus.</p>	<p><i>Diabetology & Metabolic Syndrome</i></p>			<p>in press</p>
<p>Tanida T Tanemura M <u>Miyoshi E</u> Nagano H Furukawa K Nonaka Y Akita H Hama N Wada H Kawamoto K Kobayashi S Eguchi H Mori M Doki Y</p>	<p>Pancreatic cancer immunotherapy using a tumor lysate vaccine, engineered to express α-gal epitopes, targets pancreatic cancer stem cells.</p>	<p><i>Int J Oncology</i></p>			<p>in press</p>

<p>Honma R Kinoshita I <u>Miyoshi E</u> Tomaru U Matsuno Y Shimizu Y Takeuchi S Kobayashi Y Kaga K Taniguchi N Akita DH</p>	<p>Expression of α1,6-fucosyltransferase is associated with prognosis and histology in non-small cell lung cancers.</p>	<p>Oncology</p>			<p>in press</p>
<p>Sobajima T Yoshimura S Iwano T Kunii M Watanabe M Atik N Mushiake S Morii E Koyama Y <u>Miyoshi E</u> Harada A</p>	<p>Rab11a is required for apical protein localization in the intestine.</p>	<p>Biol Open</p>	<p>4(1)</p>	<p>86-94</p>	<p>2014</p>
<p>Wang Y Fukuda T Isaji T Lu J Gu W Lee HH Ohkubo Y Kamada Y Taniguchi N <u>Miyoshi E</u> Gu J</p>	<p>Loss of α1,6-fucosyltransferase suppressed liver regeneration: implication of core fucose in the regulation of growth factor receptor-mediated cellular signaling.</p>	<p>Scientific Reports</p>	<p>5</p>	<p>8264</p>	<p>2015</p>
<p>Yamada R, Hiramatsu N, Oze T, Morishita N, Harada N, Yakushijin T, Iio S, Doi Y, Yamada A, Kaneko A, Hagiwara H, Mita E, Oshita M, Itoh T, Fukui H, Hijioka T, Katayama K, Tamura S, Yoshihara H, Imai Y, Kato M, Miyagi T, Yoshida Y, Tatsumi T, Kasahara A, Hamasaki T, Hayashi N, <u>Takehara T</u>; the Osaka Liver Forum.</p>	<p>Impact of alpha-fetoprotein on hepatocellular carcinoma development during entecavir treatment for chronic hepatitis B virus infection.</p>	<p>J Gastroenterol</p>		<p>In press</p>	<p>2014</p>

<p>Aoki, Y., Sugiyama, M., Murata, K., Yoshio, S., Kurosaki, M., Hashimoto, S., Yatsunami, H., Nomura, H., Jong-Hon, K., Takeda, T., Naito, S., Kimura, T., Yamagiwa, Y., Korenaga, M., Imamura, M., Masaki, N., Izumi, N., Kage, M., Mizokami, M., and <u>Kanto, T.</u></p>	<p>Association of serum IFN-γ3 with inflammatory and fibrosis markers in patients with chronic hepatitis C virus infection.</p>	<p><i>J Gastroenterol</i></p>		<p>2014 (in press)</p>
--	---	--------------------------------------	--	----------------------------