

別紙 4

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書 籍 名	出版社名	出版地	出版年	ページ
<u>Akio Koizumi</u> , <u>Koujies Harada</u> , <u>Yukiko Fujii</u> .	Comparing pesticides in human breast milk from China, Korea and Japan.	Sherma Zibadi, Ronald Ross Watson and Victor R. Preedy	Handbook of dietary and nutritional aspects of human breast milk: Prevention, treatment and toxicity	Wageningen Academic Publishers	オランダ	2013	743-758

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Endo T, Hotta Y, Hisamichi Y, Kimura O, Sato R, <u>Haraguchi K</u> , Funahashi N, Baker CS.	Stable isotope ratios and mercury levels in red meat products from baleen whales sold in Japanese markets.	Ecotoxicol Environ Saf.	79	35-41	2012
Endo T, Minoshima Y, Hisamichi Y, Kimura O, Hayasaka M, Ogasawara H, <u>Haraguchi K</u> .	Levels of mercury and organohalogen compounds in the muscle and liver of kidako moray eels (Gymnothorax kidako) caught off the southern region of Japan.	Biol Pharm Bull.	35	1745-1751	2012
Fujii Y, <u>Harada KH</u> , <u>Koizumi A</u> .	Analysis of perfluoroalkyl carboxylic acids in composite dietary samples by gas chromatography/mass spectrometry with electron capture negative ionization.	Environ Sci Technol	46	11235-11242	2012
Fujii Y, Ito Y, <u>Harada KH</u> , Hitomi T, <u>Koizumi A</u> , <u>Haraguchi K</u> .	Comparative survey of levels of chlorinated cyclodiene pesticides in breast milk from some cities of China, Korea and Japan.	Chemosphere	89	452-457	2012
Fujii Y, Ito Y, <u>Harada KH</u> , Hitomi T, <u>Koizumi A</u> , <u>Haraguchi K</u> .	Regional variation and possible sources of brominated contaminants in breast milk from Japan.	Environ Pollut	162	269-274	2012
Fujii Y, Yan J, <u>Harada KH</u> , Hitomi T, Yang H, Wang P, <u>Koizumi A</u> .	Levels and profiles of long-chain perfluorinated carboxylic acids in human breast milk and infant formulas in East Asia.	Chemosphere	86	315-321	2012

Kato Y, Okada S, Atobe K, Endo T, Haraguchi K.	Selective determination of mono- and dihydroxylated analogs of polybrominated diphenyl ethers in marine sponges by liquid-chromatography tandem mass spectrometry.	Anal Bioanal Chem.	404	197-206	2012
Kato Y, Tamaki S, Haraguchi K, Ikushiro S, Sekimoto M, Ohta C, Endo T, Koga N, Yamada S, Degawa M.	Comparative study on 2,2',4,4',5,5'-pentachlorobiphenyl-mediated decrease in serum thyroxine level between C57BL/6 and its transthyretin-deficient mice.	Toxicol Appl Pharmacol	263	323-329	2012
Koizumi A, Harada KH, Niisoe T, Adachi A, Fujii Y, Hitomi T, Kobayashi H, Wada Y, Watanabe T, Ishikawa H.	Preliminary assessment of ecological exposure of adult residents in Fukushima Prefecture to radioactive cesium through ingestion and inhalation.	Environ Health Prev Med	17	292-298	2012
Matsubara F, Haraguchi K, Harada K, Koizumi A.	Screening for antibodies to human T-cell leukemia virus type I in Japanese breast milk.	Biol Pharm Bull	35	773-776	2012
Endo T, Hayasaka M, Hisamichi Y, Kimura O, Haraguchi K.	Carbon and nitrogen stable isotope ratios and mercury concentration in the scalp hair of residents from Taiji, a whaling town.	Mar Pollut Bull	69	116-121	2013
Endo T, Hisamichi Y, Kimura O, Ogasawara H, Ohta C, Koga N, Kato Y, Haraguchi K.	Levels of Mercury in Muscle and Liver of Star-Spotted Dogfish (<i>Mustelus manazo</i>) from the Northern Region of Japan: A Comparison with Spiny Dogfish (<i>Squalus acanthias</i>).	Arch Environ Contam Toxicol.	64	467-474	2013
Fujii Y, Harada KH, Koizumi A.	Occurrence of perfluorinated carboxylic acids (PFCAs) in personal care products and compounding agents	Chemosphere.	93(3)	538-544	2013
Harada KH, Fujii Y, Adachi A, Tsukidate A, Asai F, Koizumi A.	Dietary Intake of Radiocesium in Adult Residents in Fukushima Prefecture and Neighboring Regions after the Fukushima Nuclear Power Plant Accident: 24-h Food-Duplicate Survey in December 2011.	Environ Sci Technol	47	2520-2526	2013
Kato Y, Onishi M, Haraguchi K, Ikushiro S, Ohta C, Koga N, Endo T, Yamada S, Degawa M.	A possible mechanism for 2,3',4,4',5'-pentachlorobiphenyl-mediated decrease in serum thyroxine level in mice	Biol. Pharm. Bull.	36	1594-1601	2013
Koizumi A, Niisoe T, Harada KH, Fujii Y, Adachi A, Hitomi T, Ishikawa H.	¹³⁷ Cs trapped by biomass within 20 km of the Fukushima Daiichi Nuclear Power Plant	Environ Sci Technol.	47(17)	9612-9618	2013
Liu W, Takahashi S, Sakuramachi Y, Harada KH, Koizumi A.	Polyfluorinated telomers in indoor air of Japanese houses.	Chemosphere	90	1672-1677	2013

Liu W, Yin T, Okuda H, Harada KH, Li Y, Xu B, Yang J, Wang H, Fan X, Koizumi A, Miyata T.	Protein S K196E mutation, a genetic risk factor for venous thromboembolism, is limited to Japanese	Thromb Res.	132(2)	314-315	2013
Fujii Y, Harada KH, Hitomi T, Kobayashi H, Koizumi A, Haraguchi K.	Temporal trend and age-dependent serum concentration of phenolic organohalogen contaminants in Japanese men during 1989-2010	Environ. Poll.	185	228-233	2014
Fujii Y, Nishimura E, Kato Y, Harada KH, Koizumi A, Haraguchi K.	Dietary exposure to phenolic and methoxylated organohalogen contaminants in relation to their concentrations in breast milk and serum in Japan	Environ. Int.	63(1)	19-25	2014
Harada KH, Niisoe T, Imanaka M, Fujii Y, Ishikawa H, Koizumi A, et al.	Radiation dose rates now and in the future for residents neighboring restricted areas of Fukushima Daiichi Nuclear Power Plant	Proc Natl Acad Sci USA.	111(10)	E914-923	2014
Kato Y, Haraguchi K, Onishi M, Ikushiro S, Endo T, Ohta C, Koga N, Yamada S, Degawa M.	3,3',4,4'-Tetrachlorobiphenyl-mediated decrease of serum thyroxine level in C57BL/6 and DBA/2 mice occurs mainly through enhanced accumulation of thyroxine in the liver	Biol Pharm Bull	37	504-509	2014
Kimura O, Ohta C, Koga N, Haraguchi K, Kato Y, Endo T.	Carrier-mediated uptake of nobiletin, a citrus polymethoxyflavonoid, in human intestinal Caco-2 cells	Food Chem	154	145-150	2014
Matsubara F, Sagara Y, Kato Y, Harada K, Koizumi A, Haraguchi K.	Detection of Antibodies to Human T-Cell Leukemia Virus Types 1 and 2 in Breast Milk from East Asian Women	Biol. Pharm. Bull.	37(2)	311-314	2014
Nanayakkara S, Senevirathna STMLD, Abeysekera T, Harada KH, Kobayashi H, Koizumi A, et al.	An integrative study of the genetic, social and environmental determinants of chronic kidney disease characterized by tubulointerstitial damages in the North Central Region of Sri Lanka	J. Occup. Health.	56(1)	28-38	2014
Yan JX, Inoue K, Asakawa A, Harada KH, Watanabe T, Hachiya N, Koizumi A.	Methylmercury Monitoring Study in Karakuwacho, a Peninsula Area in Japan	Bull. Environ. Contam. Toxicol.	93(1)	36-41	2014
Fujii Y, Niisoe T, Harada KH, Uemoto S, Ogura Y, Takenaka K, Koizumi A.	Toxicokinetics of perfluoroalkyl carboxylates with different carbon chain lengths in mice and humans.	J Occup Health	57(1)	1月12日	2015
Fujii Y, Sakurada T, Harada KH, Koizumi A, Kimura O, Endo T, Haraguchi K.	Long-chain perfluoroalkyl carboxylic acids in Pacific cods from coastal areas in northern Japan: A major source of human dietary exposure	Environ Pollut	199	35-41	2015
Zhao C, Fujii Y, Yan JX, Harada KH, Koizumi A.	Pentafluorobenzyl esterification of haloacetic acids in tap water for simple and sensitive analysis by gas chromatography/mass spectrometry with negative chemical ionization.	Chemosphere	119	711-718	2015

IV . 研究成果の刊行物・別刷

主要なもののみ