

## 研究発表(平成26年度)

### 研究成果の刊行に関する一覧表

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Matsumoto Y, Izumiya H, Sekizuka T, Kuroda M, Ohnishi M.	Characterization of <i>bla</i> <sub>TEM-52</sub> -carrying plasmids of extended-spectrum-β-lactamase-producing <i>Salmonella enterica</i> isolates from chicken meat with a common supplier in Japan.	Antimicrob Agents Chemother	Dec; 58(12)	7545-7	2014
Asakura H, Taguchi M, Ekawa T, Yamamoto S, Igimi S	Continued widespread dissemination and increased poultry host fitness of <i>Campylobacter jejuni</i> ST-4526 and ST-4253 in Japan.	J Appl Microbiol.	114(5)	1529-1538	2013
Hiki,M., Usui,M., Akiyama T., Kawanishi, M., Tsuyuki, M., Imamura, S., Sekiguchi, H., Kojima A., Asai, T	Phylogenetic grouping, epidemiological typing, analysis of virulence genes, and antimicrobial susceptibility of <i>Escherichia coli</i> isolated from healthy broilers in Japan.	Irish Veterinary Journal.			2014
Ido N, Lee K, Iwabuchi K, Izumiya H, Uchida I, Kusumoto M, Iwata T, Ohnishi M, Akiba M.	Characteristics of <i>Salmonella enterica</i> serovar 4,[5],12:i:- as a monophasic variant of serovar Typhimurium.	PLoS ONE	9(8)	e104380	2014

Ido N, Iwabuchi K, Sato'o Y, Sato Y, Sugawara M, Yaegashi G, Konno M, Akiba M, Tanaka K, Omoe K, Uchida I.	Molecular typing of <i>Salmonella enterica</i> serovar 4,[5],12:i:- isolates from humans, animals, and river water in Japan by multilocus variable-number tandem repeat analysis and pulsed-field gel electrophoresis.	J Vet Med Sci.		(in press)	
Kawahara R, Seto K, <u>Taguchi M</u> , Nakajima C, kumeda Y, Suzuki Y	Characterization of third-generation cephalosporin-resistant Shiga toxin-producing strains of <i>Escherichia coli</i> O157:H7 in Japan.	(投稿中)			
Usui M, Ozawa S, Onozato H, Kuge R, Obata Y, Uemae T, Ngoc PT, Heriyanto A, Chalemchaikit T, Makita K, Muramatsu Y, Tamura Y.	Antimicrobial susceptibility of indicator bacteria isolated from chickens in Southeast Asian countries (Vietnam, Indonesia, and Thailand).	<i>J. Vet. Med. Sci.</i> ,	76	685-692	2014
Usui M, Sakemi Y, Uchida I, Tamura Y.	Effects of fluoroquinolone treatment and group housing of pigs on the selection and spread of fluoroquinolone-resistant <i>Campylobacter</i> .	<i>Vet. Microbiol.</i> ,	170	438-441	2014
Usui M, Uchida I, Tamura Y	Selection of macrolide-resistant <i>Campylobacter</i> in pigs treated with macrolides.	<i>Vet. Rec.</i> ,	175	430	2014

Usui M, Nanbu Y, Oka K, Takahashi M, Inamatsu T, Asai T, Kamiya S, Tamura Y.	Genetic relatedness between Japanese and European isolates of <i>Clostridium difficile</i> originating from piglets and their risk associated with human health.	<i>Front. Microbiol.</i> ,	5	513	2014
Sato T, Yokota SI, Okubo T, Usui M, Fujii N, Tamura Y.	Phylogenetic association of fluoroquinolone- and cephalosporin-resistance of D-O1-ST648 <i>Escherichia coli</i> carrying <i>bla</i> <sub>CMY-2</sub> from fecal samples of dogs in Japan.	<i>J. Med. Microbiol.</i>	63	263-270	2014
Okubo T, Sato T, Yokota SI, Usui M, Tamura Y.	Comparison of broad-spectrum cephalosporin-resistant <i>Escherichia coli</i> isolated from dogs and humans in Hokkaido, Japan.	<i>J. Infect. Chemother.</i>	20	243-249.	2014
Sato T, Yokota SI, Ichihashi R, Miyachi T, Okubo T, Usui M, Fujii N, Tamura Y.	Isolation of <i>Escherichia coli</i> strains with AcrAB–TolC efflux pump-associated intermediate interpretation or resistance to fluoroquinolone, chloramphenicol, and aminopenicillin from dogs admitted to a university veterinary hospital.	<i>J. Vet. Med. Sci.</i> ,	76	937-945	2014
Sato T, Okubo T, Usui M, Yokota SI, Izumiyama S, Tamura Y	Association of veterinary third-generation cephalosporin use with the risk of emergence of extended-spectrum-cephalosporin resistance in <i>Escherichia coli</i> from dairy cattle in Japan.	<i>PLOS One.</i>	9	e96101	2014

Okubo T, Tosaka Y, Sato T, Usui M, Nakajima C, Suzuki Y, Imura S, Tamura Y	Bacterial diversity in sea ice from Southern ocean and the Sea of Okhotsk.	<i>J. Appl. Environ. Microbiol.</i> ,	2	266-272	2014
Ishihara K, Saito E, Shimokubo N, Muramatsu M, Maetani S, Tamura Y.	Epidemiological analysis of Mechicillin-resistant <i>Staphylococcus aureus</i> carriage among veterinary staffs for companion animals in Japan.	<i>J. Vet. Med. Sci.</i> ,	76	1627-1629	2014
Ishihara K, Saito E, Shimokubo N, Muramatsu M, Maetani S, Tamura Y.	Mechicillin-resistant <i>Staphylococcus aureus</i> carriage among veterinary staffs and dogs in private veterinary clinics in Hokkaido, Japan.	<i>Microbiol. Immunol.</i> ,	58	149-154	2014
Makita K, Inoshita K, Kayano T, Uenoyama K, Hagiwara K, Asakawa M, Ogawa K, Kawamura S, Noda J, Sera K, Sasaki H, Nakatani N, Higuchi H, Ishikawa N, Iwano H, Tamura Y	Temporal changes in environmental health risks and socio-psychological status in areas affected by the 2011 tsunami in Ishinomaki, Japan.	<i>Environment and Pollution</i> ,	3	1-20	2014

Tsukamoto N, Ohkoshi Y, Okubo T, Sato T, Kuwahara O, Fujii N, Tamura Y, Yokota S	High prevalence of cross-resistance to aminoglycosides in fluoroquinolone-resistant <i>Escherichia coli</i> clinical isolates.	<i>Chemotherapy</i>	59	379-384	2014
Uchida L, Heriyanto A, Thongchai C, Hanh Tran Thi, Horiuchi M, Ishihara K, Tamura Y, Muramatsu Y	Genetic diversity in the prion protein gene (PRNP) of domestic cattle and water buffaloes in Vietnam, Indonesia and Thailand.	<i>J. Vet. Med. Sci.,</i>	76	1001-1008	2014
Muramatsu Y, Usaki N, Thongchai C, Kramontong I, Kriegsak P, Tamura Y.	Seroepidemiological survey in Thailand of <i>Coxiella burnetii</i> infection in cattle and chicken and presence in ticks attached to dairy cattle.	<i>SE Asian J. Trop. Med. Publ. Hlth.,</i>	45	1167-1172	2014
Harada K, Usui M, Asai T	Application of enrofloxacin and orbifloxacin disks approved in Japan for susceptibility testing of representative veterinary respiratory pathogens.	<i>J. Vet. Med. Sci.,</i>	76	1427-1430	2014
Hiki M, Usui M, Akiyama T, Kawanishi M, Tsuyuki M, Imamura S, Sekiguchi H, Kojima A, Asai T.	Phylogenetic Grouping, Epidemiological Typing, Analysis of Virulence Genes, and Antimicrobial Susceptibility of <i>Escherichia coli</i> Isolated from Healthy Broilers in Japan.	<i>Ir. Vet. J.,</i>	64	14	2014

Kudo M, Nomura T, Yomoda S, <u>Tanimoto K</u> , <u>Tomita H</u> .	Nosocomial infection caused by vancomycin-susceptible multidrug-resistant <i>Enterococcus faecalis</i> over a long period in a university hospital in Japan.	Microbiology Immunology.	58	607-614	2014
Kurushima J, Nakane D, Nishizaka T, <u>Tomita H</u>	Bacteriocin protein BacL <sub>1</sub> of <i>Enterococcus faecalis</i> targets cell division loci and specifically recognizes L-Ala <sup>2</sup> -crossbridged peptidoglycan.	<i>Journal of Bacteriology</i> .	197	286-295	2015