

Baba K, Ishihara K, Ozawa M, Usui M, Hiki M, Tamura Y, Asai T	Prevalence and Mechanism of Antimicrobial Resistance in <i>Staphylococcus aureus</i> isolates from Diseased Cattle, Swine and Chickens in Japan.	J. Vet. Med. Sci.	74(5)	561-565	2012
Sasaki Y, Usui M, Murakami M, Haruna M, Kojima A, Asai T, Yamada Y.	Antimicrobial resistance in Shiga toxin-producing <i>Escherichia coli</i> O157 and O26 isolates from beef cattle.	Jpn. J. Infect. Dis.	65(2)	117-121	2012
Usui M, Hiki M, Murakami K, Ozawa M, Nagai H, Asai T.	Evaluation of transferability of R-plasmid in bacteriocin-producing donors to bacteriocin-resistant recipients.	Jpn. J. Infect. Dis.	65(3)	252-255	2012
Asai T, Hiki M, Baba K, Usui M, Ishihara K, Tamura Y.	Presence of <i>Staphylococcus aureus</i> ST398 and ST9 in swine in Japan	Jpn. J. Infect. Dis.	65(6)	551-552	2012
Yokota S, Sato T, Okubo T, Ohkoshi Y, Okabayashi T, Kuwahara O, Tamura Y, Fujii N.	Prevalence of fluoroquinolone-resistant <i>Escherichia coli</i> O25:H4-ST131 (CTX-M-15-nonproducing) strains isolated in Japan.	Chemotherapy	58(1)	52-59	2012

Kurosawa A, Imamura T, Tanaka K, Tamamura Y, Uchida I, Kobayashi A, Hata E, Kanno T, Akiba M, Yukawa S, Tamura Y.	Molecular typing of <i>Salmonella enterica</i> serotype Typhimurium and serotype 4,5,12:i:- isolates from cattle by multiple-locus variable-number tandem-repeats analysis.	Vet. Microbiol	160(1-2)	264-268	2012
Sato T, Yokota SI, Okubo T, Ishihara K, Ueno H, Muramatsu Y, Fujii N, Tamura Y.	Contribution of the AcrAB-TolC Efflux Pump to High-Level Fluoroquinolone Resistance in <i>Escherichia coli</i> Isolated from Dogs and Humans.	J. Vet. Med. Sci.		(in press)	
Sato T, Yokota S, Okubo T, Usui M, Fujii N, Tamura T	Phylogenetic association of fluoroquinolone- and cephalosporin-resistance of D-O1-ST648 <i>Escherichia coli</i> carrying blaCMY-2 from fecal samples of dogs in Japan.	J Med Microbiol		(in press)	
Ishihara K and <u>Tamura Y</u> et al	Factor associated with antimicrobial-resistant <i>Escherichia coli</i> in zoo animal	Res Vet Sci	93	574-580	2012
Iwamoto T, <u>Tamura Y</u> , Szuki Y and Nasu M et al	Genetic diversity of <i>Mycobacterium avium</i> subsp. <i>hominissuis</i> strains isolated from humans, pigs, and human living environment.	Infect Genet Evol	12	846-852	2012

M. Sugawara, F. Shahada, <u>H. Izumiya,</u> <u>H. Watanabe,</u> I. Uchida, Y. Tamamura, M. Kusumoto, T. Iwata <u>M. Akiba</u>	Change in antimicrobial resistance pattern in <i>Salmonella enterica</i> serovar Typhimurium isolates in a beef cattle farm.	J. Vet. Med. Sci.	74 (1)	93-97	2012
G. Chowdhury, G.P.Pazhani, D. Dutta, S. Guin, S. Dutta, S. Ghosh, <u>H. Izumiya,</u> M. Asakura, S. Yamasaki, Y. Takeda, E. Arakawa, <b>H. Watanabe,</b> A.K. Mukhopadhyay, M.K. Bhattacharya, K. Rajendran, G.B. Nair, T. Ramamurthy	<i>Vibrio fluvialis</i> in patients with diarrhea, Kolkata, India.	Emerg Infect Dis.	18	1868-71	2012

<p>Chieko Sakano,  <u>Makoto Kuroda</u>,  Tsuyoshi Sekizuka,  Taisei Ishioka,  Yukio Morita,  Akihide Ryo,  Hiroyuki Tsukagoshi,  Yuko Kawai,  Nobuko Inoue,  Hayato Takada,  Yumiko Ogasawara,  Atsuyoshi Nishina,  Masa-aki Shimoda,  Kunihisa Kozawa,  Kazunori Oishi,  Hirokazu Kimura.</p>	<p>Genetic analysis of non-hydrogen sulfide-producing <i>Salmonella enterica</i> serovar Typhimurium and Infantis isolates in Japan.</p>	<p>J. Clinical Microbio.</p>		<p>(in press)</p>	
<p>山根 一和、  鈴木里和  柴山恵吾</p>	<p>厚生労働省院内感染対策サーベイランス検査部門データを用いた本邦におけるリステリア症罹患率の推定</p>	<p>病原体微生物検出情報(IASR)</p>	<p>33(9)</p>	<p>247-8</p>	<p>2012</p>

## 研究発表(平成25年度)

### 研究成果の刊行に関する一覧表

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kawanishi M, Ozawa M, Hiki M, Abo H, Kojima A, Asai T	Detection of <i>aac(6')-Ib-cr</i> in avian pathogenic <i>Escherichia coli</i> isolates in Japan.	J Vet Med Sci.		(in press)	
秋庭正人	地球規模で広がる耐性菌－抗菌薬の多角的使用とその功罪－ 6. 薬剤耐性遺伝子の伝播機構	化学療法の領域	29(6)	1282-1291	2013
渡邊 治雄	WHO等による広範囲な耐性菌サーベイランスの取り組み	化学療法の領域	29(6)	26-31	2013
Nomura T. et al.	Identification of VanN-type vancomycin resistance in an <i>Enterococcus faecium</i> isolate from chicken meat in Japan.	Antimicrob Agents Chemother	56	6389-6392	2012
Momose Y, Okada Y, Asakura H, Ekawa T, Masuda K, Matsuoka H, Yokoyama K, Kai A, Saito S, Hiramatsu R, Taguchi M, Ishimura K, Tominaga K, Yahiro S, Fujita M, Igimi S.	Evaluation of the culture method NIHSJ-02 alternative to ISO 10272-1:2006 for the detection of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> in chicken: collaborative study.	J AOAC Int.	96(5)	991-997	2013

Asakura H, Hashii N, Uema M, Kawasaki N, Sugita-Konishi Y, Igimi S, Yamamoto S.	<i>Campylobacter jejuni</i> pdxA Affects Flagellum-Mediated Motility to Alter Host Colonization.	PLoS One	8(8)	e70418	2013
Asakura H, Taguchi M, Ekawa T, Yamamoto S, Igimi S.	Continued widespread dissemination and increased poultry host fitness of <i>Campylobacter jejuni</i> ST-4526 and ST-4253 in Japan.	J Appl Microbiol.	114(5)	1529- 1538	2013
Sato T, Yokota S, Uchida I, Okubo T, Usui M, Kusumoto M, Akiba M, Fujii N, Tamura Y.	Fluoroquinolone resistance mechanisms in an <i>Escherichia coli</i> isolate, HUE1, without quinolone resistance- determining region mutations.	Front Microbiol	24 May	doi: 10.3389/ fmicb.	2013
Sato T, Yokota S, Okubo T, Usui M, Fujii N, Tamura Y.	Phylogenetic association of fluoroquinolone- and cephalosporin-resistance 2 of D-O1-ST648 <i>Escherichia coli</i> carrying blaCMY-2 from fecal samples of 3 dogs in Japan	J Med Microbiol		in press	
Hiki M, Usui M, Kojima A, Ozawa M, Ishii Y, Asai T.	Diversity of plasmid replicons encoding the blaCMY-2 gene in broad-spectrum cephalosporin-resistant <i>Escherichia coli</i> from livestock animals in Japan.	Foodborne Pathog Dis.	10	243-249	2013
Usui M, Nagai H, Hiki M, Tamura Y, Asai T.	Effect of antimicrobial exposure on acrAB expression in <i>Salmonella enterica</i> subspecies <i>enterica</i> serovar Choleraesuis.	Front Microbiol.	4	53	2013

Francis Shahada, Takehisa Chuma, Gakudoh Kosugi, Masahiro Kusumoto, Taketoshi Iwata, and Masato Akiba	Distribution of extended- spectrum cephalosporin resistance determinants in <i>Salmonella enterica</i> and <i>Escherichia coli</i> isolated from broilers in southern Japan	Poultry Science	92(6)	1641- 1649	2013
Mather AE, Reid SW, Maskell DJ, Parkhill J, Fookes MC, Harris SR, Brown DJ, Coia JE, Mulvey MR, Gilmour MW, Petrovska L, de Pinna E, Kuroda M, Akiba M, Izumiya H, Connor TR, Suchard MA, Lemey P, Mellor DJ, Haydon DT, Thomson NR.	Distinguishable epidemics of multidrug-resistant <i>Salmonella</i> Typhimurium DT104 in different hosts.	Science.Sep 27	341(61 53)	1514-7	2013
Larsson JT, Torpdahl M; MLVA working group (Izumiya H), Møller Nielsen E.	Proof-of-concept study for successful inter-laboratory comparison of MLVA results.	Euro Surveill.	Aug 29 18(35)	20566	2013

Nadon CA, Trees E, Ng LK, Møller Nielsen E, Reimer A, Maxwell N, Kubota KA, Gerner-Smidt P MLVA Harmonization Working Group (Izumiya H).	Development and application of MLVA methods as a tool for inter-laboratory surveillance.	Euro Surveill.	Aug 29 18(35)	20565	2013
Izumiya H, Terajima J, Yamamoto S, Ohnishi M, Watanabe H, Kai A, Kurazono T, Taguchi M, Asai T, Akiba M, Matsumoto Y, Tamura Y.	Genomic analysis of <i>Salmonella enterica</i> serovar Typhimurium definitive phage type 104.	Emerg Infect Dis.	May 19(5)	823-5	2013
Hoang TH, Wertheim H, Minh NB, Duong TN, Anh DD, Phuong TT, Son TH, Izumiya H, Ohnishi M, Shibayama K, Hien NT.	Carbapenem-resistant <i>Escherichia coli</i> and <i>Klebsiella pneumoniae</i> strains containing New Delhi metallo- beta-lactamase isolated from two patients in Vietnam.	J Clin Microbiol.	Jan 51(1)	373-4	2013



Chowdhury G, Pazhani GP, Dutta D, Guin S, Dutta S, Ghosh S, Izumiya H, Asakura M, Yamasaki S, Takeda Y, Arakawa E, Watanabe H, Mukhopadhyay AK, Bhattacharya MK, Rajendran K, Nair GB, Ramamurthy T.	<i>Vibrio fluvialis</i> in patients with diarrhea, Kolkata, India.	Emerg Infect Dis.	Nov 18(11)	1868-71	2012
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------	-------------------	---------------	---------	------

## 研究発表(平成26年度)

### 研究成果の刊行に関する一覧表

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Matsumoto Y, Izumiya H, Sekizuka T, Kuroda M, Ohnishi M.	Characterization of <i>bla</i> <sub>TEM-52</sub> -carrying plasmids of extended-spectrum-β-lactamase-producing <i>Salmonella enterica</i> isolates from chicken meat with a common supplier in Japan.	Antimicrob Agents Chemother	Dec; 58(12)	7545-7	2014
Asakura H, Taguchi M, Ekawa T, Yamamoto S, Igimi S	Continued widespread dissemination and increased poultry host fitness of <i>Campylobacter jejuni</i> ST-4526 and ST-4253 in Japan.	J Appl Microbiol.	114(5)	1529-1538	2013
Hiki,M., Usui,M., Akiyama T., Kawanishi, M., Tsuyuki, M., Imamura, S., Sekiguchi, H., Kojima A., Asai, T	Phylogenetic grouping, epidemiological typing, analysis of virulence genes, and antimicrobial susceptibility of <i>Escherichia coli</i> isolated from healthy broilers in Japan.	Irish Veterinary Journal.			2014
Ido N, Lee K, Iwabuchi K, Izumiya H, Uchida I, Kusumoto M, Iwata T, Ohnishi M, Akiba M.	Characteristics of <i>Salmonella enterica</i> serovar 4,[5],12:i:- as a monophasic variant of serovar Typhimurium.	PLoS ONE	9(8)	e104380	2014

Ido N, Iwabuchi K, Sato'o Y, Sato Y, Sugawara M, Yaegashi G, Konno M, Akiba M, Tanaka K, Omoe K, Uchida I.	Molecular typing of <i>Salmonella enterica</i> serovar 4,[5],12:i:- isolates from humans, animals, and river water in Japan by multilocus variable-number tandem repeat analysis and pulsed-field gel electrophoresis.	J Vet Med Sci.		(in press)	
Kawahara R, Seto K, Taguchi M, Nakajima C, kumeda Y, Suzuki Y	Characterization of third-generation cephalosporin-resistant Shiga toxin-producing strains of <i>Escherichia coli</i> O157:H7 in Japan.	(投稿中)			
Usui M, Ozawa S, Onozato H, Kuge R, Obata Y, Uemae T, Ngoc PT, Heriyanto A, Chalemchaikit T, Makita K, Muramatsu Y, Tamura Y.	Antimicrobial susceptibility of indicator bacteria isolated from chickens in Southeast Asian countries (Vietnam, Indonesia, and Thailand).	<i>J. Vet. Med. Sci.</i> ,	76	685-692	2014
Usui M, Sakemi Y, Uchida I, Tamura Y.	Effects of fluoroquinolone treatment and group housing of pigs on the selection and spread of fluoroquinolone-resistant <i>Campylobacter</i> .	<i>Vet. Microbiol.</i> ,	170	438-441	2014
Usui M, Uchida I, Tamura Y	Selection of macrolide-resistant <i>Campylobacter</i> in pigs treated with macrolides.	<i>Vet. Rec.</i> ,	175	430	2014

Usui M, Nanbu Y, Oka K, Takahashi M, Inamatsu T, Asai T, Kamiya S, Tamura Y.	Genetic relatedness between Japanese and European isolates of <i>Clostridium difficile</i> originating from piglets and their risk associated with human health.	<i>Front. Microbiol.</i> ,	5	513	2014
Sato T, Yokota SI, Okubo T, Usui M, Fujii N, Tamura Y.	Phylogenetic association of fluoroquinolone- and cephalosporin-resistance of D-O1-ST648 <i>Escherichia coli</i> carrying <i>bla<sub>CMY-2</sub></i> from fecal samples of dogs in Japan.	<i>J. Med. Microbiol.</i>	63	263-270	2014
Okubo T, Sato T, Yokota SI, Usui M, Tamura Y.	Comparison of broad-spectrum cephalosporin-resistant <i>Escherichia coli</i> isolated from dogs and humans in Hokkaido, Japan.	<i>J. Infect. Chemother.</i>	20	243-249.	2014
Sato T, Yokota SI, Ichihashi R, Miyauchi T, Okubo T, Usui M, Fujii N, Tamura Y.	Isolation of <i>Escherichia coli</i> strains with AcrAB–TolC efflux pump-associated intermediate interpretation or resistance to fluoroquinolone, chloramphenicol, and aminopenicillin from dogs admitted to a university veterinary hospital.	<i>J. Vet. Med. Sci.</i> ,	76	937-945	2014
Sato T, Okubo T, Usui M, Yokota SI, Izumiyama S, Tamura Y	Association of veterinary third-generation cephalosporin use with the risk of emergence of extended-spectrum-cephalosporin resistance in <i>Escherichia coli</i> from dairy cattle in Japan.	<i>PLOS One.</i>	9	e96101	2014

Okubo T, Tosaka Y, Sato T, Usui M, Nakajima C, Suzuki Y, Imura S, Tamura Y	Bacterial diversity in sea ice from Southern ocean and the Sea of Okhotsk.	<i>J. Appl. Environ. Microbiol.</i> ,	2	266-272	2014
Ishihara K, Saito E, Shimokubo N, Muramatsu M, Maetani S, Tamura Y.	Epidemiological analysis of Mechicillin-resistant <i>Staphylococcus aureus</i> carriage among veterinary staffs for companion animals in Japan.	<i>J. Vet. Med. Sci.</i> ,	76	1627-1629	2014
Ishihara K, Saito E, Shimokubo N, Muramatsu M, Maetani S, Tamura Y.	Mechicillin-resistant <i>Staphylococcus aureus</i> carriage among veterinary staffs and dogs in private veterinary clinics in Hokkaido, Japan.	<i>Microbiol. Immunol.</i> ,	58	149-154	2014
Makita K, Inoshita K, Kayano T, Uenoyama K, Hagiwara K, Asakawa M, Ogawa K, Kawamura S, Noda J, Sera K, Sasaki H, Nakatani N, Higuchi H, Ishikawa N, Iwano H, Tamura Y	Temporal changes in environmental health risks and socio-psychological status in areas affected by the 2011 tsunami in Ishinomaki, Japan.	<i>Environment and Pollution</i> ,	3	1-20	2014

Tsukamoto N, Ohkoshi Y, Okubo T, Sato T, Kuwahara O, Fujii N, Tamura Y, Yokota S	High prevalence of cross-resistance to aminoglycosides in fluoroquinolone-resistant <i>Escherichia coli</i> clinical isolates.	<i>Chemotherapy</i>	59	379-384	2014
Uchida L, Heriyanto A, Thongchai C, Hanh Tran Thi, Horiuchi M, Ishihara K, Tamura Y, Muramatsu Y	Genetic diversity in the prion protein gene (PRNP) of domestic cattle and water buffaloes in Vietnam, Indonesia and Thailand.	<i>J. Vet. Med. Sci.,</i>	76	1001-1008	2014
Muramatsu Y, Usaki N, Thongchai C, Kramontong I, Kriegsak P, Tamura Y.	Seroepidemiological survey in Thailand of <i>Coxiella burnetii</i> infection in cattle and chicken and presence in ticks attached to dairy cattle.	<i>SE Asian J. Trop. Med. Publ. Hlth.,</i>	45	1167-1172	2014
Harada K, Usui M, Asai T	Application of enrofloxacin and orbifloxacin disks approved in Japan for susceptibility testing of representative veterinary respiratory pathogens.	<i>J. Vet. Med. Sci.,</i>	76	1427-1430	2014
Hiki M, Usui M, Akiyama T, Kawanishi M, Tsuyuki M, Imamura S, Sekiguchi H, Kojima A, Asai T.	Phylogenetic Grouping, Epidemiological Typing, Analysis of Virulence Genes, and Antimicrobial Susceptibility of <i>Escherichia coli</i> Isolated from Healthy Broilers in Japan.	<i>Ir. Vet. J.,</i>	64	14	2014

Kudo M, Nomura T, Yomoda S, <u>Tanimoto K,</u> <u>Tomita H.</u>	Nosocomial infection caused by vancomycin-susceptible multidrug-resistant <i>Enterococcus faecalis</i> over a long period in a university hospital in Japan.	Microbiology Immunology.	58	607-614	2014
Kurushima J, Nakane D, Nishizaka T, <u>Tomita H</u>	Bacteriocin protein BacL <sub>1</sub> of <i>Enterococcus faecalis</i> targets cell division loci and specifically recognizes L-Ala <sup>2</sup> -crossbridged peptidoglycan.	<i>Journal of Bacteriology.</i>	197	286-295	2015

