## 目 次

| I . 総合研究報告<br>多色発光細胞を用いたhigh-throughput免疫毒性評価試験法の開発<br>相場 節也  | 4             |
|---|---------------|
| (資料) 1. Multi-Immuno Tox Assay バリデーションプロトコール  |               |
| 平成 27 年 1 月 9 日 ver. 005.0J   |               |
| 2. Data sheet for MITA Ver.006 20150109   |               |
| II.分担研究報告   |               |
|   | 82            |
|   | 85            |
| 3 . 化学物質のMulti-ImmunoTox assayによる解析   | 96            |
| 山影 康次<br>III.研究成果の刊行に関する一覧表100  | 6             |
| IV. 研究成果の刊行物・別刷   |               |
| <ul> <li>Takahashi T, Kimura Y, Niwa K, et al. (2013) In vivo imaging demonstrates release from murine keratinocytes and its involvement in cutan inflammation after tape stripping. J Invest Dermatol 133:2407-15.</li> <li>Onami K, Kimura Y, Ito Y, et al. (2014) Nonmetal haptens induce ATP release keratinocytes through opening of pannexin hemichannels by reactive ox species. J Invest Dermatol 134:1951-60.</li> </ul> | neous<br>from |
| Watanabe M, Kurai J, Tomita K, et al. (2014) Effects on asthma and induction interleukin-8 caused by Asian dust particles collected in western Japan. J Asia 51:595-602.  |               |
| Watanabe M, Noma H, Kurai J, et al. (2015) Decreased pulmonary funciton in so<br>children in Western Japan after exposure to Asian desert Dusts and<br>association with interleukin-8. <i>BioMed Res International</i> in press.  |               |
| Yasunaga M, Murotomi K, Abe H, et al. (2015) Highly sensitive luciferase repassay using a potent destabilization sequence of calpain 3. <i>J Biotec</i> 194:115-23.   |               |
| Yasunaga M, Nakajima Y, Ohmiya Y (2014) Dual-color bioluminescence imaging a using green- and red-emitting beetle luciferases at subcellular resolu Analytical and bioanalytical chemistry 406:5735-42.   |               |