

- Ogasawara M, Murayama G, Kempe K, Yamaji K, Tamura N, Takasaki Y, et al. Autofeedback from ultrasound images provides rapid improvement in palpation skills for identifying joint swelling in rheumatoid arthritis. *J Rheumatol*, 2012;39(6):1207-1214.
- Yamaji K, Yamada R, Hohtatsu K, Kempe K, Tsuda H, Takasaki Y, et al. Gene expression analysis using a high-resolution DNA microarray of peripheral whole blood immediately before and after leukocytapheresis for rheumatoid arthritis. *Ther Apher Dial*, 2012;16(5):456-466.
- 鈴木 淳、渡辺 崇、稻垣 藍、菱沼留加、立川奈央、多田久里守、松下雅和、野澤和久、天野浩文、山路 健、田村直人、高崎芳成
急速に増大する肺結節影の診断に苦慮したSLEの一例.
関東リウマチ, 2014; 47: 292-299.
- 山田里沙、杉本 郁、関谷文男、山路 健、津田裕士、高崎芳成、他
アフェレシスと希少疾患 未治療の混合性結合組織病に合併した血栓性血小板減少性紫斑病に対して、単純血漿交換療法のみで寛解した1例.
日本アフェレシス学会雑誌, 2013;32:73-76.
- 草生真規雄、山路 健、高崎芳成
血小板減少を伴う自己免疫性疾患（自己免疫性血小板減少症、抗リン脂質抗体症候群）
日本アフェレシス学会雑誌, 2012;31(1):33-40.
- 丸山和紀、山路 健
【血液浄化療法の進歩における臨床工学技士の役割-技術と臨床の両面から支える】アフェレシス療法における臨床工学技士の役割
Clinical Engineering(0916-460X), 2012;23(4):310-319.

研究分担者：山本卓明

- Yamamoto T, Karasuyama K, Iwasaki K, Doi T, Iwamoto Y.
Subchondral insufficiency fracture of the femoral head in males.
Arch Orthop Trauma Surg, 2014; 134:1199-203.
- Yamaguchi R, Yamamoto T, Motomura G, Ikemura S, Iwasaki K, Zhao G, Doi T, Iwamoto Y.
Bone and cartilage metabolism markers in synovial fluid of the hip joint with secondary osteoarthritis.
Rheumatology, 2014; 53:2191-2195.
- Ikemura S, Yamamoto T, Motomura G, Yamaguchi R, Zhao G, Iwasaki K, Iwamoto Y.
Cytochrome P4503A activity affects the gender difference in the development of steroid-induced osteonecrosis in rabbits.
Int J Exp Pathol, 2014; 95(2):147-152.
- Motomura G, Yamamoto T, Abe K, Nakashima Y, Ohishi M, Hamai S, Doi T, Honda H, Iwamoto Y.
Scintigraphic assessments of the reparative process in osteonecrosis of the femoral head using

- SPECT/CT with $99m$ Tc hydroxymethylene diphosphonate.
Nucl Med Commun, in press 2014.
- Nakashima Y, Hirata M, Akiyama M, Itokawa T, Yamamoto T, Motomura G, Ohishi M, Iwamoto Y. Combined anteversion technique reduced the dislocation in cementless total hip arthroplasty. *Int Orthop*. 2014; 38(1):27–32.
 - Sonoda K, Yamamoto T, Motomura G, Kido H, Iwamoto Y. Subchondral insufficiency fracture of the femoral head after internal fixation for femoral neck fracture: histopathological investigation. *Skeletal Radiol*, 2014; 43(8):1151–1153.
 - Sonoda K, Yamamoto T, Motomura G, Yamaguchi R, Karasuyama K, Iwamoto Y. Contralateral osteonecrosis of the femoral head newly developed after increasing the dose of corticosteroids. *J Orthop Sci*, in press 2014.
 - Hamada T, Yamamoto T, Shida J, Inokuchi A, Arizono T. Subchondral insufficiency fracture of the femoral head in a patient with alkaptonuria. *Skeletal Radiol*, 2014; 43(6): 827–830.
 - Karasuyama K, Yamamoto T, Motomura G, Nakashima Y, Sakamoto A, Yamaguchi R, Iwamoto Y. Osteonecrosis of the femoral head with collapsed medical lesion. *Clin Med Insights Case Rep*, 2014; 7: 103–106.
 - Yamamoto T. The patholgy of osteonecrosis of the femoral head. *Osteonecrosis*. Koo KH, Mont MA, Jones LC. (eds), Springer–Verlag, Berlin Heidelberg, 2014; 151–157.
 - Yamamoto T, Ikemura S, Iwamoto Y. Transtrochanteric curved varus osteotomy for the treatment of osteonecrosis of the femoral head. *Osteonecrosis*. Koo KH, Mont MA, Jones LC. (eds), Springer–Verlag, Berlin Heidelberg, 2014; 339–344.
 - Yamamoto T, Yamaguchi R, Iwamoto Y. The epidemiology of osteonecrosis in Japan. *Osteonecrosis*. Koo KH, Mont MA, Jones LC. (eds), Springer–Verlag, Berlin Heidelberg, 2014; 47–49.
 - Yamamoto T, Motomura G, Yamaguchi R, Iwamoto Y. The role of coagulopathy in the pathogenesis and prevention of corticosteroid-induced osteonecrosis. *Osteonecrosis*. Koo KH, Mont MA, Jones LC. (eds), Springer–Verlag, Berlin Heidelberg, 2014; 249–253.
 - Zhao G, Yamamoto T, Motomura G, Iwasaki K, Yamaguchi R, Ikemura S, Iwamoto Y. Radiological outcome analyses of transtrochanteric posterior rotational osteotomy for

- osteonecrosis of the femoral head at a mean follow-up of 11 years.
J Orthop Sci, 2013;18:277–283.
- Ikemura S, Yamamoto T, Motomura G, Nakashima Y, Mawatari T, Iwamoto Y.
 The utility of clinical features for distinguishing subchondral insufficiency fracture from osteonecrosis of the femoral head.
Arch Orthop Trauma Surg, 2013;133(12):1623–1627.
 - Iwasaki K, Yamamoto T, Motomura G, Ikemura S, Yamaguchi R, Iwamoto Y.
 The radiological measurements associated with the prognosis and need for surgery in patients with subchondral insufficiency fractures of the femoral head.
Am J Roentgenol (AJR), 2013;201:W97–W103.
 - Ikemura S, Yamamoto T, Motomura G, Yamaguchi R, Zhao G, Iwasaki K, Iwamoto Y.
 Preventive effects of the anti-vasospasm agent via the regulation of the Rho-kinase pathway on the development of steroid-induced osteonecrosis in rabbits.
Bone, 2013;53(2):329–335.
 - Fukushima W, Yamamoto T, Takahashi S, Sakaguchi M, Kubo T, Iwamoto Y, Hirota Y.
 The effect of alcohol intake and the use of oral corticosteroids on the risk of idiopathic osteonecrosis of the femoral head.
Bone Joint J, 2013;95-B(3):320–325.
 - Itokawa T, Nakashima Y, Yamamoto T, Motomura G, Ohishi M, Hamai S, Akiyama M, Hirata M, Hara D, Iwamoto Y.
 Late dislocation is associated with recurrence after total hip arthroplasty.
Int Orthop, 2013;37(8):1457–1463.
 - Hara D, Nakashima Y, Yamamoto T, Higashihara S, Todo M, Hirata M, Akiyama M, Iwamoto Y.
 Late Failure of annealed highly cross-linked polyethylene acetabular liner.
J Mech Behav Biomed Mater, 2013;23:206–212.
 - Sakamoto Y, Yamamoto T, Motomura G, Sakamoto A, Yamaguchi R, Iwasaki K, Zhao G, Karasuyama K, Iwamoto Y.
 Osteonecrosis of the femoral head extending into the femoral neck.
Skeletal Radiol, 2013;42(3):433–436.
 - Nakashima Y, Mashima M, Imai H, Mitusgi N, Taki N, Mochida Y, Owan I, Arakaki K, Yamamoto T, Mawatari T, Motomura G, Ohishi M, Doi T, Kanazawa M, Iwamoto Y.
 Clinical and radiographic evaluation of total hip arthroplasties using porous tantalum modular acetabular components: 5 year follow-up of clinical trial.
Mod Rheumatol, 2013;23(1):112–118.
 - Zhao G, Yamamoto T, Motomura G, Yamaguchi R, Ikemura S, Iwasaki K, Iwamoto Y.
 Cholesterol- and lanolin-rich diets may protect against steroid-induced osteonecrosis in rabbits.
Acta Orthopaedica, 2013; 84(6): 593–597.
 - Iwasaki K, Yamamoto T, Motomura G, Ikemura S, Nakashima Y, Mawatari T, Iwamoto Y.

- Prognostic factors associated with a subchondral insufficiency fracture of the femoral head.
Br J Radiol (BJR), 2012;85:214–218.
- Yamaguchi R, Yamamoto T, Motomura G, Ikemura S, Iwasaki K, Zhao G, Iwamoto Y.
 Effects of an anti-platelet drug on the prevention of steroid-induced osteonecrosis in rabbits.
Rheumatology, 2012;51:789–793.
 - Motomura G, Yamamoto T, Yamaguchi R, Ikemura S, Nakashima Y, Mawatari T, Iwamoto Y.
 Mid-term results of transtrochanteric anterior rotational osteotomy combined with shelf acetabuloplasty for osteonecrosis with acetabular dysplasia: a preliminary report.
J Orthop Sci, 2012;17(3):239–243.
 - Zhao G, Yamamoto T, Ikemura S, Motomura G, Iwasaki K, Yamaguchi R, Nakashima Y, Mawatari T, Iwamoto Y.
 Clinico-radiological factors affecting the joint space narrowing after transtrochanteric anterior rotational osteotomy for osteonecrosis of the femoral head.
J Orthop Sci, 2012;17(4):390–396.
 - Sato T, Nakashima Y, Akiyama M, Yamamoto T, Mawatari T, Itokawa T, Motomura G, Ohishi M, Hirata M, Iwamoto Y.
 Wear resistant performance of highly crosslinked and annealed ultra-high molecular weight polyethylene against ceramic femoral heads in total hip arthroplasty.
J Orthop Res, 2012;30(12):2031–2037.
 - Akiyama M, Nakashima Y, Fujii M, Sato T, Yamamoto T, Mawatari T, Motomura G, Matsuda S, Iwamoto Y.
 Femoral anteversion is correlated with acetabular version and coverage in Asian women with anterior and global deficient subgroups of hip dysplasia. A CT study.
Skeletal Radiol, 2012;41(11):1411–1418.
 - Kawahara S, Nakashima Y, Oketani H, Wada A, Fujii M, Yamamoto T, Mawatari T, Motomura G, Satoh T, Akiyama M, Fujii T, Takamura K, Iwamoto Y.
 High prevalence of acetabular retroversion in both affected and unaffected hips after Legg-Calve-Perthes disease.
J Orthop Sci, 2012;17(3):226–232.
 - Motomura G, Yamamoto T, Inoue S, Nakashima Y, Mawatari T, Iwamoto Y.
 Subclinical infection associated with delayed union after transtrochanteric rotational osteotomy.
Orthopaedic Review and Research, 2012;4:5–8.
 - Ikemura S, Yamamoto T, Motomura G, Iwasaki K, Yamaguchi R, Zhao G, Iwamoto Y.
 Alcohol-induced osteonecrosis -Dose and duration effect.
Int J Exp Path, 2012;93:78–80.
 - 坂本悠磨、山本卓明、岩本幸英、菅野伸彦、久保俊一、池川志郎
 特発性大腿骨頭壊死症のゲノム解析-GWASによる疾患感受性遺伝子の同定を目指して-
整形・災害外科, 2014; 57 : 1731–1740.

- ・ 山本卓明、岩本幸英
ステロイド性大腿骨頭壊死
日本臨床 最新関節リウマチ学, 2014; 72(3): 659-663.
- ・ 坂本悠磨、山本卓明、本村悟朗、中村吉秀、池川志郎、岩本幸英
成人時に股関節痛で発症した COL2A1 遺伝子変異に伴う骨化障害例の検討
第 25 回日本整形外科学会骨系統疾患研究会記録集 2014; 57.
- ・ 山本卓明、岩本幸英
ステロイド性大腿骨頭壊死の診断・治療・予防
特殊な状況と合併症への対応 特集 寛解を目指す膠原病診療
内科, 2013;112(1):85-90.
- ・ 山本卓明
骨盤・股関節疾患
整形外科 2013;64(13):1424-1429.
- ・ 山本卓明
骨粗鬆症に伴って発生する関節内脆弱性骨折の予後に関する臨床病理学的検討
Osteoporosis Japan, 2013;21(4):59-62.
- ・ 中島康晴、秋山美緒、藤井政徳、原 大介、平田正伸、山本卓明、本村悟朗、大石正信、濱井 敏、
岩本幸英
Periacetabular osteotomy における臼蓋骨片の至適移動方向の検討
Hip Joint, 2013;13(39):12-18.
- ・ 山本卓明、岩本幸英
特発性大腿骨頭壊死症.
医師・薬剤師のための医薬品副作用ハンドブック 寺本民生監修、日本臨床社、大阪、2013: 606-608.
- ・ 本村悟朗、山本卓明、阿部光一郎、中島康晴、大石正信、濱井 敏、本田 浩、岩本幸英
特発性大腿骨頭壊死症における SPECT/CT 融合画像の応用
Bone Joint Nerve, 2013;3(3):457-460.
- ・ 山本卓明、岩本幸英
大腿骨頭壊死症 整形外科医が知っておくべき非腫瘍性骨関節疾患の組織像
整形外科, 2012;63(6):574-576.
- ・ 山本卓明、岩本幸英
特発性大腿骨頭壊死症 III. 副作用各論-重大な副作用-骨・関節
医薬品副作用学（第 2 版）-薬剤の安全使用アップデート-
日本臨床, 2012;70(6):749-754.
- ・ 山本卓明、岩本幸英
特発性大腿骨頭壊死症 [股関節] 第 4 章関節の外傷と障害
できる！画像診断入門シリーズ 骨軟部画像診断のここが鑑別ポイント改訂版
編集：福田国彦、羊土社、東京、2012;84-85. (分担執筆)
- ・ 桑島海人、中島康晴、山本卓明、馬渡太郎、糸川高史、本村悟朗、大石正信、秋山美緒、岩本幸英

寛骨臼移動術後に発生した恥骨疲労骨折の検討

整形外科と災害外科 2012;61(1):17-20.

- ・ 川原慎也、中島康晴、藤井政徳、山本卓明、馬渡太郎、本村悟朗、松下昌史、高杉紳一郎、岩本幸英
ペルテス病後の臼蓋後捻の検討
整形外科と災害外科, 2012;61(2):270-273.
- ・ 本村悟朗、山本卓明、中島康晴、馬渡太郎、糸川高史、大石正信、岩本幸英
特発性大腿骨頭壞死症に対する bipolar 型人工骨頭置換術の成績不良因子の検証
Hip Joint, 2012;38:17-19.
- ・ 山本卓明、山口亮介、岩本幸英
変形性関節症、整形外科医が知っておくべき非腫瘍性骨関節疾患の組織像
整形外科, 2012;63(4):358-359.
- ・ 山本卓明、岩本幸英
関節内脆弱性骨折の画像診断 骨質評価法：骨イメージング-2
Osteoporosis Japan, 2012;20(2):58-62.
- ・ 山本卓明、岩本幸英
急速破壊型股関節症 整形外科医が知っておくべき非腫瘍性骨関節疾患の組織像
整形外科 2012;63(7):668-669.
- ・ 岩崎賢優、山本卓明、本村悟朗、中島康晴、馬渡太郎、岩本幸英
MRI による大腿骨頭軟骨下脆弱性骨折の予後予測の試み
運動器疾患の画像診断、III. MRI 診断、9. その他
別冊整形外科, 2012;62:154-157.
- ・ 本村悟朗、山本卓明、岩本幸英
骨 SPECT/CT 融合画像を用いた大腿骨頭壞死症の病態評価
運動器疾患の画像診断、VI. その他の画像診断
別冊整形外科, 2012;62:208-210.
- ・ 山本卓明、岩本幸英
大腿骨頭軟骨下脆弱性骨折
臨床雑誌「整形外科」 2012;63(12):1288-1289.
- ・ 山本卓明、岩本幸英
第 12 章：骨・関節系疾患の医療ニーズ 第 3 節 特発性大腿骨頭壞死症
希少疾患／難病の診断・治療と製品開発, 2012;1212-1217.
- ・ 山本卓明、岩本幸英
大腿骨頭軟骨下脆弱性骨折と一過性大腿骨頭萎縮症〔股関節〕 第 4 章関節の外傷と障害
できる！画像診断入門シリーズ 骨軟部画像診断のここが鑑別ポイント改訂版 編集：福田国彦
羊土社、東京、2012;86-87. (分担執筆)

研究協力者：久保俊一

- ・ Kido M, Ikoma K, Hara Y, Imai K, Maki M, Ikeda T, et al.

- Effect of therapeutic insoles on the medial longitudinal arch in patients with flatfoot deformity:
A three-dimensional loading computed tomography study.
Clin Biomech (Bristol, Avon), 2014;29(10):1095-1098.
- Maki M, Ikoma K, Imai K, Kido M, Hara Y, Arai Y, et al.
Correlation between the outcome of extracorporeal shockwave therapy and pretreatment MRI findings for chronic plantar fasciitis.
Mod Rheumatol, 2014;Nov 17:1-4. [Epub ahead of print]
 - Terauchi R, Shirai T, Mizoshiri N, Konishi E, Ueshima K, Fujiwara H, et al.
Subperiosteal inflammatory pseudotumor mimicking primary malignant bone tumor: A case report.
Mod Rheumatol, 2014 Nov 10:1-3. [Epub ahead of print]
 - Shirai T, Tsuchida S, Terauchi R, Mizoshiri N, Konishi E, Tomita Y, et al.
Primary pulmonary synovial sarcoma requiring differentiation from pulmonary metastasis of tibial adamantinoma: a case report.
BMC Res Notes, 2014;18;7(1):736.
 - Terauchi R, Arai Y, Hara K, Minami G, Nakagawa S, Takahashi T, et al.
Magnetic resonance angiography evaluation of the bone tunnel and graft following ACL reconstruction with a hamstring tendon autograft.
Knee Surg Sports Traumatol Arthrosc, 2014. [Epub ahead of print]
 - Yamasaki T, Fujiwara H, Oda R, Mikami Y, Ikeda T, Nagae M, et al.
In vivo evaluation of rabbit sciatic nerve regeneration with diffusion tensor imaging (DTI): correlations with histology and behavior.
Magn Reson Imaging, 2014; pii:S0730-725X(14)00293-8. [Epub ahead of print]
 - Sukenari T, Horii M, Ikoma K, Kido M, Hayashi S, Hara Y, et al.
Cortical bone water changes in ovariectomized rats during the early postoperative period: Objective evaluation using sweep imaging with Fourier transform.
J Magn Reson Imaging, 2014. [Epub ahead of print]
 - Hara Y, Ikoma K, Arai Y, Ohashi S, Maki M, Kubo T.
Alteration of hindfoot alignment after total knee arthroplasty using a novel hindfoot alignment view.
J Arthroplasty, 2014. pii: S0883-5403(14)00505-1. [Epub ahead of print]
 - Hara Y, Ikoma K, Kido M, Sukenari T, Arai Y, Fujiwara H, et al.
Diffusion tensor imaging assesses triceps surae dysfunction after achilles tenotomy in rats.
J Magn Reson Imaging, 2014. [Epub ahead of print]
 - Oda R, Fujiwara H, Tokunaga D, Kishida A, Taniguchi D, Seno T, et al.
Spontaneous flexor tendon rupture in systemic lupus erythematosus: A case report.
Mod Rheumatol, 2014 Jun 20:1-4. [Epub ahead of print]
 - Kida Y, Morihara T, Kotoura Y, Hojo T, Tachiiri H, Sukenari T, et al.
Prevalence and Clinical Characteristics of Osteochondritis Dissecans of the Humeral Capitellum Among Adolescent Baseball Players.

- Am J Sports Med, 2014. pii: 0363546514536843. [Epub ahead of print]
- Furukawa R, Morihara T, Arai Y, Ito H, Kida Y, Sukenari T, et al.
Diagnostic accuracy of magnetic resonance imaging for subscapularis tendon tears using radial-slice magnetic resonance images.
J Shoulder Elbow Surg, 2014 Nov;23(11):e283-290.
 - Shirai T, Tsuchiya H, Nishida H, Yamamoto N, Watanabe K, Nakase J, et al.
Antimicrobial megaprostheses supported with iodine.
J Biomater Appl, 2014;29(4):617-23.
 - Ikoma K, Maki M, Kido M, Imai K, Arai Y, Fujiwara H, et al.
Extra-articular dorsal closing-wedge osteotomy to treat late-stage Freiberg disease using polyblend sutures: technical tips and clinical results.
Int Orthop, 2014;38(7):1401-1405.
 - Saito M, Ueshima K, Fujioka M, Ishida M, Goto T, Arai Y, et al.
Corticosteroid administration within 2 weeks after renal transplantation affects the incidence of femoral head osteonecrosis.
Acta Orthop, 2014;85(3):266-270.
 - Hayashi S, Fujioka M, Ikoma K, Saito M, Ueshima K, Ishida M, et al.
Evaluation of femoral perfusion in a rabbit model of steroid-induced osteonecrosis by dynamic contrast-enhanced mri with a high magnetic field MRI system.
J Magn Reson Imaging, 2014. [Epub ahead of print]
 - Shirai T, Watanabe K, Matsubara H, Nomura I, Fujiwara H, Arai Y, et al.
Prevention of pin tract infection with iodine-supported titanium pins.
J Orthop Sci, 2014;19(4):598-602.
 - Tsuchida S, Arai Y, Takahashi KA, Kishida T, Terauchi R, Honjo K, et al.
HIF-1 α -induced HSP70 regulates anabolic responses in articular chondrocytes under hypoxic conditions.
J Orthop Res, 2014;32(8):975-980.
 - Ikoma K, Maki M, Kido M, Arai Y, Fujiwara H, Kubo T.
Achilles tendon lengthening for equinus foot with Miyoshi myopathy: a case report.
J Foot Ankle Surg, 2014;53(5):643-646.
 - Taniguchi D, Tokunaga D, Oda R, Fujiwara H, Ikeda T, Ikoma K, et al.
Maximum intensity projection with magnetic resonance imaging for evaluating synovitis of the hand in rheumatoid arthritis: comparison with clinical and ultrasound findings.
Clin Rheumatol, 2014;33(7):911-917.
 - Mizuno K, Ikeda T, Ikoma K, Ishibashi H, Tonomura H, Nagae M, et al.
Evaluation of resorption and biocompatibility of collagen hemostats in the spinal epidural space.
Spine J. 2014;14(9):2141-2149.
 - Oda R, Fujiwara H, Tokunaga D, Nakamura S, Taniguchi D, Kawahito Y, et al.
How do anti-TNF therapies affect gait function in patients with rheumatoid arthritis?

- Int J Rheum Dis, 2014;17(1):57–62.
- Inoue H, Arai Y, Kishida T, Shin-Ya M, Terauchi R, Nakagawa S, et al. Sonoporation-mediated transduction of siRNA ameliorated experimental arthritis using 3 MHz pulsed ultrasound. Ultrasonics, 2014;54(3):874–881.
 - 池上 徹、上島 圭一郎、齊藤 正純、藤岡 幹浩、林 成樹、石田 雅史、他
家兎ステロイド性骨壊死モデルに対するビタミンE投与後の大軸骨血流評価
Hip Joint 2014;40:954–957.
 - 齊藤 正純、上島 圭一郎、藤岡 幹浩、石田 雅史、西久保 芳樹、林 成樹、他
セメントレスカップを用いた人工股関節再置換術の短期成績
Hip Joint, 2014;40:90–93.
 - 久保俊一 編著. 股関節学, 金芳堂.
久保俊一 編著. 整形外科医が知っておくべき境界領域のポイント
 - 久保俊一. 【股関節鏡の功罪と未来】 股関節鏡視下手術の発展を願って
関節外科, 2014;33:120–121.

研究協力者：長谷川幸治

- Hasegawa Y, Iwase T, Kitamura S, Yamaguchi J. Eccentric rotational acetabular osteotomy for hip dysplasia and osteoarthritis. J Bone Joint Surg Am, 2014;96:1975–1982.
- Ikeuchi K, Hasegawa Y, Warashina H, Seki T. Intraoperative migration of the trial femoral head into the pelvis during total hip arthroplasty -Report of two cases-. Nagoya J Med, 2014; 6:129–136.
- Amano T, Hasegawa Y, Seki T, Takegami Y, Ishiguro N. Gender difference does not affect the outcomes of the eccentric rotational acetabular osteotomy. Hip Int Dec, 5;24(6):631–637. doi: 10.5301/hipint.5000158. Epub 2014 Aug 2.
- Ikeuchi K, Hasegawa Y, Seki T, Takegami Y, Amano T, Ishiguro N. Epidemiology of nontraumatic osteonecrosis of the femoral head in Japan. Mod Rheumatol, 2014 Jul 18:1–4. [Epub ahead of print]
- Hatta T, Hatta T, Hasegawa Y, Iwahara A, Ito E, Hatta J, Nagahara N, Fujiwara K, Hotta C, Hamajima N. Developmental changes of prefrontal cortex and cerebro-cerebellar functioning in older adults: Evidence from stabilimeter and cognitive test. Aging Sci, 2014. 2–2 <http://dx.doi.org/10.4172/2329-8847/.1000121> an open access journal

研究協力者：松本忠美

- Fukui K, Kaneiji A, Fukushima M, Matsumoto T. Inversion of the acetabular labrum triggers rapidly destructive osteoarthritis of the hip: Representative case report and proposed etiology. J Arthroplasty, 2014; 29:2468–2472.

- Fukui K, Kaneuji A, Sugimori T, Ichiseki T, Matsumoto T.
Retrieval analysis of new-generation yttria-stabilized zirconia femoral heads after total hip arthroplasty.
Eur J Orthop Surg Traumatol, 2014; 24:1197-1202.
- Fukui K, Kaneuji A, Fukushima M, Matsumoto T.
Imaging and histopathological evaluation of a cystlike formation in subchondral insufficiency fracture of the femoral head: A case report and literature review.
Int J Surg Case Rep, 2014; 5:324-329.
- Ueda S, Ichiseki T, Yoshitomi Y, Yonekura H, Ueda Y, Kaneuji A, Matsumoto T.
Osteocytic cell necrosis is caused by a combination of glucocorticoid-induced Dickkopf-1 and hypoxia.
Med Mol Morphol, 2014; [Epub ahead of print]
- 兼氏 歩, 市堰 徹, 福井清数, 高橋詠二, 松本忠美, 比江島欣慎
寛骨臼回転骨切り術後患者における評価－JOA スコアと JHEQ の比較および満足度調査－
Hip Joint, 2014; 40:41-43.
- 高橋詠二, 兼氏 歩, 杉森端三, 市堰 徹, 福井清数, 松本忠美
Line to line テクニックでスクリュー固定した fiber metal porous cementless cup の 10 年以上の成績
日本人工関節学会誌, 2014; 44:297-298.
- 兼氏 歩, 松本忠美
股関節の疾患・機能の評価法とその活用.
関節外科, 2014; 33(10 月増刊):68-81.
- 沢田ひかり, 谷内紗希, 山口美由紀, 西山芳江, 市堰 徹, 植田修右.
人工股関節全置換術後患者への脱臼予防指導と退院後 ADL 評価の重要性.
Hip Joint 2014; 40:65-68.
- 新谷一博, 足立雄治, 兼氏 歩, 大嶋俊一
3D 型摩耗試験機を用いた人工股関節の摩耗特性に関する研究.
臨床バイオメカニクス, 2014; 35:211-217.
- 兼氏 歩, 松本忠美
Harris/Galante porous cementless system 25 年経過例から考える理想的なセメントレス人工股関節に
対する私論. 我が国で 20 年以上前より使用されてきた人工関節手術の成績とその分析 (大西啓靖、編)
セルテスコメディカルエンジニアリング㈱, 滋賀, 2014; 263-268.
- 市堰 徹, 松本忠美
特発性大腿骨頭壞死症と酸化ストレス 酸化ストレスの医学 (改定第 2 版) (内藤裕二, 豊國伸哉編)
診断と治療社, 東京, 2014; 382-388.

研究協力者：宮本健史

- Katsuyama E, Miyamoto H, Kobayashi T, Sato Y, Hao W, Kanagawa H, Fujie A, Tando T, Watanabe R, Morita M, Miyamoto K, Niki Y, Morioka H, Matsumoto M, Toyama Y, Miyamoto T.
Interleukin-1 receptor-associated kinase-4 (IRAK4) promotes inflammatory osteolysis by

activating osteoclasts and inhibiting formation of foreign body giant cells. *J Biol Chem.* in press

- Sato Y, Miyauchi Y, Yoshida S, Morita M, Kobayashi T, Kanagawa H, Katsuyama E, Fujie A, Hao W, Tando T, Watanabe R, Miyamoto K, Morioka H, Matsumoto M, Toyama Y, Miyamoto T.
The Vitamin D Analogue ED71 but Not 1, 25(OH)2D3 Targets HIF1 α Protein in Osteoclasts.
PLoS One, 2014 Nov 6;9(11):e111845.

