

References

- 200 World Health Organization (WHO). *Responding to the avian influenza pandemic threat*. Geneva, WHO, 2005 (http://whqlibdoc.who.int/hq/2005/WHO_CDS_CSR_GIP_2005.8_eng.pdf).
- 201 Williams WW. CDC guidelines for the prevention and control of nosocomial infections. Guideline for infection control in hospital personnel. *American Journal of Infection Control*, 1984, 12(1):34–63 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6322620).
- 202 Harper SA, Fukuda K, Uyeki TM et al. Prevention and control of influenza. Recommendations of the Advisory Committee on Immunization Practices (ACIP). *MMWR. Recommendations and Reports*, 2005, 54(RR-8):1–40 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16086456).
- 203 Hehme N, Engelmann H, Kunzel W et al. Pandemic preparedness: lessons learnt from H2N2 and H9N2 candidate vaccines. *Medical Microbiology and Immunology*, 2002, 191(3–4):203–208 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12458361).
- 204 Jefferson T, Demicheli V, Di Pietrantonj C et al. Amantadine and rimantadine for influenza A in adults. *Cochrane Database of Systematic Reviews*, 2006, (2):CD001169 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16625539).
- 205 Bhat N, Wright JG, Broder KR et al. Influenza-associated deaths among children in the United States, 2003–2004. *New England Journal of Medicine*, 2005, 353(24):2559–2567 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16354892).
- 206 Aiello AE, Coulborn RM, Aragon TJ et al. Research findings from nonpharmaceutical intervention studies for pandemic influenza and current gaps in the research. *American Journal of Infection Control*, 2010, 38(4):251–258.
- 207 Lee K. *Physical interventions to interrupt or reduce the transmission of respiratory viruses – resource use implications: a systematic review*. Ottawa, Canadian Agency for Drugs and Technologies in Health, 2011 (<http://www.cadth.ca/en/products/healthtechnology-assessment/publication/3140>).
- 208 Pippin DJ, Verderame RA, Weber KK. Efficacy of face masks in preventing inhalation of airborne contaminants. *Journal of Oral and Maxillofacial Surgery*, 1987, 45(4):319–323.
- 209 Kaye K, Weber D, Rutala W. Nosocomial infections associated with respiratory therapy. In: Mayhall, C, ed. *Hospital Epidemiology and Infection Control*, 3 ed. Philadelphia, Lippincott Williams & Wilkins, 2004:1207–1222.
- 210 Derrick JL, Gomersall CD. Protecting healthcare staff from severe acute respiratory syndrome: filtration capacity of multiple surgical masks. *Journal of Hospital Infection*, 2005, 59(4):365–368.
- 211 Lenhart SW, Seitz T, Trout D et al. Issues affecting respirator selection for workers exposed to infectious aerosol: emphasis on healthcare settings. *Applied Biosafety*, 2004, 9(1):20–36.
- 212 World Health Organization (WHO). *Practical guidelines for infection control in health care facilities*. Geneva, WHO Regional Office for South East Asia/WHO Regional Office for the Western Pacific, 2004 (http://www.wpro.who.int/publications/PUB_9290222387.htm).
- 213 World Health Organization (WHO). *Prevention of hospital-acquired infections: A practical guide (2nd edition)*. Geneva, WHO, 2002 (http://www.who.int/csr/resources/publications/drugresist/WHO_CDS_CSR_EPH_2002_12/en).
- 214 World Health Organization (WHO). *Aide-memoire: Infection control standard precautions in health care*. Geneva, WHO, 2006 (http://www.who.int/csr/resources/publications/4EPR_AM2.pdf).

- 215 World Health Organization (WHO) HPS. *WHO guidelines on hand hygiene in health care*. Geneva, WHO, 2009 (http://whqlibdoc.who.int/publications/2009/9789241597906_eng.pdf).
- 216 Brady MT, Evans J, Cuartas J. Survival and disinfection of parainfluenza viruses on environmental surfaces. *American Journal of Infection Control*, 1990, 18(1):18–23.
- 217 Suarez DL, Spackman E, Senne DA et al. The effect of various disinfectants on detection of avian influenza virus by real time RT-PCR. *Avian Diseases*, 2003, 47(3 Suppl):1091–1095.
- 218 Sattar SA, Jacobsen H, Springthorpe VS et al. Chemical disinfection to interrupt transfer of rhinovirus type 14 from environmental surfaces to hands. *Applied and Environmental Microbiology*, 1993, 59(5):1579–1585.
- 219 Sattar SA, Springthorpe VS, Karim Y et al. Chemical disinfection of non-porous inanimate surfaces experimentally contaminated with four human pathogenic viruses. *Epidemiology and Infection*, 1989, 102(3):493–505 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2737256).
- 220 Rabenau HF, Kampf G, Cinatl J et al. Efficacy of various disinfectants against SARS coronavirus. *Journal of Hospital Infection*, 2005, 61(2):107–111.
- 221 Dettenkofer M, Wenzler S, Amthor S et al. Does disinfection of environmental surfaces influence nosocomial infection rates? A systematic review. *American Journal of Infection Control*, 2004, 32(2):84–89.
- 222 Scott E, Bloomfield SF. Investigations of the effectiveness of detergent washing, drying and chemical disinfection on contamination of cleaning cloths. *Journal of Applied Bacteriology*, 1990, 68(3):279–283 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2341327).
- 223 Medcraft JW, Hawkins JM, Fletcher BN et al. Potential hazard from spray cleaning of floors in hospital wards. *Journal of Hospital Infection*, 1987, 9(2):151–157 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2883222).
- 224 Spaulding EH. Chemical disinfection of medical and surgical materials. In: Lawrence, C & Blcok, S, eds. *Disinfection, sterilization, and preservation*. Philadelphia, Lie & Febiger, 1968:517–531.
- 225 Rutala WA. APIC guideline for selection and use of disinfectants. 1994, 1995, and 1996 APIC Guidelines Committee. Association for Professionals in Infection Control and Epidemiology, Inc. *American Journal of Infection Control*, 1996, 24(4):313–342.
- 226 Cefai C, Richards J, Gould FK et al. An outbreak of Acinetobacter respiratory tract infection resulting from incomplete disinfection of ventilatory equipment. *Journal of Hospital Infection*, 1990, 15(2):177–182.
- 227 Craven DE, Lichtenberg DA, Goularte TA et al. Contaminated medication nebulizers in mechanical ventilator circuits. Source of bacterial aerosols. *American Journal of Medicine*, 1984, 77(5):834–838.
- 228 Spach DH, Silverstein FE, Stamm WE. Transmission of infection by gastrointestinal endoscopy and bronchoscopy. *Annals of Internal Medicine*, 1993, 118(2):117–128 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8416308).
- 229 Weber DJ, Rutala WA. Lessons from outbreaks associated with bronchoscopy. *Infection Control and Hospital Epidemiology*, 2001, 22(7):403–408 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11583206).

References

- 230 Wheeler PW, Lancaster D, Kaiser AB. Bronchopulmonary cross-colonization and infection related to mycobacterial contamination of suction valves of bronchoscopes. *Journal of Infectious Diseases*, 1989, 159(5):954–958
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2708844).
- 231 Poledore AP. The sanitizing efficiency of dishwashing machines. *Journal of Foodservice*, 1980:17–25.
- 232 Stahl Wernersson E, Johansson E, Hakanson H. Cross-contamination in dishwashers. *Journal of Hospital Infection*, 2004, 56(4):312–317
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15066743).
- 233 Ijaz MK, Sattar SA, Johnson-Lussenburg CM et al. Effect of relative humidity, atmospheric temperature, and suspending medium on the airborne survival of human rotavirus. *Canadian Journal of Microbiology*, 1985, 31(8):681–685
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3000566).
- 234 Marks PJ, Vipond IB, Carlisle D et al. Evidence for airborne transmission of Norwalk-like virus (NLV) in a hotel restaurant. *Epidemiology and Infection*, 2000, 124(3):481–487
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10982072).
- 235 Marks PJ, Vipond IB, Regan FM et al. A school outbreak of Norwalk-like virus: evidence for airborne transmission. *Epidemiology and Infection*, 2003, 131(1):727–736
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12948373).
- 236 Battles DR, Vesley D. Wash water temperature and sanitation in the hospital laundry. *Journal of Environmental Health*, 1981, 43(5):244–250.
- 237 Blaser MJ, Smith PF, Cody HJ et al. Killing of fabric-associated bacteria in hospital laundry by low-temperature washing. *Journal of Infectious Diseases*, 1984, 149(1):48–57.
- 238 Christian RR, Manchester JT, Mellor MT. Bacteriological quality of fabrics washed at lower-than-standard temperatures in a hospital laundry facility. *Applied and Environmental Microbiology*, 1983, 45(2):591–597.
- 239 Barker J, Jones MV. The potential spread of infection caused by aerosol contamination of surfaces after flushing a domestic toilet. *Journal of Applied Microbiology*, 2005, 99(2):339–347.
- 240 Morawska L. Droplet fate in indoor environments, or can we prevent the spread of infection? *Indoor Air*, 2006, 16(5):335–347
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16948710).
- 241 Safe Injection Global Network (SIGN) Alliance. *Injection safety*. 2012
(http://www.who.int/injection_safety/sign/en).
- 242 Karanfil LV, Conlon M, Lykens K et al. Reducing the rate of nosocomially transmitted respiratory syncytial virus. *American Journal of Infection Control*, 1999, 27(2):91–96
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10196485).
- 243 Mlinaric-Galinovic G, Varda-Brkic D. Nosocomial respiratory syncytial virus infections in children's wards. *Diagnostic Microbiology and Infectious Disease*, 2000, 37(4):237–246
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10974574).

- 244 Thorburn K, Kerr S, Taylor N et al. RSV outbreak in a paediatric intensive care unit. *Journal of Hospital Infection*, 2004, 57(3):194–201
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15236847).
- 245 Ibricevic A, Pekosz A, Walter MJ et al. Influenza virus receptor specificity and cell tropism in mouse and human airway epithelial cells. *Journal of Virology*, 2006, 80(15):7469–7480
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16840327).
- 246 Centers for Disease Control and Prevention (CDC). Guidelines for preventing the transmission of Mycobacterium tuberculosis in health-care facilities. *Morbidity and Mortality Weekly Report*, 1994, 43(RR-13):1–132.
- 247 Le DH, Bloom SA, Nguyen QH et al. Lack of SARS transmission among public hospital workers, Vietnam. *Emerging Infectious Diseases*, 2004, 10(2):265–268
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15030695).
- 248 Park BJ, Peck AJ, Kuehnert MJ et al. Lack of SARS transmission among healthcare workers, United States. *Emerging Infectious Diseases*, 2004, 10(2):244–248.
- 249 Peck AJ, Newbern EC, Feikin DR et al. Lack of SARS transmission and U.S. SARS case-patient. *Emerging Infectious Diseases*, 2004, 10(2):217–224
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15030686).
- 250 Cheung TM, Yam LY, So LK et al. Effectiveness of noninvasive positive pressure ventilation in the treatment of acute respiratory failure in severe acute respiratory syndrome. *Chest*, 2004, 126(3):845–850
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15364765).
- 251 Christian MD, Loutfy M, McDonald LC et al. Possible SARS coronavirus transmission during cardiopulmonary resuscitation. *Emerging Infectious Diseases*, 2004, 10(2):287–293
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15030699).
- 252 Ali Y, Dolan M, Fendler E et al. Alcohols. In: Block, S, ed. *Disinfection, sterilization and preservation*, 5 ed. Philadelphia, Williams and Wilkins, 2000:229–253.
- 253 Bell DM. Public health interventions and SARS spread, 2003. *Emerging Infectious Diseases*, 2004, 10(11):1900–1906.
- 254 Rutala WA, Weber DJ, Gergen MF et al. Efficacy of a washer-pasteurizer for disinfection of respiratory-care equipment. *Infection Control and Hospital Epidemiology*, 2000, 21(5):333–336.
- 255 Centers for Disease Control and Prevention (CDC). *Cover your cough*. 2010
(<http://www.cdc.gov/flu/protect/covercough.htm>).
- 256 Gillis J, Rennick J. Affirming parental love in the pediatric intensive care unit. *Pediatric Critical Care Medicine*, 2006, 7(2):165–168.
- 257 Leidy NK, Margolis MK, Marcin JP et al. The impact of severe respiratory syncytial virus on the child, caregiver, and family during hospitalization and recovery. *Pediatrics*, 2005, 115(6):1536–1546
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15930214).

References

- 258 Hanrahan KS, Lofgren M. Evidence-based practice: examining the risk of toys in the microenvironment of infants in the neonatal intensive care unit. *Advances in Neonatal Care*, 2004, 4(4):184–201, quiz 202–185
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15368211).
- 259 Avila-Aguero ML, German G, Paris MM et al. Toys in a pediatric hospital: are they a bacterial source? *American Journal of Infection Control*, 2004, 32(5):287–290.
- 260 Butterly JP, Alabaster SJ, Heine RG et al. Multiresistant *Pseudomonas aeruginosa* outbreak in a pediatric oncology ward related to bath toys. *Pediatric Infectious Disease Journal*, 1998, 17(6):509–513
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9655544).
- 261 Davies MW, Mehr S, Garland ST et al. Bacterial colonization of toys in neonatal intensive care cots. *Pediatrics*, 2000, 106(2):E18
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10920174).
- 262 Hick JL, Hanfling D, Burstein JL et al. Health care facility and community strategies for patient care surge capacity. *Annals of Emergency Medicine*, 2004, 44(3):253–261
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15332068).
- 263 Hogg W, Lemelin J, Huston P et al. Increasing epidemic surge capacity with home-based hospital care. *Canadian Family Physician*, 2006, 52:563–564, 570–562
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16739820).
- 264 Martin SD. Avian flu: should we worry in home healthcare? *Home Healthcare Nurse*, 2006, 24(1):38–45; quiz 46–37
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=16394822).
- 265 Cowling BJ, Chan KH, Fang VJ et al. Facemasks and hand hygiene to prevent influenza transmission in households: a cluster randomized trial. *Annals of Internal Medicine*, 2009, 151(7):437–446
(<http://www.ncbi.nlm.nih.gov/pubmed/19652172>).
- 266 Jefferson T, Del Mar C, Dooley L et al. Physical interventions to interrupt or reduce the spread of respiratory viruses. *Cochrane Database of Systematic Reviews*, 2010, (1):CD006207
(http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=20091588).
- 267 Ladegaard MB, Stage V. Hand-hygiene and sickness among small children attending day care centers. An intervention study. *Ugeskrift for Laeger*, 1999, 161(31):4396–4400
(<http://www.ncbi.nlm.nih.gov/pubmed/10487104>).
- 268 Roberts L, Smith W, Jorm L et al. Effect of infection control measures on the frequency of upper respiratory infection in child care: a randomized, controlled trial. *Pediatrics*, 2000, 105(4 Pt 1):738–742 (<http://www.ncbi.nlm.nih.gov/pubmed/10742313>).
- 269 Chen WQ, Ling WH, Lu CY et al. Which preventive measures might protect health care workers from SARS? *BMC Public Health*, 2009, 9:81 (<http://www.ncbi.nlm.nih.gov/pubmed/19284644>).
- 270 Lau JT, Tsui H, Lau M et al. SARS transmission, risk factors, and prevention in Hong Kong. *Emerging Infectious Diseases*, 2004, 10(4):587–592 (<http://www.ncbi.nlm.nih.gov/pubmed/15200846>).

- 271 Nishiura H, Kuratsuj T, Quy T et al. Rapid awareness and transmission of severe acute respiratory syndrome in Hanoi French Hospital, Vietnam. *American Journal of Tropical Medicine and Hygiene*, 2005, 73(1):17–25 (<http://www.ncbi.nlm.nih.gov/pubmed/16014825>).
- 272 Teleman MD, Boudville IC, Heng BH et al. Factors associated with transmission of severe acute respiratory syndrome among health-care workers in Singapore. *Epidemiology and Infection*, 2004, 132(5):797–803 (<http://www.ncbi.nlm.nih.gov/pubmed/15473141>).
- 273 Wu J, Xu F, Zhou W et al. Risk factors for SARS among persons without known contact with SARS patients, Beijing, China. *Emerging Infectious Diseases*, 2004, 10(2):210–216 (<http://www.ncbi.nlm.nih.gov/pubmed/15030685>).
- 274 Yin WW, Gao LD, Lin WS et al. Effectiveness of personal protective measures in prevention of nosocomial transmission of severe acute respiratory syndrome. *Zhonghua Liu Xing Bing Xue Za Zhi*, 2004, 25(1):18–22 (<http://www.ncbi.nlm.nih.gov/pubmed/15061941>).
- 275 Niffenegger JP. Proper handwashing promotes wellness in child care. *Journal of Pediatric Health Care*, 1997, 11(1):26–31 (<http://www.ncbi.nlm.nih.gov/pubmed/9052131>).
- 276 Kimel LS. Handwashing education can decrease illness absenteeism. *Journal of School Nursing*, 1996, 12(2):14–16, 18 (<http://www.ncbi.nlm.nih.gov/pubmed/8704381>).
- 277 Makris AT, Morgan L, Gaber DJ et al. Effect of a comprehensive infection control program on the incidence of infections in long-term care facilities. *American Journal of Infection Control*, 2000, 28(1):3–7 (<http://www.ncbi.nlm.nih.gov/pubmed/10679130>).
- 278 Master D, Hess Longe SH, Dickson H. Scheduled hand washing in an elementary school population. *Family Medicine*, 1997, 29(5):336–339 (<http://www.ncbi.nlm.nih.gov/pubmed/9165286>).
- 279 Ryan MA, Christian RS, Wohlrb J. Handwashing and respiratory illness among young adults in military training. *American Journal of Preventive Medicine*, 2001, 21(2):79–83 (<http://www.ncbi.nlm.nih.gov/pubmed/11457626>).
- 280 Morton JL, Schultz AA. Healthy hands: use of alcohol gel as an adjunct to handwashing in elementary school children. *Journal of School Nursing*, 2004, 20(3):161–167 (<http://www.ncbi.nlm.nih.gov/pubmed/15147226>).
- 281 White CG, Shinder FS, Shinder AL et al. Reduction of illness absenteeism in elementary schools using an alcohol-free instant hand sanitizer. *Journal of School Nursing*, 2001, 17(5):258–265 (<http://www.ncbi.nlm.nih.gov/pubmed/11885342>).
- 282 Dyer DL, Shinder A, Shinder F. Alcohol-free instant hand sanitizer reduces elementary school illness absenteeism. *Family Medicine*, 2000, 32(9):633–638 (<http://www.ncbi.nlm.nih.gov/pubmed/11039151>).
- 283 White C, Kolble R, Carlson R et al. The effect of hand hygiene on illness rate among students in university residence halls. *American Journal of Infection Control*, 2003, 31(6):364–370 (<http://www.ncbi.nlm.nih.gov/pubmed/14608304>).
- 284 Falsey AR, Criddle MM, Kolassa JE et al. Evaluation of a handwashing intervention to reduce respiratory illness rates in senior day-care centers. *Infection Control and Hospital Epidemiology*, 1999, 20(3):200–202 (<http://www.ncbi.nlm.nih.gov/pubmed/10100548>).
- 285 Carabin H, Gyorkos TW, Soto JC et al. Effectiveness of a training program in reducing infections in toddlers attending day care centers. *Epidemiology*, 1999, 10(3):219–227 (<http://www.ncbi.nlm.nih.gov/pubmed/10230828>).
- 286 Sandora TJ, Shih MC, Goldmann DA. Reducing absenteeism from gastrointestinal and respiratory illness in elementary school students: a randomized, controlled trial of an infection-control intervention. *Pediatrics*, 2008, 121(6):e1555–1562 (<http://www.ncbi.nlm.nih.gov/pubmed/18519460>).

References

- 287 Sandora TJ, Taveras EM, Shih MC et al. A randomized, controlled trial of a multifaceted intervention including alcohol-based hand sanitizer and hand-hygiene education to reduce illness transmission in the home. *Pediatrics*, 2005, 116(3):587–594 (<http://www.ncbi.nlm.nih.gov/pubmed/16140697>).
- 288 Kotch JB, Weigle KA, Weber DJ et al. Evaluation of an hygienic intervention in child day-care centers. *Pediatrics*, 1994, 94(6 Pt 2):991–994 (<http://www.ncbi.nlm.nih.gov/pubmed/7971087>).
- 289 Krilov LR, Barone SR, Mandel FS et al. Impact of an infection control program in a specialized preschool. *American Journal of Infection Control*, 1996, 24(3):167–173 (<http://www.ncbi.nlm.nih.gov/pubmed/8806992>).
- 290 Gwaltney JM, Jr., Moskalski PB, Hendley JO. Interruption of experimental rhinovirus transmission. *Journal of Infectious Diseases*, 1980, 142(6):811–815 (<http://www.ncbi.nlm.nih.gov/pubmed/6257799>).
- 291 Turner RB, Biedermann KA, Morgan JM et al. Efficacy of organic acids in hand cleansers for prevention of rhinovirus infections. *Antimicrobial Agents and Chemotherapy*, 2004, 48(7):2595–2598 (<http://www.ncbi.nlm.nih.gov/pubmed/15215114>).
- 292 Satomura K, Kitamura T, Kawamura T et al. Prevention of upper respiratory tract infections by gargling: a randomized trial. *American Journal of Preventive Medicine*, 2005, 29(4):302–307 (<http://www.ncbi.nlm.nih.gov/pubmed/16242593>).
- 293 Liu W, Tang F, Fang L-Q et al. Risk factors for SARS infection among hospital healthcare workers in Beijing: a case control study. *Tropical Medicine and International Health*, 2009, 14:52–59 (<http://dx.doi.org/10.1111/j.1365-3156.2009.02255.x>).
- 294 Farr BM, Hendley JO, Kaiser DL et al. Two randomized controlled trials of virucidal nasal tissues in the prevention of natural upper respiratory infections. *American Journal of Epidemiology*, 1988, 128(5):1162–1172 (<http://www.ncbi.nlm.nih.gov/pubmed/3055950>).
- 295 Longini IM, Jr., Monto AS. Efficacy of virucidal nasal tissues in interrupting familial transmission of respiratory agents. A field trial in Tecumseh, Michigan. *American Journal of Epidemiology*, 1988, 128(3):639–644 (<http://www.ncbi.nlm.nih.gov/pubmed/2843040>).
- 296 Dick EC, Hossain SU, Mink KA et al. Interruption of transmission of rhinovirus colds among human volunteers using virucidal paper handkerchiefs. *Journal of Infectious Diseases*, 1986, 153(2):352–356 (<http://www.ncbi.nlm.nih.gov/pubmed/3003208>).
- 297 Murphy D, Todd JK, Chao RK et al. The use of gowns and masks to control respiratory illness in pediatric hospital personnel. *Journal of Pediatrics*, 1981, 99(5):746–750 (<http://www.ncbi.nlm.nih.gov/pubmed/7299552>).
- 298 Snydman DR, Greer C, Meissner HC et al. Prevention of nosocomial transmission of respiratory syncytial virus in a newborn nursery. *Infection Control and Hospital Epidemiology*, 1988, 9(3):105–108.
- 299 Hall CB, Douglas RG, Jr. Nosocomial respiratory syncytial viral infections. Should gowns and masks be used? *American Journal of Diseases of Children*, 1981, 135(6):512–515 (<http://www.ncbi.nlm.nih.gov/pubmed/7234784>).
- 300 Leclair JM, Freeman J, Sullivan BF et al. Prevention of nosocomial respiratory syncytial virus infections through compliance with glove and gown isolation precautions. *New England Journal of Medicine*, 1987, 317(6):329–334 (<http://www.ncbi.nlm.nih.gov/pubmed/3600729>).
- 301 Jacobs JL, Ohde S, Takahashi O et al. Use of surgical face masks to reduce the incidence of the common cold among health care workers in Japan: a randomized controlled trial. *American Journal of Infection Control*, 2009, 37(5):417–419 (<http://www.ncbi.nlm.nih.gov/pubmed/19216002>).


- 302 Cowling BJ, Fung RO, Cheng CK et al. Preliminary findings of a randomized trial of non-pharmaceutical interventions to prevent influenza transmission in households. *PLoS ONE*, 2008, 3(5):e2101 (<http://www.ncbi.nlm.nih.gov/pubmed/18461182>).
- 303 MacIntyre CR, Cauchemez S, Dwyer DE et al. Face mask use and control of respiratory virus transmission in households. *Emerging Infectious Diseases*, 2009, 15(2):233–241 (<http://www.ncbi.nlm.nih.gov/pubmed/19193267>).
- 304 Aiello AE, Murray GF, Perez V et al. Mask use, hand hygiene, and seasonal influenza-like illness among young adults: a randomized intervention trial. *Journal of Infectious Diseases*, 2010, 201(4):491–498 (<http://www.ncbi.nlm.nih.gov/pubmed/20088690>).
- 305 Larson EL, Ferng YH, Wong-McLoughlin J et al. Impact of non-pharmaceutical interventions on URIs and influenza in crowded, urban households. *Public Health Reports*, 2010, 125(2):178–191 (<http://www.ncbi.nlm.nih.gov/pubmed/20297744>).
- 306 Agah R, Cherry JD, Garakian AJ et al. Respiratory syncytial virus (RSV) infection rate in personnel caring for children with RSV infections. Routine isolation procedure vs routine procedure supplemented by use of masks and goggles. *American Journal of Diseases of Children*, 1987, 141(6):695–697 (<http://www.ncbi.nlm.nih.gov/pubmed/3578197>).
- 307 Somogyi R, Vesely AE, Azami T et al. Dispersal of respiratory droplets with open vs closed oxygen delivery masks: implications for the transmission of severe acute respiratory syndrome. *Chest*, 2004, 125(3):1155–1157 (http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=15006983).
- 308 Foo CC, Goon AT, Leow YH et al. Adverse skin reactions to personal protective equipment against severe acute respiratory syndrome – a descriptive study in Singapore. *Contact Dermatitis*, 2006, 55(5):291–294 (<http://www.ncbi.nlm.nih.gov/pubmed/17026695>).
- 309 Gala CL, Hall CB, Schnabel KC et al. The use of eye-nose goggles to control nosocomial respiratory syncytial virus infection. *Journal of the American Medical Association*, 1986, 256(19):2706–2708 (<http://www.ncbi.nlm.nih.gov/pubmed/3773177>).
- 310 Loeb M, Dafoe N, Mahony J et al. Surgical mask vs N95 respirator for preventing influenza among health care workers: a randomized trial. *Journal of the American Medical Association*, 2009, 302(17):1865–1871 (<http://www.ncbi.nlm.nih.gov/pubmed/19797474>).
- 311 Pelke S, Ching D, Easa D et al. Gowning does not affect colonization or infection rates in a neonatal intensive care unit. *Archives of Pediatrics and Adolescent Medicine*, 1994, 148(10):1016–1020 (<http://www.ncbi.nlm.nih.gov/pubmed/7921089>).
- 312 Broderick MP, Hansen CJ, Russell KL. Exploration of the effectiveness of social distancing on respiratory pathogen transmission implicates environmental contributions. *Journal of Infectious Diseases*, 2008, 198(10):1420–1426 (<http://www.ncbi.nlm.nih.gov/pubmed/18823270>).
- 313 Doherty JA, Brookfield DS, Gray J et al. Cohorting of infants with respiratory syncytial virus. *Journal of Hospital Infection*, 1998, 38(3):203–206 (<http://www.ncbi.nlm.nih.gov/pubmed/9561471>).
- 314 Isaacs D, Dickson H, O'Callaghan C et al. Handwashing and cohorting in prevention of hospital acquired infections with respiratory syncytial virus. *Archives of Disease in Childhood*, 1991, 66(2):227–231 (<http://www.ncbi.nlm.nih.gov/pubmed/2001109>).
- 315 Yen MY, Lin YE, Su IJ et al. Using an integrated infection control strategy during outbreak control to minimize nosocomial infection of severe acute respiratory syndrome among healthcare workers. *Journal of Hospital Infection*, 2006, 62(2):195–199 (<http://www.ncbi.nlm.nih.gov/pubmed/16153744>).

References

- 316 Simon A, Khurana K, Wilkesmann A et al. Nosocomial respiratory syncytial virus infection: impact of prospective surveillance and targeted infection control. *International Journal of Hygiene and Environmental Health*, 2006, 209(4):317–324 (<http://www.ncbi.nlm.nih.gov/pubmed/16697255>).
- 317 Macartney KK, Gorelick MH, Manning ML et al. Nosocomial respiratory syncytial virus infections: the cost-effectiveness and cost-benefit of infection control. *Pediatrics*, 2000, 106(3):520–526 (<http://www.ncbi.nlm.nih.gov/pubmed/10969097>).
- 318 Krasinski K, LaCouture R, Holzman RS et al. Screening for respiratory syncytial virus and assignment to a cohort at admission to reduce nosocomial transmission. *Journal of Pediatrics*, 1990, 116(6):894–898 (<http://www.ncbi.nlm.nih.gov/pubmed/2348292>).
- 319 Wang TH, Wei KC, Hsiung CA et al. Optimizing severe acute respiratory syndrome response strategies: lessons learned from quarantine. *American Journal of Public Health*, 2007, 97 Suppl 1:S98–100 (<http://www.ncbi.nlm.nih.gov/pubmed/17413071>).
- 320 CDC. Efficiency of quarantine during an epidemic of severe acute respiratory syndrome – Beijing, China, 2003. *Morbidity and Mortality Weekly Report*, 2003, 52(43):1037–1040 (<http://www.ncbi.nlm.nih.gov/pubmed/14586295>).
- 321 Ou JM, Dun Z, Li Q et al. Efficiency of the quarantine system during the epidemic of severe acute respiratory syndrome in Beijing, 2003. *Zhonghua Liu Xing Bing Xue Za Zhi*, 2003, 24(12):1093–1095 (<http://www.ncbi.nlm.nih.gov/pubmed/14761622>).
- 322 Cowling BJ, Lau LL, Wu P et al. Entry screening to delay local transmission of 2009 pandemic influenza A (H1N1). *BMC Infectious Diseases*, 2010, 10:82 (<http://www.ncbi.nlm.nih.gov/pubmed/20353566>).
- 323 Heymann A, Chodick G, Reichman B et al. Influence of school closure on the incidence of viral respiratory diseases among children and on health care utilization. *Pediatric Infectious Disease Journal*, 2004, 23(7):675–677 (<http://www.ncbi.nlm.nih.gov/pubmed/15247610>).
- 324 Heymann AD, Hoch I, Valinsky L et al. School closure may be effective in reducing transmission of respiratory viruses in the community. *Epidemiology and Infection*, 2009, 137(10):1369–1376 (<http://www.ncbi.nlm.nih.gov/pubmed/19351434>).
- 325 Potter J, Stott DJ, Roberts MA et al. Influenza vaccination of health care workers in long-term-care hospitals reduces the mortality of elderly patients. *Journal of Infectious Diseases*, 1997, 175(1):1–6 (<http://www.ncbi.nlm.nih.gov/pubmed/8985189>).
- 326 Lemaitre M, Meret T, Rothan-Tondeur M et al. Effect of influenza vaccination of nursing home staff on mortality of residents: a cluster-randomized trial. *Journal of the American Geriatrics Society*, 2009, 57(9):1580–1586 (<http://www.ncbi.nlm.nih.gov/pubmed/19682118>).
- 327 Hayward AC, Harling R, Wetten S et al. Effectiveness of an influenza vaccine programme for care home staff to prevent death, morbidity, and health service use among residents: cluster randomised controlled trial. *BMJ (Clinical Research Ed.)*, 2006, 333(7581):1241 (<http://www.ncbi.nlm.nih.gov/pubmed/17142257>).
- 328 Saito R, Suzuki H, Oshitani H et al. The effectiveness of influenza vaccine against influenza a (H3N2) virus infections in nursing homes in Niigata, Japan, during the 1998–1999 and 1999–2000 seasons. *Infection Control and Hospital Epidemiology*, 2002, 23(2):82–86 (<http://www.ncbi.nlm.nih.gov/pubmed/11893153>).
- 329 Oshitani H, Saito R, Seki N et al. Influenza vaccination levels and influenza-like illness in long-term-care facilities for elderly people in Niigata, Japan, during an influenza A (H3N2) epidemic. *Infection Control and Hospital Epidemiology*, 2000, 21(11):728–730 (<http://www.ncbi.nlm.nih.gov/pubmed/11089658>).

- 330 Ando R, Kaname S, Yoshida M et al. Survey of novel influenza A (H1N1) infection and vaccination in dialysis facilities in the Tokyo Tama area. *Nihon Toseki Igakkai Zasshi*, 2010, 43(11):891–897.
- 331 Kanaoka S. [Inpatient and personnel vaccination influence on influenza outbreaks in long-term medical and care hospital]. *Kansenshogaku Zasshi (Journal of the Japanese Association for Infectious Diseases)*, 2010, 84(1):14–18 (<http://www.ncbi.nlm.nih.gov/pubmed/20170008>).
- 332 Thomas RE, Jefferson T, Lasserson TJ. Influenza vaccination for healthcare workers who work with the elderly. *Cochrane Database of Systematic Reviews*, 2010, (2):CD005187 (<http://www.ncbi.nlm.nih.gov/pubmed/20166073>).
- 333 Stevenson CG, McArthur MA, Naus M et al. Prevention of influenza and pneumococcal pneumonia in Canadian long-term care facilities: how are we doing? *CMAJ*, 2001, 164(10):1413–1419 (<http://www.ncbi.nlm.nih.gov/pubmed/11387913>).
- 334 Shugarman LR, Hales C, Setodji CM et al. The influence of staff and resident immunization rates on influenza-like illness outbreaks in nursing homes. *Journal of the American Medical Directors Association*, 2006, 7(9):562–567 (<http://www.ncbi.nlm.nih.gov/pubmed/17095421>).
- 335 Carman WF, Elder AG, Wallace LA et al. Effects of influenza vaccination of health-care workers on mortality of elderly people in long-term care: a randomised controlled trial. *Lancet*, 2000, 355(9198):93–97 (<http://www.ncbi.nlm.nih.gov/pubmed/10675165>).
- 336 Weinstock DM, Eagan J, Malak SA et al. Control of influenza A on a bone marrow transplant unit. *Infection Control and Hospital Epidemiology*, 2000, 21(11):730–732 (<http://www.ncbi.nlm.nih.gov/pubmed/11089659>).
- 337 Engels O, Goldman N, Doyen M et al. Reduction of the nosocomial influenza A burden in a paediatric hospital by immunisation of the healthcare workers *Reduction of the nosocomial influenza A burden in a paediatric hospital by immunisation of the healthcare workers*. City, 2005.
- 338 Monto AS, Rotthoff J, Teich E et al. Detection and control of influenza outbreaks in well-vaccinated nursing home populations. *Clinical Infectious Diseases*, 2004, 39(4):459–464 (<http://www.ncbi.nlm.nih.gov/pubmed/15356805>).

ISBN 978 92 4 150713 4



9 789241 507134