



ISO/TC 215
Health informatics

Email of secretary: lisa.spellman@ahima.org
Secretariat: ANSI (United States)

N1507_ISO/NP DTS 19239 Health Informatics-Categorial structure for representation of stimulation to the somatosensory system

Document type: NP ballot

Date of document: 2014-06-26

Expected action: VOTE

Action due date: 2014-09-26

No. of pages: 43, including cover

Background: **N1507_2014 Resolution 22 [WG3-R07] ISO/TS/PWI 19239 submission for an NP ballot:** For ISO/TS/PWI 19239 Health Informatics – categorial structure for representation of stimuli to somatic sensory systems, that TC215 approves the recommendation of WG3 to proceed to NP/DTS ballot. Members are asked to please review and vote by the due date as listed. Thank you.

Committee URL: <http://isotc.iso.org/livelink/livelink/open/tc215>



NEW WORK ITEM PROPOSAL	
Closing date for voting 2014-09-27	Reference number (to be given by the Secretariat)
Date of circulation 2014-06-27	ISO/TC 215 / SC 3 N 1507
Secretariat ANSI	<input type="checkbox"/> Proposal for new PC

A proposal for a new work item within the scope of an existing committee shall be submitted to the secretariat of that committee with a copy to the Central Secretariat and, in the case of a subcommittee, a copy to the secretariat of the parent technical committee. Proposals not within the scope of an existing committee shall be submitted to the secretariat of the ISO Technical Management Board.

The proposer of a new work item may be a member body of ISO, the secretariat itself, another technical committee or subcommittee, or organization in liaison, the Technical Management Board or one of the advisory groups, or the Secretary-General.

The proposal will be circulated to the P-members of the technical committee or subcommittee for voting, and to the O-members for information.

IMPORTANT NOTE: Proposals without adequate justification risk rejection or referral to originator.

Guidelines for proposing and justifying a new work item are contained in Annex C of the ISO/IEC Directives, Part 1.

The proposer has considered the guidance given in the Annex C during the preparation of the NWIP.

Proposal (to be completed by the proposer)

Title of the proposed deliverable. <i>(in the case of an amendment, revision or a new part of an existing document, show the reference number and current title)</i>	
English title	Health Informatics – Categorial structure for representation of stimulation to the somatosensory system
French title (if available)	to be supplied
Scope of the proposed deliverable.	
<p>This Technical Specification is to specify the categorial structure within the subject field of stimulation to the somatosensory system by defining a set of domain constraints of sanctioned characteristics each composed of a semantic link and an applicable characterizing category in order to represent the concept of the stimulation.</p> <p>The specification is circumscribed within applying intentional stimulation to the somatosensory system in "Biology" for diagnoses and therapies; therefore, the modalities are limited within TANGO-IN, RADIO-IN and CALOR-IN.</p> <p>Target groups:</p> <ul style="list-style-type: none"> · Developers and Managers of terminology resources · Manufacturers of medical devices and health information systems · Clinicians and coders · Informaticians, analysts, and epidemiologists <p>Out-of-scope:</p> <ul style="list-style-type: none"> · An accidentally applying stimulus; · Response(s) to the applied stimulus; · Stimulus within VIDEO, AUDIO, CHEMO; · Stimulus intended to induce emotional meanings or meanings of human relationships, and Culturological and/or Psychological stimulus; · Theoretical basis of stimulation; · Stimuli due to surgical deeds. 	

New work item proposal

<p>Purpose and justification of the proposal*</p> <p>Telemedicine is one of growing markets and its global market scale grew from \$9.8 billion in 2010 to \$11.6 billion in 2011 and will almost \$27.3 billion in 2016. Therefore, ITU-T SG 17 has provided the vendor-independent standards for telemedicine and tele-health capabilities, on the future needs. ISO also recognize this situation. Some technical committees as well as TC215 have diligently worked on those issues. ISO/TC12 and ITU-T/SG17 Liaison is one of them, they standardized the transmission of information on various kinds quantities with units, based on Telebiometric Multimodal Model (TMM).</p> <p>The TMM is composed of seven "sense" modalities: TANGO, VIDEO, AUDIO, CHEMO, RADIO (and CALOR, ELECTRO), each with IN and OUT modality, for five domains of knowledge: Physics, Chemistry, Biology, Psychology, and Culturology. Then, the communication environment for quantities and units are almost prepared, and OID definition process is now underway. However, the formalization of how those stimuli are given has not been specified yet in higher level of conceptualization.</p> <p>In any medical domain, an applying stimulus (i.e., stimulation) and the consequent response are essential both in diagnoses and therapies, as well as scientific researches. It means that an exact expression of stimulation is indispensable for the evaluation of methodology in observations, interventions, researches, and their outcomes. In addition, accurate data exchange and data processing require the common expression of stimulation in accordance with a normalized formal representation.</p> <p>Therefore, specification of the categorial structure for representation of stimulation is required. It can also be utilized as a basis for knowledge processing. This Technical Specification would satisfy the e-health needs of applying, controlling and identifying stimulation both in health industry and in telecommunication industry, and needless to say, for the support of people who need care or cure.</p> <p><i>*The reason for requiring justification statements with approval or disapproval votes is primarily to collect input on market or stakeholder needs, and on market relevance of the proposal, to benefit the development of the proposed ISO standard(s). Any NSB vote in relation to a proposal for new work may result in significant commitments of resources by all parties (NSBs, committee leaders and delegates/experts) or may have significant implications for ISO's relevance in the global community. It is especially important that NSBs consider and express why they vote the way they do. In addition, it is felt that it would be useful for ISO and its committees to have documentation as to why the NSBs feel a proposal has market need and market relevance. Therefore, please ensure that your justifying statements with your approval or disapproval vote convey the reason(s) why your national consensus does or does not support the market need and/or global relevance of the proposal.</i></p>
<p>If a draft is attached to this proposal,:</p> <p>Please select from one of the following options (note that if no option is selected, the default will be the first option):</p> <p><input type="checkbox"/> Draft document will be registered as new project in the committee's work programme (stage 20.00)</p> <p><input checked="" type="checkbox"/> Draft document can be registered as a Working Draft (WD – stage 20.20)</p> <p><input type="checkbox"/> Draft document can be registered as a Committee Draft (CD – stage 30.00)</p> <p><input type="checkbox"/> Draft document can be registered as a Draft International Standard (DIS – stage 40.00)</p>
<p>Is this a Management Systems Standard (MSS)?</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>NOTE: if Yes, the NWIP along with the <u>Justification study</u> (see Annex SL of the Consolidated ISO Supplement) must be sent to the MSS Task Force secretariat (tmb@iso.org) for approval before the NWIP ballot can be launched.</p>
<p>Indication(s) of the preferred type or types of deliverable(s) to be produced under the proposal.</p> <p><input type="checkbox"/> International Standard <input checked="" type="checkbox"/> Technical Specification <input type="checkbox"/> Publicly Available Specification <input type="checkbox"/> Technical Report</p>
<p>Proposed development track <input type="checkbox"/> 1 (24 months) <input checked="" type="checkbox"/> 2 (36 months - default) <input type="checkbox"/> 3 (48 months)</p>

New work item proposal

Known patented items (see ISO/IEC Directives, Part 1 for important guidance) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes", provide full information as annex	
A statement from the proposer as to how the proposed work may relate to or impact on existing work, especially existing ISO and IEC deliverables. The proposer should explain how the work differs from apparently similar work, or explain how duplication and conflict will be minimized. This Technical specification is a higher level model. Therefore, it will not impact on 16843-2. Rather, it would be assistive as an upper framework.	
A listing of relevant existing documents at the international, regional and national levels. maybe none; although there are templates or archetypes for observation (i.e. response) or laboratory tests.	
A simple and concise statement identifying and describing relevant affected stakeholder categories (including small and medium sized enterprises) and how they will each benefit from or be impacted by the proposed deliverable(s) Developers of terminology as well as health information industry and in telecommunication industry would gain benefits of compatibility and interoperability in data exchange on the stimulation to the somatosensory system.	
Liaisons: A listing of relevant external international organizations or internal parties (other ISO and/or IEC committees) to be engaged as liaisons in the development of the deliverable(s). possibly IHTSDO, OpenEHR, HL7	Joint/parallel work: Possible joint/parallel work with: <input type="checkbox"/> IEC (please specify committee ID) <input type="checkbox"/> CEN (please specify committee ID) <input type="checkbox"/> Other (please specify)
A listing of relevant countries which are not already P-members of the committee. none	
Preparatory work (at a minimum an outline should be included with the proposal) <input checked="" type="checkbox"/> A draft is attached <input type="checkbox"/> An outline is attached <input type="checkbox"/> An existing document to serve as initial basis The proposer or the proposer's organization is prepared to undertake the preparatory work required <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Proposed Project Leader (name and e-mail address) Yasuyuki Hirose Medical Informatics, Hospital, University of the Ryukyus Uehara 207, Nishihara, Nakagami, Okinawa 903-0215, JAPAN E-mail: hirose@m.hosp.u-ryukyu.ac.jp Vox: +81(98)895-1343 Fax: +81(98)895-1475	Name of the Proposer (include contact information) Yasuyuki Hirose Medical Informatics, Hospital, University of the Ryukyus Uehara 207, Nishihara, Nakagami, Okinawa 903-0215, JAPAN E-mail: hirose@m.hosp.u-ryukyu.ac.jp Vox: +81(98)895-1343 Fax: +81(98)895-1475
Supplementary information relating to the proposal <input checked="" type="checkbox"/> This proposal relates to a new ISO document; <input type="checkbox"/> This proposal relates to the adoption as an active project of an item currently registered as a Preliminary Work Item; <input type="checkbox"/> This proposal relates to the re-establishment of a cancelled project as an active project. Other:	

Annex(es) are included with this proposal (give details)

© ISO 2014 – All rights reserved

Reference number of working document: ISO/TC 215/WG 3 N **1507**

Date: 2014-06-26

Reference number of document: **ISO/WD N1507**

Committee identification: ISO/TC 215/WG 3

Secretariat: ANSI

Health Informatics — Categorial structure for representation of stimulation to the somatosensory system

Élément introductif — Élément principal — Partie n: Titre de la partie

Warning

This document is not an ISO International Standard. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an International Standard.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Document type: Technical specification

Document subtype: if applicable

Document stage: (20) Preparation

Document language: E

C:\Users\spellman\Documents\Standards-Documents MASTER\19239_WG3_Conceptual methods\N1507 Docs for NP Japan R22\20140625-Cat_Struct-Stim_Somatosensory-50.doc Basic template BASICEN3 2002-06-01

Contents	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
1.1 Main purpose.....	1
1.2 Target groups.....	1
1.3 Topics outside the scope.....	2
2 Normative references.....	2
3 Terms and definitions.....	3
4 Categorial structure.....	5
4.1 Overview.....	5
4.2 Characterizing Categories.....	5
4.2.1 Stimulation.....	5
4.2.2 Modality.....	6
4.2.3 Intensity.....	6
4.2.4 Intensity Parameter.....	6
4.2.5 unit.....	6
4.2.6 Repetition.....	7
4.2.7 Stimulating Tool.....	7
4.3 Semantic Links.....	7
4.3.1 isGeneratedBy.....	7
4.3.2 IsQuantifiedBy.....	7
4.3.3 IsSpecifiedBy.....	7
4.3.4 withUnitOf.....	8
4.3.5 isFollowedBy.....	8
4.3.6 isCombinedWith.....	8
4.3.7 isAppliedTo.....	8
5 Conformance.....	9
5.1 Conformance principles.....	9
5.2 Conformity to this Technical Specification.....	9
5.3 Supplemental recommendation.....	9

ISO/WD 19239

Annex A (normative) Selected definitions from ISO 1087-1:2000	10
A.1 Language and reality	10
A.2 Concept	10
A.3 Definitions	13
A.4 Designations	13
A.6 Aspects of terminology work	13
A.7 Terminological data	14
Annex B (normative) Selected definitions from EN 12264:2005	15
Annex C (normative) Selected definitions from ISO 17115:2007	17
C.1 Specialization	17
C.2 Formal representation of characteristics	18
C.3 Sanctioned specialization	18
C.4 Formal concept representation	19
C.5 Terminology and information models, concept systems	20
C.6 Specified concepts	20
C.7 Terminological systems	21
Annex D (normative) Selected definitions from ISO/DIS 16278:2014	22
D.1 Terms and Definitions	22
D.2 Anatomical Categories	22
Annex E (normative) Selected descriptions from IEC 80000-14:2008	25
E.0 Introduction specific to 80000-14	25
E.3 Terms and Definitions	26
E.B Structure of the model (Annex B.1)	28
E.D Unimodal and multimodal wetware interaction (Annex D.1)	29
Annex F (informative) Explanation of Stimulations and its Parameters	30
F.1 Abstraction of simple stimulation	30
F.2 Sample descriptions of various stimulations with parameters	30
Bibliography	32

Report of voting

Ballot Information

Ballot reference	ISO/NP 19239 - Categorial structure representation physical external stim
Ballot type	NP
Ballot title	
Opening date	2014-06-27
Closing date	2014-09-26
Note	: For ISO/TS/PWI 19239 Health Informatics – Categorial structure for representation of stimuli to somatic sensory systems, that TC215 approves the recommendation of WG3 to proceed to NP/DTS ballot. Members are asked to please review and vote by the due date as listed. Thank you.

Member responses - Votes by members

Country (Member body)	Status*	1a. Agree to add to work programme							Market relevance	1b. Stakeholders consultation		2. Relevant documents		3. Comments		4. Participation		
		Yes				No		Abs		Yes	No	Yes	No	Yes	No	Yes	No	
		20.00	20.20	30.00	40.00	PWI: Yes	PWI: No											
Argentina (IRAM)	P							X		X		X		X		X		X
Armenia (SARM)	P							X										
Australia (SA)	P							X										
Austria (ASI)	P							X	X			X		X		X		X
Belgium (NBN)	P							X		X		X		X		X		X
Brazil (ABNT)	P							X	X			X		X		X		X
Canada (SCC)	P							X	X			X		X		X		X
China (SAC)	P					X			X	X		X		X	X			
Czech Republic (UNMZ)	P							X		X		X		X		X		X
Denmark (DS)	P							X	X			X		X		X		X
Finland (SFS)	P							X		X		X		X		X		X
Germany (DIN)	P							X	X			X		X		X		X
India (BIS)	P							X	X			X		X		X		X
Iran, Islamic Republic of (ISIRI)	P							X	X			X		X		X		X
Ireland (NSAI)	P							X		X		X		X		X		X
Japan (JISC)	P		X						X	X		X		X	X			
Sub-Total Question 1a		0	1	0	0	1	0	14										
Totals		1				1		14	2	10	4	0	14	0	14	2	12	

Member responses - Votes by members																		
Country (Member body)	Status*	1a. Agree to add to work programme							Market relevance	1b. Stakeholders consultation		2. Relevant documents		3. Comments		4. Participation		
		Yes				No				Yes	No	Yes	No	Yes	No	Yes	No	
		20.00	20.20	30.00	40.00	PWI: Yes	PWI: No	Abs										
Korea, Republic of (KATS)	P	X							X	X		X		X		X		
Malaysia (DSM)	P							X			X	X		X		X		
Mexico (DGN)	P	X							X		X	X		X	X			
Netherlands (NEN)	P							X		X		X	X			X		
Norway (SN)	P	X							X	X		X		X		X		
Peru (INDECOPI)	P							X			X	X		X		X		
Russian Federation (GOST R)	P							X		X		X		X		X		
South Africa (SABS)	P							X			X	X		X		X		
Spain (AENOR)	P							X			X	X		X		X		
Sweden (SIS)	P							X		X		X		X		X		
Switzerland (SNV)	P							X		X		X		X		X		
Tunisia (INNORPI)	P							X			X	X		X		X		
United Kingdom (BSI)	P								X	X		X		X		X		
United States (ANSI)	S	X							X	X		X		X	X			
Sub-Total Question 1a		4	1	0	0	1	1	23										
Totals		5				2			23	7	18	10	0	28	1	27	4	24

Member responses - Votes not cast (4)	
Italy (UNI)	
Kenya (KEBS)	
Luxembourg (ILNAS)	
Philippines (BPS)	

Comments from voters		
Member	Comment	Date
China (SAC) Ren, Guanhua Mr	<p>See linked comment file: ISO NP 19239 - Categorical structure representation physical external stim SAC.doc (access restricted to ballot audience)</p> <p>Comment to Q.1: The scope of "stomulation to the somatosensory system" is too big and too vague</p> <p>Comment to Q.7: Haiyan Li</p>	2014-09-26
Japan (JISC) Masuda, Chihiro Ms.	<p>Comment to Q.1: In medical domains, stimulation to the somatosensory system is widely used both in diagnosis procedures and in therapeutic manuvvers. Therefore, the simple and universal conceptual model for it will be useful and important for conformity and consistency for the basis of various kinds of stimulation.</p>	2014-09-26

ISO/NP TS 16843-1 - Categorical structures representation acupuncture:Part 1

ISO/TC 215

Secretariat: **ANSI (United States)**

Vote begins on: **2014-10-25**

Vote terminates on: **2015-01-25**

ISO/TC 215

Health informatics
Informatique de santé

NP Ballot : ISO/NP TS 16843-1 - Categorical structures representation acupuncture:Part 1

Health Informatics -- Categorical structures for representation of acupuncture -- Part 1: Acupuncture points

Source

Project

Medium

Electronic ballot on ISOTC

Note

Berlin 2014 Resolution 53 [WG3-R03]: ISO/IS CD 16843-1 submission for a 3-month New Work Item Proposal-DTS - For ISO/TS 16843-1, Health informatics, Categorical structure for representation of acupuncture—Part 1: Acupuncture points -

Summary of questions:	
1a. Do you approve, disapprove or abstain on this NWIP?	approve * disapprove * abstain
Please also select from one of the following options (note that if no option is selected, the default will be the first option):	Draft document will be registered as new project in the committee's work programme (stage 20.00) Draft document can be registered as a Working Draft (WD - stage 20.20)

	Draft document can be registered as a Committee Draft (CD - stage 30.00) Draft document can be registered as a Draft International Standard (DIS - stage 40.00)
In case of disapproval, do you believe that further study and consultations are needed first among committee members on this proposal as a preliminary work item before this proposal can be formally accepted?	Yes No
1b. Did you consult with the range of relevant stakeholders identified in the proposal in the development of this voting position and related comments?	Yes No
2. Standard(s), regulation(s), and other relevant documentation existing in our country, with any remarks concerning their application if necessary and consequences for global relevance, as well as copyright information on these documents, are attached:	Yes (references provided below) * No
3. Do you wish to add any additional comments?	Yes * No
4. We are committed to participating actively in the development of the project, at least by commenting on working drafts (P-members voting "Disapprove" in Qu. 1a may nevertheless nominate experts):	Yes (and we nominate an expert below) * No
(*) A Comment is required for this answer value	



ISO/TC 215/WG 3
Semantic content

Email of secretary: joe7741@sina.com
Convenorship: SA (Australia)

N186-WG3 (N1588-TC215) ISO-DTS NP 16843-1 Categorial structure representation acupuncture-Part 1

Document type: NP ballot

Date of document: 2014-10-24

Expected action: INFO

No. of pages: 41, including cover

Background: Per 2014 Resolution 53 [WG3-R3] - ISO/DTS NP 16843-1 has been opened for NP ballot as N1588. Please note that this item has been uploaded on WG3 for information only - the voting occurs at the TC215-NMB level. Thank you.

Committee URL: <http://isotc.iso.org/livelink/livelink/open/tc215wg3>



ISO/TC 215
Health informatics

Email of secretary: lisa.spellman@ahima.org
Secretariat:

N1588_ISO/DTS NP_Health informatics_Categorial structure for representation of acupuncture Part1-Acupuncture points_NP-DTS Ballot

Document type: NP ballot

Date of document: 2014-10-24

Expected action: VOTE

Action due date: 2014-01-25

No. of pages: 41, including cover

Background: **N1588** is submitted as a new work item per **2014 Berlin Resolution 53 [WG3-R03]: ISO/IS CD 16843-1 submission for a 3-month New Work Item Proposal-DTS**. Please review and vote by the due date as listed. Thank you

Committee URL: <http://isotc.iso.org/livelink/livelink/open/tc215>



NEW WORK ITEM PROPOSAL	
Closing date for voting 2015-01-25	Reference number (to be given by the Secretariat)
Date of circulation 2014-10-25	ISO/TC 215 / SC N 1588
Secretariat ANSI	<input type="checkbox"/> Proposal for new PC

A proposal for a new work item within the scope of an existing committee shall be submitted to the secretariat of that committee with a copy to the Central Secretariat and, in the case of a subcommittee, a copy to the secretariat of the parent technical committee. Proposals not within the scope of an existing committee shall be submitted to the secretariat of the ISO Technical Management Board.

The proposer of a new work item may be a member body of ISO, the secretariat itself, another technical committee or subcommittee, or organization in liaison, the Technical Management Board or one of the advisory groups, or the Secretary-General.

The proposal will be circulated to the P-members of the technical committee or subcommittee for voting, and to the O-members for information.

IMPORTANT NOTE: Proposals without adequate justification risk rejection or referral to originator.

Guidelines for proposing and justifying a new work item are contained in Annex C of the ISO/IEC Directives, Part 1.

The proposer has considered the guidance given in the Annex C during the preparation of the NWIP.

Proposal (to be completed by the proposer)

Title of the proposed deliverable. <i>(in the case of an amendment, revision or a new part of an existing document, show the reference number and current title)</i>	
English title	Health Informatics – Categorial structures for representation of acupuncture – Part 1: Acupuncture points
French title (if available)	to be supplied
Scope of the proposed deliverable.	
This Technical Specification specifies the categorial structure within the subject field of acupuncture point by defining a set of domain constraints of sanctioned characteristics each composed of a semantic link and an applicable characterizing category in order to represent the concept of acupuncture point relevant to terminological systems and in some cases information models.	
Target groups:	
<ul style="list-style-type: none"> · Developers of terminological systems which include acupuncture point concepts; · Developers of information systems that require a structured framework of concepts to facilitate implementation and communication; · Informaticians, analysts and epidemiologists who require common models of knowledge to facilitate analysis of current and legacy data from one or more information systems; · Clinicians and coders to provide greater consistency in structure and organisation when entering and retrieving data using one or more terminological resources · Managers and administrative personal in providing a benchmark by which to judge terminology solutions: particularly the potential options required to deliver compatibility with legacy data and future proofing to emerging terminology products. 	
Outside of scope :	
An exhaustive list of all possible characterising concepts that could be used to describe acupuncture points and actual terminological representation of concepts.	

New work item proposal

Purpose and justification of the proposal*

When we review the world situation of how people benefit from medical service, we face the fact that a small portion of the population can receive modern medicine service at will, even in the countries with the highest GDP. Also, WHO Western Pacific Regional Office reports that high percentage of population use traditional medicines in the nations within the region. These are the reasons that WHO is trying to explore ways of collecting statistic data not only depending on modern medicine concepts but also the concepts of traditional medicines.

One of these traditional medicines is acupuncture. Acupuncture therapy started primarily as scrubbing and pressing sensitive points/area on the body surface. Acupuncture therapy is now practiced in many medical domains such as Ayurveda, traditional Chinese medicine, and also as a part of modern medicine. Varieties of stimulation (i.e., acupressure, electroacupuncture) are applied to acupuncture points including points or zones which have no designation.

Acupuncture practice is still the subject of some scientific criticism, however there is no denying fact that some clinical trials have proved the efficacy of this therapy and some scientific papers have clarified some of the mechanisms of acupuncture therapy in the past two decades.

Since acupuncture is practiced in many medical domains with different concept systems, there are potentially dangerous problems of synonyms and polysemes among medical domains or countries/regions. This situation impedes accurate information exchange and data processing, such as knowledge acquisition from existing data.

In order to solve this problem, it's essential to prepare a standardised clinically sound system for representation of acupuncture point, with concept harmonization at a high level. This supports information models and terminological resource development based upon a shared view of the concepts required. The categorial structure for representation of acupuncture point, would cover various medical domains, and help to develop reliable terminological systems and/or mapping among terminological resources regarding acupuncture points.

Any specific characteristics needed in individual medical domains should be specified in other projects. This project does not include detailed concept representation or content of terminological systems. Other technical committees (e.g. TC249) or organizations may develop such content using the categorial structures to provide a consistent harmonised structure.

**The reason for requiring justification statements with approval or disapproval votes is primarily to collect input on market or stakeholder needs, and on market relevance of the proposal, to benefit the development of the proposed ISO standard(s). Any NSB vote in relation to a proposal for new work may result in significant commitments of resources by all parties (NSBs, committee leaders and delegates/experts) or may have significant implications for ISO's relevance in the global community. It is especially important that NSBs consider and express why they vote the way they do. In addition, it is felt that it would be useful for ISO and its committees to have documentation as to why the NSBs feel a proposal has market need and market relevance. Therefore, please ensure that your justifying statements with your approval or disapproval vote convey the reason(s) why your national consensus does or does not support the market need and/or global relevance of the proposal.*

If a draft is attached to this proposal,:

Please select from one of the following options (note that if no option is selected, the default will be the first option):

- Draft document will be registered as new project in the committee's work programme (stage 20.00)
 Draft document can be registered as a Working Draft (WD – stage 20.20)
 Draft document can be registered as a Committee Draft (CD – stage 30.00)
 Draft document can be registered as a Draft International Standard (DIS – stage 40.00)

Is this a Management Systems Standard (MSS)?

Yes No

NOTE: if Yes, the NWIP along with the Justification study (see Annex SL of the Consolidated ISO Supplement) must be sent to the MSS Task Force secretariat (tmb@iso.org) for approval before the NWIP ballot can be launched.

New work item proposal

Indication(s) of the preferred type or types of deliverable(s) to be produced under the proposal. <input type="checkbox"/> International Standard <input checked="" type="checkbox"/> Technical Specification <input type="checkbox"/> Publicly Available Specification <input type="checkbox"/> Technical Report	
Proposed development track <input type="checkbox"/> 1 (24 months) <input checked="" type="checkbox"/> 2 (36 months - default) <input type="checkbox"/> 3 (48 months)	
Known patented items (see ISO/IEC Directives, Part 1 for important guidance) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes", provide full information as annex	
A statement from the proposer as to how the proposed work may relate to or impact on existing work, especially existing ISO and IEC deliverables. The proposer should explain how the work differs from apparently similar work, or explain how duplication and conflict will be minimized. This work inherits some portion from ISO 16278:2014 Health informatics - Categorical structure for terminologies system of human anatomy, and ISO TC215 N1507 ISO/NP/TS Health Informatics - Categorical Structure of Representation of Stimulation to the Somatosensory system. Both are developed on the bases of ISO 17115:2007 and ISO 1087-1:2000. In addition, this work is in complementary relation with ISO TC215 N1501 ISO/AWI/TS Health Informatics - Categorical Structure of Representation of Acupuncture Part2: Needling.	
A listing of relevant existing documents at the international, regional and national levels. WHO Standard Acupuncture Point Locations in the Western Pacific Region WHO International Standard Terminologies on Traditional Medicine in the Western Pacific Region	
A simple and concise statement identifying and describing relevant affected stakeholder categories (including small and medium sized enterprises) and how they will each benefit from or be impacted by the proposed deliverable(s) Developers of terminology as well as health information industry. Educators engaged in education of acupuncture and traditional medicine.	
Liaisons: A listing of relevant external international organizations or internal parties (other ISO and/or IEC committees) to be engaged as liaisons in the development of the deliverable(s). Possibly IHTSDO	Joint/parallel work: Possible joint/parallel work with: <input type="checkbox"/> IEC (please specify committee ID) <input type="checkbox"/> CEN (please specify committee ID) <input type="checkbox"/> Other (please specify)
A listing of relevant countries which are not already P-members of the committee. France, Mongolia, New Zealand, Portugal, Vietnam	
Preparatory work (at a minimum an outline should be included with the proposal) <input checked="" type="checkbox"/> A draft is attached <input type="checkbox"/> An outline is attached <input type="checkbox"/> An existing document to serve as initial basis The proposer or the proposer's organization is prepared to undertake the preparatory work required <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Proposed Project Leader (name and e-mail address) Toshihiro Togo Tokyo Ariake University of Medical and Health Sciences 2-9-1 Ariake Koto-ku, 135-0063, Tokyo JAPAN TEL: +81-3-6703-7000 FAX: +81-3-6703-7100 E-mail: togo@tau.ac.jp	Name of the Proposer (include contact information) Toshihiro Togo Tokyo Ariake University of Medical and Health Sciences 2-9-1 Ariake Koto-ku, 135-0063, Tokyo JAPAN TEL: +81-3-6703-7000 FAX: +81-3-6703-7100 E-mail: togo@tau.ac.jp

New work item proposal

Supplementary information relating to the proposal

- This proposal relates to a new ISO document;
- This proposal relates to the adoption as an active project of an item currently registered as a Preliminary Work Item;
- This proposal relates to the re-establishment of a cancelled project as an active project.

Other:

Annex(es) are included with this proposal (give details)

- 20140826-Cat_struct_for_Acupuncture_Part1-AcuPoints-36.doc

© ISO 2014 – All rights reserved

Reference number of working document: ISO/TC 215/WG 3 N **1588**

Date: 2014-10-25

Reference number of document: ISO/NP-DTS 16843-1

Committee identification: ISO/TC 215/WG 3

Secretariat: ANSI

Health Informatics — Categorial structures for representation of acupuncture — Part 1: Acupuncture points

Élément introductif — Élément principal — Partie n: Titre de la partie

Warning

This document is not an ISO International Standard. It is distributed for review and comment. It is subject to change without notice and may not be referred to as an International Standard.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Document type: Technical specification

Document subtype: if applicable

Document stage: (20) Preparation

Document language: E

C:\Users\spellman\Documents\Standards-Documents MASTER\16843-1 -2-3-4\16843-1_Categorial Acupuncture\N_1588_Docs for NWIP\20140826_Cat_struct_for_Acupuncture_Part1-AcuPoints_36.doc
Basic template BASICEN3 2002-06-01

Contents

Page

Foreword.....	v
Introduction.....	vi
1 Scope.....	1
1.1 Main purpose.....	1
1.2 Target groups.....	1
1.3 Topics considered outside the scope.....	2
2 Normative references.....	2
3 Terms and definitions.....	3
4 Categorial structure.....	10
4.1 Outline.....	10
4.2 Characterizing categories.....	11
4.2.1 Point Location.....	11
4.2.2 Clinical Findings.....	11
4.2.3 Efficacy.....	11
4.3 Semantic Links.....	12
4.3.1 identifies.....	12
4.3.2 locates.....	12
4.3.3 is_located_at.....	12
4.3.4 is_used_for_endpoint_of.....	12
4.4 Additional Links.....	12
4.4.1 is_characterized_by.....	12
4.4.2 is_verified_by.....	13
5 Conformance.....	13
5.1 Conformance principles.....	13
5.2 Conformity to this Technical Specification.....	13
5.3 Supplemental recommendation.....	13

Annex A (normative) Selected definitions from ISO 17115	14
A.1 Specialization	14
A.2 Formal representation of characteristics	14
A.3 Sanctioned specialization	15
A.4 Formal concept representation	15
A.5 Terminology and information models, concept systems	16
A.6 Specified concepts	17
A.7 Terminological systems	17
Annex B (normative) Selected definitions from ISO 1087-1:2000	19
B.1 Language and reality	19
B.2 Concept	19
B.3 Definitions	22
B.4 Designations	22
B.6 Aspects of terminology work	24
B.8 Terminological data	24
Annex C (normative) Selected definitions from ISO/DIS 16278:2014	25
C.1 Terms and Definitions	25
C.2 Anatomical Categories	25
Annex D (informative) Sample diagrams of life force flow channel and acupuncture points	28
D.1 Chinese	28
D.2 India	28
Bibliography	29