

原田

A:観察型研究

- 1) 加藤龍一、高城智圭、櫻井尚子、星旦二. 地域在住高齢者の転倒の関連要因と3年度の生存. 日本公衛誌 2012; 59 (5) : 305-314
- 2) 安村誠司: 高齢者の転倒・骨折の頻度. 日本医師会雑誌 1999;122:1945-49.
- 3) 折茂肇, 坂田清美: 第四回大腿骨頸部骨折全国頻度調査成績 2002年における新発生患者数の推定と15年間の推移. 日本医事新報 2004:25-30
- 4) Hagino H, Katagiri H, Okano T, et al: Increasing incidence of hip fracture in Tottori Prefecture, Japan: trend from 1986 to 2001. Osteoporos Int 2005;16:1963-196

B:介入型研究

- 1) Suzuki T, Kim H, Yoshida H, Ishizaki T. Randomized controlled trial of exercise intervention for the prevention of falls in community-dwelling elderly Japanese women. J Bone Miner Metab 2004; 22:602-11.
- 2) Sakamoto K, Nakamura T, Hagino H, Endo N, Mori S, Muto Y, Harada A, et al. Effects of unipedal standing balance exercise on the prevention of falls and hip fracture among clinically defined high-risk elderly individuals: A randomized controlled trial. J Orthop Sci 2006 11:467-472
- 3) Sakamoto K, Endo N, Harada A, Sakada T, Tsushita K, Kita K, Hagino H, Sakai A, Yamamoto N, Okamoto T, Liu M, Kokaze A, Suzuki H. Why not use your own body weight to prevent falls? A randomized, controlled trial of balance therapy to prevent falls and fractures for elderly people who can stand on one leg for ≤ 15 s. J Orthop Sci 2013 18:110-120
- 4) Harada A, Mizuno M, Takemura M, Tokuda H, Okuizumi H, Niino N. Hip fracture prevention trial using hip protectors in Japanese nursing homes. Osteoporosis Int 2001;12(3): 215-21
- 5) Koike T, Orito Y, Toyed H, Tada M, Sugama R, Hoshino M, Nakao Y, Kobayashi S, Kondo K, Hirota Y, Takaoka K. External hip protectors are effective for the elderly with higher-than-average risk factors for hip fractures. Osteoporos Int 2009; 20:1613-1620
- 6) Hayashi Y, Fujita T, Inoue T. Decrease of vertebral fracture in osteoporotics by administration of 1α -hydroxy-vitamin D₃. J Bone Miner Metab 1992; 10: 184-8.
- 7) 萩野浩: Clin Calcium 19(1) 75-84, 2009
- 8) Kim HK, Suzuki T, Saito K et al. Effects of exercise and amino acid supplementation on body composition and physical function in

community-dwelling elderly Japanese sarcopenic women: a randomized controlled trial. *J Am Geriatr Soc* 2012; 60: 16–23.

吉村

- 1) Akune T, Muraki S, Oka H, Tanaka S, Kawaguchi H, Tokimura F, Yoshida H, Suzuki T, Nakamura K, Yoshimura N: Incidence of certified need of care in the long-term care insurance system and its risk factors in the elderly of Japanese population-based cohorts: The ROAD study. *Geriatr Gerontol Int* 14: 695-701, 2014
- 2) Yoshimura N, Muraki S, Oka H, Mabuchi A, En-Yo Y, Yoshida M, Saika A, Yoshida H, Suzuki T, Yamamoto S, Ishibashi H, Kawaguchi H, Nakamura K, Akune T: Prevalence of knee osteoarthritis, lumbar spondylosis and osteoporosis in Japanese men and women: the research on osteoarthritis/osteoporosis against disability study. *J Bone Miner Metab* 27: 620-628, 2009
- 3) Muraki S, Akune T, Oka H, Ishimoto Y, Nagata K, Yoshida M, Tokimura F, Nakamura K, Kawaguchi H, Yoshimura N: Incidence and risk factors for radiographic knee osteoarthritis and knee pain in Japanese men and women: A longitudinal population-based cohort study. *Arthritis Rheum* 64: 1447-1456, 2012
- 4) Muraki S, Akune T, Oka H, Ishimoto Y, Nagata K, Yoshida M, Tokimura F, Nakamura K, Kawaguchi H, Yoshimura N: Incidence and risk factors for radiographic lumbar spondylosis and lower back pain in Japanese men and women: the ROAD study. *Osteoarthritis Cartilage* 20: 712-718, 2012

葛谷

1. Shimada H, Makizako H, Doi T, Tsutsumimoto K, Suzuki T. Incidence of Disability in Frail Older Persons With or Without Slow Walking Speed.. *JAMDA* 16 (2015) 690-696
2. 浜崎 優子, 森河 裕子, 中村 幸志, 森本 茂人, 中川 秀昭. 介護予防事業対象者選定における生活機能検査の参加状況と要介護状態発生との関連. *日本公衆衛生雑誌* (0546-1766)59 卷 11 号 Page801-809(2012.11)

3. 藤本 聡, 山崎 幸子, 若林 章都, 松崎 裕美, 安村 誠司. 虚弱高齢者に対する「太極拳ゆったり体操」の介護予防効果 新規要介護認定および生命予後との関連 日本老年医学会雑誌 (0300-9173)48 巻 6 号 Page699-706(2011.11)
4. 川畑 輝子, 武見 ゆかり, 村山 洋史, 西 真理子, 清水 由美子, 成田 美紀, 金 美芝, 新開 省二 地域在住高齢者に対する虚弱予防教室による虚弱および食習慣の改善効果 日本公衆衛生雑誌 (0546-1766)62 巻 4 号 Page169-181(2015.04)
5. Yamada M, Arai H, Sonoda T, Aoyama T. Community-based exercise program is cost-effective by preventing care and disability in Japanese frail older adults. *J Am Med Dir Assoc.* 2012 Jul;13(6):507-11.
6. Yamada M, Nishiguchi S, Fukutani N, Aoyama T, Arai H. Mail-Based Intervention for Sarcopenia Prevention Increased Anabolic Hormone and Skeletal Muscle Mass in Community-Dwelling Japanese Older Adults: The INE (Intervention by Nutrition and Exercise) Study. *J Am Med Dir Assoc.* 2015 Aug 1;16(8):654-60.
7. Kim H, Suzuki T, Kim M, Kojima N, Ota N, Shimotoyodome A, Hase T, Hosoi E, Yoshida H. Effects of exercise and milk fat globule membrane (MFGM) supplementation on body composition, physical function, and hematological parameters in community-dwelling frail Japanese women: a randomized double blind, placebo-controlled, follow-up trial. *PLoS One.* 2015 Feb 6;10(2):e0116256.
8. Sugimoto H, Demura S, Nagasawa Y, Shimomura M. Changes in the physical functions of pre-frail elderly women after participation in a 1-year preventative exercise program. *Geriatr Gerontol Int.* 2014 Oct;14(4):975-82.

島田

1. Cooper, R., Kuh, D., Hardy, R., Mortality Review, G., Falcon, and Teams, H.a.S. (2010). Objectively measured physical capability levels and mortality: systematic review and meta-analysis. *BMJ* 341, c4467.
2. Nagamatsu, L.S., Handy, T.C., Hsu, C.L., Voss, M., and Liu-Ambrose, T. (2012). Resistance training promotes cognitive and functional brain plasticity in seniors with probable mild cognitive impairment. *Archives of internal medicine* 172, 666-668.
3. Ngandu, T., Lehtisalo, J., Solomon, A., Levalahti, E., Ahtiluoto, S., Antikainen, R., Backman, L., Hanninen, T., Jula, A., Laatikainen, T., Lindstrom, J., Mangialasche, F., Pajananen, T., Pajala, S., Peltonen, M., Rauramaa, R., Stigsdotter-Neely, A., Strandberg, T., Tuomilehto, J., Soininen, H., and Kivipelto, M. (2015). A 2 year multidomain intervention of diet, exercise, cognitive training, and vascular risk monitoring versus control to prevent cognitive decline in at-risk elderly people (FINGER): a randomised controlled trial. *Lancet* 385, 2255-2263.

4. Samitz, G., Egger, M., and Zwahlen, M. (2011). Domains of physical activity and all-cause mortality: systematic review and dose-response meta-analysis of cohort studies. *Int J Epidemiol* 40, 1382-1400.
5. Scherder, E., Scherder, R., Verburgh, L., Konigs, M., Blom, M., Kramer, A.F., and Eggermont, L. (2014). Executive functions of sedentary elderly may benefit from walking: a systematic review and meta-analysis. *Am J Geriatr Psychiatry* 22, 782-791.
6. Shimada, H., Makizako, H., Doi, T., Tsutsumimoto, K., and Suzuki, T. (2015). Incidence of Disability in Frail Older Persons With or Without Slow Walking Speed. *J Am Med Dir Assoc* 16, 690-696.
7. Studenski, S., Perera, S., Patel, K., Rosano, C., Faulkner, K., Inzitari, M., Brach, J., Chandler, J., Cawthon, P., Connor, E.B., Nevitt, M., Visser, M., Kritchevsky, S., Badinelli, S., Harris, T., Newman, A.B., Cauley, J., Ferrucci, L., and Guralnik, J. (2011). Gait speed and survival in older adults. *JAMA* 305, 50-58.
8. Suzuki, T., Shimada, H., Makizako, H., Doi, T., Yoshida, D., Ito, K., Shimokata, H., Washimi, Y., Endo, H., and Kato, T. (2013). A randomized controlled trial of multicomponent exercise in older adults with mild cognitive impairment. *PloS one* 8, e61483.
9. Verghese, J., Lipton, R.B., Hall, C.B., Kuslansky, G., Katz, M.J., and Buschke, H. (2002). Abnormality of gait as a predictor of non-Alzheimer's dementia. *N Engl J Med* 347, 1761-1768.

杉山

- 1), 2), 5), 6) 杉山みち子, 高田健人, 他. 平成 26 年度厚生労働省老人保健事業推進等補助金(老人保健健康増進等事業分)『高齢者保健福祉施策の推進に寄与する調査研究事業』施設入所・退所者の経口維持のための栄養管理・口腔管理体制の整備とあり方に関する研究 報告書. 2015, 一般社団法人日本健康・栄養システム学会. http://www.j-ncm.com/pdf/H26mhlw_Repo20150331.pdf
- 3) 葛谷雅文 (研究代表者). 厚生労働科学研究費補助金(長寿科学総合研究事業). 地域・在宅高齢者における摂食嚥下・栄養障害に関する研究—特にそれが及ぼす在宅療養の非継続性と地域における介入・システム構築に向けて. 平成 24 年度～平成 26 年度総合研究報告書. 2015 年 3 月 1-39
- 4) Inoue K, Kato M. Usefulness of the Mini-Nutritional Assessment (MNA) to evaluate the nutritional status of Japanese frail elderly under home care. *Geriatrics & Gerontology International*. 2007. 7 238-44.
- 7) 榎裕美, 杉山みち子, 沢田(加藤)恵美他. 在宅療養要介護高齢者における摂食嚥下障害と栄養障害に関する調査研究 The KANAGAWA-AICHI Disabled

Elderly Cohort(KAIDEC)study より. 日本臨床栄養学会雑誌. 36(2) : 124-130. 2014

8) 榎裕美、杉山みち子、井澤幸子他. 在宅療養要介護高齢者における栄養障害の要因分析 The KANAGAWA-AICHI Disabled Elderly Cohort(KAIDEC)study より. 日本老年医学雑誌. 51 : 547-553. 2014

9) Hirose T, Hasegawa J, Izawa S, Enoki H, Suzuki Y, Kuzuya M. Accumulation of geriatric conditions is associated with poor nutritional status in dependent older people living in the community and in nursing homes. *Geriatrics & Gerontology International*. 2014, 14(1): 198-205.

10) Kikutani T, Yoshida M, Enoki H, Yamashita Y, Akifusa S, Shimazaki Y, Hirano H, Tamura F. Relationship between nutrition status and dental occlusion in community-dwelling frail elderly people. *Geriatrics & Gerontology International*. 2013, 13(1): 50-4.

11) 古明地夕佳、杉山みち子、榎裕美他. 在宅サービス利用高齢者における低栄養状態の実態および要因分析. 日本健康・栄養システム学会※投稿中

12) 古明地夕佳、新出まなみ、杉山みち子他. 介護保険施設における栄養ケア・マネジメントの構造・経過が食事摂取量・経口移行に及ぼす影響. 日本健康・栄養システム学会誌. 12(2) : 18-27. 2012

13) 長瀬香織, 杉山みち子, 臼井正樹, 中原慎二, 隆島研吾先生, 高田健人, 磯部壮一郎, 田中和美, 高田和子, 榎裕美, 葛谷雅文, 「大和市要支援高齢者の低栄養に影響を及ぼす食事摂取状況、生活機能、食環境要因に関する横断研究- Protein-energy malnutrition risk and associated factors among frail elderly people in a Japanese community: a cross-sectional study」. 修士論文として第 12 回アジア栄養学会議(ACN2015)ポスター発表.

14) Shinji Iizaka, Etsuko Tadaka, Hiromi Sanada, Comprehensive assessment of nutritional status and associated factors in the healthy, community-dwelling elderly. *Geriatrics & Gerontology International*. 2008. 8: 24-31,

15) Rasheed S, Woods RT. Malnutrition and quality of life in older people: a systematic review and meta-analysis. *Ageing Res Rev*. 2013, 12(2): 561-6.

16) 田中和美、杉山みち子他. 「二次予防栄養改善」における訪問栄養相談の効果の検証. 第 74 回日本公衆衛生学会. 2015.11(予定)

17) 田中和美、井上志保他 「大和市における糖尿病腎症の透析予防活動」. 日本健康・栄養システム学会誌. 2015.15.56

18) 高田和子、杉山みち子他. 平成 24 年の老人保健事業推進費等補助金 老人保健健康増進等事業－地域高齢者の食生活支援の質及び体制に関する調査研究事業－ 報告書. 2013, 独立行政法人 国立健康・栄養研究所. <http://www0.nih.go.jp/eiken/assets/images/rojin24houkoku.pdf>

辻

1) Fujiwara Y, Shinkai S, Kobayashi E, et al. Engagement in paid work as a protective predictor of basic activities of daily living disability in Japanese urban and rural community-dwelling elderly residents: An 8-year prospective study. *Geriatr Gerontol Int* 2015.

- 2) Moriya S, Murata A, Kimura S, et al. Predictors of eligibility for long-term care funding for older people in Japan. *Australas J Ageing* 2013;32:79-85.
- 3) Okazaki M, Kasai M, Meguro K, et al. Disturbances in everyday life activities and sequence disabilities in tool use for Alzheimer disease and vascular dementia. *Cogn Behav Neurol* 2009;22:215-21.
- 4) Saito E, Takai J, Kanagawa K, et al. Changes in functional capacity in older adults living alone: a three-year longitudinal study in a rural area of Japan. *Nihon Koshu Eisei Zasshi* 2004;51:958-68.
- 5) Honma Y, Naruse Y, Kagamimori S. [Physio-social activities and active life expectancy, life expectancy in Japanese elderly]. *Nihon Koshu Eisei Zasshi* 1999;46:380-90.
- 6) Nakanishi N, Tatara K, Takashima Y, et al. The association of health management with the health of elderly people. *Age Ageing* 1995;24:334-40.
- 7) Sato T, Kishi R, Suzukawa A, et al. Effects of social relationships on mortality of the elderly: how do the influences change with the passage of time? *Arch Gerontol Geriatr* 2008;47:327-39.
- 8) Anme T, Shinohara R, Sugisawa Y, et al. [Social interaction and mortality: a seven-year longitudinal study of elderly people]. *Nihon Koshu Eisei Zasshi* 2006;53:681-7.
- 9) Nakanishi N, Fukuda H, Tatara K. Changes in psychosocial conditions and eventual mortality in community-residing elderly people. *J Epidemiol* 2003;13:72-9.
- 10) Anme T, Shimada C. [Social interaction and mortality in a five year longitudinal study of the elderly]. *Nihon Koshu Eisei Zasshi* 2000;47:127-33.
- 11) Nakanishi N, Tatara K, Nishina M, et al. Relationships of disability, health management and psychosocial conditions to cause-specific mortality among a community-residing elderly people. *J Epidemiol* 1998;8:195-202.
- 12) Nakanishi N, Nakura I, Nagano K, et al. Mortality in relation to the type of household among elderly people living in a community. *J Epidemiol* 1998;8:65-72.
- 13) Tanno K, Sakata K, Ohsawa M, et al. Associations of ikigai as a positive psychological factor with all-cause mortality and cause-specific mortality among middle-aged and elderly Japanese people: findings from the Japan Collaborative Cohort Study. *J Psychosom Res* 2009;67:67-75.
- 14) Sone T, Nakaya N, Ohmori K, et al. Sense of life worth living (ikigai) and mortality in Japan: Ohsaki Study. *Psychosom Med* 2008;70:709-15.
- 15) Jenkinson CE, Dickens AP, Jones K, et al. Is volunteering a public health intervention? A systematic review and meta-analysis of the health and

survival of volunteers. *BMC Public Health* 2013;13:773.

- 16) 遠又 靖丈, 寶澤 篤, 大森 芳, et al. 1年間の要介護認定発生に対する基本チェックリストの予測妥当性の検証 大崎コホート2006研究. *日本公衆衛生雑誌* 2011;58:3-13.
- 17) 浜崎 優子, 森河 裕子, 中村 幸志, et al. 介護予防事業対象者選定における生活機能検査の参加状況と要介護状態発生との関連. *日本公衆衛生雑誌* 2012;59:801-9.
- 18) Nemoto M, Yabushita N, Kim MJ, et al. Assessment of vulnerable older adults' physical function according to the Japanese Long-Term Care Insurance (LTCD) system and Fried's criteria for frailty syndrome. *Arch Gerontol Geriatr* 2012;55:385-91.
- 19) Fukutomi E, Okumiya K, Wada T, et al. Relationships between each category of 25-item frailty risk assessment (Kihon Checklist) and newly certified older adults under Long-Term Care Insurance: A 24-month follow-up study in a rural community in Japan. *Geriatr Gerontol Int* 2015;15:864-71.
- 20) Satake S, Senda K, Hong YJ, et al. Validity of the Kihon Checklist for assessing frailty status. *Geriatr Gerontol Int* 2015.
- 21) Tomata Y, Sone T, Chou WT, et al. Association between the disability prevention program "Secondary Preventive Services" and disability incidence among the elderly population: A nationwide longitudinal comparison of Japanese municipalities. *Geriatr Gerontol Int* 2015.
- 22) Suzuki H, Kuraoka M, Yasunaga M, et al. Cognitive intervention through a training program for picture book reading in community-dwelling older adults: a randomized controlled trial. *BMC Geriatr* 2014;14:122.
- 23) Fujiwara Y, Sakuma N, Ohba H, et al. REPRINTS: effects of an intergenerational health promotion program for older adults in Japan. *Journal of Intergenerational relationships* 2009;7:17-39.
- 24) Heaven B, Brown LJ, White M, et al. Supporting well-being in retirement through meaningful social roles: systematic review of intervention studies. *Milbank Q* 2013;91:222-87.
- 25) Ellis G, Whitehead MA, O'Neill D, et al. Comprehensive geriatric assessment for older adults admitted to hospital. *Cochrane Database Syst Rev* 2011:CD006211.
- 26) Hikichi H, Kondo N, Kondo K, et al. Effect of a community intervention programme promoting social interactions on functional disability prevention for older adults: propensity score matching and instrumental variable analyses, JAGES Taketoyo study. *J Epidemiol Community Health* 2015.
- 27) 鵜川 重和, 玉腰 暁子, 坂元 あい. 介護予防の二次予防事業対象者への介入プログラムに関する文献レビュー. *日本公衆衛生雑誌* 2015;62:3-19.

津下

- 1) 新庄 文明、福田 英輝、村上 茂樹ら. 基本健康診査受診率と国民健康保険診療費の関連に関する研究. 日本公衛誌 2001 ; 48 : 314-322.
- 2) Honda A, Tanabe N, Seki N et al. Underweight/overweight and the risk of long-term care: Follow-up study using data of the Japanese long-term care insurance system. *Geriatr Gerontol Int.* 2014 ; 14 : 328-335.
- 3) Hayashi K, Sato J, Fujiwara N et al. Associations between Physical Strength, Cerebral Function and Mental Health in Independent-Living Elderly Japanese Women. *Environ Health Prev Med.* 2002 ; 7 : 123-128.
- 4) Ito H, Ohshima A, Ohto N et al. Relation between body composition and age in healthy Japanese subjects. *Eur J Clin Nutr.* 2001 ; 55 : 462-470.
- 5) Zhao W, Ukawa S, Kawamura T et al. Health benefits of daily walking on mortality among younger-elderly men with or without major critical diseases in the new integrated suburban seniority investigation project: a prospective cohort study. *J Epidemiol.* 2015 ; doi:10.2188/jea.JE2014190
- 6) Kojima R, Ukawa S, Ando M et al. Association between falls and depressive symptoms or visual impairment among Japanese young-old adults. *Geriatr Gerontol Int.* 2015 ; doi:10.1111/ggi.12487.
- 7) Zhao W, Ukawa S, Tsushita K et al. Association of gait speed with mortality among the Japanese elderly in the New Integrated Suburban Seniority Investigation Project: a prospective cohort study. *Age Ageing.* 2015 ; 44 : 153-157.
- 8) Tatsumi Y, Ohno Y, Morimoto A et al. Age Difference in the risk of diabetes incidence according to body mass index level in Japanese women. *Obesity Research & Clinical Practice.* 2013 ; e455-e463.
- 9) Sairenchi T, Fukasawa N, Iso H et al. Underweight as a predictor of Diabetes in Older Adults. *Diabetes Care.* 2008 ; 31 : 583-584
- 10) Oda E. Decreased Serum Albumin Predicts Hypertension in a Japanese Health Screening Population. *Internal medicine* 2014 ; 53 : 655-660
- 11) Hayasaka S, Shibata Y, Ishikawa S et al. Physical activity and all-cause mortality in Japan: The Jichi Medical School (JMS) cohort study. *J Epidemiol* 2009 ; 19 : 24-27.
- 12) Takashima Y, Yoshida M, Ishikawa M et al. Interrelations among Smoking Habits, Casual Blood Pressure and Intraocular Pressure in Middle and Old-Aged Japanese Residents. *Environ Health Prev Med.* 2002 ; 7 : 162-168.
- 13) 石谷 朋子、服部 園美、水主 千鶴子. 動脈硬化健診を受診した後期高齢者の主観的健康度と孤独感、社会関連性の実態ならびに主観的健康度に関連する要因. *老年看護学* 19(1):72-80,2014.

- 14) Kongoji Ken, Hara Masatoshi, Tohyo Yuko, Harada Tomoo, Atsuta Hidehiko, Miyake Fumihiko, Torikai Keito, Narita Nobuyoshi, Sugimori Hiroki.
高齢者に対する健康診断の意義(Significance of Health Checks for the Elderly). 日本臨床生理学会雑誌 42(4):205-212,2012.
- 15) Torikai Keito, Narita Nobuyoshi, Matsuda Takahide, Tohyo Yuko, Miyake Fumihiko, Narita Midori, Imamura Satoshi, Sugimori Hiroki.
前期高齢者と後期高齢者の健康診断結果に関する比較研究(A Comparative Study of Health Checkup Results between Early and Late Elderly)
General Medicine 12(1): 11-17,2011.
- 16) 岡林 里枝、川村 孝、玉腰 暁子. 高齢への入口時点におけるその後の well-being の決定要因 age-specified cohort における軽度認知機能低下に関する検討. 健康管理事業団研究助成論文集 XXIX :11-21,2013.
- 参考) 平成 25 年国民健康・栄養調査報告 第 4 部 年次別結果 p197~p216

平成27年度 厚生労働科学研究費補助金（厚生労働科学特別研究事業）

後期高齢者の保健事業のあり方に関する研究

平成27年度 総括・分担研究報告書

発行責任者 研究代表者 鈴木 隆雄

発 行 愛知県大府市森岡町7丁目430番地

国立長寿医療研究センター

TEL 0562-46-2311

FAX 0562-46-8489

