

研究成果の刊行に関する一覧表

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Nakai M, Miyamoto Y, Higashiyama A, Murakami Y, Nishimura K, Yatsuya H, Saitoh S, Sakata K, Iso H, Miura K, Ueshima H, Okamura T (EPOCH-JAPAN Research Group).	Calibration between the Estimated Probability of the Risk Assessment Chart of Japan Atherosclerosis Society and Actual Mortality Using External Population: Evidence for Cardiovascular Prevention from Observational Cohorts in Japan (EPOCH-JAPAN).	J Atheroscler Thromb.	23(2)	176-95	2016
2	Li Y, Iso H, Cui R, Murakami Y, Yatsuya H, Miura K, Nagasawa S, Ueshima H, Okamura T; EPOCH- JAPAN Research Group.	Serum γ -glutamyltransferase and Mortality due to Cardiovascular Disease in Japanese Men and Women.	J Atheroscler Thromb.		In press	2016
3	Zhang W, Iso H, Murakami Y, Miura K, Nagai M, Sugiyama D, Ueshima H, Okamura T; EPOCH-JAPAN GROUP.	Serum Uric Acid and Mortality Form Cardiovascular Disease: EPOCH-JAPAN Study.	J Atheroscler Thromb.		In press	2016
4	Kubota Y, Higashiyama A, Imano H, Sugiyama D, Kawamura K, Kadota A, Nishimura K, Miyamatsu N, Miyamoto Y, Okamura T.	Serum polyunsaturated fatty acid composition and serum high-sensitivity C-reactive protein levels in healthy Japanese residents: the KOBE study.	J Nutr Health Aging.	19	719-28	2015
5	Hirata T, Higashiyama A, Kubota Y, Nishimura K, Sugiyama D, Kadota A, Nishida Y, Imano H, Nishikawa T, Miyamatsu N, Miyamoto Y, Okamura T.	HOMA-IR values are associated with glycemic control in Japanese subjects without diabetes or obesity: the KOBE Study.	J Epidemiol.	25	407-14	2015
6	Tatsumi Y, Higashiyama A, Kubota Y, Sugiyama D, Nishida Y, Hirata T, Kadota A, Nishimura K, Imano H, Miyamatsu N, Miyamoto Y, Okamura T.	Underweight young women without later weight gain are at high risk for osteopenia after midlife: the KOBE study.	J Epidemiol.		In press	2016
7	西田陽子、原田成、武林亨、岡村智教	新しいコホート研究の立ち上げと今後の展望：神戸研究と鶴岡メタボロームコホート研究	呼吸と循環	64(1)	71-77	2016
8	Kokubo Y, Watanabe M, Higashiyama A, Nakao YM, Kobayashi T, Watanabe T, Okamura T, Okayama A, Miyamoto Y.	Interaction of Blood Pressure and Body Mass Index With Risk of Incident Atrial Fibrillation in a Japanese Urban Cohort: The Suita Study.	Am J Hypertens.	28(11)	1355-61	2015
9	Miyamoto K, Aiba T, Arihiro S, Watanabe M, Kokubo Y, Ishibashi K, Hirose S, Wada M, Nakajima I, Okamura H, Noda T, Nagatsuka K, Noguchi T, Anzai T, Yasuda S, Ogawa H, Kamakura S, Shimizu W, Miyamoto Y, Toyoda K,	Impact of renal function deterioration on adverse events during anticoagulation therapy using non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation.	Heart Vessels.		In press	2015

	Kusano K.					
10	Kawase Ishihara K, Kokubo Y, Yokota C, Hida E, Miyata T, Toyoda K, Matsumoto M, Minematsu K, Miyamoto Y.	Effect of Plasma Fibrinogen, High-Sensitive C-Reactive Protein, and Cigarette Smoking on Carotid Atherosclerosis: The Suita Study.	J Stroke Cerebrovasc Dis.	24(10)	2385-89	2015
11	Tatsumi Y, Watanabe M, Nakai M, Kokubo Y, Higashiyama A, Nishimura K, Kobayashi T, Takegami M, Nakao YM, Watanabe T, Okayama A, Okamura T, Miyamoto Y.	Changes in Waist Circumference and the Incidence of Type 2 Diabetes in Community-Dwelling Men and Women: The Suita Study.	J Epidemiol.	25(7)	489-95	2015
12	Kokubo Y, Iwashima Y.	Higher blood pressure as a risk factor for diseases other than stroke and ischemic heart disease.	Hypertension.	66(2)	254-59	2015
13	Murai N, Ninomiya T, Hata J, Hirakawa Y, Ikeda F, Fukuhara M, Hotta T, Koga M, Nakamura U, Kang D, Kitazono T, Kiyohara Y.	Association of hemoglobin A _{1c} and glycated albumin with carotid atherosclerosis in community-dwelling Japanese subjects: the Hisayama Study.	Cardiovasc Diabetol.	14	84	2015
14	Gotoh S, Hata J, Ninomiya T, Hirakawa Y, Nagata M, Murai N, Fukuhara M, Ikeda F, Ago T, Kitazono T, Kiyohara Y.	Hematocrit and the risk of cardiovascular disease in a Japanese community: the Hisayama Study.	Atherosclerosis.	242	199-204	2015
15	Ohara T, Ninomiya T, Hata J, Ozawa M, Yochida D, Mukai N, Nagata M, Iwaki T, Kitazono T, Kanbe S, Kiyohara Y.	Midlife and late-life smoking and risk of dementia in the community: the Hisayama Study.	J Am Geriatr Soc.	63	2332-39	2015
16	Kondo H, Ninomiya T, Hata J, Hirakawa Y, Yonemoto K, Arima H, Nagata M, Tsuruya K, Kitazono T, Kiyohara Y.	Angiotensin I-converting enzyme gene polymorphism enhances the effect of hypercholesterolemia on the risk of coronary heart disease in a general Japanese population: the Hisayama Study.	J Atheroscler Thromb.	22	390-403	2015
17	Yamada M, Landes RD, Mimori Y, Nagano Y, Sasaki H.	Trajectories of cognitive function in dementia-free subjects: Radiation Effects Research Foundation Adult Health Study.	J Neurol Sci.	351	115-19	2015
18	Imaizumi M, Ohishi W, Nakashima E, Sera, N, Neriishi, K, Yamada, M, Tatsukawa Y, Takahashi I, Fujiwara S, Sugino K, Ando T, Usa T, Kawakami A, Akahoshi M, Hida A.	Association of radiation dose with prevalence of thyroid nodules among atomic bomb survivors exposed in childhood (2007-2011).	JAMA intern medicine.	175	228-36	2015
19	Yamada M, Landes RD, Mimori Y, Nagano Y, Sasaki H.	Radiation effects on cognitive function among atomic bomb survivors exposed at or after adolescence.	Am J Med.		In press	2015

20	Izumi S, Sakata R, Yamada M, Cologne J.	Interaction between a single exposure and age in cohort-based hazard rate models impacted the statistical distribution of age at onset.	J Clin Epidemiol.	71	43-50	2016
21	齋藤重幸	高血圧治療における RAS 抑制薬の位置づけ - わが国のガイドラインの立場から	Angiotensin Research	12(1)	17-21	2015
22	齋藤重幸	高血圧	Modern Physician	35(2)	213-15	2015
23	齋藤重幸	JSH2009 から JSH2014 への変更の概要	プラクティス	32(2)	155-61	2015
24	齋藤重幸、赤坂憲、大西浩文、島本和明、甲斐久史	JSH2014 理解と応用 - 実地医家へのアンケート調査より -	血圧	22	893-97	2015
25	齋藤重幸	どうして高血圧を治療しなければならないのか	循環器ナーシング	6	23-31	2016
26	Furuhashi M, Saitoh S, Shimamoto K, Miura T.	Fatty Acid-Binding Protein 4 (FABP4): Pathophysiological Insights and Potent Clinical Biomarker of Metabolic and Cardiovascular Diseases. Clinical Medicine Insights: Cardiology. Supplementary Issue: Inflammation, Atherosclerosis and Coronary Artery Disease.	Clin Med Insights Cardiol .	8(3)	23-33	2015
27	齋藤重幸	体質を考慮した高血圧の予防と治療	日本体質学会雑誌	78	32-36	2016
28	Midori Sato M, Ohnishi H, Ohnishi-Kameyama M, Matsunaga I, Naito S, Ippoushi K, Oike H, Nagata T, Akasaka H, Saitoh S, Shimamoto K, Kobori M.	Estimated Daily Intake and Seasonal Food Sources of Quercetin in Japan .	Nutrients.	7	2345-58	2015
29	Fujii M, Ohnishi H, Saitoh S, Akasaka H, Miura T, Mori M.	The combination of abdominal obesity and high-sensitivity C-reactive protein predicts new-onset hypertension in the general Japanese population: the Tanno-Sobetsu study.	Hypertens Res .	38	426-32	2015
30	Ohnishi H, Saitoh S, Akasaka H, Furukawa T, Mori M, Miura T.	Combination of type 2 diabetes and smoking increases total cancer mortality in Japanese men using competing risk analysis: the Tanno-Sobetsu study.	Diabetol Int.		In press	2015
31	Ikehara S, Iso H, Wada Y, Tanabe N, Watanabe Y, Kikuchi S, Tamakoshi A; JACC Study Group.	Television Viewing Time and Mortality From Stroke and Coronary Artery Disease Among Japanese Men and Women - The Japan Collaborative Cohort Study.	Circ J.	79(11)	2389-95	2015
32	Kubota Y, Iso H, Tamakoshi A; JACC Study Group.	Association of Measles and Mumps with Cardiovascular Disease: the Japan Collaborative Cohort (JACC) Study.	Atherosclerosis.	241	682-86	2015

33	Sugiyama K, Tomata Y, Kaiho Y, Honkura K, Sugawara Y, Tsuji I.	Association between Coffee Consumption and Incident Risk of Disabling Dementia in Elderly Japanese: The Ohsaki Cohort 2006 Study.	J Alzhimers Dis.	50(2)	491-500	2015
34	Honkura K, Tomata Y, Sugiyama K, Kaiho Y, Watanabe T, Zhang S, Sugawara Y, Tsuji I.	Defecation frequency and cardiovascular disease mortality in Japan: the Ohsaki cohort study.	Atherosclerosis.	246	251-56	2016
35	Tsubota-Utsugi M, Kikuya M, Satoh M, Inoue R, Hosaka M, Metoki H, Hirose T, Asayama K, Imai Y, Ohkubo T.	Living situations associated with poor dietary intake among healthy Japanese elderly: the Ohasama Study.	J Nutr Health Aging.	19	375 -82	2015
36	Satoh M, Hosaka M, Asayama K, Kikuya M, Inoue R, Metoki H, Tsubota-Utsugi M, Hara A, Hirose T, Obara T, Totsune K, Hoshi H, Mano N, Node K, Imai Y, Ohkubo T.	Association between N-terminal pro B-type natriuretic peptide and day-to-day blood pressure and heart rate variability in a general population: the Ohasama study.	J Hypertens.	33	1536-41	2015
37	Satoh M, Asayama K, Kikuya M, Inoue R, Metoki H, Hosaka M, Tsubota-Utsugi M, Obara T, Ishiguro A, Murakami K, Matsuda A, Yasui D, Murakami T, Mano N, Imai Y, Ohkubo T.	Long-Term Stroke Risk Due to Partial White-Coat or Masked Hypertension Based on Home and Ambulatory Blood Pressure Measurements: The Ohasama Study.	Hypertension.	67	48-55	2016
38	Sakurai M, Nakamura K, Miura K, Takamura T, Yoshita K, Nagasawa SY, Morikawa Y, Ishizaki M, Kido T, Naruse Y, Nakashima M, Nogawa K, Suwazono Y, Sasaki S, Nakagawa H.	Dietary carbohydrate intake, presence of obesity, and the incident risk of type 2 diabetes in Japanese men.	J Diabetes Invest.		In press	2016
39	Tanaka F, Komi R, Makita S, Onoda T, Tanno K, Ohsawa M, Itai K, Sakata K, Omama S, Yoshida Y, Ogasawara K, Ishibashi Y, Kuribayashi T, Okayama A, Nakamura M; Iwate-Kenco Study Group.	Low-grade albuminuria and incidence of cardiovascular disease and all-cause mortality in nondiabetic and normotensive individuals.	J Hypertens.	34(3)	506-12	2016
40	Ohsawa M, Tanno K, Okamura T, Yonekura Y, Kato K, Fujishima Y, Obara W, Abe T, Itai K, Ogasawara K, Omama S, Turin TC, Miyamatsu N, Ishibashi Y, Morino Y, Itoh T, Onoda T, Kuribayashi T, Makita S, Yoshida Y, Nakamura M, Tanaka F, Ohta M, Sakata K, Okayama A.	Standardized Prevalence Ratios for Atrial Fibrillation in Adult Dialysis Patients in Japan.	J Epidemiol.		In press	2016
41	Ohsawa M, Okamura T, Ogasawara K, Ogawa A, Fujioka T, Tanno K,	Relative and absolute risks of all-cause and cause-specific deaths attributable to atrial	Int J Cardiol.	184	692-98	2015

	Yonekura Y, Omama S, Turin TC, Itai K, Ishibashi Y, Morino Y, Itoh T, Miyamatsu N, Onoda T, Kuribayashi T, Makita S, Yoshida Y, Nakamura M, Tanaka F, Ohta M, Sakata K, Okayama A.	fibrillation in middle-aged and elderly community dwellers.				
42	大澤 正樹、岡山 明	【わが国における脳・心血管疾患予防のための疫学研究】岩手県北コホート	呼吸と循環	64	37-48	2016
43	Nakamura K, Nakagawa H, Murakami Y, Kitamura A, Kiyama M, Sakata K, Tsuji I, Miura K, Ueshima H, Okamura T; EPOCH-JAPAN research group.	Smoking increases the risk of all-cause and cardiovascular mortality in patients with chronic kidney disease.	Kidney Int.	88(5)	1144-52	2015
44	Nakamura M, Iso H, Kitamura A, Imano H, Kiyama M, Yokoyama S, Kayamori Y, Koyama I, Nishimura K, Nakai M, Dasti M, Vesper HW, Teramoto T, Miyamoto Y.	Total cholesterol performance of Abell-Levy-Brodie-Kendall reference measurement procedure: Certification of Japanese in-vitro diagnostic assay manufacturers through CDC's Cholesterol Reference Method Laboratory Network.	Clin Chim Acta.	445	127-32	2015
45	Nakamura M, Yokoyama S, Kayamori Y, Iso H, Kitamura A, Okamura T, Kiyama M, Noda H, Nishimura K, Nakai M, Koyama I, Dasti M, Vesper HW, Teramoto T, Miyamoto Y.	HDL cholesterol performance using an ultracentrifugation reference measurement procedure and the designated comparison method.	Clin Chim Acta.	439	185-90	2015
46	Ishikawa J, Ishikawa S, Kario K.	Prolonged corrected QT interval is predictive of future stroke events even in subjects without ECG-diagnosed left ventricular hypertrophy.	Hypertension .	65	554-60	2015
47	Ishikawa J, Ishikawa S, Kario K.	Relationships between the QTc interval and cardiovascular, stroke, or sudden cardiac mortality in the general Japanese population.	J Cardiol.	65	237-42	2015
48	Sakamaki, T, Hara M, Kayaba K, Kotani K, Ishikawa S.	Coffee Consumption and Incidence of Subarachnoid Hemorrhage: The Jichi Medical School Cohort Study.	J Epidemiol.	26	71-75	2016
49	Mieno M. N, Tanaka N, Arai T, Kawahara T, Kuchiba A, Ishikawa S, Sawabe M.	Accuracy of Death Certificates and Assessment of Factors for Misclassification of Underlying Cause of Death.	J Epidemiol.		In press	2016
50	Tadenuma S, Kanda H, Ishikawa S, Kayaba K, Gotoh T, Nakamura Y, Kajii E.	Salt Preference and the Incidence of Cardiovascular Disease in a Japanese General Population: The Jichi Medical School Cohort Study.	Health.	8	105-15	2016

51	Uemura M, Yatsuya H, Hilawe EH, Li Y, Wang C, Chiang C, Otsuka R, Toyoshima, Tamakoshi K, Aoyama A.	Breakfast Skipping is Positively Associated with Incidence of Type 2 Diabetes Mellitus - Evidence from Aichi Workers' Cohort Study.	J Epidemiol.	25(5)	351-58	2015
52	Wang C, Yatsuya H, Tamakoshi K, Toyoshima H, Wada K, Li Y, Hilawe EH, Uemura M, Chiang C, Zhang Y, Otsuka R, Ota A, Hirakawa Y, Aoyama A.	Association between parental history of diabetes and the incidence of type 2 diabetes mellitus differs according to the sex of the parent and offspring's body weight: A finding from a Japanese worksite-based cohort study.	Prev Med.	81	49-53	2015

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Kokubo Y, Iwashima Y, Kamide K.	Introduction to Hypertension: Types, Causes and Complications.	Jagadeesh G, Balakumar P, Khin Maung U, eds.	Pathophysiology and Pharmacotherapy of Cardiovascular Disease	Springer	U.S.A.	2015	635-53
斎藤重幸	高血圧の疫学	浦信行編	高血圧診療のQ&A	中外医学社	東京	2015	1-15
斎藤重幸	メタボリックシンドローム	山口徹、北原光男編	今日の治療指針2015	医学書院	東京	2015	715-17