

| | | | | | |
|--|---|--------------------------|---------|----------|------|
| Tsujimoto M, Yoshimura S, Enomoto Y, Yamada N, Matsumaru N, Kumada K, Toyoda I, Ogura S, Iwamoto T | Preliminary experience with air transfer of patients for rescue endovascular therapy after failure of intravenous tissue plasminogen activator. | Neurol Med Chir (Tokyo) | 55(3) | 248-52 | 2015 |
| Shindo S, Fujii K, Shirakawa M, Uchida K, Enomoto Y, Iwamoto T, Kawasaki M, Ando Y, Yoshimura S | Morphologic Features of Carotid Plaque Rupture Assessed by Optical Coherence Tomography. | AJNR Am J Neuroradiol | 36(11) | 2140-6 | 2015 |
| Goyal M, Yu AY, Menon BK, Dippel DW, Hacke W, Davis SM, Fisher M, Yavagal DR, Turjman F, Ross J, Yoshimura S, Miao Z, Bhatia R, Almekhlafi M, Murayama Y, Sohn SI, Saver JL, Demchuk AM, Hill MD | Endovascular Therapy in Acute Ischemic Stroke: Challenges and Transition From Trials to Bedside. | Stroke | 47(2) | 548-53 | 2016 |
| Yamada K, Kawasaki M, Yoshimura S, Shirakawa M, Uchida K, Shindo S, Nishida S, Iwamoto Y, Nakahara S, Sato Y | High-Intensity Signal in Carotid Plaque on Routine 3D-TOF-MRA Is a Risk Factor of Ischemic Stroke. | Cerebrovasc Dis | 41(1-2) | 13-8 | 2016 |
| Yamada K, Kawasaki M, Yoshimura S, Sasaki Y, Nakahara S, Sato Y | Asymptomatic moderate carotid artery stenosis with intraplaque hemorrhage: onset of new ischemic stroke. | J Neurointerv Surg | 8(2) | 130-4 | 2016 |
| Takagi T, Imai T, Mishihiro K, Ishisaka M, Tsujimoto M, Ito H, Nagashima K, Matsukawa H, Tsuruma K, Shimazawa M, Yoshimura S, Kozawa O, Iwamoto T, Hara H | Cilostazol ameliorates collagenase-induced cerebral hemorrhage by protecting the blood-brain barrier. | J Cereb Blood Flow Metab | | in press | 2015 |
| Shindo S, Fujii K, Shirakawa M, Uchida K, Sugiura Y, Saito S, Ando Y, Yoshimura S | Three-Dimensional Optical Frequency Domain Imaging Evaluation of Novel Dual-Layered Carotid Stent Implantation for Vulnerable Carotid Plaque. | J Stroke Cerebrovasc Dis | | in press | 2015 |
| Toyoda K, Koga M, Hayakawa M, Yamagami H | Acute reperfusion therapy and stroke care in Asia after successful endovascular trials | Stroke | 46 (6) | 1474-81 | 2015 |

| | | | | | |
|---|---|---------------------------------|---------|---------|------|
| Toyoda K, Arihiro S, Todo K, et al | Trends in oral anticoagulant choice for acute stroke patients with nonvalvular atrial fibrillation in Japan: the SAMURAI-NVAF Study. | Int J Stroke | 10 (6) | 836-42 | 2015 |
| Watanabe T, Seguchi O, Nishimura K, Fujita T, Murata Y, Yanase M, Sato T, Sunami H, Nakajima S, Hisamatsu E, Sato T, Kuroda K, Hieda M, Wada K, Hata H, Ishibashi-Ueda H, Miyamoto Y, Fukushima N, Kobayashi J, Nakatani T. | Suppressive effects of conversion from mycophenolate mofetil to everolimus for the development of cardiac allograft vasculopathy in maintenance of heart transplant recipients. | Int J Cardiol | 203 | 307-14 | 2015 |
| Shibata T, Kawakami S, Noguchi T, Tanaka T, Asaumi Y, Kanaya T, Nagai T, Nakao K, Fujino M, Nagatsuka K, Ishibashi-Ueda H, Nishimura K, Miyamoto Y, Kusano K, Anzai T, Goto Y, Ogawa H, Yasuda S. | Prevalence, Clinical Features, and Prognosis of Acute Myocardial Infarction Attributable to Coronary Artery Embolism. | Circulation | 132(4) | 241-50 | 2015 |
| Ishikawa H, Miyazaki K, Ikeda T, Murabayashi N, Hayashi K, Kai A, Ishikawa K, Miyamoto Y, Nishimura K, Kono Y, Kusuda S, Fujimura M. | Neonatal Research Network of Japan. The Effects of Antenatal Corticosteroids on Short- and Long-Term Outcomes in Small-for-Gestational-Age Infants. | Int J Med Sci | 12(4) | 295-300 | 2015 |
| Tateishi E, Noguchi T, Goto Y, Morita Y, Ishibashi-Ueda H, Yamada N, Kanzaki H, Nishimura K, Miyamoto Y, Anzai T, Ogawa H, Yasuda S. | Prognostic impact of blood pressure response plus gadolinium enhancement in dilated cardiomyopathy. | Heart | 101(10) | 774-80 | 2015 |
| Oda T, Minatoya K, Kobayashi J, Okita Y, Akashi H, Tanaka H, Kawaharada N, Saiki Y, Kuniyoshi Y, Nishimura K. | Prosthetic vascular graft infection through a median sternotomy: a multicentre review | Interact Cardiovasc Thorac Surg | 20(6) | 701-6 | 2015 |

| | | | | | |
|---|---|----------------------|-------|---------|------|
| Hirata T, Higashiyama A, Kubota Y, Nishimura K, Sugiyama D, Kadota A, Nishida Y, Imano H, Nishikawa T, Miyamatsu N, Miyamoto Y, Okamura T. | HOMA-IR Values are Associated With Glycemic Control in Japanese Subjects Without Diabetes or Obesity | J Epidemiol | 25(6) | 407-14 | 2015 |
| Sugiyama D, Higashiyama A, Wakabayashi I, Kubota Y, Adachi Y, Hayashibe A, Kawamura K, Kuwabara K, Nishimura K, Kadota A, Nishida Y, Hirata T, Imano H, Miyamatsu N, Miyamoto Y, Sawamura T, Okamura T. | The Relationship between Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 Ligands Containing Apolipoprotein B and the Cardio-Ankle Vascular Index in Healthy Community Inhabitants: The KOBE Study. | J Atheroscler Thromb | 22(5) | 499-508 | 2015 |
| Tatsumi Y, Watanabe M, Nakai M, Kokubo Y, Higashiyama A, Nishimura K, Kobayashi T, Takegami M, Nakao YM, Watanabe T, Okayama A, Okamura T, Miyamoto Y. | Changes in Waist Circumference and the Incidence of Type 2 Diabetes in Community-Dwelling Men and Women: The Suita Study. | J Epidemiol | 25(7) | 489-95 | 2015 |
| Takegami M, Miyamoto Y, Yasuda S, Nakai M, Nishimura K, Ogawa H, Hirata K, Toh R, Morino Y, Nakamura M, Takeishi Y, Shimokawa H, Naito H. | Comparison of cardiovascular mortality in the Great East Japan and the Great Hanshin-Awaji Earthquakes- a large-scale data analysis of death certificates. | Circ J | 79(5) | 1000-8 | 2015 |
| Noguchi T, Tanaka A, Kawasaki T, Goto Y, Morita Y, Asami Y, Nakao K, Fujiwara R, Nishimura K, Miyamoto Y, Ishihara M, Ogawa H, Koga N, Narula J, Yasuda S. | Effect of Intensive Statin Therapy on Coronary High-Intensity Plaques Detected by Noncontrast T1-Weighted Imaging The AQUAMARINE Pilot Study. | J Am Coll Cardiol. | 66(3) | 245-56 | 2015 |
| Ishihara M, Fujino M, Ogawa H, Yasuda S, Noguchi T, Nakao K, Ozaki Y, Kimura K, Suwa S, Fujimoto K, Nakama Y, Morita T, Shimizu W, Saito Y, Tsujita K, Nishimura K, Miyamoto Y, ; J-MINUET investigators. | Clinical Presentation, Management and Outcome of Japanese Patients With Acute Myocardial Infarction in the Troponin Era - Japanese Registry of Acute Myocardial Infarction Diagnosed by Universal Definition (J-MINUET) - | Circ J | 79(6) | 1255-62 | 2015 |

| | | | | | |
|--|--|----------------------|-------|---------|------|
| Matsuzono K, Yokota C, Takekawa H, Okamura T, Miyamatsu N, Nakayama H, Nishimura K, Ohyama S, Ishigami A, Okumura K, Toyoda K, Miyamoto Y, Minematsu K; Tochigi Junior High School Stroke Education Group; Participating Investigators of Tochigi Junior High School Stroke Education Group. | Effects of stroke education of junior high school students on stroke knowledge of their parents: Tochigi project. | Stroke | 46(2) | 572-4 | 2015 |
| Nakai M, Miyamoto Y, Higashiyama A, Murakami Y, Nishimura K, Yatsuya H, Saitoh S, Sakata K, Iso H, Miura K, Ueshima H, Okamura T, Group E-JR. | Calibration between the Estimated Probability of the Risk Assessment Chart of Japan Atherosclerosis Society and Actual Mortality Using External Population: Evidence for Cardiovascular Prevention from Observational Cohorts in Japan | J Atheroscler Thromb | 23(2) | 176-95 | 2015 |
| Higashiyama A, Kubota Y, Marumo M, Konishi M, Yamashita Y, Nishimura K, Fukuda Y, Okamura T, Wakabayashi I. | Association between serum long-chain n-3 and n-6 polyunsaturated fatty acid profiles and glomerular filtration rate assessed by serum creatinine and cystatin C levels in Japanese community-dwellers. | J Epidemiol | 25(4) | 303-11 | 2015 |
| Miyoshi T, Maeno Y, Sago H, Inamura N, Yasukouchi S, Kawataki M, Horigome H, Yoda H, Taketazu M, Shozu M, Nii M, Kato H, Hagiwara A, Omoto A, Shimizu W, Shiraiishi I, Sakaguchi H, Nishimura K, Nakai M, Ueda K, Katsuragi S, Ikeda T. | Fetal bradyarrhythmia associated with congenital heart defects - nationwide survey in Japan. | Circ J | 79(4) | 854-61 | 2015 |
| 中川原讓二 | 地域連携と脳神経外科 | 脳神経外科 | 43 | 1055-70 | 2015 |
| 中川原讓二 | 血行力学的脳虚血の画像診断update | 脳神経外科速報 | 25 | 1089-95 | 2015 |

| | | | | | |
|---|--|----------------|-------|---------|------|
| Mori E, Minematsu K, Nakagawara J, Hasegawa Y, Nagahiro S, Okada Y, Truelsen T, Lindsten A, Ogawa A, Yamaguchi T; DIAS-J Investigators. | Safety and Tolerability of Desmoteplase Within 3 to 9 Hours After Symptoms Onset in Japanese Patients With Ischemic Stroke. | Stroke | 46 | 2549-54 | 2015 |
| Fukushima H, Imanishi M, Iwami T, Seki T, Kawai Y, Norimoto K, Urisono Y, Hata M, Nishio K, Saeki K, Kurumatani N, Okuchi K | Abnormal breathing of sudden cardiac arrest victims described by laypersons and its association with emergency medical service dispatcher-assisted cardiopulmonary resuscitation instruction. | Emerg Med J | 32 | 314-7 | 2015 |
| Turin TC, Okamura T, Afzal AR, Rumana N, Watanabe M, Higashiyama A, Nakao Y, Nakai M, Takegami M, Nishimura K, Kokubo Y, Okayama A, Miyamoto Y. | Hypertension and lifetime risk of stroke. | J Hypertens | 34(1) | 116-22 | 2016 |
| Takagi T, Yoshimura S, Uchida K, Enomoto Y, Egashira Y, Yamagami H, Sakai N; Committee of Endovascular Salvage for Cerebral Ultra-acute Embolism (RESCUE)-Japan Study Group | Intravenous tissue plasminogen activator before endovascular treatment increases symptomatic intracranial hemorrhage in patients with occlusion of the middle cerebral artery second division: subanalysis of the RESCUE-Japan Registry. | Neuroradiology | 58(2) | 147-53 | 2016 |
| Toyoda K, Yamamoto H, Koga M | Network for Clinical Stroke Trials (NeCST) for the next stroke researchers in Japan. | Stroke | 47(2) | 304-5 | 2016 |

