

| | | | | | |
|---|---|-----------------------------------|--------------------|------------------|-------------|
| <p>Petrof G, Nanda A, Howden J, Takeichi T, McMillan JR, Aristodemou S, Ozoemena L, Liu L, South AP, Pourreyron C, Dafou D, Proudfoot LE, Al-Ajmi H, Akiyama M, McLean WHI, Simpson MA, Parsons M, McGrath JA.</p> | <p>Mutations in <i>GRHL2</i> result in an autosomal-recessive ectodermal dysplasia syndrome.</p> | <p><i>Am J Hum Genet</i></p> | <p>95 (3)</p> | <p>308-14</p> | <p>2014</p> |
| <p>Saito K, Ito A, Ishikawa K, Shimada H, Takeo N, Hatano Y, Sugiura K, Akiyama M, Inomata M, Kitano S, Fujiwara S.</p> | <p>Pustular psoriasis occurring after total colectomy for ulcerative colitis and relieved by administration of infliximab.</p> | <p><i>J Dermatol</i></p> | <p>41 (11)</p> | <p>1033-1034</p> | <p>2014</p> |
| <p>Muro Y, Nakashima R, Hosono Y, Sugiura K, Mimori T, Akiyama M.</p> | <p>Autoantibodies to DNA mismatch repair enzymes in polymyositis/dermatomyositis and other autoimmune diseases: a possible marker of favorable prognosis.</p> | <p><i>Arthritis Rheumatol</i></p> | <p>66 (12)</p> | <p>3457-3462</p> | <p>2014</p> |

| | | | | | |
|---|--|------------------------------|-----------|---------|------|
| Shimizu Y, Ogawa Y, Sugiura K, Takeda J, Sakai-Sawada K, Yanagi T, Kon A, Sawamura D, Shimizu H, <u>Akiyama M.</u> | A palindromic motif in the -2084 to -2078 upstream region is essential for ABCA12 promoter function in cultured human keratinocytes. | <i>Sci Rep</i> | 4 | 6737 | 2014 |
| Yamamoto T, Igarashi N, Shimojima K, Sangu N, Sakamoto Y, Shimoji K, <u>Niijima S.</u> | Use of targeted next-generation sequencing for molecular diagnosis of craniosynostosis: Identification of a novel de novo mutation of EFNB1. | <i>Congenit Anom (Kyoto)</i> | 56 (2) | 91-93 | 2016 |
| Nakazawa M, Toda S, Abe S, Ikeno M, Igarashi A, Nakahara E, Yamashita S, <u>Niijima S,</u> Shimizu T, Okumura A. | Efficacy and safety of fosphenytoin for benign convulsions with mild gastroenteritis. | <i>Brain Dev.</i> | 37 (9) | 864-7 | 2015 |
| Ohtomo Y, Umino D, Takada M, Fujinaga S, <u>Niijima S,</u> Shimizu T. | Gradual tapering of desmopressin leads to better outcome in nocturnal enuresis. | <i>Pediatr Int.</i> | 57 (4) | 656-658 | 2015 |
| Nakazawa M, Akasaka M, Hasegawa T, Suzuki T, Shima T, Takanashi J, Yamamoto A, Ishidou Y, Kikuchi K, <u>Niijima S,</u> Shimizu T, Okumura A. | Efficacy and safety of fosphenytoin for acute encephalopathy in children. | <i>Brain Dev.</i> | 37 (4) | 418-422 | 2015 |

| | | | | | |
|--|---|--------------------------------|--------|---------|----------|
| Sugano H, Nakanishi H, Nakajima M, Higo T, Imura Y, Tanaka K, Hosozawa M, Niijima S , Arai H. | Posterior quadrant disconnection surgery for Sturge-Weber syndrome. | Epilepsia | 55 | 683-9 | 2014 |
| Sato K, Sueoka K , Iino K, Senba H, Suzuki M, Mizuguchi Y, Izumi Y, Sato S, Nakabayashi A, Tanaka M. | Current status of preimplantation genetic diagnosis in Japan. | Bioinformation. | 11 (5) | 254-260 | 2015 |
| Sivan PP, Syed S, Mok PL, Higuchi A, Murugan K, Arlafaj AA, Munusamy MA, Awang Hamat R, Umezawa A , Kumar S. | Stem Cell Therapy for Treatment of Ocular Disorders. | Stem Cells Int. | | | in press |
| Nakamura A, Hamaguchi E, Horikawa R, Nishimura Y, Matsubara K, Sano S, Nagasaki K, Matsubara Y, Umezawa A , Tajima T, Ogata T, Kagami M, Okamura K, Fukami M. | Complex Genomic Rearrangement within the GNAS Region Associated with Familial Pseudohypoparathyroidism Type 1b. | J Clin Endocrinol Metab | | | in press |
| Nishino K, Umezawa A . | DNA methylation dynamics in human induced pluripotent stem cells. | Hum Cell. | | | in press |

| | | | | | |
|--|--|-----------------------------------|-----------|---------|------|
| Sato H, Ishii Y, Yamamoto S, Azuma E, Takahashi Y, Hamashima T, <u>Umezawa A</u> , Mori H, Kuroda S, Endo S, Sasahara M. | PDGFR- β Plays a Key Role in the Ectopic Migration of Neuroblasts in Cerebral Stroke. | <i>Stem Cells.</i> | 34 (3) | 685-698 | 2016 |
| Itakura Y, Sasaki N, Kami D, Gojo S, <u>Umezawa A</u> , Toyoda M. | N- and O-glycan cell surface protein modifications associated with cellular senescence and human aging. | <i>Cell Biosci.</i> | 18 | 6-14 | 2016 |
| Hashimoto A, Naito AT, Lee JK, Kitazume-Taneike R, Ito M, Yamaguchi T, Nakata R, Sumida T, Okada K, Nakagawa A, Higo T, Kuramoto Y, Sakai T, Tominaga K, Okinaga T, Kogaki S, Ozono K, Miyagawa S, Saway Y, Sakata Y, Morita H, <u>Umezawa A</u> , Komuro I. | Generation of Induced Pluripotent Stem Cells From Patients With Duchenne Muscular Dystrophy and Their Induction to Cardiomyocytes. | <i>Int Heart J.</i> | 57 (1) | 112-7 | 2016 |
| Yokoyama M, Sato M, <u>Umezawa A</u> , Mitani G, Takagaki T, Yokoyama M, Kawake T, Okada E, Kokubo M, Ito N, Takaku Y, Muraik, Matoba R, Akutsu H, Yamato M, Okano T, Mochida J. | Assessment of the Safety of Chondrocyte Sheet Implantation for Cartilage Regeneration. | <i>Tissue Eng Part C Methods.</i> | 22 (1) | 59-68 | 2016 |

| | | | | | |
|--|--|---------------------------|----------|--------------|------|
| Park SJ, Komiyama Y, Suemori H, Umezawa A , Naka i K. | OpenTein: a database of digital whole-slide images of stem cell-derived teratomas. | <i>Nucleic Acids Res.</i> | 44 (D1) | D1000-4 | 2016 |
| Kitajima K, Nakajima M, Kanokoda M, Kyba M, Dandapat A, Tolar J, Saito MK, Toyoda M, Umezawa A , Har a T. | GSK3 β inhibition activates the CDX/HOX pathway and promotes hemogenic endothelial progenitor differentiation from human pluripotent stem cells. | <i>Exp Hematol.</i> | 44 (1) | 68-74. e1-10 | 2016 |
| Fukuda A, Mitani A, Miyashita T, Umezawa A , Akutsu H. | Chromatin condensation of Xist genomic loci during oogenesis in mice. | <i>Development.</i> | 142 (23) | 4049-55 | 2015 |
| Higuchi A, Kao S H, Ling QD, Chen YM, Li HF, Alarfaj AA, Munusamy MA, Murugan K, Chang SC, Lee H C, Hsu ST, Kumar SS, Umezawa A . | Long-term xeno-free culture of human pluripotent stem cells on hydrogels with optimal elasticity. | <i>Sci Rep</i> | 5 | 18136 | 2015 |
| Ojima T, Shibata E, Saito S, Toyoda M, Nakajima H, Yamazaki-Inoue M, Miyagawa Y, Kiyokawa N, Fujimoto J, Sato T, Umezawa A . | Glycolipid dynamics in generation and differentiation of induced pluripotent stem cells. | <i>Sci Rep</i> | 5 | 14988 | 2015 |
| Miura T, Sugawara T, Fukuda A, Tamoto R, Kawasaki T, Umezawa A , Akutsu H. | Generation of primitive neural stem cells from human fibroblasts using a defined set of factors. | <i>Biol Open.</i> | 4 (11) | 1595-607 | 2015 |

| | | | | | |
|---|--|---------------------|-----------|---------|------|
| Fukuda A, Tanino M, Matoba R, Umezawa A , Akutsu H. | Imbalance between the expression dosages of X-chromosome and autosomal genes in mammalian oocytes. | <i>Sci Rep.</i> | 5 | 14101 | 2015 |
| Hayakawa T, Aoi T, Bravery C, Hoo gendoorn K, Kneze vic I, Koga J, Ma eda D, Matsuyama A, McBlane J, M orio T, Petricciani J, Rao M, Ridgwa y A, Sato D, Sato Y, Stacey G, Sakamoto N, Trouvin JH, Umezawa A , Yamato M, Yano K, Yokote H, Yos himatsu K, Zorzi-Morre P. | Report of the international conference on regulatory endeavors towards the sound development of human cell therapy products. | <i>Biologicals.</i> | 43 (5) | 283-97 | 2015 |
| Yazawa T, Imamichi Y, Miyamoto K, Khan MR, Uwada J, Umezawa A , Taniguchi T. | Regulation of Steroidogenesis, Development, and Cell Differentiation by Steroidogenic Factor-1 and Liver Receptor Homolog-1. | <i>Zoolog Sci.</i> | 32 (4) | 323-30. | 2015 |
| Okamura K, Toyoda M, Hata K, Nakabayashi K, Umezawa A . | Whole-exome sequencing of fibroblast and its iPS cell lines derived from a patient diagnosed with xeroderma pigmentosum. | <i>Genom Data.</i> | 6 | 4-6 | 2015 |
| Mizutani T, Ishikane S, Kawabe S, Umezawa A , Miyamoto K. | Transcriptional regulation of genes related to progesterone production. | <i>Endocr J.</i> | 62 (9) | 757-63 | 2015 |

| | | | | | |
|--|--|----------------------------|------------|----------|------|
| Takeuchi M, Higashino A, Takeuchi K, Hori Y, Koshiba-Takeuchi K, Makino H, Monobe Y, Kishida M, Adachi J, Takeuchi J, Tomonaga T, Umezawa A , Kameoka Y, Akagi K. | Correction: Transcriptional Dynamics of Immortalized Human Mesenchymal Stem Cells during Transformation. | <i>PLoS One.</i> | 10 (6) | e0131383 | 2015 |
| Watada Y, Yamashita D, Toyoda M, Tsuchiya K, Hida N, Tanimoto A, Oogawa K, Kanzaki S, Umezawa A . | Magnetic resonance monitoring of superparamagnetic iron oxide (SPIO)-labeled stem cells transplanted into the inner ear. | <i>Neurosci Res.</i> | 95 | 21-6 | 2015 |
| Nasu M, Takayama S, Umezawa A . | Endochondral ossification model system: designed cell fate of human epiphyseal chondrocytes during long-term implantation. | <i>J Cell Physiol.</i> | 230 (6) | 1376-88 | 2015 |
| Mizutani T, Kawabe S, Ishikane S, Imamichi Y, Umezawa A , Miyamoto K. | Identification of novel steroidogenic factor 1 (SF-1)-target genes and components of the SF-1 nuclear complex. | <i>MolCell Endocrinol.</i> | 408 | 133-7. | 2015 |

| | | | | | |
|---|--|-----------------------|-------|----------|------|
| Takeuchi M, Higashino A, Takeuchi K, Hori Y, Koshiba-Takeuchi K, Maki no H, Monobe Y, Kishida M, Adachi J, Takeuchi J, Tomonaga T, Umezawa A , Kameoka Y, Akagi K. | Transcriptional Dynamics of Immortalized Human Mesenchymal Stem Cells during Transformation. | <i>PLoS One.</i> | 10(5) | e0126562 | 2015 |
| Ihara N, Umezawa A , Onami N, Tsumura H, Inoue E, Hayashi S, Sago H, Mizutani S. | Partial rescue of mucopolysaccharidosis type VII mice with a lifelong engraftment of allogeneic stem cells in utero. | <i>Congenit Anom.</i> | 55 | 55-64 | 2015 |
| Inoue T, Umezawa A , Takenaka T, Suzuki H, Okada H. | The contribution of epithelial-mesenchymal transition to renal fibrosis differs among kidney disease models. | <i>Kidney Int.</i> | 87 | 233-238 | 2015 |
| Higuchi A, Ling QD, Kumar SS, Munusamy MA, Alarfaj AA, Chang Y, Kao SH, Lin KC, Wang HC, Umezawa A . | Generation of pluripotent stem cells without the use of genetic material. | <i>Lab Invest.</i> | 95 | 26-42 | 2015 |
| Santostefano KE, Hamazaki T, Biel NM, Jin S, Umezawa A , Terada N. | A practical guide to induced pluripotent stem cell research using patient samples. | <i>Lab Invest.</i> | 95 | 4-13 | 2015 |

| | | | | | |
|---|---|---|------------|------------------|-------------|
| <p>Lu S, Kanekura K, Hara T, Mahadevan J, Spears LD, Osowski CM, Martinez R, Yamazaki-Inoue M, Toyoda M, Neilson A, Blanner P, Brown CM, Semenkovich CF, Marshall BA, Hershey T, Umezawa A, Greer PA, Urano F.</p> | <p>A calcium-dependent protease as a potential therapeutic target for Wolfram syndrome.</p> | <p><i>Proc Natl Acad Sci U S A.</i></p> | <p>111</p> | <p>E5292-301</p> | <p>2014</p> |
| <p>Aino M, Nishida E, Fujieda Y, Orimoto A, Mitani A, Noguchi T, Makino H, Murakami S, Umezawa A, Yoneda T, Saito M.</p> | <p>Isolation and characterization of the human immature osteoblast culture system from the alveolar bones of aged donors for bone regeneration therapy.</p> | <p><i>Expert Opin Biol Ther.</i></p> | <p>14</p> | <p>1731-1744</p> | <p>2014</p> |
| <p>Fukuda A, Tomikawa J, Miura T, Hata K, Nakabayashi K, Eggan K, Akutsu H, Umezawa A.</p> | <p>The role of maternal-specific H3K9me3 modification in establishing imprinted X-chromosome inactivation and embryogenesis in mice.</p> | <p><i>Nat Commun.</i></p> | <p>5</p> | <p>5464</p> | <p>2014</p> |

| | | | | | |
|---|---|-----------------------------------|-----|--------------|------|
| Okamoto N, Aoto T, Uhara H, Yamazaki S, Akutsu H, Umezawa A , Nakauchi H, Miyachi Y, Saida T, Nishimura EK. | A melanocyte--melanoma precursor niche in sweat glands of volar skin. | <i>Pigment Cell Melanoma Res.</i> | 27 | 1039-1050 | 2014 |
| Izumi Y, Suzuki E, Kanzaki S, Yatsuga S, Kinjo S, Igarashi M, Maruyama T, Sano S, Horikawa R, Sato N, Nakabayashi K, Hata K, Umezawa A , Ogata T, Yoshimura Y, Fukami M. | Genome-wide copy number analysis and systematic mutation screening in 58 patients with hypogonadotropic hypogonadism. | <i>Fertil Steril.</i> | 102 | 1130-1136.e3 | 2014 |
| Nishi M, Akutsu H, Kudoh A, Kimura H, Yamamoto N, Umezawa A , Lee SW, Ryo A. | Induced cancer stem-like cells as a model for biological screening and discovery of agents targeting phenotypic traits of cancer stem cell. | <i>Oncotarget.</i> | 5 | 8665-8680 | 2014 |

| | | | | | |
|--|---|-----------------------------------|----|---------------|------|
| Igawa K, Kokubu C, Yusa K, Horie K, Yoshimura Y, Yamauchi K, Suemori H, Yokozeiki H, Toyoda M, Kiyokawa N, Okita H, Miyagawa Y, Akutsu H, Umezawa A , Katayama I, Takeda J. | Removal of reprogramming transgenes improves the tissue reconstitution potential of keratinocytes generated from human induced pluripotent stem cells. | <i>Stem Cells Transl Med.</i> | 3 | 992-1001 | 2014 |
| Kami D, Kitani T, Kishida T, Mazda O, Toyoda M, Tomitaka A, Ota S, Ishii R, Takemura Y, Watanabe M, Umezawa A , Gojo S. | Pleiotropic functions of magnetic nanoparticles for ex vivo gene transfer. | <i>Nanomedicine.</i> | 10 | 1165-117 4 | 2014 |
| Ichida JK, T C W J, Williams LA, Carter AC, Shi Y, Moura MT, Ziller M, Singh S, Amabile G, Bock C, Umezawa A , Rubin LL, Bradner JE, Akutsu H, Meissner A, Eggen K. | Notch inhibition allows oncogene-independent generation of iPS cells. | <i>Nat Chem Biol.</i> | 10 | 632-639 | 2014 |

| | | | | | |
|---|--|--------------------------------|----|---------|------|
| Fukawatase Y, Toyoda M, Okamura K, Nakamura K, Nakabayashi K, Takada S, Yamazaki-Inoue M, Masuda A, Nasu M, Hata K, Hanaoka K, Higuchi A, Takubo K, Umezawa A. | Ataxia telangiectasia derived iPS cells show preserved x-ray sensitivity and decreased chromosomal instability. | <i>Sci Rep.</i> | 4 | 5421 | 2014 |
| Migita O, Maehara K, Kamura H, Miyakoshi K, Tanaka M, Morokuma S, Fukushima K, Shimamoto T, Saito S, Sago H, Nishihama K, Abe K, Nakabayashi K, Umezawa A, Okamura K, Hata K. | Compilation of copy number variants identified in phenotypically normal and parous Japanese women. | <i>J Hum Genet.</i> | 59 | 326-331 | 2014 |
| Yazawa T, Imamichi Y, Miyamoto K, Umezawa A, Taniguchi T. | Differentiation of mesenchymal stem cells into gonad and adrenal steroidogenic cells. | <i>World J Stem Cells.</i> | 6 | 203-212 | 2014 |
| Kawano N, Miyado K, Yoshii N, Kanai S, Saito H, Miyado M, Inagaki N, Odawara Y, Hamatani T, Umezawa A. | Absence of CD9 reduces endometrial VEGF secretion and impairs uterine repair after parturition. | <i>Sci Rep.</i> | 4 | 4701 | 2014 |

| | | | | | |
|--|--|--------------------------------------|----|---------------|------|
| Sugawara K, Hamatani T, Yamada M, Ogawa S, Kamijo S, Kuji N, Akutsu H, Miyado K, Yoshimura Y, <u>Umezawa A.</u> | Derivation of human decidua-like cells from amnion and menstrual blood. | <i>Sci Rep.</i> | 4 | 4599 | 2014 |
| Toyoda M, <u>Umezawa A.</u> | Stem cells bond our organs/tissues and engineering products. | <i>Circ J.</i> | 78 | 1582-158 3 | 2014 |
| Kondo Y, Iwao T, Nakamura K, Sasaki T, Takahashi S, Kamada N, Matsubara T, Gonzalez FJ, Akutsu H, Miyagawa Y, Okita H, Kiyokawa N, Toyoda M, <u>Umezawa A,</u> Nagata K, Matsunaga T, Ohmori S. | An efficient method for differentiation of human induced pluripotent stem cells into hepatocyte-like cells retaining drug metabolizing activity. | <i>Drug Metab Pharmacokinet.</i> | 29 | 237-243 | 2014 |
| Tano K, Yasuda S, Kuroda T, Saito H, <u>Umezawa A,</u> Sato Y. | A novel in vitro method for detecting undifferentiated human pluripotent stem cells as impurities in cell therapy products using a highly efficient culture system. | <i>PLoS One.</i> | 9 | e110496 | 2014 |

| | | | | | |
|---|---|----------------------|---|-----|------|
| Ninomiya E, Hattori T, Toyoda M, Umezawa A , Hamazaki T, Shintaku H. | Glucocorticoids promote neural progenitor cell proliferation derived from human induced pluripotent stem cells. | <i>Springerplus.</i> | 3 | 527 | 2014 |
|---|---|----------------------|---|-----|------|

書籍

| 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 書 籍 名 | 出版社名 | 出版地 | 出版年 | ページ |
|---------------|---------------------|-------------------|-----------------|----------|-------------|------|----------|
| Kono M | The dyschromatoses. | Dyer JA, Corona R | <i>UpToDate</i> | UpToDate | Waltham, MA | 2015 | On line* |

*<http://www.uptodate.com/contents/the-dyschromatoses>

