

研究成果の刊行に関する一覧表(平成27年度)

雑誌

| 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|-----------------------|---------------------|----------------|------|
| Seror R, Bootsma H, Saraux A, Bowman SJ, Theander E, Brun JG, Baron G, Le Guern V, Devauchelle-Pensec V, Ramos-Casals M, Valim V, Dörner T, Tzioufas A, Gottenberg JE, Solans Laque R, Mandl T, Hachulla E, Sivilis KL, Ng WF, Fauchais AL, Bombardieri S, Priori R, Bartoloni E, Goeb V, Praprotnik S, Sumida T, Nishiyama S, Caporali R, Kruize AA, Vollenweider C, Ravnaud P, Meiners P, Brito-Zeron P, Vitali C, Mariette X; on behalf of the EULAR Sjögren's Task Force. | Defining disease activity states and clinically meaningful improvement in primary Sjögren's syndrome with EULAR primary Sjögren's syndrome disease activity (ESSDAI) and patient-reported indexes (ESSPRI). | Ann Rheum Dis | 75(2) | 382-89 | 2016 |
| Asashima H, Tsuboi H, Takahashi H, Hirota T, Iizuka M, Kondo Y, Matsui M, Matsumoto I, Sumida T. | The energy induction of M3 muscarinic acetylcholine receptor-reactive CD4+ T cells suppresses experimental sialadenitis-like Sjögren's syndrome. | Arthritis Rheumatol | 67(8) | 2213-25 | 2015 |
| Iizuka M, Tsuboi H, Matsuo N, Asashima H, Hirota T, Kondo Y, Iwakura Y, Takahashi S, Matsumoto I, Sumida T. | A crucial role of ROR γ t in the development of spontaneous Sialadenitis-like Sjögren's syndrome. | J Immunol | 194(1) | 56-67 | 2015 |
| Yamamoto K, Okada Y, Suzuki A and Kochi Y. | Genetics of rheumatoid arthritis in Asia-present and future. | Rev Rheumatol | 11 | 375-79 | 2015 |
| Okamura T, Sumitomo S, Morita K, Iwasaki Y, Inoue M, Nakachi S, Komai T, Shoda H, Miyazaki J, Fujio K, Yamamoto K. | TGF- β 3-expressing D4+CD25-LAG3+ regulatory T cells control humoral immune responses. | Nat Commun | 6 | 6329 | 2015 |
| Okada Y, Towfique Raj, Yamamoto K. | Ethnically shared and heterogeneous impacts of molecular pathways suggested by the genome-wide meta-analysis of rheumatoid arthritis. | Rheumatology (Oxford) | Epub ahead of print | | |
| Iseberg DA, Petri M, Kalunian K, Tanaka Y, Urowitz MB, Hoffman RW, Morgan-Cox M, Iikuni N, Silk M, Wallace DJ. | Efficacy and safety of subcutaneous tabalumab in patients with systemic lupus erythematosus: results from ILLUMINATE-1, a 52-week, phase 3, multicenter, randomized, double-blind, placebo-controlled study. | Ann Rheum Dis | 75 | 323-31 | 2016 |
| Wang SP, Iwata S, Nakayama S, Niuro H, Jabbarzadeh-Tabrizi S, Kondo M, Kubo S, Yoshikawa M, Tanaka Y. | Amplification of IL-21 signaling pathway through Bruton's tyrosine kinase in human B cell activation. | Rheumatology | 54 | 1488-97 | 2015 |
| Iwata S, Yamaoka K, Niuro H, Jabbarzadeh-Tabrizi S, Wang S-P, Kondo M, Yoshikawa M, Akashi K, Tanaka Y. | Increased Syk phosphorylation leads to overexpression of TRAF6 in peripheral B cells of patients with systemic lupus erythematosus. | Lupus | 24 | 695-704 | 2015 |
| Kono M, Yasuda S, Stevens RL, Koide H, Kurita T, Oku K, Bohgaki T, Amengual O, Horita T, Shimizu T, Endo T, Takahata M, Majima T, Koike T, Atsumi T. | RasGRP4 is aberrantly expressed in the fibroblast-like synoviocytes of patients with rheumatoid arthritis and controls their proliferation. | Arthritis Rheumatol | 67(2) | 396-407 | 2015 |
| Oku K, Amengual O, Bohgaki T, Horita T, Yasuda S, Atsumi T. | An independent validation of the Global Anti-Phospholipid Syndrome Score in a Japanese cohort of patients with autoimmune diseases. | Lupus | 24(7) | 774-5 | 2015 |
| Amengual O, Fujita D, Ota E, Carmona K, Oku K, Sugiyura-Ogasawara M, Murashima A, Atsumi T. | Primary prophylaxis to prevent obstetric complications in asymptomatic women with antiphospholipid antibodies: a systematic review. | Lupus | 24(11) | 1135-42 | 2015 |
| Inoue M, Kano T, Ozaki T, Takahashi Y, Yamashita H, Kaneko H, Mimori A. | Rheumatic manifestations and an epipharyngeal mass accompanied by myelodysplastic syndrome. | Mod Rheumatol | 25(4) | 653-56 | 2015 |
| Takahashi H, Yamashita H, Kubota K, Miyata Y, Okasaki M, Morooka M, Takahashi Y, Kaneko H, Kano T, Mimori A. | Differences in fluorodeoxyglucose positron emission tomography/computed tomography findings between elderly onset rheumatoid arthritis and polymyalgia rheumatica. | Mod Rheumatol | 25(4) | 546-51 | 2015 |
| Bannai E, Yamashita H, Takahashi Y, Tsuchiya H, Mimori A. | Two cases of adult-onset Still's disease with orbital inflammatory lesions originating from the lacrimal gland. | Intern Med | 54(20) | 2671-4 | 2015 |
| Fujii Y, Narita T, Tice RR, Takeda S, Yamada R. | Isotonic Regression Based-Method in Quantitative High-Throughput Screenings for Genotoxicity. | Dose Response | 13(1) | 13-045 | 2015 |
| Terao C, Ohmura K, Kochi Y, Ikari K, Okada Y, Shimizu M, Nishina N, Suzuki A, Myouzen K, Kawaguchi T, Takahashi M, Takasugi K, Murasawa A, Mizuki S, Iwahashi M, Funahashi K, Natsumeda M, Furu M, Hashimoto M, Ito H, Fujii T, Ezawa K, Matsubara T, Takeuchi T, Kubo M, Yamada R, Taniguchi A, Yamanaka H, Momohara S, Yamamoto K, Mimori T, Matsuda F. | Anti-citrullinated peptide/protein antibody (ACPA)-negative RA shares a large proportion of susceptibility loci with ACPA-positive RA: a meta-analysis of genome-wide association study in a Japanese population. | Arthritis Res Ther | 17 | 104-015-0623-4 | 2015 |
| Terao C, Asai K, Hashimoto M, Yamazaki T, Ohmura K, Yamaguchi A, Takahashi K, Takei N, Ishii T, Kawaguchi T, Tabara Y, Takahashi M, Nakayama T, Kosugi S, Sekine A, Fujii T, Yamada R, Mimori T, Matsuda F, Bessho K, Nagahama Study Group | Significant association of periodontal disease with anti-citrullinated peptide antibody in a Japanese healthy population - The Nagahama study. | J Autoimmun | 59 | 85-90 | 2015 |
| Doe K, Nozawa K, Hirai T, Tsumihara H, Hayashi E, Hiruma K, Ando S, Nakano S, Kon T, Amano H, Yamaji K, Tamura N, Takasaki Y. | Second-to-fourth Digit Ratio in Systemic Lupus Erythematosus. | J Rheumatol | 42(5) | 826-8 | 2015 |
| Ohtsuji M, Lin Q, Nishikawa K, Ohtsuji N, Okazaki H, Tsurui H, Amano H, Shirai T, Nishimoto N, Nishimura H, Hirose S. | IL-6 signal blockade ameliorates the enhanced osteoclastogenesis and the associated joint destruction in a novel Fc γ R1IB-deficient rheumatoid arthritis mouse model. | Mod Rheumatol | 25(2) | 270-77 | 2015 |
| Saito S, Ishii T, Kamogawa Y, Watanabe R, Shirai T, Fujita Y, Shirota Y, Fujii H, Ito K, Shimokawa H, Yamaguchi T, Kawaguchi Y, Harigae H. | Extracorporeal Shock Wave Therapy for Digital Ulcers of Systemic Sclerosis: A Phase 2 Pilot Study. | Tohoku J Exp Med | 238(1) | 39-47 | 2016 |
| Yoshida M, Watanabe R, Ishii T, Machiyama T, Akita K, Fujita Y, Shirota Y, Sugimura K, Fujii H, Shimokawa H, Harigae H. | Retrospective analysis of 95 patients with large vessel vasculitis: a single center experience. | Int J Rheum Dis | 19(1) | 87-94 | 2016 |
| Ogata A, Amano K, Dobashi H, Inoo M, Ishii T, Kasama T, Kawai S, Kawakami A, Koike T, Miyahara H, Miyamoto T, Murakata Y, Murasawa A, Nishimoto N, Ogawa N, Ojima T, Sano H, Shi K, Shono E, Suematsu E, Takahashi H, Tanaka Y, Tsukamoto H, Nomura A; MUSASHI Study Investigators. | Longterm Safety and Efficacy of Subcutaneous Tocilizumab Monotherapy: Results from the 2-year Open-label Extension of the MUSASHI Study. | J Rheumatol | 42(5) | 799-809 | 2015 |
| Kono M, Miura N, Fujii T, Ohmura K, Yoshifuji H, Yukawa N, Imura Y, Nakashima R, Ikeda T, Umemura S, Miyatake T, Mimori T. | Personal Authentication Analysis Using Finger-Vein Patterns in Patients with Connective Tissue Diseases-Possible Association with Vascular Disease and Seasonal Change. | PLoS One | 10(12) | e0144952 | 2015 |
| Hozumi H, Enomoto N, Kono M, Fujisawa T, Inui N, Nakamura Y, Sumikawa H, Johkoh T, Nakashima R, Imura Y, Mimori T, Suda T. | Prognostic Significance of Anti-Aminoacyl-tRNA Synthetase Antibodies in Polyomyositis/Dermatomyositis-Associated Interstitial Lung Disease: A Retrospective Case Control Study. | PLoS One | 10(3) | e0120313 | 2015 |
| Nishihara H, Shimizu F, Sano Y, Takeshita Y, Maeda T, Abe M, Koga M, Kanda T. | Fingolimod prevents blood-brain barrier disruption induced by the sera from patients with multiple sclerosis. | PLoS One | 10(3) | e0121488 | 2015 |
| Shimizu F, Nishihara H, Sano Y, Takeshita Y, Takahashi S, Maeda T, Takahashi T, Abe M, Koga M, Kanda T. | Markedly increased IP-10 production by blood-brain barrier in neuromyelitis optica. | PLoS One | 10(3) | e0122000 | 2015 |
| Spampinato SF, Obermeier B, Cotleur A, Love A, Takeshita Y, Sano Y, Kanda T, Ransohoff RM. | Sphingosine 1 Phosphate at the Blood Brain Barrier: Can the Modulation of S1P Receptor 1 Influence the Response of Endothelial Cells and Astrocytes to Inflammatory Stimuli? | PLoS One | 10(7) | e0133392 | 2015 |
| Hamaguchi Y, Koderu M, Matsushita T, Hasegawa M, Inaba Y, Usuda T, Kuwana M, Takehara K, Fujimoto M. | Clinical and immunological predictors of scleroderma renal crisis for Japanese systemic sclerosis patients with anti-RNA polymerase III autoantibodies. | Arthritis Rheumatol | 67(4) | 1045-52 | 2015 |
| Okiyama N, Fujimoto M. | Clinical perspectives and murine models of lichenoid tissue reaction/interface dermatitis. | J Dermatol Sci | 78(3) | 167-72 | 2015 |
| Okiyama N, Hasegawa H, Oida T, Hirata S, Yokozeki H, Fujimoto M, N Miyasaka N, Kohsaka H. | Experimental myositis inducible with transfer of dendritic cells presenting a skeletal muscle C protein-derived CD8 epitope peptide. | Int Immunol | 27(7) | 327-32 | 2015 |
| Ohsawa Y, Takayama K, Nishimatsu S, Okada T, Fujino M, Fukai Y, Murakami T, Hagiwara H, Itoh F, Tsuchida K, Hayashi Y, Sunada Y. | The Inhibitory Core of the Myostatin Prodomain: Its Interaction with Both Type I and II Membrane Receptors, and Potential to Treat Muscle Atrophy. | PLoS One | 10(7) | e0133713 | 2015 |

| | | | | | |
|---|--|--|--------|---------------------|------|
| Takayama K, Noguchi Y, Aoki S, Takayama S, Yoshida M, Asari T, Yakushiji F, Nishimatsu S, Ohsawa Y, Itoh F, Negishi Y, <u>Sunada Y</u> , Hayashi Y. | Identification of the minimum peptide from mouse myostatin prodomain for human myostatin inhibition. | J Med Chem | 58(3) | 1544-9 | 2015 |
| Kutoku Y, Ohsawa Y, Kuwano R, Ikauchi T, Inoue H, Ataka S, Shimada H, Mori H, <u>Sunada Y</u> . | A second pedigree with amyloid-less familial Alzheimer's disease harboring an identical mutation in the amyloid precursor protein gene (E693delta). | Intern Med | 54 | 205-8 | 2015 |
| Nishimura K, Omori M, Katsumata Y, Sato E, Gono T, <u>Kawaguchi Y</u> , Harigai M, Mimura M, Yamanaka H, Ishigooka J. | Neurocognitive impairment in corticosteroid-naïve patients with active systemic lupus erythematosus: a prospective study. | J Rheumatol | 42(3) | 441-8 | 2015 |
| Higuchi T, <u>Kawaguchi Y</u> , Takagi K, Tochimoto A, Ota Y, Katsumata Y, Ichida H, Hanaoka M, Kawasumi H, Tochiwara M, Yamanaka H | Sildenafil attenuates the fibrotic phenotype of skin fibroblasts in patients with systemic sclerosis. | Clin Immunol | 161(2) | 333-8 | 2015 |
| Kawasumi H, Gono T, <u>Kawaguchi Y</u> , Yamanaka H | Recent treatment of interstitial lung disease with idiopathic inflammatory myopathies. | Clin Med Insights Circ Respir Pulm Med | 9 | 9-17 | 2015 |
| <u>Muro Y</u> , Sugiura K, Nara M, Sakamoto I, Suzuki N, Akiyama M. | High incidence of cancer in anti-small ubiquitin-like modifier activating enzyme antibody-positive dermatomyositis. | Rheumatology (Oxford) | 54(9) | 1745-47 | 2015 |
| <u>Muro Y</u> , Hosono Y, Sugiura K, Ogawa Y, <u>Mimori T</u> , Akiyama M. | Anti-PM/Scl antibodies are found in Japanese patients with various systemic autoimmune conditions besides myositis and scleroderma. | Arthritis Res Ther | 17(1) | 57 | 2015 |
| <u>Muro Y</u> , Sugiura K, Mimori T, Akiyama M. | DNA mismatch repair enzymes: genetic defects and autoimmunity. | Clin Chim Acta | 442 | 102-9 | 2015 |
| Tomimitsu H, <u>Ohta A</u> , Nagai M, Nishina M, Ishihara S, <u>Kohsaka H</u> . | Epidemiologic Analysis of the Clinical Features of Japanese Patients with Polymyositis and Dermatomyositis. | Mod Rheumatol | | Epub ahead of print | |
| Nakamura K, <u>Jinnin M</u> , Kudo H, Inoue K, Nakayama W, Honda N, Kajihara I, Masuguchi S, Fukushima S, Ihn H. | The role of PSMB9 up-regulated by interferon signature in the pathophysiology of cutaneous lesions of dermatomyositis and lupus erythematosus. | Br J Dermatol | | Epub ahead of print | |
| Nakamura K, Nakatsuka N, <u>Jinnin M</u> , Makino T, Kajihara I, Makino K, Honda N, Inoue K, Fukushima S, Ihn H. | Serum concentrations of Fit-3 ligand in rheumatic diseases. | Biosci Trends | 9(5) | 342-9 | 2015 |
| Inoue M, <u>Jinnin M</u> , Wang Z, Nakamura K, Inoue K, Ichihara A, Moriya C, Sakai K, Fukushima S, Ihn H. | microRNA level is raised in the hair shafts of patients with dermatomyositis in comparison with normal subjects and patients with scleroderma. | Int J Dermatol | | Epub ahead of print | |
| Yoshimura S, Nakamura H, Horai Y, Nakajima H, Shiraiishi H, Hayashi T, Takahashi T, <u>Kawakami A</u> . | Abnormal distribution of AQP5 in labial salivary glands is associated with poor saliva secretion in patients with Sjogren's syndrome including neuromyelitis optica complicated patients. | Mod Rheumatol | | Epub ahead of print | |
| Horai Y, Nakamura H, Nakashima Y, Hayashi T, <u>Kawakami A</u> . | Analysis of the downstream mediators of toll-like receptor 3-induced apoptosis in labial salivary glands in patients with Sjogren's syndrome. | Mod Rheumatol | 26(1) | 99-104 | 2016 |
| Nakamura H, Takahashi Y, Yamamoto-Fukuda T, Horai Y, Nakashima Y, Arima K, Nakamura T, Koji T, <u>Kawakami A</u> . | Direct infection of primary salivary gland epithelial cells by human T lymphotropic virus type I in patients with Sjogren's syndrome. | Arthritis Rheumatol | 67(4) | 1096-06 | 2015 |
| Azuma N, Katada Y, Kitano S, Sekiguchi M, Kitano M, Nishioka A, Hashimoto N, Matsui K, Iwasaki T, <u>Sano H</u> . | Rapid decrease in salivary epidermal growth factor levels in patients with Sjogren's syndrome: A 3-year follow-up study. | Mod Rheumatol | 25(6) | 876-82 | 2015 |
| Ogawa Y, Morikawa S, Okano H, Mabuchi Y, Suzuki S, Yaguchi T, Sato Y, Mukai S, Yaguchi S, Inaba T, Okamoto S, Kawakami Y, <u>Tsubota K</u> , Matsuzaki Y, Shimmura S. | MHC-compatible bone marrow stromal/stem cells trigger fibrosis by activating host T cells in a scleroderma mouse model. | eLife | 5 | e09394 | 2016 |
| Liu Y, Hirayama M, Cui X, Connell S, Kawakita T, <u>Tsubota K</u> . | Effectiveness of Autologous Serum Eye Drops Combined With Punctal Plugs for the Treatment of Sjogren Syndrome-Related Dry Eye. | Cornea | 34(10) | 1214-20 | 2015 |
| Hirayama M, Liu Y, Kawakita T, Shimmura S, <u>Tsubota K</u> . | Cytokeratin expression in mouse lacrimal gland germ epithelium. | Exp Eye Res | 146 | 54-9 | 2015 |
| Kikuchi K, Ishige T, Ide F, Ito Y, <u>Saito J</u> , Hoshino M, Inoue H, Miyazaki Y, Nozaki T, Kojima M, Kusama K. | Overexpression of activation-induced cytidine Deaminase (MTX- and Age-Related Epstein-Barr Virus-Associated B-Cell lymphoproliferative disorders of the head and neck). | J Oncol | 2015 | 605750 | 2015 |
| Takahashi A, Inoue H, Mishima K, Ide F, Nakayama R, Hasaka A, Ryo K, Ito Y, Sakurai T, Hasegawa Y, <u>Saito J</u> . | Evaluation of the effects of quercetin on damaged salivary secretion. | PLoS One | 10(1) | e0116008 | 2015 |
| Ohya K, Moriyama M, Hayashida JN, Tanaka A, Maehara T, Ieda S, Furukawa S, Ohta M, Imabayashi Y, <u>Nakamura S</u> . | Saliva as a potential tool for diagnosis of dry mouth including Sjogren's syndrome. | Oral Dis | 21(2) | 224-31 | 2015 |
| Shimizu M, Okamura K, Kise Y, Takeshita Y, Furuhashi H, Weerawichan W, Moriyama M, Ohya Y, Furukawa S, <u>Nakamura S</u> , Yoshiura K. | Effectiveness of imaging modalities for screening IgG4-related dacryoadenitis and sialadenitis (Mikulicz's disease) and for differentiating it from Sjogren's syndrome (SS), with an emphasis on sonography. | Arthritis Res Ther | 17 | 223 | 2015 |
| Hayashida JN, Minami S, Moriyama M, Toyoshima T, Shinozaki S, Tanaka A, Maehara T, <u>Nakamura S</u> . | Differences of stimulated and unstimulated salivary flow rates in the patients with dry mouth. | J Oral Maxillofac Surg Med Pathol | 27 | 96-101 | 2015 |
| <u>Tsuboi H</u> , <u>Sumida T</u> , Noma H, Yamagishi K, Anami A, Fukushima K, Horigome H, Maeno Y, Kishimoto M, Takasaki Y, Nakayama M, Waguri M, Sago H, Murashima A. | Maternal predictive factors for fetal congenital heart block in pregnant mothers positive for anti-SS-A antibodies. | Mod Rheumatol | | Epub ahead of print | |
| Miki H, <u>Tsuboi H</u> , Kaneko S, Takahashi H, Yokosawa M, Asashima H, Hirota T, Hagiwara S, Umeda N, Kondo Y, Nishimura B, Sugano M, Matsumoto I, <u>Sumida T</u> . | A case of refractory Kimura disease with a buccal bulky mass successfully treated with low-dose cyclosporine A: report and review of the literature. | Allergol Int | | Epub ahead of print | |
| Takahashi H, <u>Tsuboi H</u> , Abe S, Yokosawa M, Hagiwara S, Asashima H, Hirota T, Umeda N, Kondo Y, Matsumoto I, <u>Sumida T</u> . | Magnetic resonance imaging can reveal fascial vasculitis in a patient with microscopic polyangiitis. | Scand J Rheumatol | 44(6) | 511-3 | 2015 |
| Araki Y, Wada TT, Aizaki Y, Sato K, Yokota K, Fujimoto K, Yoon-Taek K, Oda H, Kurokawa R, <u>Mimura T</u> . | Histone methylation and STAT3 differentially regulate IL-6-induced MMP gene activation in rheumatoid arthritis synovial fibroblasts. | Arthritis Rheumatol | | Epub ahead of print | |
| Asanuma YF, <u>Mimura T</u> , <u>Tsuboi H</u> , Noma H, Miyoshi F, <u>Yamamoto K</u> , <u>Sumida T</u> . | Nationwide epidemiological survey of 169 patients with adult Still's disease in Japan. | Mod Rheumatol | 25(3) | 393-400 | 2015 |
| Akiyama Y, Yokota K, Nakajima K, Yoshida Y, Araki Y, Kajiyama H, Asanuma YF, Sato K, <u>Mimura T</u> . | Effects of Bosentan on the Skin Temperature of Hands and Feet in Patients with Connective Tissue Diseases Complicated with Raynaud's Phenomenon: A Prospective, Open-Label, Uncontrolled, Single-Center Study. | Global Journal of Medical Research | 15 | 7-15 | 2015 |

研究成果の刊行に関する一覧表(平成27年度)

書籍

| 著者氏名 | タイトル名 | 書籍全体の編集者名 | 出版社名 | 出版年 |
|-------------------------|-------------------------------|--|----------|---------|
| | | 書籍名 | 出版地 | ページ |
| 熊谷 俊子、三森 経世 | 自己免疫疾患に関する検査 | 金井正光監修 | 金原出版 | 2015 |
| | | 臨床検査法提要(改訂第34版) | 東京 | 871-902 |
| 三森 経世 | 抗Jo-1抗体 | 三橋知明編集 | 文光堂 | 2015 |
| | | 臨床検査ガイド(2015年改訂版) | 東京 | 740-2 |
| 三森 経世 | 膠原病および類縁疾患 最近の動向 | 福井次矢、高木誠、小室一成総編集 | 医学書院 | 2015 |
| | | 今日の治療方針:私はこちら治療している2015 | 東京 | 794-7 |
| 室 慶直 | Sjogren症候群 | 渡辺晋一、古川福実 | 南江堂 | 2015 |
| | | 皮膚疾患 最新の治療 2015-2016 | 東京 | 87 |
| 室 慶直 | 皮膚筋炎 | 吉良潤一 | 日本臨床社 | 2015 |
| | | 免疫性神経疾患 基礎・臨床研究の最新知見 | 大阪 | 567-73 |
| 室 慶直 | - | 自己免疫疾患に関する調査研究班 多発性筋炎・皮膚筋炎分科会 | 診断と治療社 | 2015 |
| | | 多発性筋炎・皮膚筋炎 治療ガイドライン | 東京 | - |
| 斎藤 一郎 | 口腔乾燥症 | 内山健志・近藤壽郎・久保田英部 | 医学書院 | 2015 |
| | | 標準口腔外科学 | 東京都 | 353-6 |
| 斎藤 一郎 | 自己免疫疾患 (関節リウマチ、Sjogren症候群) | 柳井秀雄・清水則夫・吉山裕規 | 診断と治療社 | 2015 |
| | | EBウイルス | 東京都 | 151-7 |
| 斎藤 一郎 | アンチエイジング医学と唾液検査 | 槻木恵一(監修) | シーエムシー出版 | 2015 |
| | | 非侵襲的検体検査の最前線 -唾液検査・呼吸検査を中心に- | 東京都 | 111-6 |
| 坪井 洋人、住田 孝之 | 抗SS-A/Ro抗体、抗SS-B/La抗体 | 三橋 知明、Medical Practice編集委員会 | 文光堂 | 2015 |
| | | 臨床検査ガイド | 東京 | 752-54 |
| 坪井 洋人、浅島 弘充、廣田 晋哉、住田 孝之 | シェーグレン症候群 病態と治療アップデート | 松本 功、保田 晋助 | 文光堂 | 2015 |
| | | リウマチ・膠原病診療ハイグレード 分子標的/Bio時代のリウマチ・膠原病治療ストラテジー | 東京 | 272-84 |
| 三村 俊英 | リウマチ膠原病領域の診断と治療 | 山科 章 | 日本内科学会 | 2015 |
| | | 内科 | 東京 | 2107-09 |
| 三村 俊英 | 成人発症ステイル病 | 沼田 稔 | 医業ジャーナル | 2015 |
| | | アレルギー・免疫 | 東京 | 1764-71 |
| 三村 俊英 | 関節外病変と自己抗体 | 鯨岡 哲 | 先端医学社 | 2016 |
| | | 炎症と免疫 | 東京 | 56-60 |