

表 1. 受診者数実数 2,324 人の性別、肝癌・肝硬変別、保険者別、請求区分（入院、外来、外来調剤）別の内訳

男性	1,204	肝癌	718	国保	320	外来	173
						入院	48
						外来調剤	99
				後期高齢	271	外来	105
						入院	15
						外来調剤	151
	社保	127	外来	65			
			入院	15			
			外来調剤	47			
	肝硬変	486	国保	216	外来	116	
					入院	9	
					外来調剤	91	
後期高齢			168	外来	80		
				入院	7		
				外来調剤	81		
社保	102	外来	39				
		入院	5				
		外来調剤	58				
女性	1,120	肝癌	404	国保	127	外来	67
						入院	22
						外来調剤	38
				後期高齢	236	外来	139
						入院	23
						外来調剤	74
		社保	41	外来	21		
				入院	0		
				外来調剤	20		
		肝硬変	716	国保	242	外来	140
						入院	15
						外来調剤	87
後期高齢	405			外来	255		
				入院	22		
				外来調剤	128		
社保	69	外来	21				
		入院	1				
		外来調剤	47				
男女計	2,324	肝癌	1,122	国保	447	外来	240
						入院	70
						外来調剤	137
				後期高齢	507	外来	244
						入院	38
						外来調剤	225
		社保	168	外来	86		
				入院	15		
				外来調剤	67		
		肝硬変	716	国保	458	外来	256
						入院	24
						外来調剤	178
後期高齢	573			外来	335		
				入院	29		
				外来調剤	209		
社保	171	外来	60				
		入院	6				
		外来調剤	105				

表 2. 受診者数実数 2,324 人の保険者別年齢階級分布

年齢階級	国保	後期高齢	社保	計
30歳以上40歳未満	1	0	3	4
40歳以上50歳未満	17	0	15	32
50歳以上60歳未満	84	0	81	165
60歳以上65歳未満	142	0	94	236
65歳以上70歳以下	360	23	109	492
71歳以上75歳以下	301	50	37	388
76歳以上	0	1,007	0	1,007
計	905	1,080	339	2,324

表 3. 延べ受診者 9,904 人の性別、肝癌・肝硬変別、保険者別の内訳

男性	4,924	肝癌	2,915	国保	1,317
				後期高齢	1,136
				社保	462
		肝硬変	2,009	国保	863
				後期高齢	765
				社保	381

女性	4,980	肝癌	1,707	国保	505
				後期高齢	1,066
				社保	136
		肝硬変	3,273	国保	1,055
				後期高齢	1,946
				社保	272

男女計	9,904	肝癌	4,622	国保	1,822
				後期高齢	2,202
				社保	598
		肝硬変	5,282	国保	1,918
				後期高齢	2,711
				社保	653

表 4-1 (男女計・肝癌) 受診年月別・保険者別にみた月別延べ受診者数

男女計・肝癌				
受診年月	月別受診者数			
	国保	後期高齢	社保	計
H25.07			1	1
H25.11			1	1
H25.12	1			1
H26.02	1			1
H26.03	1			1
H26.04	1	1		2
H26.05	1	1	1	3
H26.06	2	2	2	6
H26.07	3	1	2	6
H26.08	6	5	3	14
H26.09	9	12	4	25
H26.10	314	358	97	769
H26.11	309	361	103	773
H26.12	311	371	99	781
H27.01	298	363	97	758
H27.02	281	365	97	743
H27.03	284	362	91	737
計	1,822	2,202	598	4,622

表 4-2 (男女計・肝硬変) 受診年月別・保険者別にみた月別延べ受診者数

男女計・肝硬変				
受診年月	月別受診者数			
	国保	後期高齢	社保	計
H23.08	1			1
H25.03		1		1
H26.02			1	1
H26.04			1	1
H26.05		1	1	2
H26.06	2	2		4
H26.07		5	4	9
H26.08	5	6		11
H26.09	4	12	3	19
H26.10	346	455	119	920
H26.11	311	454	104	869
H26.12	337	458	117	912
H27.01	318	447	110	875
H27.02	299	426	101	826
H27.03	295	444	92	831
計	1,918	2,711	653	5,282

表 4-3 (男女計・肝癌+肝硬変) 受診年月別・保険者別にみた月別延べ受診者数 (N=9,904)

男女計・肝癌+肝硬変				
受診年月	月別受診者数			
	国保	後期高齢	社保	計
H23.08	1			1
H25.03		1		1
H25.07			1	1
H25.11			1	1
H25.12	1			1
H26.02	1		1	2
H26.03	1			1
H26.04	1	1	1	3
H26.05	1	2	2	5
H26.06	4	4	2	10
H26.07	3	6	6	15
H26.08	11	11	3	25
H26.09	13	24	7	44
H26.10	660	813	216	1,689
H26.11	620	815	207	1,642
H26.12	648	829	216	1,693
H27.01	616	810	207	1,633
H27.02	580	791	198	1,569
H27.03	579	806	183	1,568
計	3,740	4,913	1,251	9,904

表 4-4 (男性・肝癌) 受診年月別・保険者別にみた月別延べ受診者数

男性・肝癌				
受診年月	月別受診者数			
	国保	後期高齢	社保	計
H25.07			1	1
H25.12	1			1
H26.02	1			1
H26.03	1			1
H26.04	1			1
H26.05	1	1	1	3
H26.06	2	1	2	5
H26.07	2		2	4
H26.08	5	1	2	8
H26.09	6	4	4	14
H26.10	215	191	74	480
H26.11	224	181	77	482
H26.12	222	195	79	496
H27.01	221	189	76	486
H27.02	206	187	71	464
H27.03	209	186	73	468
計	1,317	1,136	462	2,915

表 4-5 (男性・肝硬変) 受診年月別・保険者別にみた月別延べ受診者数

男性・肝硬変				
受診年月	月別受診者数			
	国保	後期高齢	社保	計
H23.08	1			1
H25.03		1		1
H26.02			1	1
H26.04			1	1
H26.06	2			2
H26.07		1	2	3
H26.08	3	1		4
H26.09	2	5	2	9
H26.10	149	126	72	347
H26.11	144	133	60	337
H26.12	148	123	70	341
H27.01	151	127	63	341
H27.02	132	121	58	311
H27.03	131	127	52	310
計	863	765	381	2,009

表 4-6 (男性・肝癌+肝硬変) 受診年月別・保険者別にみた月別延べ受診者数 (N=4,924)

男性・肝癌+肝硬変				
受診年月	月別受診者数			
	国保	後期高齢	社保	計
H23.08	1			1
H25.03		1		1
H25.07			1	1
H25.12	1			1
H26.02	1		1	2
H26.03	1			1
H26.04	1		1	2
H26.05	1	1	1	3
H26.06	4	1	2	7
H26.07	2	1	4	7
H26.08	8	2	2	12
H26.09	8	9	6	23
H26.10	364	317	146	827
H26.11	368	314	137	819
H26.12	370	318	149	837
H27.01	372	316	139	827
H27.02	338	308	129	775
H27.03	340	313	125	778
計	2,180	1,901	843	4,923

表 4-7 (女性・肝癌) 受診年月別・保険者別にみた月別延べ受診者数

女性・肝癌				
受診年月	月別受診者数			
	国保	後期高齢	社保	計
H25.11			1	1
H26.04		1		1
H26.06		1		1
H26.07	1	1		2
H26.08	1	4	1	6
H26.09	3	8		11
H26.10	99	167	23	289
H26.11	85	180	26	291
H26.12	89	176	20	285
H27.01	77	174	21	272
H27.02	75	178	26	279
H27.03	75	176	18	269
計	505	1,066	136	1,707

表 4-8 (女性・肝硬変) 受診年月別・保険者別にみた月別延べ受診者数

女性・肝硬変				
受診年月	月別受診者数			
	国保	後期高齢	社保	計
H26.05		1	1	2
H26.06		2		2
H26.07		4	2	6
H26.08	2	5		7
H26.09	2	7	1	10
H26.10	197	329	47	573
H26.11	167	321	44	532
H26.12	189	335	47	571
H27.01	167	320	47	534
H27.02	167	305	43	515
H27.03	164	317	40	521
計	1,055	1,946	272	3,273

表 4-9 (女性・肝癌+肝硬変) 受診年月別・保険者別にみた月別延べ受診者数 (N=4,980)

女性・肝癌+肝硬変				
受診年月	月別受診者数			
	国保	後期高齢	社保	計
H25.11			1	1
H26.04		1		1
H26.05		1	1	2
H26.06		3		3
H26.07	1	5	2	8
H26.08	3	9	1	13
H26.09	5	15	1	21
H26.10	296	496	70	862
H26.11	252	501	70	823
H26.12	278	511	67	856
H27.01	244	494	68	806
H27.02	242	483	69	794
H27.03	239	493	58	790
計	1,560	3,012	408	4,980

表 5 保険者別、肝癌・肝硬変別にみた受診者実数 (N=2,324)

男女計								
	国保		後期高齢		社保		計	
	受診者数実数	平均年齢±SD	受診者数実数	平均年齢±SD	受診者数実数	平均年齢±SD	受診者数実数	平均年齢±SD
肝癌	447	67.5±5.9	507	80.6±4.3	168	63.4±6.2	1122	72.8±9.0
肝硬変	458	66.6±6.6	573	80.8±4.7	171	61.2±7.7	1202	72.6±10.0
肝癌+肝硬変	905	67.0±6.3	1,080	80.8±4.5	339	62.3±7.1	2,324	72.7±9.5

男性								
	国保		後期高齢		社保		計	
	受診者数実数	平均年齢±SD	受診者数実数	平均年齢±SD	受診者数実数	平均年齢±SD	受診者数実数	平均年齢±SD
肝癌	320	66.8±5.9	271	80.0±4.2	127	62.9±6.6	718	71.1±8.9
肝硬変	216	64.6±7.1	168	80.5±4.9	102	59.5±7.3	486	69.0±10.7
肝癌+肝硬変	536	65.9±6.5	439	80.2±4.5	229	61.4±7.1	1,204	70.3±9.7

女性								
	国保		後期高齢		社保		計	
	受診者数実数	平均年齢±SD	受診者数実数	平均年齢±SD	受診者数実数	平均年齢±SD	受診者数実数	平均年齢±SD
肝癌	127	69.2±5.6	236	81.4±4.3	41	64.8±4.5	404	75.9±8.2
肝硬変	242	68.4±5.5	405	81.0±4.6	69	63.8±7.7	716	75.1±8.6
肝癌+肝硬変	369	68.7±5.5	641	81.1±4.5	110	64.2±6.7	1,120	75.4±8.5

表 6-1 (男女計・肝癌) 受診年月別・保険者別、患者自己負担の有無別にみた月別延べ受診者数

男女計一肝癌							
受診年月	国保		後期高齢		社保		
	自己負担	受診者数	平均年齢±SD	受診者数	平均年齢±SD	受診者数	平均年齢±SD
H25.07					1	62.0	
	有				1	62.0	
	無						
H25.11					1	67.0	
	有						
	無				1	67.0	
H25.12		1	69.0				
	有						
	無	1	69.0				
H26.02		1	56.0				
	有	1	56.0				
	無						
H26.03		1	56.0				
	有	1	56.0				
	無						
H26.04		1	56.0	1	77.0		
	有	1	56.0				
	無			1	77.0		
H26.05		1	65.0	1	83.0	1	56.0
	有						
	無	1	65.0	1	83.0	1	56.0
H26.06		2	64.0±11.3	2	80.5±6.4	2	61.5±10.6
	有	1	56.0			1	54.0
	無	1	72.0	2	80.5±6.4	1	69.0
H26.07		3	70.0±4.6	1	80.0	2	58.5±3.5
	有						
	無	3	70.0±4.6	1	80.0	2	58.5±3.5
H26.08		6	67.7±8.0	5	80.2±3.2	3	63.7±4.9
	有	1	67.0			2	62.5±6.4
	無	5	67.8±8.9	5	80.2±3.2	1	66.0
H26.09		9	68.4±5.4	12	83.8±4.9	4	63.3±2.1
	有	3	65.3±6.4			4	63.3±2.1
	無	6	70.0±4.7	12	83.8±4.9		
H26.10		314	67.8±5.9	358	80.9±4.3	97	63.3±5.4
	有	56	64.7±5.3	4	77.0±5.7	48	61.8±5.1
	無	258	68.4±5.8	354	80.9±4.2	49	64.9±5.3
H26.11		309	67.5±5.9	361	80.9±4.2	103	63.2±5.7
	有	51	64.5±4.8	4	80.3±5.1	53	62.0±5.5
	無	258	68.1±6.0	357	80.9±4.2	50	64.4±5.7
H26.12		311	67.8±5.7	371	80.8±4.2	99	63.9±5.8
	有	57	64.9±5.6	4	79.5±4.7	44	62.2±6.0
	無	254	68.5±5.5	367	80.8±4.2	55	65.3±5.3
H27.01		298	67.4±6.0	363	80.8±4.3	97	63.3±5.7
	有	61	63.8±5.9	8	80.3±3.8	43	62.5±5.9
	無	237	68.3±5.6	355	80.8±4.3	54	64.0±5.5
H27.02		281	67.5±5.6	365	80.6±4.3	97	63.9±6.3
	有	50	65.2±4.8	7	77.6±5.0	48	61.9±6.5
	無	231	67.9±5.6	358	80.6±4.3	49	65.9±5.5
H27.03		284	67.5±5.6	362	80.8±4.1	91	63.4±6.0
	有	48	65.7±4.8	6	82.3±3.7	46	61.6±6.1
	無	236	67.8±5.6	356	80.8±4.1	45	65.1±5.5
計		1,822		2,202		598	

表 6-2 (男女計・肝硬変) 受診年月別・保険者別、患者自己負担の有無別にみた月別延べ受診者数

男女計一肝硬変							
受診年月	自己負担	国保		後期高齢		社保	
		受診者数	平均年齢±SD	受診者数	平均年齢±SD	受診者数	平均年齢±SD
H23.08		1	64				
	有						
	無	1	64				
H25.03		0		1	75		
	有						
	無			1	75		
H26.02		0				1	55
	有						
	無					1	55
H26.04		0				1	61
	有						
	無					1	61
H26.05		0		1	83	1	66
	有						
	無			1	83	1	66
H26.06		2	62.0±2.8	2	80.5±3.5		
	有						
	無	2	62.0±2.8	2	80.5±3.5		
H26.07		0		5	79.0±2.5	4	64.0±6.3
	有			1	76	2	59.5±4.9
	無			4	79.8±2.2	2	68.5±3.5
H26.08		5	66.4±6.3	6	79.8±2.6		
	有	1	58	1	76		
	無	4	68.5±4.9	5	80.6±2.1		
H26.09		4	70.3±3.0	12	79.7±2.7	3	59.3±9.0
	有			2	77.0±1.4	2	59.0±12.7
	無	4	70.3±3.0	10	80.2±2.7	1	60
H26.10		346	67.0±6.4	455	81.1±4.6	119	62.0±7.2
	有	31	64.7±4.9	4	80.3±5.3	38	59.7±7.0
	無	315	67.3±6.5	451	81.1±4.6	81	63.1±7.0
H26.11		311	66.9±6.4	454	81.0±4.8	104	62.0±7.8
	有	25	62.2±7.0	5	77.6±6.8	32	57.3±8.3
	無	286	67.3±6.2	449	81.0±4.8	72	64.1±6.7
H26.12		337	67.1±6.6	458	81.0±4.7	117	61.6±7.7
	有	26	64.1±5.7	2	77.0±1.4	35	58.6±7.4
	無	311	67.3±6.6	456	81.0±4.7	82	62.8±7.5
H27.01		318	66.7±6.4	447	80.9±4.7	110	61.9±7.3
	有	37	63.9±5.6	6	80.2±5.0	38	59.8±5.9
	無	281	67.1±6.5	441	80.9±4.7	72	62.9±7.8
H27.02		299	66.7±6.4	426	80.8±4.8	101	61.5±8.2
	有	34	64.2±6.0	3	79.7±2.1	29	59.1±7.3
	無	265	67.0±6.3	423	80.8±4.8	72	62.4±8.4
H27.03		295	66.6±6.4	444	80.8±4.8	92	61.5±7.5
	有	38	64.1±5.5	2	80.0±2.8	24	58.5±5.8
	無	257	67.0±6.5	442	80.8±4.8	68	62.5±7.7
計		1,918		2,711		653	

表 6-3 (男性・肝癌) 受診年月別・保険者別、患者自己負担の有無別にみた月別延べ受診者数

男性一肝癌							
受診年月	国保		後期高齢		社保		
	自己負担	受診者数	平均年齢±SD	受診者数	平均年齢±SD	受診者数	平均年齢±SD
H25.07					1	62.0	
	有				1	62.0	
	無						
H25.12		1	69.0				
	有						
	無	1	69.0				
H26.02		1	56.0				
	有	1	56.0				
	無						
H26.03		1	56.0				
	有	1	56.0				
	無						
H26.04		1	56.0				
	有	1	56.0				
	無						
H26.05		1	65.0	1	83.0	1	56.0
	有						
	無	1	65.0	1	83.0	1	56.0
H26.06		2	64.0±11.3	1	76.0	2	61.5±10.6
	有	1	56.0			1	54.0
	無	1	72.0	1	76.0	1	69.0
H26.07		2	67.5±2.1			2	58.5±3.5
	有						
	無	2	67.5±2.1			2	58.5±3.5
H26.08		5	66.2±8.0	1	80.0	2	62.5±6.4
	有	1	67.0			2	62.5±6.4
	無	4	66.0±9.2	1	80.0		
H26.09		6	66.8±5.3	4	80.3±0.5	4	63.3±2.1
	有	3	65.3±6.4			4	63.3±2.1
	無	3	68.3±4.7	4	80.3±0.5		
H26.10		215	67.0±5.7	191	80.2±4.1	74	63.0±5.6
	有	41	64.8±4.8	4	77.0±5.7	39	61.5±5.4
	無	174	67.6±5.8	187	80.2±4.1	35	64.6±5.5
H26.11		224	66.8±6.1	181	80.1±4.0	77	62.6±5.9
	有	42	64.9±4.5	4	80.3±5.1	44	61.3±5.8
	無	182	67.3±6.3	177	80.1±4.0	33	64.3±5.7
H26.12		222	67.0±5.8	195	80.0±4.1	79	63.4±6.1
	有	46	65.3±5.6	4	79.5±4.7	37	61.8±6.3
	無	176	67.5±5.8	191	80.0±4.1	42	64.9±5.5
H27.01		221	66.9±5.9	189	80.1±4.1	76	63.2±6.2
	有	52	64.0±5.8	7	80.1±4.1	37	62.3±6.1
	無	169	67.8±5.6	182	80.1±4.1	39	64.1±6.1
H27.02		206	66.7±5.7	187	79.7±4.2	71	63.5±6.7
	有	41	65.9±4.4	7	77.6±5.0	39	61.3±6.6
	無	165	66.9±5.9	180	79.8±4.1	32	66.3±5.9
H27.03		209	66.9±5.6	186	80.1±4.0	73	63.0±6.4
	有	36	66.2±4.5	6	82.3±3.7	39	61.3±6.4
	無	173	67.0±5.8	180	80.1±4.0	34	64.9±5.8
計		1,317		1,136		462	