

研究成果の刊行に関する一覧表レイアウト（参考）

書籍（外国語）

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ

書籍（日本語）

著者氏名	論文タイトル名	書籍全体の編集者	書籍名	出版社名	出版地	出版年	ページ
加藤雅志			緩和ケアと精神保健. 第6版精神保健福祉士養成セミナー第2巻 精神保健学 精神保健の課題と支援.	へるす出版	東京	2017	pp164-179
加藤雅志			緩和ケアの魔法の言葉. 森田達也 責任編集 緩和ケア2016年6月増刊号	青海社	東京	2016	pp87-90
加藤雅志			総合病院での緩和ケアチーム. 山本賢司 編著 精神科領域のチーム医療実践マニュアル	新興医学出版社	東京	2016	pp97-113
加藤雅志			がん対策基本法の理念. 木澤義之, 齊藤洋司, 丹波嘉一郎 編集 緩和ケアの基本66とアドバンス44.	南江堂	東京	2015	pp9-10
加藤雅志			日本がんリハビリテーション研究会: がんのリハビリテーション ベストプラクティス	金原出版	東京	2015	
森田達也<責任編集>			緩和ケアの魔法の言葉 どう声をかけたいかわからない時の道標	青海社.	東京	2016	
(原著) 森田達也, (譯者) 台湾安寧緩和醫學學會			臨床をしながらできる国際水準の研究のまとめ方 - がん緩和ケアではこうする 醫學研究及論文撰寫不求人 - 提供緩和醫療案例	合記圖書出版社	台湾 新北市	2016	
森田達也, 木澤義之(監修), 西智弘, 松本禎久, 森雅紀, 山口崇(編集)			緩和ケアレジデントマニュアル	株医学書院	東京	2016	
森田達也(編者)			プロの手の内がわかる! がん疼痛の処方 さじ加減の極意	南山堂	東京	2016	
志真泰夫, 恒藤暁, 森田達也, 宮下光令(編集)			ホスピス緩和ケア白書2015 ホスピス緩和ケアを支える専門家・サポーター	青海社	東京	2015	

森田達也, 木澤義之, 齊藤洋司, 丹波嘉一郎 (編集)		第 章症状マネジメント 3 . 死が近づいたとき 緩和ケアの基本66とアドバンス44 学生・研修医・これから学ぶあなたのために	南江堂	東京	2015	148-153
森田達也, 木澤義之, 田村恵子 (責任編集)		緩和ケア臨床 日々の悩む場面のコントラバナー	青海社	東京	2015	
森田達也		第 章 臨床腫瘍学の実践 51. 緩和医療 1. 疼痛緩和と終末期医療. 日本臨床腫瘍学会 (編集). 新臨床腫瘍学 (改訂第4版) がん薬物療法専門医のために	南江堂	東京	2015	657-666
森田達也, 白土明美		死亡直前と看取りのエビデンス	医学書院	東京	2015	
森田達也		5. 緩和ケアの普及啓発・教育・研究 7) 緩和ケア領域における臨床研究の現状と課題 細川豊史 (編集). ペインクリニック 36 (別冊秋号)	真興交易 (株) 医書出版部	東京	2015	S677-688
森田達也		5. 緩和ケアの普及啓発・教育・研究 8) 国際的に最大規模の地域緩和ケア介入研究が明らかにしたもの: OPTIM-studyの意義. 細川豊史 (編集). ペインクリニック 36 (別冊秋号)	真興交易 (株) 医書出版部	東京	2015	S689-700
森田達也		終末期患者の不眠に対する睡眠薬の経静脈投与: ロヒピノールとドルミカムの比較. 岩田健太郎 (編集). 薬のデギュスタシオン 製薬メーカーに頼らずに薬を勉強するために	金芳堂	京都府	2015	282-286
森田達也		がん疼痛のベースライン鎮静に使用するオピオイドの比較: オキシコドンとフェンタニル貼付剤とモルヒネ. 岩田健太郎 (編集). 薬のデギュスタシオン 製薬メーカーに頼らずに薬を勉強するために	金芳堂	京都府	2015	317-326
森田達也		がん疼痛のレスキュー薬として使用するオピオイドの比較: オキシコドンとモルヒネとフェンタニル口腔粘膜吸収薬. 岩田健太郎 (編集). 薬のデギュスタシオン 製薬メーカーに頼らずに薬を勉強するために	金芳堂	京都府	2015	327-334

森田達也			がん疼痛に対する経口の鎮痛補助薬の比較:リリカとトリプタノールとサインバルタとテグレートとメキシチールと経口ケタミン. 岩田健太郎(編集). 薬のデギュスタシオン 製薬メーカーに頼らずに薬を勉強するために	金芳堂	京都府	2015	335-344
森田達也			がん疼痛に対する非経口の鎮痛補助薬の比較:ケタミンとキシロカイン. 岩田健太郎(編集). 薬のデギュスタシオン 製薬メーカーに頼らずに薬を勉強するために	金芳堂	京都府	2015	345-351
森田達也			終末期患者の死前喘鳴(デスラットル)に対する抗コリン薬の比較:ハイスコとブスコパンとアトロピン. 岩田健太郎(編集). 薬のデギュスタシオン 製薬メーカーに頼らずに薬を勉強するために	金芳堂	京都府	2015	352-357
森田達也		日本アプライド・セラピューティクス学会(編集)	2ページで理解する標準薬物治療ファイル改訂2版	南山堂	東京	2015	
森田達也、木澤義之、新城拓也			緩和医療ケースファイル	南江堂	東京	2016	全項
木澤義之他			心肺蘇生に関する望ましい意思決定のあり方に関する研究他 「遺族によるホスピス・緩和ケアの質の評価に関する研究」運営委員会 遺族によるホスピス・緩和ケアの質の評価に関する研究3	青海社	東京	2016	129-134
森田達也、木澤義之、西智弘、松本禎久、森雅紀、山口崇.			緩和ケアレジデントマニュアル	医学書院	東京		全項
川越正平、石山麗子、伊藤重夫、岡田進一、奥田亜由子、落久保裕之、國光登志子、斉藤眞樹、助川未枝保、高岡里佳、橘泰彦、福田弘子、松川達也、水上直彦、渡邊慎一			六訂 介護支援専門員実務研修テキスト「第10章 ケアマネジメントに必要な医療との連携及び多職種協働の意義」	一般財団法人長寿社会開発センター	東京	2016	607-641

川越正平、山川真理子		介護職のための医療とのつきあいかた	メディカ出版	大阪府	2016	
川越正平、白澤政和、岡田進一、白木裕子、福富昌城		介護支援専門員現任研修テキスト専門研修課程	中央法規出版	東京	2016	
川越正平、白澤政和、岡田進一、白木裕子、福富昌城		介護支援専門員現任研修テキスト主任介護支援専門員更新研修	中央法規出版	東京	2016	
山岸暁美		複合的な課題を抱える人々が制度の狭間に落ちている 医療と介護Next Vol12(6)	メディカ出版	大阪府	2016	

雑誌（外国語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Takeuchi, E., Kato, M., Wada, S., Yoshida, S., Shimizu, C., Miyoshi, Y.	Physicians' practice of discussing fertility preservation with cancer patients and the associated attitudes and barriers.	Supportive Care in Cancer		1-7	2016
Miyoshi Y, Yorifuji T, Horikawa R, Takahashi I, Nagasaki K, Ishiguro H, Fujiwara I, Ito J, Oba M, Kawamoto H, Fujisaki H, Kato M, Shimizu C, Kato T, Matsumoto K, Sago H, Takimoto T, Okada H, Suzuki N, Yokoya S, Ogata T, Ozono K.	Gonadal function, fertility, and reproductive medicine in childhood and adolescent cancer patients: a national survey of Japanese pediatric endocrinologists.	Clinical Pediatric Endocrinology		45-57	2016
Nakazawa, Y., Kato, M., Yoshida, S., Miyashita, M., Morita, T., & Kizawa, Y.	Population-based quality indicators for palliative care programs for cancer patients in Japan: A delphi study.	Journal of Pain and Symptom Management	51(4)	652-661	2016
Morita T, Sato K, Miyashita M, Akiyama M, Kato M, Kawagoe S, Kinoshita H, Shirahige Y, Yamakawa S, Yamada M, Eguchi K.	Exploring the perceived changes and the reasons why expected outcomes were not obtained in individual levels in a successful regional palliative care intervention trial: an analysis for interpretations.	Supportive Care in Cancer	21(12)	3393-402	2013

Morita T, Miyashita M, Yamagishi A, Akiyama M, Akizuki N, Hirai K, Imura C, <u>Kato M</u> , Kizawa Y, Shirahige Y, Yamaguchi T, Eguchi K.	Effects of a programme of interventions on regional comprehensive palliative care for patients with cancer: a mixed-methods study.	Lancet Oncol	14(7)	638-46	2013
Komura K, Yamagishi A, Akizuki N, Kawagoe S, <u>Kato M</u> , Morita T, Eguchi K.	Patient-perceived usefulness and practical obstacles of patient-held records for cancer patients in Japan: OPTIM study.	Palliat Med	27(2)	179-84.	2013
Nakazawa Y, Kato M, Yoshida S, Miyashita M, <u>Morita T</u> , Kizawa Y	Population-based quality indicators for palliative care programs for cancer patients in Japan: A Delphi study.	J Pain Symptom Manage	51(4)	652-61	2016
Hamano J, Yamaguchi T, Maeda I, Suga A, Hisanaga T, Ishihara T, Iwashita T, Kaneishi K, Kawagoe S, Kuriyama T, Maeda T, Mori I, Nakajima N, Nishitani T, Sakurai H, Shimoyama S, Shinjo T, Shirayama H, Yamada T, <u>Morita T</u>	Multicenter cohort study on the survival time of cancer patients dying at home or in a hospital: Does place matter?	Cancer	122(9)	1453-1460	2016
Amano K, Maeda I, <u>Morita T</u> , Miura T, Inoue S, Ikenaga M, Matsumoto Y, Baba M, Sekine R, Yamaguchi T, Hirohashi T, Tajima T, Tataru R, Watanabe H, Otani H, Takigawa C, Matsuda Y, Nagaoka H, Mori M, Kinoshita H	Clinical implications of C-reactive protein as a prognostic marker in advanced cancer patients in palliative care settings.	J Pain Symptom Manage	51(5)	860-867	2016
Igarashi A, Miyashita M, <u>Morita T</u> , Akizuki N, Akiyama M, Shirahige Y, Sato K, Yamamoto-Mitani N, Eguchi K	Association between bereaved families' sense of security and their experience of death in cancer patients: a cross-sectional population-based study.	J Pain Symptom Manage	51(5)	926-932	2016
Aoyama M, <u>Morita T</u> , Kizawa Y, Tsuneto S, Shimoyama Y, Miyashita M	The Japan hospice and palliative care evaluation study 3: study design, characteristics of participants and participating institutions and response rates.	Am J Hosp Palliat Care		[Epub ahead of print]	2016
<u>Morita T</u> , Maeda I, Mori M, Imai K, Tsuneto S	Uniform definition of continuous-deep sedation.	Lancet Oncol	17(6)	e222	2016

Kinoshita S, Miyashita M, <u>Morita T</u> , Sato K, Miyazaki T, Shoji A, Chiba Y, Tsuneto S, Shima Y	Changes in perceptions of opioids before and after admission to palliative care units in Japan: Results of a nationwide bereaved family member survey.	Am J Hosp Palliat Care	33(5)	431-438	2016
Kinoshita S, Miyashita M, <u>Morita T</u> , Sato K, Shoji A, Chiba Y, Miyazaki T, Tsuneto S, Shima Y	Japanese bereaved family members' perspectives of palliative care units and palliative care: J-HOPE study results	Am J Hosp Palliat Care	33(5)	425-430	2016
Kobayakawa M, Okumura H, Yamagishi A, <u>Morita T</u> , Kawagoe S, Shimizu M, Ozawa T, An E, Tsuneto S, Shima Y, Miyashita M	Family caregivers require mental health specialists for end-of-life psychosocial problems at home: a nationwide survey in Japan.	Psychooncology	25(6)	641-647	2016
Kusakabe A, Naito AS, Hirano K, Ikenaga K, Saitou N, Mikan H, Okita M, Inamori M, <u>Morita T</u>	Death pronouncements: Recommendations based on a survey of bereaved family members.	J Palliat Med	19(6)	646-651	2016
Kaneishi K, Nishimura K, Sakurai N, Imai K, Matsumoto N, Takahashi N, Okamoto K, Suga A, Sano H, Maeda I, Nishina H, Yamaguchi T, <u>Morita T</u> , Iwase S	Use of olanzapine for the relief of nausea and vomiting in patients with advanced cancer: a multicenter survey in Japan.	Support Care Cancer	24(6)	2393-2395	2016
Matsuo N, <u>Morita T</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katayama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramoto S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S.	Predictors of responses to corticosteroids for cancer-related fatigue in advanced cancer patients: A multicenter, prospective, observational study.	J Pain Symptom Manage	52(1)	64-72	2016
Sato K, Miyashita M, <u>Morita T</u> , Tsuneto S, Shima Y	End-of-life medical treatment in the last two weeks of life in palliative care units in Japan, 2005-2006: A nationwide retrospective cohort survey.	J Palliat Med		[Epub ahead of print]	2016

Hamano J, Tokuda Y, Kawagoe S, Shinjo T, Shirayama H, Ozawa T, Shishido H, Otomo S, Nagayama J, Baba M, Tei Y, Hiramoto S, Suga A, Hisanaga T, Ishihara T, Iwashita T, Kaneishi K, Kuriyama T, Maeda T, <u>Morita T</u>	Adding items that assess changes in activities of daily living does not improve the predictive accuracy of the palliative prognostic index.	Palliat Med		[Epub ahead of print]	2016
Ohno T, Tamura F, Kikuchi T, <u>Morita T</u> , Sumi Y.	Change in food intake status of terminally ill cancer patients during last two weeks of life: A continuous observation.	J Palliat Med	19(8)	879-882	2016
Matsuo N, <u>Morita T</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katayama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramoto S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S	Predictors of responses to corticosteroids for anorexia in advanced cancer patients: a multicenter prospective observational study.	Support Care Oncol		[Epub ahead of print]	2016
Jho HJ, Suh SY, Yoon SJ, Lee SS, Ahn HY, Yamaguchi T, Mori M, Maeda I, Baba M, <u>Morita T</u>	Prospective validation of the objective prognostic score for advanced cancer patients in diverse palliative settings.	J Pain Symptom Manage	52(3)	420-427	2016
Amano K, Maeda I, <u>Morita T</u> , Tataru R, Katayama H, Uno T, Takagi I	Need for nutritional support, eating-related distress and experience of terminally ill patients with cancer: a survey in an inpatient hospice.	BMJ Support Palliat Care	6(3)	373-376	2016
Mori I, Shimada A, Maeda I, <u>Morita T</u> , Tsuneto S	Interspecialty differences in physicians' attitudes, beliefs, and reasons for withdrawing or withholding hypercalcemia treatment in terminally ill patients.	J Palliat Med	19(9)	979-982	2016
Maeda I, Miyashita M, Yamagishi A, Kinoshita H, Shirahige Y, Izumi N, Yamaguchi T, Igarashi M, Kato M, <u>Morita T</u>	Changes in relatives' perspectives on quality of death, quality of care, pain relief and caregiving burden before and after a region-based palliative care intervention.	J Pain Symptom Manage		[Epub ahead of print]	2016

<u>Morita T</u> , Naito AS, Aoyama M, Ogawa A, Aizawa I, Morooka R, Kawahara M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M	Nationwide Japanese survey about deathbed visions: "My deceased mother took me to heaven".	J Pain Symptom Manage		[Epub ahead of print]	2016
Okuyama T, Kizawa Y, <u>Morita T</u> , Kinoshita H, Uchida M, Shimada A, Naito AS, Akechi T	Current status of distress screening in designated cancer hospitals: A cross-sectional nationwide survey in Japan.	J Natl Compr Canc Netw	14(9)	1098-1104	2016
Hui D, Park M, Liu D, Pava CE, Suh Sy, <u>Morita T</u> , Bruera E	Clinician prediction of survival versus the palliative prognostic score: Which approach is more accurate?	Eur J Cancer	64	89-95	2016
<u>Morita T</u> , Imai K, Yokomichi N, Mori M, Kizawa Y, Tsuneto S.	Continuous deep sedation: A proposal for performing more rigorous empirical research.	J Pain Symptom Manage		[Epub ahead of print]	2016
Mori M, Nishi T, Nozato J, Matsumoto Y, Miyamoto S, Kizawa Y, <u>Morita T</u>	Unmet learning needs of physicians in specialty training in palliative care: A Japanese nationwide study.	J Palliat Med	19(10)	1074-1079	2016
Nakajima K, Iwamitsu Y, Matsubara M, Oba A, Hirai K, <u>Morita T</u> , Kizawa Y	Psychologists involved in cancer palliative care in Japan: A nationwide survey.	Palliat Support Care	13(2)	327-334	2015
Ohno T, <u>Morita T</u> , Tamura F, Hirano H, Watanabe Y, Kikutani T	The need and availability of dental services for terminally ill cancer patients: a nationwide survey in Japan.	Support Care Cancer		[Epub ahead of print]	2015
Kinoshita S, Miyashita M, <u>Morita T</u> , Sato K, Miyazaki T, Shoji A, Chiba Y, Tsuneto S, Shima Y	Changes in perceptions of opioids before and after admission to palliative care units in Japan: Results of a nationwide bereaved family member survey.	Am J Hosp Palliat Care		[Epub ahead of print]	2015
Kinoshita S, Miyashita M, <u>Morita T</u> , Sato K, Shoji A, Chiba Y, Miyazaki T, Tsuneto S, Shima Y	Japanese bereaved family members' perspectives of palliative care units and palliative care: J-HOPE study results.	Am J Hosp Palliat Care		[Epub ahead of print]	2015

Baba M, Maeda I, <u>Morita T</u> , Hisanaga T, Ishihara T, Iwashita T, Kaneishi K, Kawagoe S, Kuriyama T, Maeda T, Mori I, Nakajima N, Nishi T, Sakurai H, Shimoyama S, Shinjo T, Shirayama H, Yamada T, Ono S, Ozawa T, Yamamoto R, Tsuneto S	Independent validation of the modified prognosis palliative care study (PiPS) predictor models in three palliative care settings.	J Pain Symptom Manage	49(5)	853-860	2015.
Miyashita M, Wada M, <u>Morita T</u> , Ishida M, Onishi H, Sasaki Y, Narabayashi M, Wada T, Matsubara M, Takigawa C, Shinjo T, Suga A, Inoue S, Ikenaga M, Kohara H, Tsuneto S, Shima Y	Independent validation of the Japanese version of the EORTC QLQ-C15-PAL for patients with advanced cancer.	J Pain Symptom Manage	49(5)	953-959	2015
Kaneishi K, Kawabata M, <u>Morita T</u>	Single-dose subcutaneous benzodiazepines for insomnia in patients with advanced cancer.	J Pain Symptom Manage	49(6)	e1-2	2015
Akiyama M, Hirai K, Takebayashi T, <u>Morita T</u> , Miyashita M, Takeuchi A, Yamagishi A, Kinoshita H, Shira-hirahige Y, Eguchi K	The effects of community-wide dissemination of information on perceptions of palliative care, knowledge about opioids, and sense of security among cancer patients, their families, and the general public.	Support Care Cancer		[Epub ahead of print]	2015
Hamano J, <u>Morita T</u> , Ozawa T, Shishido H, Kawahara M, Aoki S, Demizu A, Goshima M, Goto K, Gyoda Y, Hashimoto K, Otomo S, Sekimoto M, Shibata T, Sugimoto Y, Matsunaga M, Takeda Y, Nagayama J, Kinoshita H	Validation of the simplified palliative prognostic index using a single item from the communication capability scale.	J Pain Symptom Manage		[Epub ahead of print]	2015
Hamano J, <u>Morita T</u> , Inoue S, Ikenaga M, Matsumoto Y, Sekine R, Yamaguchi T, Hirohashi T, Tajima T, Tatara R, Watanabe H, Otani H, Takigawa C, Matsuda Y, Nagaoka H, Mori M, Yamamoto N, Shimizu M, Sasara T, Kinoshita H	Surprise Questions for Survival Prediction in Patients With Advanced Cancer: A Multicenter Prospective Cohort Study.	Oncologist	20(7)	839-844	2015
Maeda I, <u>Morita T</u> , Kinoshita H	Reply to H. Nakayama et al.	J Clin Oncol	33(19)	2228-2229	2015

Miyashita M, <u>Morita T</u> , Sasaki K, Tsuneto S, Shimaya Y	A nationwide survey of quality of end-of-life cancer care in designated cancer centers, inpatient palliative care units and home hospice in Japan: The J-HOPE Study.	J Pain Symptom Manage	50(1)	38-47	2015
Baba M, Maeda I, <u>Morita T</u> , Inoue S, Ikenaga M, Matsumoto Y, Sekine R, Yamaguchi T, Hirohashi T, Tajima T, Tatara R, Watanabe H, Otani H, Takigawa C, Matsuda Y, Nagaoka H, Mori M, Tei Y, Hiramoto S, Suga A, Kinoshita H	Survival prediction for advanced cancer patients in the real world: A comparison of the Palliative Prognostic Score, Delirium-Palliative Prognostic Score, Palliative Prognostic Index and modified Prognosis in Palliative Care Study predictor model.	Eur J Cancer	51(12)	1618-1629	2015
Amano K, Maeda I, Shimoyama S, Shinjo T, Shirayama H, Yamada T, Ono S, Yamamoto R, Yamamoto N, Shishido H, Shimizu M, Kawahara M, Aoki S, Demizu A, Goshima M, Goto K, Gyoda Y, Hashimoto K, Otomo S, Sekimoto M, Shibata T, Sugimoto Y, <u>Morita T</u>	The accuracy of physicians' clinical predictions of survival in patients with advanced cancer.	J Pain Symptom Manage	50(2)	139-146	2015
<u>Morita T</u> , Oyama Y, Cheng SY, Suh SY, Koh SJ, Kim HS, Chiu TY, Hwang So J, Shirado A, Tsuneto S	Palliative care physicians' attitudes toward patient autonomy and a good death in East Asian Countries.	J Pain Symptom Manage	50(2)	190-199	2015
Kizawa Y, <u>Morita T</u> , Miyashita M, Shinjo T, Yamagishi A, Suzuki S, Kinoshita H, Shirahige Y, Yamaguchi T, Eguchi K	Improvements in physicians' knowledge, difficulties, and self-reported practice after a regional palliative care program.	J Pain Symptom Manage	50(2)	232-240	2015
Sasao S, Tanabe K, <u>Morita T</u> , Takahashi T, Yasuda H, Kashii T, Sawada K, Tonomura M, Murakami N	Facility-related factors influencing the place of death and home care rates for end-stage cancer patients.	J Palliat Care	18(8)	691-696	2015
Hui D, Bansai S, Strasser F, <u>Morita T</u> , Caraceni A, Davis M, Cherny M, Kasa S, Currow D, Abemethy A, Nekolaichuk C, Bruera E	Indicators of integration of oncology and palliative care programs: an international consensus.	Ann Oncol	26(9)	1953-1959	2015

Yoshida S, Miyashita M, <u>Morita T</u> , Akizuki N, Akiyama M, Shirahige Y, Ichikawa T, Eguchi K	Strategies for development of palliative care from the perspectives of general population and health care professionals: A Japanese outreach palliative care trial of integrated regional model study.	Am J Hosp Palliat Care	32(6)	604-610	2015
Tanabe K, Sawada K, Shimada M, Kadoya S, Endo N, Ishiguro K, Takashima R, Amemiya Y, Fujikawa Y, Ikezaki T, Takeuchi M, Kitazawa H, Iida H, Koseki S, <u>Morita T</u> , Sasaki K, Kashii T, Murakami N	Evaluation of a novel information-sharing instrument for home-based palliative care: A feasibility study.	Am J Hosp Palliat Care	32(6)	611-619	2015
Amano K, <u>Morita T</u> , Tataru R, Katayama H, Aiki S, Kitada N, Fumimoto H, Sato E	Assessment of intervention by a palliative care team working in a Japanese general hospital: A retrospective study.	Am J Hosp Palliat Care	32(6)	600-603	2015
Chen SY, Suh SY, <u>Morita T</u> , Oyama Y, Chiu TY, Koh SJ, Kim HS, Hwang SJ, Yoshie T, Tsuneto S	A cross-cultural study on behaviors when death is approaching in East Asian Countries.	Medicine	94(39)	e1573	2015
Yokomichi N, <u>Morita T</u> , Nitto A, Takahashi N, Miyamoto S, Nishie H, Matsuo ka, J, Sakurai H, Ishihara T, Mori M, Tarumi Y, Ogawa A	Validation of the Japanese version of Edmonton symptom assessment system-revised.	J Pain Symptom Manage	50(5)	718-723	2015
Lee YP, Wu CH, Chiu TY, Chen CY, <u>Morita T</u> , Hung SH, Huang SB, Kuo CS, Tsai JS	The relationship between pain management and psychospiritual distress in patients with advanced cancer following admission to a palliative care unit.	BMC Palliat Care	14(1)	69	2015
Yotani N, Kizawa Y, Shinzaki H	Differences between pediatricians and internists in advance care planning for adolescents with cancer.	J of Pediatric		(in press)	2016
Morita T, Naito AS, Aoyama M, Ogawa A, Aizawa I, Morooka R, Kawahara M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M	Nationwide Japanese Survey About Deathbed Visions: "My Deceased Mother Took Me to Heaven"	J Pain Symptom Manage	52(5)	646-654.e5	2016

Kakutani K, Sakai Y, Mae no K, Takada T, Yurube T, Kurakawa T, Miyazaki S, Terashima Y, Ito M, Hara H, Kawamoto T, Ejima Y, Sakashita A, Kiyota N, Kizawa Y, Sasaki R, Akisue T, Minami H, Kuroda R, Kurosaka M, Nishida K	Prospective Cohort Study of Performance Status and Activities of Daily Living After Surgery for Spinal Metastasis.	Clin Spine Surg		[Epub ahead of print]	2016
Morita T, Imai K, Yokomichi N, Mori M, Kizawa Y, Tsuneto S	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research.	J Pain Symptom Manage		146–152	2016
Mori M, Nishi T, Nozato J, Matsumoto Y, Miyamoto S, Kizawa Y, Morita T	Unmet Learning Needs of Physicians in Specialty Training in Palliative Care: A Japanese Nationwide Study.	J Palliat Med	19(10)	1074-1079	2016
Okuyama T, Kizawa Y, Morita T, Kinoshita H, Uchida M, Shimada A, Naito AS, Akechi T	Current Status of Distress Screening in Designated Cancer Hospitals: A Cross-Sectional Nationwide Survey in Japan.	J Natl Compr Canc Netw	14(9)	1098-104	2016
Sakashita A, Kishino M, Nakazawa Y, Yotani N, Yamaguchi T, Kizawa Y	How to Manage Hospital-Based Palliative Care Teams Without Full-Time Palliative Care Physicians in Designated Cancer Care Hospitals: A Qualitative Study.	Am J Hosp Palliat Care	33(6)	520-6	2016
Aoyama M, Morita T, Kizawa Y, Tsuneto S, Shima Y, Miyashita M	The Japan Hospice and Palliative Care Evaluation Study 3: Study Design, Characteristics of Participants and Participating Institutions, and Response Rates.	Am J Hosp Palliat Care		[Epub ahead of print]	2016
Nakazawa Y, Kato M, Yoshida S, Miyashita M, Morita T, Kizawa Y	Population-Based Quality Indicators for Palliative Care Programs for Cancer Patients in Japan: A Delphi Study.	J Pain Symptom Manage	51(4)	652-61	2016
Kizawa Y, Yamaguchi T, Yotani N	[Advance Care Planning in Cancer Care].	Gan To Kagaku Ryoho	43(3)	277-80	2016
Amano K, Maeda I, Morita T, Okajima Y, Hama T, Aoyama M, Kizawa Y, Tsuneto S, Shima Y, Miyashita M	Eating-related distress and need for nutritional support of families of advanced cancer patients: a nationwide survey of bereaved family members.	J Cachexia Sarcopenia Muscle		[Epub ahead of print]	2016

<u>Kizawa Y</u>	Programs for Continuing Medical Education: B session; 9. Management of cancer pain.	Nihon Naika Gakkai Zasshi.	104(3)	580-5	2015
Shirado A, Morita T, Okusaka T, Sakamoto Y, <u>Kizawa Y</u> , Shima Y, Shimizu C	Availability of Palliative Care Units and Outpatient Services in Japan - A Nation-Wide Survey.	Gan To Kagaku Ryoho	42(9)	1087-9	2015
Takase N, Ikegaki J, Nishimura H, Yuasa S, Ito Y, <u>Kizawa Y</u>	Methadone for Patients with Malignant Psoas Syndrome: Case Series of Three Patients.	J Palliat Med	18(7)	645-52	2015
<u>Kizawa Y</u> , Morita T, Miyashita M, Shinjo T, Yamagishi A, Suzuki S, Kinoshita H, Shirahige Y, Yamaguchi T, Eguchi K	Improvements in Physicians' Knowledge, Difficulties, and Self-Reported Practice After a Regional Palliative Care Program.	J Pain Symptom Manage	50(2)	232-40	2015
Sakashita A, Kishino M, Nakazawa Y, Yotani N, Yamaguchi T, <u>Kizawa Y</u>	How to Manage Hospital-Based Palliative Care Teams Without Full-Time Palliative Care Physicians in Designated Cancer Care Hospitals: A Qualitative Study.	Am J Hosp Palliat Care		[Epub ahead of print]	2015
Yamamoto R, <u>Kizawa Y</u> , Nakazawa Y, Ohde S, Tetsumi S, Miyashita M	Outcome evaluation of the Palliative care Emphasis program on symptom management and Assessment for Continuous Medical Education: nationwide physician education project for primary palliative care in Japan.	J Palliat Med	18(1)	45-9	2015
Nakajima K, Iwamitsu Y, Matsubara M, Oba A, Hirai K, Morita T, <u>Kizawa Y</u>	Psychologists involved in cancer palliative care in Japan: A nationwide survey.	Palliat Support Care	13(2)	327-34	2015
Nakazawa Y, Morita T, <u>Kizawa Y</u> , Miyashita M, Kato M, Yoshida S	Population-Based Quality Indicators for Palliative Care Programs for Cancer Patients in Japan	A Delphi Study Journal of Pain and Symptom Management		(in press)	2015
Fukui S, Morita T, Yoshiuchi K	Development of a clinical tool to predict home death of a discharged cancer patient in Japan: a case-control study.	International Journal of Behavioral Medicine		(in press)	2016

Okamoto Y, Fukui S, Yoshiuchi K, Ishikawa T	Do symptoms among home palliative care patients with advanced cancer decide the place of death? Focusing on the presence or absence of symptoms during home care.	J Palliat Med	19(5):	488-95	2016
Okamoto Y, Fukui S, Yoshiuchi K, Ishikawa T	Does symptom control among home palliative care patients with advanced cancer decide place of death? Focusing on changes of symptom intensity during home care.	Journal of Palliative Medicine		(In press)	
Fukui S, Otoguro C, Ishikawa T, Fujita J	Survey on the use of health consultation services provided in a Japanese urban public housing area with high elderly population.	Geriatrics & Gerontology International		[Epub ahead of print]	2015
Fukui S, Otoguro C, Ishikawa T, Fujita J	Survey on the use of health consultation services provided in a Japanese urban public housing area with high elderly population.	Geriatrics & Gerontology International		(In press)	2015
Kobayakawa M, Okamura H, Yamagishi A, Morita T, Kawagoe S, Shimizu M, Ozawa T, An E, Tsuneto S, Shima Y, Miyashita M	Family caregivers require mental health specialists for end-of-life psychosocial problems at home: a nationwide survey in Japan.	Psychooncology			2015
Akiyama M, Hirai K, Takebayashi T, Morita T, Miyashita M, Takeuchi A, Yamagishi A, Kinoshita H, Shirahige Y, Eguchi K	The effects of community-wide dissemination of information on perceptions of palliative care, knowledge about opioids, and sense of security among cancer patients, their families, and the general public.	Support Care Cancer			2015
Kizawa Y, Morita T, Miyashita M, Shinjo T, Yamagishi A, Suzuki S, Kinoshita H, Shirahige Y, Yamaguchi T, Eguchi K	Improvements in Physicians' Knowledge, Difficulties, and Self-Reported Practice After a Regional Palliative Care Program.	J Pain Symptom Manage	50(2)	232-40	2015
Yamagishi A, Morita T, Kawagoe S, Shimizu M, Ozawa T, An E, Kobayakawa M, Tsuneto S, Shima Y, Miyashita M	Talking about home hospices with terminally ill cancer patients - a multicenter survey of bereaved families.	Gan To Kagaku Ryo	42(3)	327-33	2015
Kinoshita H, Maeda I, Morita T, Miyashita M, Yamagishi A, Shirahige Y, Takebayashi T, Yamaguchi T, Igarashi A and Eguchi K	Place of death and the differences in patient quality of death and dying and caregiver burden.	J Clin Oncol	33(4)	357-363	2015

Yamagishi A*, Morita T, Kawagoe S, Shimizu M, Ozawa T, An E, Kobayakawa M, Tsuneto S, Shima Y, Miyashita M	Length of home hospice care, family-perceived timing of referrals, perceived quality of care, and quality of death and dying in terminally ill cancer patients who died at home.	Support Care Cancer	23(2)	491-499	2015
Kobayakawa M, Okamura H, Yamagishi A, Morita T, Kawagoe S, Shimizu M, Ozawa T, An E, Tsuneto S, Shima Y, Miyashita M	Family caregivers require mental health specialists for end-of-life psychosocial problems at home: a nationwide survey in Japan.	Psychooncology		[Epub ahead of print]	2015
Mori M, Shimizu C, Ogawa A, Okusaka T, Yoshida S, Morita T	A National Survey to Systematically Identify Factors Associated With Oncologists' Attitudes Toward End-of-Life Discussions: What Determines Timing of End-of-Life Discussions?	Oncologist	20(11)	1304-11	2015

雑誌（日本語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
加藤雅志	がん診療の地域医療連携の現状 積極的に参加しよう	Medical Practice	Vol.34	24-29	2017
加藤雅志	緩和ケアセンターと緩和ケアチームの指定要件から読み解く今後の緩和ケアの方向性。	緩和ケア	24(6)	415-421	2014
加藤雅志	地域における緩和ケア-行政の動向と試み-	保健の科学	55(4)	225-229	2013
森田達也.	抗がん治療の中止と意思決定に関わる最新のエビデンス	緩和ケア	26(3)	169-175	2016
森田達也, 野里洵子	落としてはいけないKey article第9回粘膜吸収性フェンタニルはタイトレーションをしなくてもよい?	緩和ケア	26(3)	223-229	2016
森田達也	終末期の鎮静は安楽死なのか? 議論再び	がん看護	21(4)	408-411	2016
森田達也	へえ? どうして?	緩和ケア	26(4)	46-48	2016
森田達也(企画担当)	苦痛緩和のため鎮静についてのアドバンスドな知識-質の高い実践の土台を得る-. 特集にあたって	緩和ケア	26(4)	248	2016
森田達也, 横道直佑	落としてはいけないKey article第10回トラマドール/コデインはいらぬのではないかな?	緩和ケア	26(4)	296	2016
森田達也, 奥坂拓志, 清水千佳子	抗がん治療をいつまで続けるか-エビデンスの創出・統合から実践へ-	癌と化学療法	43(7)	824-830	2016
森田達也	終末期医療にもエビデンスを-意思決定・施策・鎮静について-	月刊保団連	9月号(1223)	16-23	2016

森田達也 (企画担当)	「その時がいつか」を予測する—余命を推定する確かな方法—。特集にあたって	緩和ケア	26(5)	322	2016
森田達也	進行がん患者の予後予測指標の全体像と今後の展望—余命の予測はどこまで可能になるか？	緩和ケア	26(5)	323-327	2016
高橋理智, 森田達也, 服部政治, 上野博司, 岡本禎晃, 伊勢雄也, 宮下光令, 細川豊史	日本と世界のオピオイド消費量	緩和ケア	26(5)	367-374	2016
森田達也	落としてはいけない Key article第11回「スピリチュアルペイン」に対するランダム化比較試験	緩和ケア	26(5)	379-385	2016
森岡慎一郎, 森雅紀, 鈴木知美, 横道麻理佳, 森田達也	終末期がん患者の感染症診療:何が医療者の意向の差異に繋がるか？	Palliat Care Res	11(4)	241-247	2016
森田達也 (企画担当)	そろそろ、メサドン?—「4段階目」の新規麻薬の実践上のコツ。特集にあたって	緩和ケア	26(6)	404	2016
森田達也, 森雅紀	メサドンとは? - 基礎知識	緩和ケア	26(6)	405-408	2016
高橋理智, 森田達也, 服部政治, 上野博司, 岡本禎晃, 伊勢雄也, 宮下光令, 細川豊史	日本のがん疼痛とオピオイド量の真実第2回 世界各国と日本のオピオイド消費量に関する研究。日本のがん患者に使用されているオピオイドは本当に少ないのか？	緩和ケア	26(6)	445-451	2016
森田達也	落としてはいけない Key article第12回ステロイドが呼吸困難に効くかを調べたければどうしたらいいか？	緩和ケア	26(6)	456-461	2016
今井堅吾, 森田達也, 森雅紀, 横道直佑, 福田かおり	緩和ケア用Richmond Agitation-Sedation Scale (RASS)日本語版の作成と言語的妥当性の検討	Palliat Care Res	11(4)	331-336	2016
森田達也	落としてはいけない Key article第3回輸液の効果に関する20年にわたる積み重ねの比較試験	緩和ケア	25(3)	222-227	2015
金石圭祐, 川畑正博, 森田達也	終末期がん患者の不眠に対するフルニトラゼパム単回皮下投与の有効性について	Palliat Care Res	10(2)	130-134	2015
森田達也, 田村恵子	特集にあたって 認知症のあるがん患者の緩和ケア	緩和ケア	25(4)	264-265	2015
森田達也	落としてはいけない Key article第4回倦怠感に対する精神賦活薬の比較試験の積み重ねでみえてきた緩和ケアにおけるプラセボ効果・ノセボ効果の役割	緩和ケア	25(4)	318-323	2015

森田達也	耳鼻咽喉科の疾患・症候別薬物療法 がん疼痛	JOHNS	31(9)	1372-1374	2015
森田達也	落としてはいけないKey article第5回「やめどき」研究 高脂血症治療薬はいつまで続けるべきなのかに関する大規模無作為化比較試験	緩和ケア	25(5)	434-438	2015
白土明美, 森田達也, 奥坂拓志, 坂本康成, 木澤義之, 志真泰夫, 清水千佳子	ホスピス・緩和ケア病棟の入院予約と外来機能に関する全国実態調査.	癌と化学療法	42(9)	1087-1089	2015
山脇道晴, 森田達也, 清原恵美, 清水恵, 恒藤暁, 志真泰夫, 宮下光令	遺体へのケアを看護師が家族と一緒に行うことについての家族の体験と評価	がん看護	20(6)	670-675	2015
森田達也 (プラン)	緩和ケア特集オピオイド疼痛管理up-to-date	プロフェッショナルがんナーシング	5(5)	39-64	2015
森田達也	苦痛緩和のための鎮静と安楽死のグレーゾーン - 国際的な議論、再び	緩和ケア	25(6)	504-512	2015
森田達也	イベント前パルス療法	緩和ケア	25(6)	519-520	2015
森田達也	落としてはいけないKey article第6回Liverpool Care Pathway騒動が警告するエビデンスの裏づけのない施策の危険性	緩和ケア	25(5)	526-531	2015
木澤義之他	がん薬物療法とアドバンス・ケア・プランニング	癌と化学療法	43巻3号	227-280	2016
木澤義之他	今後のことを話しあおう	レジデント	9巻7号	96-100	2016
島田麻美, 木澤義之	前立腺癌有痛性骨転移患者の疼痛緩和におけるオピオイドの匙加減	薬局	67巻11号	85-90	2016
川越正平, 秋山正子, 小島操, 宇都宮宏子	【座談会】「帰って来られる地域」とは？病院 / 在宅の枠を超え、がん患者さんを支えたい	訪問看護と介護	17(4)	314-423	2015
藤田淳子, 福井小紀子, 岡本有子	過疎地域における医療・介護関係者の終末期ケアの実態と連携に関する調査	日本公衆衛生学会誌	63(8)	416-423	2016
福井小紀子	エビデンスを作り、人々の役に立つ研究をめざす	看護研究	49(6)	490-493	2016
福井小紀子	機能強化型訪問看護ステーションが地域をつなぐ	訪問看護と介護	21(7)	506-516	2016
福井小紀子	機能強化型ステーションとして“地域”の力を強化する	訪問看護と介護	21(7)	535-542	2016

辻村真由子, 福井小紀子, 藤田淳子, 池崎澄江, 乙黒千鶴	“顔の見える関係”ができたあとの多職種連携とは?: 各職種と遺族による自由回答から見えてきた連携のポイント	訪問看護と介護	21(3)	224-228	2016
池崎澄江, 福井小紀子, 藤田淳子, 乙黒千鶴, 辻村真由子	“顔の見える関係”ができたあとの多職種連携とは?: 遺族から見た多職種連携評価	訪問看護と介護	21(2)	148-152	2016
藤田淳子, 福井小紀子, 乙黒千鶴, 池崎澄江, 辻村真由子	“顔の見える関係”ができたあとの多職種連携とは?: 多職種連携における職種別の特徴	訪問看護と介護	21(1)	62-67	2016
福井小紀子, 乙黒千鶴, 藤田淳子, 池崎澄江, 辻村真由子	“顔の見える関係”ができたあとの多職種連携とは?: 第2回 地域別×職種別でみる多職種連携の強み	訪問看護と介護	20(12)	1021-1027	2015
福井小紀子, 藤田淳子, 池崎澄江, 辻村真由子, 乙黒千鶴	“顔の見える関係”ができたあとの多職種連携とは?: 第1回「連携」の中身を評価しよう	訪問看護と介護	20(11)	936-942	2015
藤田淳子, 福井小紀子, 池崎澄江	在宅ケアにおける医療・介護職の多職種連携行動尺度の開発	厚生学	62(6)	1-9	2015
福井小紀子, 宮崎和加子, 倉地沙織, 吉原由美子, 上野桂子, 藤田淳子	訪問看護事業所向け自己評価ガイドラインの作成: 看取りや医療ニーズの高い療養者を支えるための事業所の質向上をめざす標準的指針	コミュニティケア	17(12)	50-59	2015
福井小紀子	地域終末期ケアを支える医療と介護の連携評価尺度の開発と職種別の特徴～顔の見える関係力、連携意識力、連携行動力の3つのレベルに分けて～	地域ケアリング	17(10)	93-97	2015
福井小紀子	看護小規模多機能型居宅介護の現状と課題	訪問看護と介護	20(8)	676-682	2015
福井小紀子, 齋藤訓子, 柏木聖代ら	「訪問看護出向システム」から地域全体での看護人材の確保・育成策を考える	看護管理	25(8)	681-687	2015
由井千富美, 福井小紀子	先進事例に学ぶ在宅医療・介護連携推進事業 - 在宅看取りを可能にする地域包括ケア体制を構築: 川上村の取り組み .	保健師ジャーナル	71(7)	588-593	2015
山岸暁美, 久部洋子, 山田雅子, 高橋 則子, 鎌田 良子, 福井 小紀子, 石渡 リキ	在宅の視点のある病棟看護尺度の開発	看護管理	25(3)	248-254	2015
山岸暁美, 森田達也, 川越正平, 清水恵, 小澤竹俊, 安恵美, 小早川誠, 恒藤暁, 志真泰夫	宮下光令終末期がん患者に在宅療養移行をすすめるときの望ましいコミュニケーション: 多施設遺族研究: Talking about home hospice with terminally ill cancer patients: multicenter bereaved family survey	癌と化学療法	42(3)	324-330	2015