

研究成果の刊行に関する一覧表

- [1] Yoshimura H, Miyagawa M, Kumakawa K, Nishio S, Usami S. Frequency of Usher syndrome type 1 in deaf children by massively parallel DNA sequencing. *J Hum Genet.* 2016; 61: 419-422.
- [2] Kitoh R, Moteki H, Nishio S, Shinden S, Kanzaki S, Iwasaki S, Ogawa K, Usami S. The effects of cochlear implantation in Japanese single-sided deafness patients: five case reports. *Acta Otolaryngol.* 2016; 136: 460-464.
- [3] Kitoh R, Nishio S, Ogawa K, Okamura M, Kitamura K, Gyo K, Sato H, Nakashima T, Fukuda S, Fukushima K, Hara A, Yamasoba T, Usami S. *SOD1* gene polymorphisms in sudden sensorineural hearing loss. *Acta Otolaryngol.* 2016; 136: 465-469.
- [4] Miyagawa M, Nishio S, Usami S. A Comprehensive Study on the Etiology of Patients Receiving Cochlear Implantation With Special Emphasis on Genetic Epidemiology. *Otol Neurotol.* 2016; 37: e126-134.
- [5] Sakuma N, Moteki H, Takahashi M, Nishio S, Arai Y, Yamashita Y, Oridate N, Usami S. An effective screening strategy for deafness in combination with a next-generation sequencing platform: a consecutive analysis. *J Hum Genet.* 2016; 61: 162230-261.
- [6] Moteki H, Azaiez H, Booth K.T, Shearer A.E, Sloan C.M, Kolbe D.L, Nishio S, Hattori M, Usami S, Smith R.J.H. Comprehensive genetic testing with ethnic-specific filtering by allele frequency in a Japanese hearing-loss population. *Clin Genet.* 2016; 89: 466-472.
- [7] Moteki H, Azaiez H, Sloan-Heggen CM, Booth K, Nishio S, Wakui K, Yamaguchi T, Kolbe DL, Iwasa Y, Shearer AE, Fukushima Y, Smith RJ, Usami S. Detection and Confirmation of Deafness-Causing Copy Number Variations in the STRC Gene by Massively Parallel Sequencing and Comparative Genomic Hybridization. *Ann Otol Rhinol Laryngol.* 2016; 125:918-923.
- [8] Mori K, Moteki H, Miyagawa M, Nishio SY, Usami S. Social Health Insurance-Based Simultaneous Screening for 154 Mutations in 19 Deafness Genes Efficiently Identified Causative Mutations in Japanese Hearing Loss Patients. *PLoS ONE* 2016; 11: e0162230.

- [9] Ueyama T, Ninoyu Y, Nishio S, Miyoshi T, Torii H, Nishimura K, Sugahara K, Sakata H, Thumkeo D, Sakaguchi H, Watanabe N, Usami S, Saito N, Kitajiri S. Constitutive activation of DIA1 (DIAPH1) via C-terminal truncation causes human sensorineural hearing loss. *EMBO Molecular Medicine* 2016; 8: 1310-1324.
- [10] Moteki H, Nishio S, Miyagawa M, Tsukada K, Iwasaki S, Usami S. Long-term results of hearing preservation cochlear implant surgery in patients with residual low frequency hearing. *Acta Otolaryngol.* 2016; 17: 1-6.
- [11] Iwasa Y, Nishio S, Usami S. Comprehensive Genetic Analysis of Japanese Autosomal Dominant Sensorineural Hearing Loss Patients. *PLoS One* 2016; 11: e0166781.
- [12] Nishio SY, Usami SI. The Clinical Next-Generation Sequencing Database: A Tool for the Unified Management of Clinical Information and Genetic Variants to Accelerate Variant Pathogenicity Classification. *Hum Mutat.* 2017; 38: 252-259.
- [13] Nishio SY, Usami SI. Outcomes of cochlear implantation for the patients with specific genetic etiologies: a systematic literature review. *Acta Otolaryngol.* 2017 *in press*.
- [14] Morita S, Fujiwara K, Fukuda A, Fukuda S, Nishio SY, Kitoh R, Hato N, Ikezono T, Ishikawa K, Kaga K, Matsubara A, Matsunaga T, Murata T, Naito Y, Nishizaki K, Ogawa K, Sano H, Sato H, Sone M, Suzuki M, Takahashi H, Tono T, Yamashita H, Yamasoba T, Usami SI. The clinical features and prognosis of mumps-associated hearing loss: a retrospective, multi-institutional investigation in Japan. *Acta Otolaryngol.* 2017 *in press*.
- [15] Usami SI, Kitoh R, Moteki H, Nishio SY, Kitano T, Kobayashi M, Shinagawa J, Yokota Y, Sugiyama K, Watanabe K. Etiology of single-sided deafness and asymmetrical hearing loss. *Acta Otolaryngol.* 2017 *in press*.
- [16] Kitoh R, Nishio SY, Ogawa K, kanzaki S, Hato N, Sone M, Fukuda S, Hara A, Ikezono T, Ishikawa K, Iwasaki S, Kaga K, Kakehata S, Matsubara A, Matsunaga T, Murata T, Naito Y, Nakagawa T, Nishizaki K, Noguchi Y, Sano H, Sato H, Sato H, Suzuki M, Shojaku H, Takahashi H,

Takeda H, Tono T, Yamashita H, Yamasoba T, Usami SI. Nationwide epidemiological survey of idiopathic sudden sensorineural hearing loss in Japan. *Acta Otolaryngol.*2017 *in press*.

[17] Wada T, Sano H, Nishio SY, Kitoh R, Ikezono T, Iwasaki S, Kaga k, matsubara A, Matsunaga T, Murata T, naito Y, Suzuki M, Takahashi H, Tono T, Yamashita H, Hara A, Usami SI. Differences between acoustic trauma and other types of acute noise-induced hearing loss in terms of treatment and hearing prognosis. *Acta Otolaryngol.*2017 *in press*.

[18] Kitoh R, Nishio SY, Usami SI. Prognostic impact of gene polymorphisms in patients with idiopathic sudden sensorineural hearing loss. *Acta Otolaryngol.*2017 *in press*.

[19] Umesawa M, Kobashi G, Kitoh R, Nishio SY, Ogawa K, Hato N, Sone M, Fukuda S, Hara A, Ikezono T, Ishikawa K, Iwasaki S, Kaga K, Kakehata S, Matsubara A, Matsunaga T, Murata T, Naito Y, Nakagawa T, Nishizaki K, Noguchi Y, Sano H, Sato H, Suzuki M, Shojaku H, Takahashi H, Takeda H, Tono T, Yamashita H, Yamasoba T, Usami SI. Relationships among drinking and smoking habits, history of diseases, body mass index and idiopathic sudden sensorineural hearing loss in Japanese patients. *Acta Otolaryngol.*2017 *in press*.

[20] Usami SI. Acute sensorineural hearing loss. *Acta Otolaryngol.*2017 *in press*.

[21] Matsuda H, Sakamoto K, Matsumura T, Saito S, Shindo S, Fukushima K, Nishio SY, Kitoh R, Shibasaki O, Ito A, Araki R, Usami SI, Suzuki M, Ogawa K, Hasegawa T, Hagiwara Y, Kase Y, Ikezono T. A nationwide multicenter study of the Cochlin tomo-protein detection test: clinical characteristics of perilymphatic fistula cases. *Acta Otolaryngol.*2017 *in press*.

[22] Sato H, Kuwashima S, Nishio SY, Kitoh R, Fukuda S, Hara A, Hato N, Ikezono T, Ishikawa K, Iwasaki S, Kaga K, Matsubara A, Matsunaga T, Murata T, Naito Y, Nakagawa T, Nishizaki K, Noguchi Y, Ogawa K, Sano H, Sone M, Shojaku H, Takahashi H, Tono T, Yamashita H, Yamasoba T, Usami SI. Epidemiological survey of acute low-tone sensorineural hearing loss. *Acta Otolaryngol.*2017 *in press*.

[23] Yoshida T, Sone M, Kitoh R, Nishio SY, Ogawa K, Kanzaki S, Hato N, Fukuda S, Hara A, Ikezono T, Ishikawa K, Iwasaki S, kaga K, kakehata S, Matsubara A, Matsunaga T, Murata T, Naito

Y, Nakagawa T, Nishizaki K, Noguchi Y, Sano H, Sato H, Suzuki M, Shojaku H, Takahashi H, Takeda H, Tono T, Yamashita H, Yamasoba T, Usami SI. Idiopathic sudden sensorineural hearing loss and acute low-tone sensorineural hearing loss: a comparison of the results of a nationwide epidemiological survey in Japan. *Acta Otolaryngol.* 2017 *in press*.

[24] 西尾信哉、宇佐美真一:若年発症型両側性感音難聴. 耳喉頭頸. 2016; 88: 224-232.

[25] 宇佐美真一:聴覚障害と遺伝. *Medical Science Digest.* 2016; 42:166-169.

[26] 宇佐美真一: 人工聴覚器手術 人工内耳手術ー残存聴力型人工内耳ー. *JOHNS* 2016; 32: 1282-1284.

[27] 茂木英明、宇佐美真一:残存聴力活用型人工内耳 (EAS: Electric Acoustic Stimulation) における内耳機能温存. *Otol Jpn.* 2016; 26: 149-153.

[28] 西尾信哉、宇佐美真一:難聴の遺伝子診断とその臨床応用. *耳鼻臨床.* 2016; 109: 828-829.

[29] 西尾信哉、宇佐美真一:難聴の遺伝学的検査の現状と展望. *医学のあゆみ.* 2017; 261: 337-339.

[30] 宇佐美真一、塚田景大 進行性難聴、変動する難聴. *MB ENT.* 2017; 205: 1-5.

[31] 神崎晶:(総説)急性感音難聴の新しい治療戦略. *日耳鼻.* 2016; 119:937-940.

[32] 佐藤宏昭:メニエール病と急性低音障害型感音難聴. 特集「女性と耳鼻咽喉科-診療のポイント」 耳喉頭頸 89(3):204-206, 2017

[33] 池園哲郎, 伊藤彰紀, 武田憲昭, 中村正, 浅井正嗣, 池田卓生, 今井貴夫, 重野浩一郎, 高橋幸治, 武井泰彦, 山本昌彦, 渡辺 行雄, 診断基準化委員会:平衡機能検査の基準化のための資料 III 迷路刺激検査 1 温度刺激検査 2016年改定. *Equilibrium Research* 75(4):241-245, 2016

[34] 池園哲郎:【私はどうしている-耳科手術編】内耳手術 外リンパ瘻に対する手術.

JOHNS32(9):1247-1250, 2016

- [35] 池園哲郎:【外リンパ瘻診療の新しい展開】外リンパ瘻の診断基準.耳鼻咽喉科・頭頸部外科 88(10):722-727, 2016 山本光, 濱田昌史, 村上知聡, 関根基樹, 飯田政弘, 池園哲郎:ダイビング後に生じためまい症例 内耳型減圧症と外リンパ瘻の鑑別について. Equilibrium Research 76(1):26-31, 2017
- [36] 前田幸英, 池園哲郎:メニエール病診断基準 日米欧の基準を比較して. Equilibrium Research 76(1):8-16, 2017
- [37] 近藤真前, 清水謙祐, 五島史行, 北原紘, 今井貴夫, 橋本誠, 下郡博明, 池園哲郎, 中山明峰:めまい症状尺度短縮版(Vertigo Symptom Scale-short form)日本語版の使用経験. Equilibrium Research 75(6):489-497, 2016
- [38] Karino S, Usamai SI, Kumakawa K, Takahashi H, Tono T, Naito Y, Doi K, Ito K, Suzuki M, Sakata H, Takumi Y, Iwasaki S, Kakigi A, Yamasoba T. Discrimination of Japanese monosyllables in patients with high-frequency hearing loss. *Auris Nasus Larynx* 2016;43:269-80
- [39] Kamogashira T, Akamatsu Y, Kashio A, Ogata E, Karino S, Kakigi A, Iwasaki S, Yamasoba T. Development of auditory skills after cochlear implantation in children with inner ear malformations. *Acta Oto-Laryngologica (Stockholm)* 2016;136:78-82
- [40] Koyama H, Kashio A, Sakata A, Tsutsumiuchi K, Matsumoto Y, Karino S, Kakigi A, Iwasaki S, Yamasoba T. The hearing outcomes of cochlear implantation in Waardenburg syndrome. *Biomed Research International*. 2016:2854736.
- [41] Ochi A, Yamasoba T, Furukawa S. Contributions of Coding Efficiency of Temporal-Structure and Level Information to Lateralization Performance in Young and Early-Elderly Listeners. *Adv Exp Med Biol*. 2016;894:19-28..
- [42] Noguchi Y, Fukuda S, Fukushima K, Gyo K, Hara A, Nakashima T, Ogawa K, Okamoto M, Sato H, Usami SI, Yamasoba T, Yokoyama T, Kitamura K. A nationwide study on enlargement of the vestibular aqueduct in Japan. *Auris Nasus Larynx*. 2017;44:33-39.

- [43] 石川浩太郎. 質疑応答プロからプロへ 難聴遺伝子検査の方法と有用性. 日本医事新報 4796;54.
- [44] 石川浩太郎. 【いまさら聞けない聴覚検査の ABC】 純音聴力検査とマスクング. 耳喉頭頸 2016;88(6):373-378
- [45] Omichi R, Maeda Y, Nishizaki K, et al. Characteristics of audiogram configuration in multiple-system atrophy C and cortical cerebellar atrophy. Acta Otolaryngol. 2016 Mar;136(3):266-70.
- [46] 船曳和雄, 内藤 泰: めまい. Medicina 53; 4 増刊号: 152-160, 2016.
- [47] 内藤 泰: 残存聴力がない例の人工内耳でも正円窓アプローチによる保存的手術に意味があるか? ENT 臨床フロンティア Next 耳鼻咽喉科イノベーション - 最新の治療・診断・疾患概念, 小林俊光、高橋晴雄、浦野正美 編, 初版, 中山書店, 東京, 86-88, 2016.全 276 頁
- [48] 藤原敬三, 内藤 泰: 人工聴覚器手術 人工内耳手術 - 内耳奇形の場合 - . JOHNS 32; 9: 1285-1290, 2016.
- [49] 内藤 泰: リンパ瘻とは—疾患概念と病態 Perilymphe fistula-diseases concept and pathophysiology. 耳鼻咽喉科・頭頸部外科 88; 10: 716-720, 2016.
- [50] 内藤 泰: 人工内耳に使用する電極は現在どのように選択しますか? . JOHNS 32; 12: 1688-1690, 2016.
- [51] 内藤 泰: 小児人工内耳の大いなる成功と最近のトピックス. 小児耳 37; 3: 295-299, 2016.
- [52] Naito Y, Moroto S, Yamazaki H, Kishimoto I: Speech and hearing after cochlear implantation in children with inner ear malformation and cochlear nerve deficiency. Cochlear Implantation in Children with Inner Ear Malformation and Cochlear Nerve Deficiency. Kaga K (ed), Published by Springer. Singapore, pp 147-165, 2017 全 169 頁
- [53] 内藤 泰: 小児人工内耳 - 最近の話題. 小児科 58; 1: 55-62, 2017.

- [54] 内藤 泰, 諸頭三郎: 乳幼児聴力検査. 聴覚検査の実際. 日本聴覚医学会 編, 第4版, 南山堂, 東京, 139-152, 2017. 全 232 頁。
- [55] Kaga K, Asato H eds: Microtia and atresia combined approach by plastic and otologic surgery. KARGER, Switzerland, 2013
- [56] Kaga K, Asato H: Sound lateralization test in patients with unilateral microtia and atresia after reconstruction of the auricle and external canal and fitting of canal-type hearing aids. *Acta Otolaryngol*, 136(4):368-72, 2016
- [57] Kaga K, Asato H: Sound lateralization ability of patients with bilateral microtia and atresia after bilateral reconstruction of auricles and external auditory canals and fitting of new canal-type hearing aids to replace a bone conduction hearing aid. *Acta Otolaryngol*, 137(4):370-4, 2017
- [58] 加我君孝: 『2 つの耳』 左右の耳の形と聴こえの改善手術 第8集 2014. 第9回青空の会、第8回TCの会.
- [59] 加我君孝: 『2 つの耳』 左右の耳の形と聴こえの改善手術 第9集 2015. 第10回青空の会、第9回TCの会.
- [60] 加我君孝: 小耳症・外耳度閉鎖症に対する外耳道形成術. *JOHNS*, 33(2):257-8, 2017
- [61] Nakagawa T, Yamamoto M, Kumakawa K, Usami S, Hato N, Tabuchi K, Takahashi M, Fujiwara K, Sasaki A, Komune S, Yamamoto N, Hiraumi H, Sakamoto T, Shimizu A, Ito J. Prognostic impact of salvage treatment on hearing recovery in patients with sudden sensorineural hearing loss refractory to systemic corticosteroids: A retrospective observational study. *Auris Nasus Larynx*. 2016 Oct;43(5):489-94.
- [62] Wester JL, Merna C, Peng KA, Lewis R, Sepahdari AR, Ishiyama G, Hosokawa K, Kumakawa K, Ishiyama A. Facial nerve stimulation following cochlear implantation for X-linked stapes gusher syndrome leading to identification of a novel POU3F4 mutation. *Int J Pediatr Otorhinolaryngol*. 2016 Dec;91:121-123.