

研究業績の一覧表

研究成果の刊行に関する一覧表

- [1] Shearer AE, Eppsteiner RW, Booth KT, Ephraim SS, Gurrola J2nd, Simpson A, Black-Ziegelbein EA, Joshi S, Ravi H, Giuffre AC, Happe S, Hildebrand MS, Azaiez H, Bayazit YA, Erdai ME, Lopez-Escamez JA, Gazquez I, Tamayo ML, Gelvez NY, Leal GL, Jalas C, Ekstein J, Yang T, Usami S, Kahrizi K, Bazazzadegan N, Najmabadi H, Scheetz TE, Braun TA, Casavant TL, LeProust EM, Smith RJ. Utilizing ethnic-specific differences in minor allele frequency to recategorize reported pathogenic deafness variants. *Am J Hum Genet.* 95:445-453. 2014
- [2] Abe S, Nagano M, Nishio S, Kumakawa K, Usami S. High-frequency involved hearing loss Caused by Novel Mitochondrial DNA Mutation in 16S Ribosomal RNA Gene. *Otol Neurotol.* 35: 1087-1090. 2014
- [3] Ishikawa K, Naito T, Nishio S, Iwasa Y, Nakamura K, Usami S, Ichimura K. A Japanese family showing high-frequency hearing loss with *KCNQ4* and *TECTA* mutations. *Acta Otolaryngol.* 134:557-563. 2014
- [4] Yano T, Nishio S, Usami S, deafness gene study consortium. Frequency of mitochondrial mutation in non- syndromic hearing loss as well as possibly responsible variants found by whole mitochondrial genome screening. *J Hum Genet.* 59:100-106. 2014
- [5] Miyagawa M, Nishio S, Usami S. Mutation spectrum and genotype- phenotype correlation of hearing loss patients caused by *SLC26A4* mutations in the Japanese: a large cohort study. *J Hum Genet.* 59: 262-268. 2014
- [6] Yoshimura Y, Iwasaki S, Nishio S, Kumakawa K, Tono T, Kobayasi Y, Sato H, Nagai K, Ishikawa K, Ikezono T, Naito Y, Fukushima K, Oshikawa C, Kimitsuki T, Nakanishi H, Usami S. Massively Parallel DNA Sequencing Facilitates Diagnosis of Patients with Usher Syndrome Type 1. *PLoS ONE.* 9:e90688. 2014
- [7] Nakagawa T, Kumakawa K, Usami S, Hato N, Tabuchi K, Takahashi M, Fujiwara K, Sasaki A, Komune S, Sakamoto T, Hiraumi H, Yamamoto N, Tanaka S, Tada H, Yamamoto M, Yonezawa A, Ito-Ihara T, Ikeda T, Shimizu A, Tabata Y, Ito J. A randomized controlled clinical trial of topical insulin-like growth factor-1 therapy for sudden deafness refractory to systemic corticosteroid treatment. *BMC Medicine.* 12:2-8. 2014
- [8] 工 穰: 単一遺伝子異常と疾患 難聴と眼の異常. *JOHNS.* 30:727-732. 2014
- [9] 西尾信哉、宇佐美真一: 難聴における遺伝子医療の現状. *医学のあゆみ.* 250: 371-377. 2014
- [10] 宇佐美真一: 知っておきたい甲状腺診療 4 Pendred 症候群の診断と治療. *MB ENT.* 172: 53-58. 2014

- [11] Moteki H, Yoshimura H, Azaiez H, Booth KT, Shearer AE, Sloan CM, Kolbe DL, Murata T, Smith RJ, Usami S. *USH2* Caused by *GPR98* Mutation Diagnosed by Massively Parallel Sequencing in Advance of the Occurrence of Visual Symptoms. *Ann Otol Rhinol Laryngol.* 124:123-128. 2015
- [12] Yoshimura H, Oshikawa C, Nakayama J, Moteki H, Usami S. Identification of a Novel *CLRN1* Gene Mutation in Usher Syndrome Type 3 : Two Case Reports. *Ann Otol Rhinol Laryngol.* 124:94-99. 2015
- [13] Yoshimura H, Hashimoto T, Murata T, Fukushima K, Sugaya A, Nishio S, Usami S. Novel *ABHD12* Mutations in PHARC Patients: The Differential Diagnosis of Deaf-Blindness. *Ann Otol Rhinol Laryngol.* 124:77-83. 2015
- [14] Miyagawa M, Nishio S, Sakurai Y, Hattori M, Tsukada K, Moteki H, Kojima H, Usami S. The Patients Associated with *TMPRSS3* Mutations are Good Candidates for Electric Acoustic Stimulation. *Ann Otol Rhinol Laryngol.* 124:193-204. 2015
- [15] Iwasa Y, Moteki H, Hattori M, Sato R, Nishio S, Takumi Y, Usami S. Non-ocular Stickler Syndrome with a Novel Mutation in *COL11A2* Diagnosed by Massively Parallel Sequencing in Japanese Hearing Loss Patients. *Ann Otol Rhinol Laryngol.* 124:111-117. 2015
- [16] Tsukada K, Ichinose A, Miyagawa M, Mori K, Hattori M, Nishio S, Naito Y, Kitajiri S, Usami S. Detailed Hearing and Vestibular Profiles in the Patients with *COCH* Mutations. *Ann Otol Rhinol Laryngol.* 124:100-110. 2015
- [17] Miyagawa M, Nishio S, Hattori M, Takumi Y, Usami S. Germinal Mosaicism in a Family with BO Syndrome. *Ann Otol Rhinol Laryngol.* 124:118-122. 2015
- [8] Mori K, Moteki H, Kobayashi Y, Azaiez H, Booth KT, Nishio S, Sato H, Smith RJ, Usami S. Mutations in *LOXHD1* Gene Cause Various Types and Severities of Hearing Loss. *Ann Otol Rhinol Laryngol.* 124:135-141. 2015
- [19] Mori K, Miyanojima I, Moteki H, Nishio S, Kurono Y, Usami S. Novel Mutations in *GRXCR1* at *DFNB25* Lead to Progressive Hearing Loss and Dizziness. *Ann Otol Rhinol Laryngol.* 124:129-134. 2015
- [20] Nishio S, Hattori M, Moteki H, Tsukada K, Miyagawa M, Naito T, Yoshimura H, Iwasa Y, Mori K, Shima Y, Sakuma N, Usami S. Gene Expression Profiles of Cochlea and Vestibular Endorgans: Localization and Function of Genes Causing Deafness. *Ann Otol Rhinol Laryngol.* 124:6-48. 2015
- [21] Moteki H, Azaiez H, Booth KT, Hattori M, Sato A, Sato Y, Motobayashi M, Sloan CM, Kolbe DL, Shearer AE, Smith RJ, Usami S. Hearing Loss Caused by a *P2RX2* Mutation Identified in a

- MELAS Family with a Coexisting Mitochondrial 3243AG Mutation. *Ann Otol Rhinol Laryngol.* 124:177-183. 2015
- [22] Ichinose A, Moteki H, Hattori M, Nishio S, Usami S. Novel Mutation in *LRTOMT* Associated with Moderate Progressive Hearing Loss in Autosomal Recessive Inheritance. *Ann Otol Rhinol Laryngol.* 124:142-147. 2015
- [23] Nishio S, Usami S. Deafness Gene Variations in a 1120 Nonsyndromic Hearing Loss Cohort: Molecular Epidemiology and Deafness Mutation Spectrum of Patients in Japan. *Ann Otol Rhinol Laryngol.* 124:49-60. 2015
- [24] Miyagawa M, Nishio S, Ichinose A, Iwasaki S, Murata T, Kitajiri S, Usami S. Mutational Spectrum and Clinical Features of patients with *ACTG1* Mutations identified by Massively Parallel DNA Sequencing. *Ann Otol Rhinol Laryngol.* 124:84-93. 2015
- [25] Sakuma N, Moteki H, Azaiez H, Booth KT, Takahashi M, Arai Y, Shearer AE, Sloan CM, Nishio S, Kolbe DL, Iwasaki S, Oridate N, Smith RJ, Usami S. Novel *PTPRQ* Mutations Identified in Three Congenital Hearing Loss Patients with Various Types of Hearing Loss. *Ann Otol Rhinol Laryngol.* 124:184-192. 2015
- [26] Moteki H, Shearer AE, Izumi S, Kubota Y, Azaiez H, Booth KT, Sato A, Sloan CM, Kolbe DL, Shearer AE, Smith RJ, Usami S. De Novo Mutation in X-Linked Hearing Loss-Associated *POU3F4* in a Sporadic case of Congenital Hearing Loss. *Ann Otol Rhinol Laryngol.* 124:169-176. 2015
- [27] Miyagawa M, Nishio S, Hattori M, Moteki H, Kobayashi Y, Saton H, Watanabe T, Naito Y, Oshikawa C, Usami S. Mutations in the *MYO15A* Gene are a Significant Cause of Nonsyndromic Hearing Loss: Massively Parallel DNA Sequencing-Based Analysis. *Ann Otol Rhinol Laryngol.* 124:158-168. 2015
- [28] Tsukada K, Fukuoka H, Usami S. Vestibular Functions of Hereditary Hearing Loss Patients with *GJB2* Mutations. *Audiol Neurootol.* 20(3):147-152. 2015
- [29] Tsukada K, Nishio S, Hattori M, Usami S. Ethnic-Specific Spectrum of *GJB2* and *SLC26A4* Mutations: Their Origin and a Literature Review. *Ann Otol Rhinol Laryngol.* 124:61-76. 2015
- [30] Miyagawa M, Nishio S, Kumakaa K, Usami S. Massively Parallel DNA Sequencing Successfully Identified Seven Families with Deafness-Associated *MYO6* Mutations: The Mutational Spectrum and Clinical Characteristics. *Ann Otol Rhinol Laryngol.* 124:148-157. 2015
- [31] Inaba Y, Motobayashi M, Nishioka M, Kaneko T, Yamauchi S, Kawasaki Y, Shiba N, Nishio SY, Moteki H, Miyagawa M, Takumi Y, Usami S, Koike K. Correlation Between White Matter Lesions and Intelligence Quotient in Patients With Congenital Cytomegalovirus Infection.

- Pediatr Neurol. 55:52-57. 2016
- [32] 日本聴覚医学会編 遺伝性難聴の診療の手引き 2016 金原出版 2016 東京
- [33] 鬼頭良輔、森健太郎、宇佐美真一. 突発性難聴に対するステロイド鼓室内投与症例の検討
耳鼻臨床. 108(4):267-272. 2015
- [34] 西尾信哉、鬼頭良輔、宇佐美真一. 突発性難聴の遺伝的背景. MB ENT. 183:58-67. 2015
- [35] 寺西正明、曾根三千彦. 糖尿病と突発性難聴・変動性感音難聴 ENTONI 177:1-7. 2015.
- [36] 曾根 三千彦. EBM 耳鼻咽喉科・頭頸部外科の治療:突発性難聴に対する高気圧酸素療法
のエビデンスは? 59-6,2015 中外医学社
- [37] 下野真理子、曾根三千彦. 突発性難聴と急性低音障害型感音難聴. ENTONI 183:8-13;
2015.
- [38] 曾根三千彦. 突発性難聴とその周辺疾患:突発性難聴の臨床. 耳鼻咽喉・頭頸部外科 87:
574-578;2015.
- [39] Suga K, Kato M, Yoshida T, Nishio N, Nakada T, Sugiura S, Otake H, Kato K, Teranishi M,
Sone M, Naganawa S, Nakashima T. Changes in endolymphatic hydrops in patients with
Ménière's disease treated conservatively for more than 1 year. Acta Otolaryngol.
2015 ;135:866-70.
- [40] Naganawa S, Kawai H, Taoka T, Suzuki K, Iwano S, Satake H, Sone M, Ikeda M. Heavily
T2-Weighted 3D-FLAIR Improves the Detection of Cochlear Lymph Fluid Signal Abnormalities
in Patients with Sudden Sensorineural Hearing Loss. Magn Reson Med Sci. 2016 11;15:203-11.
- [41] Sone M, Yoshida T, Morimoto K, Teranishi M, Nakashima T, Naganawa S. Endolymphatic
hydrops in superior canal dehiscence and large vestibular aqueduct syndromes. Laryngoscope. in
press
- [42] 佐藤宏昭:急性感音難聴. 今日の治療指針 2015 年版 医学書院、東京、1409-1410. 2015
- [43] 佐藤宏昭:急性低音障害型感音難聴の治療法のエビデンスは? 4. 感音難聴 EBM 耳鼻
咽喉科 - 頭頸部腫瘍の治療 2015-2016 中外医学社、東京、67-69. 2015
- [44] 福田宏治、佐藤宏昭:急性低音障害型感音難聴の治療とインフォームドコンセント. 耳鼻喉
科診療スキルアップ 32 - 私のポイント - ENTONI 192:29-35. 2016
- [45] Karino S, Usami S, Kumakawa K, Takahashi H, Tono T, Naito Y, Doi K, Ito K, Suzuki M,
Sakata H, Takumi Y, Iwasaki S, Kakigi A, Yamasoba T. Discrimination of Japanese
monosyllables in patients with high-frequency hearing loss. Auris Nasus Larynx in press.
- [46] Kinoshita M, Kikkawa Y, Sakamoto T, Kondo K, Ishihara K, Konno T, Pawsey N, Yamasoba T.
Safety, reliability, and operability of cochlear implant electrode arrays coated with biocompatible
polymer. Acta oto-laryngologica. 135: 320-327, 2015

- [47] Kamogashira T, Fujimoto C, Yamasoba T. Reactive Oxygen Species, Apoptosis, and Mitochondrial Dysfunction in Hearing Loss. *BioMed research international*. 617207, 2015
- [48] Sakamoto T, Yamasoba T. Current Concepts of the Mechanisms in Age-Related Hearing Loss. *J Clin Exp Pathol* 5 (250), 2161-0681.1000250
- [49] Yamasoba T. Interventions to Prevent Age-Related Hearing Loss. Josef Mille, Colleen G Le Prell, Leonard Rybak (Eds) *Free Radicals in ENT Pathology*. Springer International Publishing 335-349, 2015
- [50] 山岨達也 感覚器領域の機能評価と加齢変化に対するサプリメントの効果. *FOOD STYLE* 21 222:48-51. 2015
- [51] 山岨達也 : 老人性難聴:疫学, 病態, 治療戦略. *都耳鼻会報* 146:34-38. 2015
- [52] 和田哲郎. 職域に生かす耳鼻咽喉科の最新知識 騒音性難聴 . *産業医学ジャーナル* 38:77-82, 2015.
- [53] Omichi R, Maeda Y, Nishizaki K, et al. Cochlear implantation is a therapeutic option for superficial siderosis patients with sensorineural hearing loss. *J Laryngol Otol*. 2016 Apr;130(4):408-11. Epub ahead of Print.
- [54] Omichi R, Maeda Y, Nishizaki K, et al. Characteristics of audiogram configuration in multiple-system atrophy C and cortical cerebellar atrophy. *Acta Otolaryngol*. 2016 Mar;136(3):266-70. Epub ahead of Print.
- [55] Omichi R, Maeda Y, Nishizaki K, et al. Outcomes of consonant-vowel monosyllable perception and word recognition after cochlear implantation in elderly Japanese patients. *Acta otolaryngol* 135(11):1108-12. 2015
- [56] 石川浩太郎. 先天性難聴の遺伝子検査の位置づけ. *Otol Jpn*. 25(2):135-139. 2015
- [57] 石川浩太郎. 【障がい者が東京の街を歩けるか-2020年東京パラリンピック開催に向けて-】聴覚障がい 聴覚障がい者の生理機能と病態像とADL上の注意事項. *MB Med Reha* 187:55-61. 2015
- [58] 石川浩太郎. 遺伝子診断の実際と問題点 難聴 . *日耳鼻会報* 118:1263-1267. 2015
- [59] 石川浩太郎. 小児耳鼻咽喉科領域における遺伝子医療 難聴 非症候群性難聴を中心に . *小耳鼻* 36(3):291-294. 2015
- [60] 加我君孝:『2つの耳』 左右の耳の形と聴こえの改善手術 第9集 2015. 第10回青空の会, 第9回TCの会. 2015
- [61] 永井遼斗, 松永達雄. 図説シリーズ「目で見る遺伝医学」- 難聴の遺伝医学, 国立医療学会誌「医療」, 70(3): 160-166, 2016.
- [62] 松永達雄, 山本修子, 村山圭. 指定難病制度を踏まえたミトコンドリア病の診療, 耳鼻咽喉

- 科・頭頸部外科, 88(3):240-247, 2016.
- [63] Nakagawa T, Yamamoto M, Kumakawa K et al., Prognostic impact of salvage treatment on hearing recovery in patients with sudden sensorineural hearing loss refractory to systemic corticosteroids: a retrospective observational study. *Auris Nasus Larynx* 12. 2015
- [64] 熊川孝三、神崎 晶、宇佐美真一、岩崎 聡、山中 昇、土井勝美、内藤 泰、暁清文、東野哲也、高橋晴雄、神田幸彦: 本邦における人工中耳(Vibrant Soundbridge®)臨床治験 アンケートによる自覚的評価結果について . 日本耳鼻咽喉科学会会報 118:1309-318, 2015.
- [65] 土井 勝美、神崎 晶、熊川 孝三、宇佐美真一、岩崎 聡、山中 昇、内藤 泰、暁清文、東野 哲也、高橋 晴雄、神田 幸彦. VIBRANT SOUNDBRIDGE®国内臨床治験の有効性と安全性の評価. 日本耳鼻咽喉科学会会報 118:1449-1458, 2015.
- [66] 熊川孝三:人工聴覚機器の進歩 - 聴性脳幹インプラント(Auditory brainstemimplant)ー . 日耳鼻 118, 809-815, 2015.
- [67] 熊川孝三:人工内耳医療における遺伝学的検査の意義. *MB ENT* 181:52-59, 2015.
- [68] 熊川孝三:特集 先天性重度難聴児はどのように補聴するか? - 人工内耳による立場からー . *JOHNS* 31: 1729-1731, 2015.
- [69] 岸本逸平, 内藤 泰: 内耳奇形の分類と人工内耳手術. *MB ENT* 181: 45-50.
- [70] 内藤 泰: 内耳奇形の画像診断. *日耳鼻 専門医通信* 118: 1080-1081.
- [71] Kishimoto I, Moroto S, Fujiwara K, Harada H, Kikuchi M, Suehiro A, Shinohara S, Naito Y: Bilateral duplication of the internal auditory canal: A case with successful cochlear implantation. *International Journal of Pediatric Otorhinolaryngology* 79: 1595-1598. 2015
- [72] 内藤 泰: 耳鼻咽喉科疾患の最新画像診断 - 側頭骨. *日耳鼻* 118: 1169-1181. 2015
- [73] Tona R, Naito Y, Moroto S, Yamamoto R, Fujiwara K, Yamazaki H, Shinohara S, Kikuchi M: Audio-visual integration during speech perception in prelingually deafened Japanese children revealed by the McGurk effect. *Int J Pediatr Otorhinolaryngol.* 79: 2072-2078. 2015
- [74] Karino S, Usami S, Kumakawa K, Takahashi H, Tono T, Naito Y, Doi K, Ito K, Suzuki M, Sakata H, Takumi Y, Iwasaki S, Kakigi A, Yamasoba T: Discrimination of Japanese monosyllables in patients with high-frequency hearing loss. *Auris Nasus Larynx*, 2015. [Epub ahead of print]
- [75] 内藤 泰: 小児側頭骨 CT の読み方. *小児耳* 36: 246-250.
- [76] 松田圭二, 東野哲也, 神崎晶, 熊川孝三, 宇佐美真一, 岩崎聡, 山中昇, 土井勝美, 内藤 泰, 暁清文, 高橋晴雄, 神田幸彦: 伝音・混合性難聴に対する EMT 正円窓留置による VIBRANT SOUNDBRIDGE®の効果. *日耳鼻* 119: 37-45, 2016.

- [77]内藤 泰: 人工内耳 - その大いなる成功と未来展望. *Clinical Neuroscience* 34: 224-229.
- [78] 岩崎聡, 宇佐美真一, 熊川孝三, 佐藤宏昭, 高橋晴雄, 土井勝美, 東野哲也, 内藤泰, 羽藤直人: 人工内耳 VSB(Vibrant Soundbridge®)の手引き (マニュアル). *Otol Jpn* 2: 29-36.
- [79] Yoshimura H, Miyagawa M, Kumakawa K, Nishio S, Usami S. Frequency of Usher syndrome type 1 in deaf children by massively parallel DNA sequencing. *J Hum Genet.* 2016; 61: 419-422.
- [80] Kitoh R, Moteki H, Nishio S, Shinden S, Kanzaki S, Iwasaki S, Ogawa K, Usami S. The effects of cochlear implantation in Japanese single-sided deafness patients: five case reports. *Acta Otolaryngol.* 2016; 136: 460-464.
- [81] Kitoh R, Nishio S, Ogawa K, Okamura M, Kitamura K, Gyo K, Sato H, Nakashima T, Fukuda S, Fukushima K, Hara A, Yamasoba T, Usami S. *SOD1* gene polymorphisms in sudden sensorineural hearing loss. *Acta Otolaryngol.* 2016; 136: 465-469.
- [82] Miyagawa M, Nishio S, Usami S. A Comprehensive Study on the Etiology of Patients Receiving Cochlear Implantation With Special Emphasis on Genetic Epidemiology. *Otol Neurotol.* 2016; 37: e126-134.
- [83] Sakuma N, Moteki H, Takahashi M, Nishio S, Arai Y, Yamashita Y, Oridate N, Usami S. An effective screening strategy for deafness in combination with a next-generation sequencing platform: a consecutive analysis. *J Hum Genet.* 2016; 61: 162230-261.
- [84] Moteki H, Azaiez H, Booth K.T, Shearer A.E, Sloan C.M, Kolbe D.L, Nishio S, Hattori M, Usami S, Smith R.J.H. Comprehensive genetic testing with ethnic-specific filtering by allele frequency in a Japanese hearing-loss population. *Clin Genet.* 2016; 89: 466-472.
- [85] Moteki H, Azaiez H, Sloan-Heggen CM, Booth K, Nishio S, Wakui K, Yamaguchi T, Kolbe DL, Iwasa Y, Shearer AE, Fukushima Y, Smith RJ, Usami S. Detection and Confirmation of Deafness-Causing Copy Number Variations in the STRC Gene by Massively Parallel Sequencing and Comparative Genomic Hybridization. *Ann Otol Rhinol Laryngol.* 2016; 125:918-923.
- [86] Mori K, Moteki H, Miyagawa M, Nishio SY, Usami S. Social Health Insurance-Based Simultaneous Screening for 154 Mutations in 19 Deafness Genes Efficiently Identified Causative Mutations in Japanese Hearing Loss Patients. *PLoS ONE* 2016; 11: e0162230.
- [87] Ueyama T, Ninoyu Y, Nishio S, Miyoshi T, Torii H, Nishimura K, Sugahara K, Sakata H, Thumkeo D, Sakaguchi H, Watanabe N, Usami S, Saito N, Kitajiri S. Constitutive activation of DIA1 (DIAPH1) via C-terminal truncation causes human sensorineural hearing loss. *EMBO Molecular Medicine* 2016; 8: 1310-1324.

- [88] Moteki H, Nishio S, Miyagawa M, Tsukada K, Iwasaki S, Usami S. Long-term results of hearing preservation cochlear implant surgery in patients with residual low frequency hearing. *Acta Otolaryngol.* 2016; 17: 1-6.
- [89] Iwasa Y, Nishio S, Usami S. Comprehensive Genetic Analysis of Japanese Autosomal Dominant Sensorineural Hearing Loss Patients. *PLoS One* 2016; 11: e0166781.
- [90] Nishio SY, Usami SI. The Clinical Next-Generation Sequencing Database: A Tool for the Unified Management of Clinical Information and Genetic Variants to Accelerate Variant Pathogenicity Classification. *Hum Mutat.* 2017; 38: 252-259.
- [91] Nishio SY, Usami SI. Outcomes of cochlear implantation for the patients with specific genetic etiologies: a systematic literature review. *Acta Otolaryngol.* 2017 *in press.*
- [92] Morita S, Fujiwara K, Fukuda A, Fukuda S, Nishio SY, Kitoh R, Hato N, Ikezono T, Ishikawa K, Kaga K, Matsubara A, Matsunaga T, Murata T, Naito Y, Nishizaki K, Ogawa K, Sano H, Sato H, Sone M, Suzuki M, Takahashi H, Tono T, Yamashita H, Yamasoba T, Usami SI. The clinical features and prognosis of mumps-associated hearing loss: a retrospective, multi-institutional investigation in Japan. *Acta Otolaryngol.* 2017 *in press.*
- [93] Usami SI, Kitoh R, Moteki H, Nishio SY, Kitano T, Kobayashi M, Shinagawa J, Yokota Y, Sugiyama K, Watanabe K. Etiology of single-sided deafness and asymmetrical hearing loss. *Acta Otolaryngol.* 2017 *in press.*
- [94] Kitoh R, Nishio SY, Ogawa K, kanzaki S, Hato N, Sone M, Fukuda S, Hara A, Ikezono T, Ishikawa K, Iwasaki S, Kaga K, Kakehata S, Matsubara A, Matsunaga T, Murata T, Naito Y, Nakagawa T, Nishizaki K, Noguchi Y, Sano H, Sato H, Sato H, Suzuki M, Shojaku H, Takahashi H, Takeda H, Tono T, Yamashita H, Yamasoba T, Usami SI. Nationwide epidemiological survey of idiopathic sudden sensorineural hearing loss in Japan. *Acta Otolaryngol.* 2017 *in press.*
- [95] Wada T, Sano H, Nishio SY, Kitoh R, Ikezono T, Iwasaki S, Kaga k, matsubara A, Matsunaga T, Murata T, naito Y, Suzuki M, Takahashi H, Tono T, Yamashita H, Hara A, Usami SI. Differences between acoustic trauma and other types of acute noise-induced hearing loss in terms of treatment and hearing prognosis. *Acta Otolaryngol.* 2017 *in press.*
- [96] Kitoh R, Nishio SY, Usami SI. Prognostic impact of gene polymorphisms in patients with idiopathic sudden sensorineural hearing loss. *Acta Otolaryngol.* 2017 *in press.*
- [97] Umesawa M, Kobashi G, Kitoh R, Nishio SY, Ogawa K, Hato N, Sone M, Fukuda S, Hara A, Ikezono T, Ishikawa K, Iwasaki S, Kaga K, Kakehata S, Matsubara A, Matsunaga T, Murata T, Naito Y, Nakagawa T, Nishizaki K, Noguchi Y, Sano H, Sato H, Suzuki M, Shojaku H, Takahashi H, Takeda H, Tono T, Yamashita H, Yamasoba T, Usami SI. Relationships among drinking and

- smoking habits, history of diseases, body mass index and idiopathic sudden sensorineural hearing loss in Japanese patients. *Acta Otolaryngol.*2017 *in press*.
- [98] Usami SI. Acute sensorineural hearing loss. *Acta Otolaryngol.*2017 *in press*.
- [99] Matsuda H, Sakamoto K, Matsumura T, Saito S, Shindo S, Fukushima K, Nishio SY, Kitoh R, Shibasaki O, Ito A, Araki R, Usami SI, Suzuki M, Ogawa K, Hasegawa T, Hagiwara Y, Kase Y, Ikezono T. A nationwide multicenter study of the Cochlin tomo-protein detection test: clinical characteristics of perilymphatic fistula cases. *Acta Otolaryngol.*2017 *in press*.
- [100] Sato H, Kuwashima S, Nishio SY, Kitoh R, Fukuda S, Hara A, Hato N, Ikezono T, Ishikawa K, Iwasaki S, Kaga K, Matsubara A, Matsunaga T, Murata T, Naito Y, Nakagawa T, Nishizaki K, Noguchi Y, Ogawa K, Sano H, Sone M, Shojaku H, Takahashi H, Tono T, Yamashita H, Yamasoba T, Usami SI. Epidemiological survey of acute low-tone sensorineural hearing loss. *Acta Otolaryngol.*2017 *in press*.
- [101] Yoshida T, Sone M, Kitoh R, Nishio SY, Ogawa K, Kanzaki S, Hato N, Fukuda S, Hara A, Ikezono T, Ishikawa K, Iwasaki S, kaga K, kakehata S, Matsubara A, Matsunaga T, Murata T, Naito Y, Nakagawa T, Nishizaki K, Noguchi Y, Sano H, Sato H, Suzuki M, Shojaku H, Takahashi H, Takeda H, Tono T, Yamashita H, Yamasoba T, Usami SI. Idiopathic sudden sensorineural hearing loss and acute low-tone sensorineural hearing loss: a comparison of the results of a nationwide epidemiological survey in Japan. *Acta Otolaryngol.*2017 *in press*.
- [102] 西尾信哉、宇佐美真一:若年発症型両側性感音難聴. *耳喉頭頸*. 2016; 88: 224-232.
- [103] 宇佐美真一:聴覚障害と遺伝. *Medical Science Digest*. 2016; 42:166-169.
- [104] 宇佐美真一:人工聴覚器手術 人工内耳手術—残存聴力型人工内耳—. *JOHNS* 2016; 32: 1282-1284.
- [105] 茂木英明、宇佐美真一:残存聴力活用型人工内耳 (EAS: Electric Acoustic Stimulation) における内耳機能温存. *Otol Jpn*. 2016; 26: 149-153.
- [106] 西尾信哉、宇佐美真一:難聴の遺伝子診断とその臨床応用. *耳鼻臨床*. 2016; 109: 828-829.
- [107] 西尾信哉、宇佐美真一:難聴の遺伝学的検査の現状と展望. *医学のあゆみ*. 2017; 261: 337-339.
- [108] 宇佐美真一、塚田景大 進行性難聴、変動する難聴. *MB ENT*. 2017; 205: 1-5.
- [109] 神崎晶:(総説)急性感音難聴の新しい治療戦略. *日耳鼻*. 2016; 119:937-940.
- [110] 佐藤宏昭:メニエール病と急性低音障害型感音難聴. 特集「女性と耳鼻咽喉科-診療のポイント」 *耳喉頭頸* 89(3):204-206, 2017
- [111] 池園哲郎, 伊藤彰紀, 武田憲昭, 中村正, 浅井正嗣, 池田卓生, 今井貴夫, 重野浩一郎,

- 高橋幸治, 武井泰彦, 山本昌彦, 渡辺 行雄, 診断基準化委員会: 平衡機能検査の基準化のための資料 III 迷路刺激検査 1 温度刺激検査 2016年改定. *Equilibrium Research* 75(4):241-245, 2016
- [112] 池園哲郎:【私はこうしている-耳科手術編】内耳手術 外リンパ瘻に対する手術. *JOHNS*32(9):1247-1250, 2016
- [113] 池園哲郎:【外リンパ瘻診療の新しい展開】外リンパ瘻の診断基準. 耳鼻咽喉科・頭頸部外科 88(10):722-727, 2016 山本光, 濱田昌史, 村上知聡, 関根基樹, 飯田政弘, 池園哲郎: ダイビング後に生じためまい症例 内耳型減圧症と外リンパ瘻の鑑別について. *Equilibrium Research* 76(1):26-31, 2017
- [114] 前田幸英, 池園哲郎:メニエール病診断基準 日米欧の基準を比較して. *Equilibrium Research* 76(1):8-16, 2017
- [115] 近藤真前, 清水謙祐, 五島史行, 北原紘, 今井貴夫, 橋本誠, 下郡博明, 池園哲郎, 中山 明峰:めまい症状尺度短縮版(Vertigo Symptom Scale-short form)日本語版の使用経験. *Equilibrium Research* 75(6):489-497, 2016
- [116] Karino S, Usamai SI, Kumakawa K, Takahashi H, Tono T, Naito Y, Doi K, Ito K, Suzuki M, Sakata H, Takumi Y, Iwasaki S, Kakigi A, Yamasoba T. Discrimination of Japanese monosyllables in patients with high-frequency hearing loss. *Auris Nasus Larynx* 2016;43:269-80
- [117] Kamogashira T, Akamatsu Y, Kashio A, Ogata E, Karino S, Kakigi A, Iwasaki S, Yamasoba T. Development of auditory skills after cochlear implantation in children with inner ear malformations. *Acta Oto-Laryngologica (Stockholm)* 2016;136:78-82
- [118] Koyama H, Kashio A, Sakata A, Tsutsumiuchi K, Matsumoto Y, Karino S, Kakigi A, Iwasaki S, Yamasoba T. The hearing outcomes of cochlear implantation in Waardenburg syndrome. *Biomed Research International*. 2016:2854736.
- [119] Ochi A, Yamasoba T, Furukawa S. Contributions of Coding Efficiency of Temporal-Structure and Level Information to Lateralization Performance in Young and Early-Elderly Listeners. *Adv Exp Med Biol*. 2016;894:19-28..
- [120] Noguchi Y, Fukuda S, Fukushima K, Gyo K, Hara A, Nakashima T, Ogawa K, Okamoto M, Sato H, Usami SI, Yamasoba T, Yokoyama T, Kitamura K. A nationwide study on enlargement of the vestibular aqueduct in Japan. *Auris Nasus Larynx*. 2017;44:33-39.
- [121] 石川浩太郎. 質疑応答プロからプロへ 難聴遺伝子検査の方法と有用性. *日本医事新報* 4796;54.
- [122] 石川浩太郎. 【いまさら聞けない聴覚検査のABC】純音聴力検査とマスキング. *耳喉頭頸* 2016;88(6):373-378

- [123] Omichi R, Maeda Y, Nishizaki K, et al. Characteristics of audiogram configuration in multiple-system atrophy C and cortical cerebellar atrophy. *Acta Otolaryngol.* 2016 Mar;136(3):266-70.
- [124] 船曳和雄, 内藤 泰: めまい. *Medicina* 53; 4 増刊号: 152-160, 2016.
- [125] 内藤 泰: 残存聴力がない例の人工内耳でも正円窓アプローチによる保存的手術に意味があるか? ENT 臨床フロンティア Next 耳鼻咽喉科イノベーション - 最新の治療・診断・疾患概念, 小林俊光、高橋晴雄、浦野正美 編, 初版, 中山書店, 東京, 86-88, 2016. 全 276 頁
- [126] 藤原敬三, 内藤 泰: 人工聴覚器手術 人工内耳手術 - 内耳奇形の場合 - . *JOHNS* 32; 9: 1285-1290, 2016.
- [127] 内藤 泰: リンパ瘻とは一疾患概念と病態 Perilymph fistula-diseases concept and pathophysiology. *耳鼻咽喉科・頭頸部外科* 88; 10: 716-720, 2016.
- [128] 内藤 泰: 人工内耳に使用する電極は現在どのように選択しますか? . *JOHNS* 32; 12: 1688-1690, 2016.
- [129] 内藤 泰: 小児人工内耳の大いなる成功と最近のトピックス. *小児耳* 37; 3: 295-299, 2016.
- [130] Naito Y, Moroto S, Yamazaki H, Kishimoto I: Speech and hearing after cochlear implantation in children with inner ear malformation and cochlear nerve deficiency. *Cochlear Implantation in Children with Inner Ear Malformation and Cochlear Nerve Deficiency.* Kaga K (ed), Published by Springer. Singapore, pp 147-165, 2017 全 169 頁
- [131] 内藤 泰: 小児人工内耳 - 最近の話題. *小児科* 58; 1: 55-62, 2017.
- [132] 内藤 泰, 諸頭三郎: 乳幼児聴力検査. 聴覚検査の実際. 日本聴覚医学会 編, 第 4 版, 南山堂, 東京, 139-152, 2017. 全 232 頁。
- [133] Kaga K, Asato H eds: *Microtia and atresia combined approach by plastic and otologic surgery.* KARGER, Switzerland, 2013
- [134] Kaga K, Asato H: Sound lateralization test in patients with unilateral microtia and atresia after reconstruction of the auricle and external canal and fitting of canal-type hearing aids. *Acta Otolaryngol*, 136(4):368-72, 2016
- [135] Kaga K, Asato H: Sound lateralization ability of patients with bilateral microtia and atresia after bilateral reconstruction of auricles and external auditory canals and fitting of new canal-type hearing aids to replace a bone conduction hearing aid. *Acta Otolaryngol*, 137(4):370-4, 2017
- [136] 加我君孝: 『2つの耳』 左右の耳の形と聴こえの改善手術 第 8 集 2014 . 第 9 回青空の会、第 8 回 TC の会 .
- [137] 加我君孝: 『2つの耳』 左右の耳の形と聴こえの改善手術 第 9 集 2015 . 第 10 回青空

の会、第9回 TC の会 .

- [138] 加我君孝:小耳症・外耳度閉鎖症に対する外耳道形成術 . JOHNS、 33(2):257-8,2017
- [139] Nakagawa T, Yamamoto M, Kumakawa K, Usami S, Hato N, Tabuchi K, Takahashi M, Fujiwara K, Sasaki A, Komune S, Yamamoto N, Hiraumi H, Sakamoto T, Shimizu A, Ito J. Prognostic impact of salvage treatment on hearing recovery in patients with sudden sensorineural hearing loss refractory to systemic corticosteroids: A retrospective observational study. *Auris Nasus Larynx*. 2016 Oct;43(5):489-94.
- [140] Wester JL, Merna C, Peng KA, Lewis R, Sepahdari AR, Ishiyama G, Hosokawa K, Kumakawa K, Ishiyama A. Facial nerve stimulation following cochlear implantation for X-linked stapes gusher syndrome leading to identification of a novel POU3F4 mutation. *Int J Pediatr Otorhinolaryngol*. 2016 Dec;91:121-123.