

研究成果の刊行物印刷一覧表

1. Nozu K, Minamikawa S, Yamada S, Oka M, Yanagita M, Morisada N, Fujinaga S, Nagano C, Gotoh Y, Takahashi E, Morishita T, Yamamura T, Ninchoji T, Kaito H, Morioka I, Nakanishi K, Vorechovsky I, Iijima K. Characterization of contiguous gene deletions in COL4A6 and COL4A5 in Alport syndrome-diffuse leiomyomatosis. *J Hum Genet*. 2017 Mar 9. doi: 10.1038/jhg.2017.28. [Epub ahead of print] PMID: 28275241
2. Horinouchi T, Nozu K, Kamiyoshi N, Kamei K, Togawa H, Shima Y, Urahama Y, Yamamura T, Minamikawa S, Nakanishi K, Fujimura J, Morioka I, Ninchoji T, Kaito H, Nakanishi K, Iijima K. Diagnostic strategy for inherited hypomagnesemia. *Clin Exp Nephrol*. 2017 Mar 1. doi: 10.1007/s10157-017-1396-7. [Epub ahead of print] PMID: 28251383
3. Nagao R, Suzuki S, Kawashima H, Nozu K, Iijima K. Acute kidney injury in type 3 Bartter syndrome: Angiotensin-converting enzyme inhibitors as a cause. *Pediatr Int*. 2016;58(12):1373-1374. doi: 10.1111/ped.13100. PMID: 28008741
4. Uchida N, Kumagai N, Nozu K, Fu XJ, Iijima K, Kondo Y, Kure S. Early RAAS Blockade Exerts Renoprotective Effects in Autosomal Recessive Alport Syndrome. *Tohoku J Exp Med*. 2016;240(3):251-257. DOI: 10.1620/tjem.240.251. PMID: 27904025
5. Yokota K, Nozu K, Minamikawa S, Yamamura T, Nakanishi K, Kaneda H, Hamada R, Nozu Y, Shono A, Ninchoji T, Morisada N, Ishimori S, Fujimura J, Horinouchi T, Kaito H, Nakanishi K, Morioka I, Taniguchi-Ikeda M, Iijima K. Female X-linked Alport syndrome with somatic mosaicism. *Clin Exp Nephrol*. 2016 Oct 31. [Epub ahead of print] PMID: 27796712
6. Nozu K, Nozu Y, Nakanishi K, Konomoto T, Horinouchi T, Shono A, Morisada N, Minamikawa S, Yamamura T, Fujimura J, Nakanishi K, Ninchoji T, Kaito H, Morioka I, Taniguchi-Ikeda M, Vorechovsky I, Iijima K. Cryptic exon activation in SLC12A3 in Gitelman syndrome. *J Hum Genet*. 2017;62(2):335-337. doi: 10.1038/jhg.2016.129. PMID: 27784896
7. Iwafuchi Y, Morioka T, Oyama Y, Nozu K, Iijima K, Narita I. A Case of Transforming Growth Factor- β -Induced Gene-Related Oculorenal Syndrome: Granular Corneal Dystrophy Type II with a Unique Nephropathy. *Case Rep Nephrol Dial*. 2016;6(3):106-113. eCollection 2016 Sep-Dec. DOI: 10.1159/000449129. PMID: 27781206
8. Abe Y, Iyoda M, Nozu K, Hibino S, Hihara K, Yamaguchi Y, Yamamura T, Minamikawa S, Iijima K, Shibata T, Itabashi K. A Novel Mutation in a Japanese Family with X-linked Alport Syndrome. *Intern Med*. 2016;55(19):2843-2847. Epub 2016 Oct 1. DOI: 10.2169/internalmedicine.55.6873. PMID: 27725546
9. Kamiyoshi N, Nozu K, Fu XJ, Morisada N, Nozu Y, Ye MJ, Imafuku A, Miura K, Yamamura T, Minamikawa S, Shono A, Ninchoji T, Morioka I, Nakanishi K, Yoshikawa N, Kaito H, Iijima K.

Genetic, Clinical, and Pathologic Backgrounds of Patients with Autosomal Dominant Alport Syndrome. *Clin J Am Soc Nephrol*. 2016;11(8):1441-9. doi: 10.2215/CJN.01000116. Epub 2016 Jun 8. PMID: 27281700

10. Iijima T, Hoshino J, Mise K, Sumida K, Suwabe T, Hayami N, Ueno T, Takaichi K, Fujii T, Ohashi K, Morisada N, Iijima K, Ubara Y. Daughter and mother with orofacioidigital syndrome type 1 and glomerulocystic kidney disease. *Hum Pathol*. 2016;55:24-9. doi: 10.1016/j.humpath.2016.04.005. Epub 2016 Apr 27. PMID: 27131853
11. Ohtsubo H, Okada T, Nozu K, Takaoka Y, Shono A, Asanuma K, Zhang L, Nakanishi K, Taniguchi-Ikeda M, Kaito H, Iijima K, Nakamura S. Identification of mutations in FN1 leading to glomerulopathy with fibronectin deposits. *Pediatr Nephrol*. 2016;31(9):1459-67. doi: 10.1007/s00467-016-3368-7. Epub 2016 Apr 7. PMID: 27056061
12. Yamamura T, Morisada N, Nozu K, Minamikawa S, Ishimori S, Toyoshima D, Ninchoji T, Yasui M, Taniguchi-Ikeda M, Morioka I, Nakanishi K, Nishio H, Iijima K. Rare renal ciliopathies in non-consanguineous families that were identified by targeted resequencing. *Clin Exp Nephrol*. 2017;21(1):136-142. doi: 10.1007/s10157-016-1256-x. Epub 2016 Mar 11. PMID: 26968886
13. Kanda S, Morisada N, Kaneko N, Yabuuchi T, Nawashiro Y, Tada N, Nishiyama K, Miyai T, Sugawara N, Ishizuka K, Chikamoto H, Akioka Y, Iijima K, Hattori M. New-onset diabetes after renal transplantation in a patient with a novel HNF1B mutation. *Pediatr Transplant*. 2016;20(3):467-71. doi: 10.1111/petr.12690. Epub 2016 Feb 21. PMID: 26899772
14. Fu XJ, Nozu K, Eguchi A, Nozu Y, Morisada N, Shono A, Taniguchi-Ikeda M, Shima Y, Nakanishi K, Vorechovsky I, Iijima K. X-linked Alport syndrome associated with a synonymous p.Gly292Gly mutation alters the splicing donor site of the type IV collagen alpha chain 5 gene. *Clin Exp Nephrol*. 2016 Oct;20(5):699-702. DOI: 10.1007/s10157-015-1197-9. PMID: 26581810
15. Hirano D, Ishikura K, Uemura O, Ito S, Wada N, Hattori M, Ohashi Y, Hamasaki Y, Tanaka R, Nakanishi K, Kaneko T, Honda M. Association between low birth weight and childhood-onset chronic kidney disease in Japan: a combined analysis of nationwide survey for paediatric CKD and National Report of Vital Statistics. *Nephrol Dial Transplant*. 2016 Nov;31(11):1895-1900. DOI: 10.1093/ndt/gfv425. PMID: 26953592
16. Okuda Y, Ishikura K, Terano C, Harada R, Hamada R, Hataya H, Ogata K, Honda M. Irreversible severe kidney injury and anuria in a 3-month-old girl with atypical haemolytic uraemic syndrome under administration of eculizumab. *Nephrol (Carlton)*. 2016 Mar;21(3):261-265. DOI: 10.1111/nep.12582. PMID: 26818219
17. Yoshizawa C, Kobayashi Y, Ikeuchi Y, Tashiro M, Kakegawa S, Watanabe T, Goto Y, Nakanishi K, Yoshikawa N, Arakawa H. Congenital nephrotic syndrome with a novel NPHS1 mutation.

- Pediatr Int. 2016 Nov;58(11):1211-1215. doi: 10.1111/ped.13118. PMID: 27882743
18. Inaba A, Hamasaki Y, Ishikura K, Hamada R, Sakai T, Hataya H, Komaki F, Kaneko T, Mori M, Honda M. Long-term outcome of idiopathic steroid-resistant nephrotic syndrome in children. *Pediatr Nephrol*. 2016 Mar;31(3):425-434. doi: 10.1007/s00467-015-3174-7. Epub 2015 Sep 3. PMID: 26335197
 19. Kato H, Nangaku M, Hataya H, Sawai T, Ashida A, Fujimaru R, Hidaka Y, Kaname S, Maruyama S, Yasuda T, Yoshida Y, Ito S, Hattori M, Miyakawa Y, Fujimura Y, Okada H, Kagami S: Joint Committee for the Revision of Clinical Guides of Atypical Hemolytic Uremic Syndrome in Japan. *Clinical Guides for atypical hemolytic uremic syndrome in Japan*. *Clin Exp Nephrol* 20: 536-543, 2016. doi: 10.1007/s10157-016-1276-6. Review. PMID: 27422619
 20. Satoh N, Yamada H, Yamazaki O, Suzuki M, Nakamura M, Suzuki A, Ashida A, Yamamoto D, Kaku Y, Sekine T, Seki G, Horita S. A pure chloride channel mutant of CLC-5 causes Dent's disease via insufficient V-ATPase activation. *Pflugers Arch* 468: 1183-1196, 2016. DOI: 10.1007/s00424-016-1808-7. PMID: 27044412
 21. Udagawa T, Jo T, Yanagihara T, Shimizu A, Mitsui J, Tsuji S, Morishita S, Onai R, Miura K, Kanda S, Kajiho Y, Tsurumi H, Oka A, Hattori M, Harita Y. Altered expression of Crb2 in podocytes expands a variation of CRB2 mutations in steroid-resistant nephrotic syndrome. *Pediatr Nephrol* 2016 Dec 10 [Epub ahead of print] DOI:10.1007/s00467-016-3549-4. PMID: 27942854
 22. Sugimoto K, Miyazawa T, Enya T, Nishi H, Miyazaki K, Okada M, Takemura T. Clinical and genetic characteristics of Japanese nephronophthisis patients. *Clin Exp Nephrol*. 20:637-649, 2016. DOI: 10.1007/s10157-015-1180-5. PMID: 26499951
 23. Nishimura H, Yaoita E, Nameta M, Yamaguchi K, Sato M, Ihoriya C, Zhao L, Kawachi H, Sasaki T, Ikezumi Y, Ouchi Y, Kashihara N, Yamamoto T. Restricted nutrition-induced low birth weight, low number of nephrons and glomerular mesangium injury in Japanese quail. *J Dev Orig Health Dis* 6:1-14, 2017. DOI: 10.1017/S2040174416000787. PMID: 28162133
 24. Sakiyama M, Matsuo H, Nakaoka H, Yamamoto K, Nakayama A, Nakamura T, Kawai S, Okada R, Ooyama H, Shimizu T, Shinomiya N. Identification of rs671, a common variant of ALDH2, as a gout susceptibility locus. *Sci Rep*. 2016 May 16;6:25360. doi: 10.1038/srep25360. PMID: 27181629
 25. Higashino T, Matsuo H, Sakiyama M, Nakayama A, Nakamura T, Takada T, Ogata H, Kawamura Y, Kawaguchi M, Naito M, Kawai S, Takada Y, Ooyama H, Suzuki H, Shinomiya N. Common variant of PDZ domain containing 1 (PDZK1) gene is associated with gout susceptibility: A replication study and meta-analysis in Japanese population. *Drug Metab Pharmacokinet*. 2016 Dec;31(6):464-466. doi: 10.1016/j.dmpk.2016.07.004. Epub 2016 Jul 30. PMID: 27720648

26. Matsuo H, Tsunoda T, Ooyama K, Sakiyama M, Sogo T, Takada T, Nakashima A, Nakayama A, Kawaguchi M, Higashino T, Wakai K, Ooyama H, Hokari R, Suzuki H, Ichida K, Inui A, Fujimori S, Shinomiya N. Hyperuricemia in acute gastroenteritis is caused by decreased urate excretion via ABCG2. *Sci Rep.* 2016 Aug 30;6:31003. doi: 10.1038/srep31003. PMID: 27571712
27. Nakayama A, Nakaoka H, Yamamoto K, Sakiyama M, Shaukat A, Toyoda Y, Okada Y, Kamatani Y, Nakamura T, Takada T, Inoue K, Yasujima T, Yuasa H, Shirahama Y, Nakashima H, Shimizu S, Higashino T, Kawamura Y, Ogata H, Kawaguchi M, Ohkawa Y, Danjoh I, Tokumasu A, Ooyama K, Ito T, Kondo T, Wakai K, Stiburkova B, Pavelka K, Stamp LK, Dalbeth N; Eurogout Consortium., Sakurai Y, Suzuki H, Hosoyamada M, Fujimori S, Yokoo T, Hosoya T, Inoue I, Takahashi A, Kubo M, Ooyama H, Shimizu T, Ichida K, Shinomiya N, Merriman TR, Matsuo H; Eurogout Consortium.. GWAS of clinically defined gout and subtypes identifies multiple susceptibility loci that include urate transporter genes. *Ann Rheum Dis.* 2017 May;76(5):869-877. doi: 10.1136/annrheumdis-2016-209632. Epub 2016 Nov 29. PMID: 27899376
28. 先天性腎尿路異常(CAKUT)のガイドライン[オンライン版]
29. 腎性低尿酸血症診療ガイドライン