

(別添 4)

研究成果の刊行に関する一覧表

書籍

著者氏名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
厚生労働科学研究費補助金難治性疾患等克服研究事業(難治性疾患等政策研究事業(難治性疾患政策研究事業))「腎・泌尿器系の希少・難治性疾患群に関する診断基準・診療ガイドラインの確立」研究班 先天性腎尿路異常(CAKUT)グループ	厚生労働科学研究費補助金難治性疾患等克服研究事業(難治性疾患等政策研究事業(難治性疾患政策研究事業))「腎・泌尿器系の希少・難治性疾患群に関する診断基準・診療ガイドラインの確立」研究班(編集)	低形成・異形成腎を中心とした先天性腎尿路異常(CAKUT)の腎機能障害進行抑制のためのガイドライン	診断と治療社	東京	2016	1-58
腎性低尿酸血症診療ガイドライン作成委員	日本痛風・核酸代謝学会(監修)	腎性低尿酸血症診療ガイドライン	メディカルレビュー社	大阪	2017	1-45

論文

発表者氏名	論文タイトル	発表誌	出版年等
Sawai T, Nangaku M, <u>Ashida A</u> , Fujimaru R, Hataya H, Hidaka Y, Kaname S, Okada H, Sato W, Yasuda T, Yoshida Y, Fujimura Y, Hattori M, Kagami S.	Diagnostic criteria for atypical hemolytic uremic syndrome proposed by the Joint Committee of the Japanese Society of Nephrology and the Japan Pediatric Society.	Clin Exp Nephrol.	2014;18(1):4-9. doi: 10.1007/s10157-013-0911-8.
<u>Ishikura K</u> , Uemura O, <u>Hamasaki Y</u> , <u>Ito S</u> , Wada N, Hattori M, Ohashi Y, Tanaka R, <u>Nakanishi K</u> , Kaneko T, Honda M; Pediatric CKD Study Group in Japan; Committee of Measures for Pediatric CKD of Japanese Society of Pediatric Nephrology.	Progression to end-stage kidney disease in Japanese children with chronic kidney disease: results of a nationwide prospective cohort study.	Nephrol Dial Transplant	2014;29(4):878-84. doi: 10.1093/ndt/gfu012. Epub 2014 Feb 9.
Morisada N, Nozu K, <u>Iijima K</u> .	Branchio-oto-renal syndrome: comprehensive review based on nationwide surveillance in Japan.	Pediatr Int.	2014;56(3):309-14. doi: 10.1111/ped.12357.
Chiba T, Matsuo H, Nagamori S, Nakayama A, Kawamura Y, Shimizu S, Sakiyama M, Hosoyamada M, Kawai S, Okada R, Hamajima N, Kanai Y, <u>Shinomiva N</u> .	Identification of a hypouricemia patient with SLC2A9 R380W, a pathogenic mutation for renal hypouricemia type 2.	Nucleosides Nucleotides Nucleic Acids.	2014;33(4-6):261-5. doi: 10.1080/15257770.2013.857781.
<u>Ikezumi Y</u> , Uemura O, Nagai T, <u>Ishikura K</u> , <u>Ito S</u> , Hataya H, Fujita N, Akioka Y, Kaneko T, <u>Iijima K</u> , Honda M.	Beta-2 microglobulin-based equation for estimating glomerular filtration rates in Japanese children and adolescents.	Clin Exp Nephrol.	2015;19(3):450-7. doi: 10.1007/s10157-014-1015-9. Epub 2014 Aug 1.
Nozu K, Vorechovsky I, Kaito H, Fu XJ, <u>Nakanishi K</u> , Hashimura Y, Hashimoto F, Kamei K, <u>Ito S</u> , Kaku Y, Imasawa T, Ushijima K, Shimizu J, Makita Y, Konomoto T, Yoshikawa N, <u>Iijima K</u> .	X-linked Alport syndrome caused by splicing mutations in COL4A5.	Clin J Am Soc Nephrol.	2014;9(11):1958-64. doi: 10.2215/CJN.04140414. Epub 2014 Sep 2.
Yoshino A, Honda M, Sasaki N, Hataya H, <u>Ishikura K</u> , Sakazume S, Tanaka Y, Nagai T.	Selection of infants who potentially have congenital anomalies of the kidney and urinary tract from a large cohort for a more thorough examination.	Clin Exp Nephrol.	2015;19(4):678-82. doi: 10.1007/s10157-014-1036-4. Epub 2014 Sep 26.

Nozu K, Iijima K , Ohtsuka Y, Fu XJ, Kaito H, Nakanishi K , Vorechovsky I.	Alport syndrome caused by a COL4A5 deletion and exonization of an adjacent AluY.	Mol Genet Genomic Med.	2014;2(5):451–3. doi: 10.1002/mgg3.89. Epub 2014 May 28.
Sirachainan N, Komwilaisak P, Kitamura K, Hongeng S, Sekine T , Kunishima S.	The first two cases of MYH9 disorders in Thailand: an international collaborative study.	Ann Hematol.	2015;94(4):707–9. doi: 10.1007/s00277-014-2234-6. Epub 2014 Nov 15.
Hattori M, Sako M, Kaneko T, Ashida A , Matsunaga A, Igarashi T, Itami N, Ohta T, Gotoh Y, Satomura K, Honda M, Igarashi T.	End-stage renal disease in Japanese children: a nationwide survey during 2006–2011.	Clin Exp Nephrol.	2015;19(5):933–8. doi: 10.1007/s10157-014-1077-8. Epub 2015 Jan 17.
Matsuo H, Yamamoto K, Nakaoka H, Nakayama A, Sakiyama M, Chiba T, Takahashi A, Nakamura T, Nakashima H, Takada Y, Danjoh I, Shimizu S, Abe J, Kawamura Y, Terashige S, Ogata H, Tatsukawa S, Yin G, Okada R, Morita E, Naito M, Tokumasu A, Onoue H, Iwaya K, Ito T, Takada T, Inoue K, Kato Y, Nakamura Y, Sakurai Y, Suzuki H, Kanai Y, Hosoya T, Hamajima N, Inoue I, Kubo M, Ichida K, Ooyama H, Shimizu T, Shinomiya N .	Genome-wide association study of clinically defined gout identifies multiple risk loci and its association with clinical subtypes.	Ann Rheum Dis.	2016;75(4):652–9. doi: 10.1136/annrheumdis-2014-206191. Epub 2015 Feb 2.
Hamasaki Y , Ishikura K , Uemura O, Ito S , Wada N, Hattori M, Ohashi Y, Tanaka R, Nakanishi K , Kaneko T, Honda M.	Growth impairment in children with pre-dialysis chronic kidney disease in Japan.	Clin Exp Nephrol.	2015;19(6):1142–8. DOI: 10.1007/s10157-015-1098-y
Hisano M, Ashida A , Nakano E, Suehiro M, Yoshida Y, Matsumoto M, Miyata T, Fujimura Y, Hattori M.	Autoimmune-type atypical hemolytic uremic syndrome treated with eculizumab as first-line therapy.	Pediatr Int.	2015;57(2):313–7. doi: 10.1111/ped.12469.
Matsunoshita N, Nozu K, Shono A, Nozu Y, Fu XJ, Morisada N , Kamiyoshi N, Ohtsubo H, Ninchoji T, Minamikawa S, Yamamura T, Nakanishi K, Yoshikawa N, Shima Y, Kaito H, Iijima K .	Differential diagnosis of Bartter syndrome, Gitelman syndrome, and pseudo-Bartter/Gitelman syndrome based on clinical characteristics.	Genet Med.	2016;18(2):180–8. doi: 10.1038/gim.2015.56. Epub 2015 Apr 16.
Fu XJ, Nozu K, Kaito H, Ninchoji T, Morisada N , Nakanishi K , Yoshikawa N, Ohtsubo H, Matsunoshita N, Kamiyoshi N, Matsumura C, Takagi N, Maekawa K, Taniguchi-Ikeda M, Iijima K .	Somatic mosaicism and variant frequency detected by next-generation sequencing in X-linked Alport syndrome.	Eur J Hum Genet.	2016;24(3):387–91. doi: 10.1038/ejhg.2015.113. Epub 2015 May 27.
Ito N, Hataya H, Saida K, Amano Y, Hidaka Y, Motoyoshi Y, Ohta T, Yoshida Y, Terano C, Iwasa T, Kubota W, Takada H, Hara T, Fujimura Y, Ito S .	Efficacy and safety of eculizumab in childhood atypical hemolytic uremic syndrome in Japan.	Clin Exp Nephrol.	2016;20(2):265–72. doi: 10.1007/s10157-015-1142-y. Epub 2015 Jul 9.
Inaba A, Hamasaki Y , Ishikura K , Hamada R, Sakai T, Hataya H, Komaki F, Kaneko T, Mori M, Honda M.	Long-term outcome of idiopathic steroid-resistant nephrotic syndrome in children.	Pediatr Nephrol.	2016;31(3):425–434. doi: 10.1007/s00467-015-3174-7. Epub 2015 Sep 3.
Ishikura K , Uemura O, Hamasaki Y , Nakai H, Ito S , Harada R, Hattori M, Ohashi Y, Tanaka R, Nakanishi K , Kaneko T, Iijima K , Honda M; Pediatric CKD Study Group in Japan in conjunction with the Committee of Measures for Pediatric CKD of the Japanese Society for Pediatric Nephrology.	Insignificant impact of VUR on the progression of CKD in children with CAKUT.	Pediatr Nephrol.	2016;31(1):105–12. DOI: 10.1007/s00467-015-3196-1.

Miyake N, Tsukaguchi H, Koshimizu E, Shono A, Matsunaga S, Shiina M, Mimura Y, Imamura S, Hirose T, Okudela K, Nozu K, Akioka Y, Hattori M, Yoshikawa N, Kitamura A, Cheong HI, Kagami S, Yamashita M, Fujita A, Miyatake S, Tsurusaki Y, Nakashima M, Saito H, Ohashi K, Imamoto N, Ryo A, Ogata K, <u>Iijima K</u> , Matsumoto N	Biallelic Mutations in Nuclear Pore Complex Subunit NUP107 Cause Early-Childhood-Onset Steroid-Resistant Nephrotic Syndrome.	Am J Hum Genet.	2015;97(4):555-66. doi: 10.1016/j.ajhg.2015.08.013. Epub 2015 Sep 24.
Sugimoto K, Miyazawa T, Enya T, Nishi H, Miyazaki K, Okada M, <u>Takemura T</u> .	Clinical and genetic characteristics of Japanese nephronophthisis patients.	Clin Exp Nephrol.	2016;20(4):637-649. DOI: 10.1007/s10157-015-1180-5.
Hashimoto J, <u>Hamasaki Y</u> , Yanagisawa T, Sekine T, Aikawa A, Shishido S.	Successful Kidney Transplantation in Epstein Syndrome With Antiplatelet Antibodies and Donor-specific Antibodies: A Case Report.	Transplant Proc.	2015;47(8):2541-3. doi: 10.1016/j.transproceed.2015.09.010.
Fu XJ, Nozu K, Eguchi A, Nozu Y, <u>Morisada N</u> , Shono A, Taniguchi-Ikeda M, Shima Y, <u>Nakanishi K</u> , Vorechovsky I, <u>Iijima K</u> .	X-linked Alport syndrome associated with a synonymous p.Gly292Gly mutation alters the splicing donor site of the type IV collagen alpha chain 5 gene.	Clin Exp Nephrol.	2016;20(5):699-702. DOI: 10.1007/s10157-015-1197-9.
Hattori M, Iwano M, Sako M, Honda M, Okada H, Akioka Y, <u>Ashida A</u> , Kawasaki Y, Kiyomoto H, Terada Y, Hirano D, Fujieda M, Fujimoto S, Masaki T, Maruyama S, Mastuo S.	Transition of adolescent and young adult patients with childhood-onset chronic kidney disease from pediatric to adult renal services: a nationwide survey in Japan.	Clin Exp Nephrol.	2016;20(6):918-925. doi: 10.1007/s10157-016-1231-6. Epub 2016 Jan 19.
Okuda Y, <u>Ishikura K</u> , Terano C, Harada R, Hamada R, Hataya H, Ogata K, Honda M.	Irreversible severe kidney injury and anuria in a 3-month-old girl with atypical haemolytic uraemic syndrome under administration of eculizumab.	Nephrol. (Carlton)	2016 Mar;21(3):261-265. DOI: 10.1111/nep.12582.
Sakiyama M, Matsuo H, Shimizu S, Nakashima H, Nakamura T, Nakayama A, Higashino T, Naito M, Suma S, Hishida A, Satoh T, Sakurai Y, Takada T, Ichida K, Ooyama H, Shimizu T, <u>Shinomiya N</u> .	The effects of URAT1/SLC22A12 nonfunctional variants, R90H and W258X, on serum uric acid levels and gout/hyperuricemia progression.	Sci Rep.	2016 Jan 29;6:20148. doi: 10.1038/srep20148.
Kanda S, <u>Morisada N</u> , Kaneko N, Yabuuchi T, Nawashiro Y, Tada N, Nishiyama K, Miyai T, Sugawara N, Ishizuka K, Chikamoto H, Akioka Y, <u>Iijima K</u> , Hattori M.	New-onset diabetes after renal transplantation in a patient with a novel HNF1B mutation.	Pediatr Transplant.	2016;20(3):467-71. doi: 10.1111/ptr.12690. Epub 2016 Feb 21.
Hirano D, <u>Ishikura K</u> , Uemura O, <u>Ito S</u> , Wada N, Hattori M, Ohashi Y, <u>Hamasaki Y</u> , Tanaka R, <u>Nakanishi K</u> , Kaneko T, Honda M.	Association between low birth weight and childhood-onset chronic kidney disease in Japan: a combined analysis of nationwide survey for paediatric CKD and National Report of Vital Statistics.	Nephrol Dial Transplant.	2016;31(11):1895-1900. DOI: 10.1093/ndt/gfv425.

Yamamura T, <u>Morisada N</u> , Nozu K, Minamikawa S, Ishimori S, Toyoshima D, Ninchoji T, Yasui M, Taniguchi-Ikeda M, Morioka I, <u>Nakanishi K</u> , Nishio H, <u>Iijima K</u> .	Rare renal ciliopathies in non-consanguineous families that were identified by targeted resequencing.	Clin Exp Nephrol.	2017;21(1):136–142. doi: 10.1007/s10157-016-1256-x. Epub 2016 Mar 11.
Satoh N, Yamada H, Yamazaki O, Suzuki M, Nakamura M, Suzuki A, <u>Ashida A</u> , Yamamoto D, Kaku Y, <u>Sekine T</u> , Seki G, Horita S.	A pure chloride channel mutant of CLC-5 causes Dent's disease via insufficient V-ATPase activation.	Pflugers Arch.	2016;468(7): 1183–1196. DOI: 10.1007/s00424-016-1808-7.
Ohtsubo H, Okada T, Nozu K, Takaoka Y, Shono A, Asanuma K, Zhang L, <u>Nakanishi K</u> , Taniguchi-Ikeda M, Kaito H, <u>Iijima K</u> , Nakamura S.	Identification of mutations in FN1 leading to glomerulopathy with fibronectin deposits.	Pediatr Nephrol.	2016;31(9):1459–67. doi: 10.1007/s00467-016-3368-7. Epub 2016 Apr 7.
Fu XJ, <u>Morisada N</u> , Hashimoto F, Taniguchi-Ikeda M, Hashimura Y, Ohtsubo H, Ninchoji T, Kaito H, Nozu K, Takahashi E, <u>Nakanishi K</u> , Kurahashi H, <u>Iijima K</u> .	A patient with autosomal recessive Alport syndrome due to segmental maternal isodisomy.	Human Genome Variation	2014 Aug 7;1:14006. doi: 10.1038/hgv.2014.6. eCollection 2014.
Iijima T, Hoshino J, Mise K, Sumida K, Suwabe T, Hayami N, Ueno T, Takaichi K, Fujii T, Ohashi K, <u>Morisada N</u> , <u>Iijima K</u> , Ubara Y.	Daughter and mother with orofacioidigital syndrome type 1 and glomerulocystic kidney disease.	Hum Pathol.	2016;55:24–9. doi: 10.1016/j.humpath.2016.04.005. Epub 2016 Apr 27.
Sakiyama M, Matsuo H, Nakaoka H, Yamamoto K, Nakayama A, Nakamura T, Kawai S, Okada R, Ooyama H, Shimizu T, <u>Shinomiva N</u> .	Identification of rs671, a common variant of ALDH2, as a gout susceptibility locus.	Sci Rep.	2016 May 16;6:25360. doi: 10.1038/srep25360.
Kamiyoshi N, Nozu K, Fu XJ, <u>Morisada N</u> , Nozu Y, Ye MJ, Imafuku A, Miura K, Yamamura T, Minamikawa S, Shono A, Ninchoji T, Morioka I, <u>Nakanishi K</u> , Yoshikawa N, Kaito H, <u>Iijima K</u> .	Genetic, Clinical, and Pathologic Backgrounds of Patients with Autosomal Dominant Alport Syndrome.	Clin J Am Soc Nephrol.	2016;11(8):1441–9. doi: 10.2215/CJN.01000116. Epub 2016 Jun 8.
Kato H, Nangaku M, Hataya H, Sawai T, <u>Ashida A</u> , Fujimaru R, Hidaka Y, Kaname S, Maruyama S, Yasuda T, Yoshida Y, <u>Ito S</u> , Hattori M, Miyakawa Y, Fujimura Y, Okada H, Kagami S: Joint Committee for the Revision of Clinical Guides of Atypical Hemolytic Uremic Syndrome in Japan.	Clinical Guides for atypical hemolytic uremic syndrome in Japan.	Clin Exp Nephrol.	2016;20(4): 536–543. doi: 10.1007/s10157-016-1276-6.
Matsuo H, Tsunoda T, Ooyama K, Sakiyama M, Sogo T, Takada T, Nakashima A, Nakayama A, Kawaguchi M, Higashino T, Wakai K, Ooyama H, Hokari R, Suzuki H, Ichida K, Inui A, Fujimori S, <u>Shinomiva N</u> .	Hyperuricemia in acute gastroenteritis is caused by decreased urate excretion via ABCG2.	Sci Rep.	2016 Aug 30;6:31003. doi: 10.1038/srep31003.
Higashino T, Matsuo H, Sakiyama M, Nakayama A, Nakamura T, Takada T, Ogata H, Kawamura Y, Kawaguchi M, Naito M, Kawai S, Takada Y, Ooyama H, Suzuki H, <u>Shinomiva N</u> .	Common variant of PDZ domain containing 1 (PDZK1) gene is associated with gout susceptibility: A replication study and meta-analysis in Japanese population.	Drug Metab Pharmacokinet.	2016;31(6):464–466. doi: 10.1016/j.dmpk.2016.07.004. Epub 2016 Jul 30.
Abe Y, Iyoda M, Nozu K, Hibino S, Hihara K, Yamaguchi Y, Yamamura T, Minamikawa S, <u>Iijima K</u> , Shibata T, Itabashi K.	A Novel Mutation in a Japanese Family with X-linked Alport Syndrome.	Intern Med.	2016;55(19):2843–2847. Epub 2016 Oct 1. DOI: 10.2169/internalmedicine.55.6873.

Iwafuchi Y, Morioka T, Oyama Y, Nozu K, <u>Iijima K</u> , Narita I.	A Case of Transforming Growth Factor- β -Induced Gene-Related Oculorenal Syndrome: Granular Corneal Dystrophy Type II with a Unique Nephropathy.	Case Rep Nephrol Dial.	2016;6(3):106-113. eCollection 2016 Sep-Dec. DOI: 10.1159/000449129.
Nozu K, Nozu Y, Nakanishi K, Konomoto T, Horinouchi T, Shono A, <u>Morisada N</u> , Minamikawa S, Yamamura T, Fujimura J, <u>Nakanishi K</u> , Ninchoji T, Kaito H, Morioka I, Taniguchi-Ikeda M, Vorechovsky I, <u>Iijima K</u> .	Cryptic exon activation in SLC12A3 in Gitelman syndrome.	J Hum Genet.	2017;62(2):335-337. doi: 10.1038/jhg.2016.129.
Yokota K, Nozu K, Minamikawa S, Yamamura T, Nakanishi K, Kaneda H, Hamada R, Nozu Y, Shono A, Ninchoji T, <u>Morisada N</u> , Ishimori S, Fujimura J, Horinouchi T, Kaito H, <u>Nakanishi K</u> , Morioka I, Taniguchi-Ikeda M, <u>Iijima K</u> .	Female X-linked Alport syndrome with somatic mosaicism.	Clin Exp Nephrol.	2016 Oct 31. [Epub ahead of print]
Yoshizawa C, Kobayashi Y, Ikeuchi Y, Tashiro M, Kakegawa S, Watanabe T, Goto Y, <u>Nakanishi K</u> , Yoshikawa N, Arakawa H.	Congenital nephrotic syndrome with a novel NPHS1 mutation.	Pediatr Int.	2016;58(11):1211-1215. doi: 10.1111/ped.13118.
Nakayama A, Nakaoka H, Yamamoto K, Sakiyama M, Shaukat A, Toyoda Y, Okada Y, Kamatani Y, Nakamura T, Takada T, Inoue K, Yasujima T, Yuasa H, Shirahama Y, Nakashima H, Shimizu S, Higashino T, Kawamura Y, Ogata H, Kawaguchi M, Ohkawa Y, Danjoh I, Tokumasu A, Ooyama K, Ito T, Kondo T, Wakai K, Stiburkova B, Pavelka K, Stamp LK, Dalbeth N; Eurogout Consortium., Sakurai Y, Suzuki H, Hosoyamada M, Fujimori S, Yokoo T, Hosoya T, Inoue I, Takahashi A, Kubo M, Ooyama H, Shimizu T, Ichida K, <u>Shinomiva N</u> , Merriman TR, Matsuo H; Eurogout Consortium..	GWAS of clinically defined gout and subtypes identifies multiple susceptibility loci that include urate transporter genes.	Ann Rheum Dis.	2017;76(5):869-877. doi: 10.1136/annrheumdis-2016-209632. Epub 2016 Nov 29.
Uchida N, Kumagai N, Nozu K, Fu XJ, <u>Iijima K</u> , Kondo Y, Kure S.	Early RAAS Blockade Exerts Renoprotective Effects in Autosomal Recessive Alport Syndrome.	Tohoku J Exp Med.	2016;240(3):251-257. DOI: 10.1620/tjem.240.251.
Udagawa T, Jo T, Yanagihara T, Shimizu A, Mitsui J, Tsuji S, Morishita S, Onai R, <u>Miura K</u> , Kanda S, Kajiho Y, Tsurumi H, Oka A, Hattori M, Harita Y	Altered expression of Crb2 in podocytes expands a variation of CRB2 mutations in steroid-resistant nephrotic syndrome.	Pediatr Nephrol.	2016 Dec 10 [Epub ahead of print] DOI:10.1007/s00467-016-3549-4.
Nagao R, Suzuki S, Kawashima H, Nozu K, <u>Iijima K</u> .	Acute kidney injury in type 3 Bartter syndrome: Angiotensin-converting enzyme inhibitors as a cause.	Pediatr Int.	2016;58(12):1373-1374. doi: 10.1111/ped.13100.
Nishimura H, Yaoita E, Nameta M, Yamaguchi K, Sato M, Ihoriya C, Zhao L, Kawachi H, Sasaki T, <u>Ikezumi Y</u> , Ouchi Y, Kashihara N, Yamamoto T.	Restricted nutrition-induced low birth weight, low number of nephrons and glomerular mesangium injury in Japanese quail.	J Dev Orig Health Dis.	2017;8(3):287-300. DOI: 10.1017/S2040174416000787.

Horinouchi T, Nozu K, Kamiyoshi N, Kamei K, Togawa H, Shima Y, Urahama Y, Yamamura T, Minamikawa S, Nakanishi K, Fujimura J, Morioka I, Ninchoji T, Kaito H, <u>Nakanishi K, Jiiima K.</u>	Diagnostic strategy for inherited hypomagnesemia.	Clin Exp Nephrol.	2017 Mar 1. doi: 10.1007/s10157-017-1396-7. [Epub ahead of print]
Nozu K, Minamikawa S, Yamada S, Oka M, Yanagita M, <u>Morisada N,</u> Fujinaga S, Nagano C, Gotoh Y, Takahashi E, Morishita T, Yamamura T, Ninchoji T, Kaito H, Morioka I, <u>Nakanishi K, Vorechovsky I, Jiiima K.</u>	Characterization of contiguous gene deletions in COL4A6 and COL4A5 in Alport syndrome-diffuse leiomyomatosis.	J Hum Genet.	2017 Mar 9. doi: 10.1038/jhg.2017.28. [Epub ahead of print]