

## 研究成果の刊行物印刷一覧表

1. Nozu K, Minamikawa S, Yamada S, Oka M, Yanagita M, Morisada N, Fujinaga S, Nagano C, Gotoh Y, Takahashi E, Morishita T, Yamamura T, Ninchoji T, Kaito H, Morioka I, Nakanishi K, Vorechovsky I, [Iijima K](#). Characterization of contiguous gene deletions in COL4A6 and COL4A5 in Alport syndrome-diffuse leiomyomatosis. *J Hum Genet*. 2017 Mar 9. doi: 10.1038/jhg.2017.28. [Epub ahead of print] PMID: 28275241
2. Horinouchi T, Nozu K, Kamiyoshi N, Kamei K, Togawa H, Shima Y, Urahama Y, Yamamura T, Minamikawa S, Nakanishi K, Fujimura J, Morioka I, Ninchoji T, Kaito H, Nakanishi K, [Iijima K](#). Diagnostic strategy for inherited hypomagnesemia. *Clin Exp Nephrol*. 2017 Mar 1. doi: 10.1007/s10157-017-1396-7. [Epub ahead of print] PMID: 28251383
3. Nagao R, Suzuki S, Kawashima H, Nozu K, [Iijima K](#). Acute kidney injury in type 3 Bartter syndrome: Angiotensin-converting enzyme inhibitors as a cause. *Pediatr Int*. 2016;58(12):1373-1374. doi: 10.1111/ped.13100. PMID: 28008741
4. Uchida N, Kumagai N, Nozu K, Fu XJ, [Iijima K](#), Kondo Y, Kure S. Early RAAS Blockade Exerts Renoprotective Effects in Autosomal Recessive Alport Syndrome. *Tohoku J Exp Med*. 2016;240(3):251-257. DOI: 10.1620/tjem.240.251. PMID: 27904025
5. Yokota K, Nozu K, Minamikawa S, Yamamura T, Nakanishi K, Kaneda H, Hamada R, Nozu Y, Shono A, Ninchoji T, Morisada N, Ishimori S, Fujimura J, Horinouchi T, Kaito H, Nakanishi K, Morioka I, Taniguchi-Ikeda M, [Iijima K](#). Female X-linked Alport syndrome with somatic mosaicism. *Clin Exp Nephrol*. 2016 Oct 31. [Epub ahead of print] PMID: 27796712
6. Nozu K, Nozu Y, Nakanishi K, Konomoto T, Horinouchi T, Shono A, Morisada N, Minamikawa S, Yamamura T, Fujimura J, Nakanishi K, Ninchoji T, Kaito H, Morioka I, Taniguchi-Ikeda M, Vorechovsky I, [Iijima K](#). Cryptic exon activation in SLC12A3 in Gitelman syndrome. *J Hum Genet*. 2017;62(2):335-337. doi: 10.1038/jhg.2016.129. PMID: 27784896
7. Iwafuchi Y, Morioka T, Oyama Y, Nozu K, [Iijima K](#), Narita I. A Case of Transforming Growth Factor- $\beta$ -Induced Gene-Related Oculorenal Syndrome: Granular Corneal Dystrophy Type II with a Unique Nephropathy. *Case Rep Nephrol Dial*. 2016;6(3):106-113. eCollection 2016 Sep-Dec. DOI: 10.1159/000449129. PMID: 27781206
8. Abe Y, Iyoda M, Nozu K, Hibino S, Hihara K, Yamaguchi Y, Yamamura T, Minamikawa S, [Iijima K](#), Shibata T, Itabashi K. A Novel Mutation in a Japanese Family with X-linked Alport Syndrome. *Intern Med*. 2016;55(19):2843-2847. Epub 2016 Oct 1. DOI: 10.2169/internalmedicine.55.6873. PMID: 27725546
9. Kamiyoshi N, Nozu K, Fu XJ, Morisada N, Nozu Y, Ye MJ, Imafuku A, Miura K, Yamamura T, Minamikawa S, Shono A, Ninchoji T, Morioka I, Nakanishi K, Yoshikawa N, Kaito H, [Iijima K](#).

Genetic, Clinical, and Pathologic Backgrounds of Patients with Autosomal Dominant Alport Syndrome. *Clin J Am Soc Nephrol*. 2016;11(8):1441-9. doi: 10.2215/CJN.01000116. Epub 2016 Jun 8. PMID: 27281700

10. Iijima T, Hoshino J, Mise K, Sumida K, Suwabe T, Hayami N, Ueno T, Takaichi K, Fujii T, Ohashi K, Morisada N, Iijima K, Ubara Y. Daughter and mother with orofaciocdigital syndrome type 1 and glomerulocystic kidney disease. *Hum Pathol*. 2016;55:24-9. doi: 10.1016/j.humpath.2016.04.005. Epub 2016 Apr 27. PMID: 27131853
11. Ohtsubo H, Okada T, Nozu K, Takaoka Y, Shono A, Asanuma K, Zhang L, Nakanishi K, Taniguchi-Ikeda M, Kaito H, Iijima K, Nakamura S. Identification of mutations in FN1 leading to glomerulopathy with fibronectin deposits. *Pediatr Nephrol*. 2016;31(9):1459-67. doi: 10.1007/s00467-016-3368-7. Epub 2016 Apr 7. PMID: 27056061
12. Yamamura T, Morisada N, Nozu K, Minamikawa S, Ishimori S, Toyoshima D, Ninchoji T, Yasui M, Taniguchi-Ikeda M, Morioka I, Nakanishi K, Nishio H, Iijima K. Rare renal ciliopathies in non-consanguineous families that were identified by targeted resequencing. *Clin Exp Nephrol*. 2017;21(1):136-142. doi: 10.1007/s10157-016-1256-x. Epub 2016 Mar 11. PMID: 26968886
13. Kanda S, Morisada N, Kaneko N, Yabuuchi T, Nawashiro Y, Tada N, Nishiyama K, Miyai T, Sugawara N, Ishizuka K, Chikamoto H, Akioka Y, Iijima K, Hattori M. New-onset diabetes after renal transplantation in a patient with a novel HNF1B mutation. *Pediatr Transplant*. 2016;20(3):467-71. doi: 10.1111/petr.12690. Epub 2016 Feb 21. PMID: 26899772
14. Fu XJ, Nozu K, Eguchi A, Nozu Y, Morisada N, Shono A, Taniguchi-Ikeda M, Shima Y, Nakanishi K, Vorechovsky I, Iijima K. X-linked Alport syndrome associated with a synonymous p.Gly292Gly mutation alters the splicing donor site of the type IV collagen alpha chain 5 gene. *Clin Exp Nephrol*. 2016 Oct;20(5):699-702. DOI: 10.1007/s10157-015-1197-9. PMID: 26581810
15. Hirano D, Ishikura K, Uemura O, Ito S, Wada N, Hattori M, Ohashi Y, Hamasaki Y, Tanaka R, Nakanishi K, Kaneko T, Honda M. Association between low birth weight and childhood-onset chronic kidney disease in Japan: a combined analysis of nationwide survey for paediatric CKD and National Report of Vital Statistics. *Nephrol Dial Transplant*. 2016 Nov;31(11):1895-1900. DOI: 10.1093/ndt/gfv425. PMID: 26953592
16. Okuda Y, Ishikura K, Terano C, Harada R, Hamada R, Hataya H, Ogata K, Honda M. Irreversible severe kidney injury and anuria in a 3-month-old girl with atypical haemolytic uraemic syndrome under administration of eculizumab. *Nephrol (Carlton)*. 2016 Mar;21(3):261-265. DOI: 10.1111/nep.12582. PMID: 26818219
17. Yoshizawa C, Kobayashi Y, Ikeuchi Y, Tashiro M, Kakegawa S, Watanabe T, Goto Y, Nakanishi K, Yoshikawa N, Arakawa H. Congenital nephrotic syndrome with a novel NPHS1 mutation.

- Pediatr Int. 2016 Nov;58(11):1211-1215. doi: 10.1111/ped.13118. PMID: 27882743
18. Inaba A, Hamasaki Y, Ishikura K, Hamada R, Sakai T, Hataya H, Komaki F, Kaneko T, Mori M, Honda M. Long-term outcome of idiopathic steroid-resistant nephrotic syndrome in children. *Pediatr Nephrol*. 2016 Mar;31(3):425-434. doi: 10.1007/s00467-015-3174-7. Epub 2015 Sep 3. PMID: 26335197
  19. Kato H, Nangaku M, Hataya H, Sawai T, Ashida A, Fujimaru R, Hidaka Y, Kaname S, Maruyama S, Yasuda T, Yoshida Y, Ito S, Hattori M, Miyakawa Y, Fujimura Y, Okada H, Kagami S: Joint Committee for the Revision of Clinical Guides of Atypical Hemolytic Uremic Syndrome in Japan. *Clinical Guides for atypical hemolytic uremic syndrome in Japan*. *Clin Exp Nephrol* 20: 536-543, 2016. doi: 10.1007/s10157-016-1276-6. Review. PMID: 27422619
  20. Satoh N, Yamada H, Yamazaki O, Suzuki M, Nakamura M, Suzuki A, Ashida A, Yamamoto D, Kaku Y, Sebine T, Seki G, Horita S. A pure chloride channel mutant of CLC-5 causes Dent's disease via insufficient V-ATPase activation. *Pflugers Arch* 468: 1183-1196, 2016. DOI: 10.1007/s00424-016-1808-7. PMID: 27044412
  21. Udagawa T, Jo T, Yanagihara T, Shimizu A, Mitsui J, Tsuji S, Morishita S, Onai R, Miura K, Kanda S, Kajiho Y, Tsurumi H, Oka A, Hattori M, Harita Y. Altered expression of Crb2 in podocytes expands a variation of CRB2 mutations in steroid-resistant nephrotic syndrome. *Pediatr Nephrol* 2016 Dec 10 [Epub ahead of print] DOI:10.1007/s00467-016-3549-4. PMID: 27942854
  22. Sugimoto K, Miyazawa T, Enya T, Nishi H, Miyazaki K, Okada M, Takemura T. Clinical and genetic characteristics of Japanese nephronophthisis patients. *Clin Exp Nephrol*. 20:637-649, 2016. DOI: 10.1007/s10157-015-1180-5. PMID: 26499951
  23. Nishimura H, Yaoita E, Nameta M, Yamaguchi K, Sato M, Ihoriya C, Zhao L, Kawachi H, Sasaki T, Ikezumi Y, Ouchi Y, Kashihara N, Yamamoto T. Restricted nutrition-induced low birth weight, low number of nephrons and glomerular mesangium injury in Japanese quail. *J Dev Orig Health Dis* 6:1-14, 2017. DOI: 10.1017/S2040174416000787. PMID: 28162133
  24. Sakiyama M, Matsuo H, Nakaoka H, Yamamoto K, Nakayama A, Nakamura T, Kawai S, Okada R, Ooyama H, Shimizu T, Shinomiya N. Identification of rs671, a common variant of ALDH2, as a gout susceptibility locus. *Sci Rep*. 2016 May 16;6:25360. doi: 10.1038/srep25360. PMID: 27181629
  25. Higashino T, Matsuo H, Sakiyama M, Nakayama A, Nakamura T, Takada T, Ogata H, Kawamura Y, Kawaguchi M, Naito M, Kawai S, Takada Y, Ooyama H, Suzuki H, Shinomiya N. Common variant of PDZ domain containing 1 (PDZK1) gene is associated with gout susceptibility: A replication study and meta-analysis in Japanese population. *Drug Metab Pharmacokinet*. 2016 Dec;31(6):464-466. doi: 10.1016/j.dmpk.2016.07.004. Epub 2016 Jul 30. PMID: 27720648

26. Matsuo H, Tsunoda T, Ooyama K, Sakiyama M, Sogo T, Takada T, Nakashima A, Nakayama A, Kawaguchi M, Higashino T, Wakai K, Ooyama H, Hokari R, Suzuki H, Ichida K, Inui A, Fujimori S, Shinomiya N. Hyperuricemia in acute gastroenteritis is caused by decreased urate excretion via ABCG2. *Sci Rep.* 2016 Aug 30;6:31003. doi: 10.1038/srep31003. PMID: 27571712
27. Nakayama A, Nakaoka H, Yamamoto K, Sakiyama M, Shaikat A, Toyoda Y, Okada Y, Kamatani Y, Nakamura T, Takada T, Inoue K, Yasujima T, Yuasa H, Shirahama Y, Nakashima H, Shimizu S, Higashino T, Kawamura Y, Ogata H, Kawaguchi M, Ohkawa Y, Danjoh I, Tokumasu A, Ooyama K, Ito T, Kondo T, Wakai K, Stiburkova B, Pavelka K, Stamp LK, Dalbeth N; Eurogout Consortium., Sakurai Y, Suzuki H, Hosoyamada M, Fujimori S, Yokoo T, Hosoya T, Inoue I, Takahashi A, Kubo M, Ooyama H, Shimizu T, Ichida K, Shinomiya N, Merriman TR, Matsuo H; Eurogout Consortium.. GWAS of clinically defined gout and subtypes identifies multiple susceptibility loci that include urate transporter genes. *Ann Rheum Dis.* 2017 May;76(5):869-877. doi: 10.1136/annrheumdis-2016-209632. Epub 2016 Nov 29. PMID: 27899376
28. Sakiyama M, Matsuo H, Shimizu S, Nakashima H, Nakamura T, Nakayama A, Higashino T, Naito M, Suma S, Hishida A, Satoh T, Sakurai Y, Takada T, Ichida K, Ooyama H, Shimizu T, Shinomiya N. The effects of URAT1/SLC22A12 nonfunctional variants, R90H and W258X, on serum uric acid levels and gout/hyperuricemia progression. *Sci Rep.* 2016 Jan 29;6:20148. doi: 10.1038/srep20148. 26821810
29. Hattori M, Iwano M, Sako M, Honda M, Okada H, Akioka Y, Ashida A, Kawasaki Y, Kiyomoto H, Terada Y, Hirano D, Fujieda M, Fujimoto S, Masaki T, Maruyama S, Mastuo S. Transition of adolescent and young adult patients with childhood-onset chronic kidney disease from pediatric to adult renal services: a nationwide survey in Japan. *Clin Exp Nephrol.* 2016;20(6):918-925. doi: 10.1007/s10157-016-1231-6. Epub 2016 Jan 19. 26780894
30. Hashimoto J, Hamasaki Y, Yanagisawa T, Sekine T, Aikawa A, Shishido S. Successful Kidney Transplantation in Epstein Syndrome With Antiplatelet Antibodies and Donor-specific Antibodies: A Case Report. *Transplant Proc.* 2015;47(8):2541-3. doi: 10.1016/j.transproceed.2015.09.010. 26518967
31. Miyake N, Tsukaguchi H, Koshimizu E, Shono A, Matsunaga S, Shiina M, Mimura Y, Imamura S, Hirose T, Okudela K, Nozu K, Akioka Y, Hattori M, Yoshikawa N, Kitamura A, Cheong HI, Kagami S, Yamashita M, Fujita A, Miyatake S, Tsurusaki Y, Nakashima M, Saitsu H, Ohashi K, Imamoto N, Ryo A, Ogata K, Iijima K, Matsumoto N Biallelic Mutations in Nuclear Pore Complex Subunit NUP107 Cause Early-Childhood-Onset Steroid-Resistant Nephrotic Syndrome. *Am J Hum Genet.* 2015;97(4):555-66. doi: 10.1016/j.ajhg.2015.08.013. Epub 2015 Sep 24. 26411495

32. Ishikura K, Uemura O, Hamasaki Y, Nakai H, Ito S, Harada R, Hattori M, Ohashi Y, Tanaka R, Nakanishi K, Kaneko T, Iijima K, Honda M; Pediatric CKD Study Group in Japan in conjunction with the Committee of Measures for Pediatric CKD of the Japanese Society for Pediatric Nephrology. Insignificant impact of VUR on the progression of CKD in children with CAKUT. *Pediatr Nephrol*. 2016;31(1):105-12. DOI: 10.1007/s00467-015-3196-1. 26404649
33. Ito N, Hataya H, Saida K, Amano Y, Hidaka Y, Motoyoshi Y, Ohta T, Yoshida Y, Terano C, Iwasa T, Kubota W, Takada H, Hara T, Fujimura Y, Ito S. Efficacy and safety of eculizumab in childhood atypical hemolytic uremic syndrome in Japan. *Clin Exp Nephrol*. 2016;20(2):265-72. doi: 10.1007/s10157-015-1142-y. Epub 2015 Jul 9. 26156042
34. Fu XJ, Nozu K, Kaito H, Ninchoji T, Morisada N, Nakanishi K, Yoshikawa N, Ohtsubo H, Matsunoshita N, Kamiyoshi N, Matsumura C, Takagi N, Maekawa K, Taniguchi-Ikeda M, Iijima K. Somatic mosaicism and variant frequency detected by next-generation sequencing in X-linked Alport syndrome. *Eur J Hum Genet*. 2016;24(3):387-91. doi: 10.1038/ejhg.2015.113. Epub 2015 May 27. 26014433
35. Matsunoshita N, Nozu K, Shono A, Nozu Y, Fu XJ, Morisada N, Kamiyoshi N, Ohtsubo H, Ninchoji T, Minamikawa S, Yamamura T, Nakanishi K, Yoshikawa N, Shima Y, Kaito H, Iijima K. Differential diagnosis of Bartter syndrome, Gitelman syndrome, and pseudo-Bartter/Gitelman syndrome based on clinical characteristics. *Genet Med*. 2016;18(2):180-8. doi: 10.1038/gim.2015.56. Epub 2015 Apr 16. 25880437
36. Hisano M, Ashida A, Nakano E, Suehiro M, Yoshida Y, Matsumoto M, Miyata T, Fujimura Y, Hattori M. Autoimmune-type atypical hemolytic uremic syndrome treated with eculizumab as first-line therapy. *Pediatr Int*. 2015;57(2):313-7. doi: 10.1111/ped.12469. 25868950
37. Hamasaki Y, Ishikura K, Uemura O, Ito S, Wada N, Hattori M, Ohashi Y, Tanaka R, Nakanishi K, Kaneko T, Honda M. Growth impairment in children with pre-dialysis chronic kidney disease in Japan. *Clin Exp Nephrol*. 2015;19(6):1142-8. DOI: 10.1007/s10157-015-1098-y 25715867
38. Matsuo H, Yamamoto K, Nakaoka H, Nakayama A, Sakiyama M, Chiba T, Takahashi A, Nakamura T, Nakashima H, Takada Y, Danjoh I, Shimizu S, Abe J, Kawamura Y, Terashige S, Ogata H, Tatsukawa S, Yin G, Okada R, Morita E, Naito M, Tokumasu A, Onoue H, Iwaya K, Ito T, Takada T, Inoue K, Kato Y, Nakamura Y, Sakurai Y, Suzuki H, Kanai Y, Hosoya T, Hamajima N, Inoue I, Kubo M, Ichida K, Ooyama H, Shimizu T, Shinomiya N. Genome-wide association study of clinically defined gout identifies multiple risk loci and its association with clinical subtypes. *Ann Rheum Dis*. 2016;75(4):652-9. doi: 10.1136/annrheumdis-2014-206191. Epub 2015 Feb 2. 25646370
39. Hattori M, Sako M, Kaneko T, Ashida A, Matsunaga A, Igarashi T, Itami N, Ohta T, Gotoh Y, Satomura K, Honda M, Igarashi T. End-stage renal disease in Japanese children: a nationwide

- survey during 2006-2011. *Clin Exp Nephrol.* 2015;19(5):933-8. doi: 10.1007/s10157-014-1077-8. Epub 2015 Jan 17. 25595442
40. Sirachainan N, Komwilaisak P, Kitamura K, Hongeng S, Sekine T, Kunishima S. The first two cases of MYH9 disorders in Thailand: an international collaborative study. *Ann Hematol.* 2015;94(4):707-9. doi: 10.1007/s00277-014-2234-6. Epub 2014 Nov 15. 25394719
  41. Nozu K, Iijima K, Ohtsuka Y, Fu XJ, Kaito H, Nakanishi K, Vorechovsky I. Alport syndrome caused by a COL4A5 deletion and exonization of an adjacent AluY. *Mol Genet Genomic Med.* 2014;2(5):451-3. doi: 10.1002/mgg3.89. Epub 2014 May 28. 25333070
  42. Yoshino A, Honda M, Sasaki N, Hataya H, Ishikura K, Sakazume S, Tanaka Y, Nagai T. Selection of infants who potentially have congenital anomalies of the kidney and urinary tract from a large cohort for a more thorough examination. *Clin Exp Nephrol.* 2015;19(4):678-82. doi: 10.1007/s10157-014-1036-4. Epub 2014 Sep 26. 25255780
  43. Nozu K, Vorechovsky I, Kaito H, Fu XJ, Nakanishi K, Hashimura Y, Hashimoto F, Kamei K, Ito S, Kaku Y, Imasawa T, Ushijima K, Shimizu J, Makita Y, Konomoto T, Yoshikawa N, Iijima K. X-linked Alport syndrome caused by splicing mutations in COL4A5. *Clin J Am Soc Nephrol.* 2014;9(11):1958-64. doi: 10.2215/CJN.04140414. Epub 2014 Sep 2. 25183659
  44. Ikezumi Y, Uemura O, Nagai T, Ishikura K, Ito S, Hataya H, Fujita N, Akioka Y, Kaneko T, Iijima K, Honda M. Beta-2 microglobulin-based equation for estimating glomerular filtration rates in Japanese children and adolescents. *Clin Exp Nephrol.* 2015;19(3):450-7. doi: 10.1007/s10157-014-1015-9. Epub 2014 Aug 1. 25082657
  45. Chiba T, Matsuo H, Nagamori S, Nakayama A, Kawamura Y, Shimizu S, Sakiyama M, Hosoyamada M, Kawai S, Okada R, Hamajima N, Kanai Y, Shinomiya N. Identification of a hypouricemia patient with SLC2A9 R380W, a pathogenic mutation for renal hypouricemia type 2. *Nucleosides Nucleotides Nucleic Acids.* 2014;33(4-6):261-5. doi: 10.1080/15257770.2013.857781. 24940677
  46. Morisada N, Nozu K, Iijima K. Branchio-oto-renal syndrome: comprehensive review based on nationwide surveillance in Japan. *Pediatr Int.* 2014;56(3):309-14. doi: 10.1111/ped.12357. 24730701
  47. Ishikura K, Uemura O, Hamasaki Y, Ito S, Wada N, Hattori M, Ohashi Y, Tanaka R, Nakanishi K, Kaneko T, Honda M; Pediatric CKD Study Group in Japan; Committee of Measures for Pediatric CKD of Japanese Society of Pediatric Nephrology. Progression to end-stage kidney disease in Japanese children with chronic kidney disease: results of a nationwide prospective cohort study. *Nephrol Dial Transplant* 2014;29(4):878-84. doi: 10.1093/ndt/gfu012. Epub 2014 Feb 9. 24516225
  48. Sawai T, Nangaku M, Ashida A, Fujimaru R, Hataya H, Hidaka Y, Kaname S, Okada H, Sato W, Yasuda T, Yoshida Y, Fujimura Y, Hattori M, Kagami S. Diagnostic criteria for atypical

hemolytic uremic syndrome proposed by the Joint Committee of the Japanese Society of Nephrology and the Japan Pediatric Society. *Clin Exp Nephrol.* 2014;18(1);4-9. doi: 10.1007/s10157-013-0911-8. 24343712

49. Fu XJ, Morisada N, Hashimoto F, Taniguchi-Ikeda M, Hashimura Y, Ohtsubo H, Ninchoji T, Kaito H, Nozu K, Takahashi E, Nakanishi K, Kurahashi H, Iijima K. A patient with autosomal recessive Alport syndrome due to segmental maternal isodisomy. *Human Genome Variation* 2014 Aug 7;1:14006. doi: 10.1038/hgv.2014.6. eCollection 2014. 27081500
50. 先天性腎尿路異常(CAKUT)のガイドライン[オンライン版]
51. 腎性低尿酸血症診療ガイドライン