

【雑誌】

No.	発表者氏名	論文タイトル	発表誌名	巻号	ページ	出版年
1	Noguchi H, Hiruma M, Matsumoto T, Mitsui N, Sano A, Yaguchi T, Ihn H.	Subcutaneous cystic phaeohyphomycosis due to <i>Pleurostomophora richardiae</i> .	J Dermatol			in press
2	Harada M, Jinnin M, Wang Z, Hirano A, Tomizawa Y, Kira T, Igata T, Masuguchi S, Fukushima S, Ihn H.	The expression of miR-124 increases in aged-skin to cause cell senescence and it decreases in squamous cell carcinoma.	Biosci Trends			in press
3	Amagai M, Ikeda S, Hashimoto T, Mizuashi M, Fujisawa A, Ihn H, Matsuzaki Y, Ohtsuka M, Fujiwara H, Furuta J, Tago O, Yamagami J, Tanikawa A, Uhara H, Morita A, Nakanishi G, Tani M, Aoyama Y, Makino E, Muto M, Manabe M, Konno T, Murata S, Izaki S, Watanabe H, Yamaguchi Y, Matsukura S, Seishima M, Habe K, Yoshida Y, Kaneko S, Shindo H, Nakajima K, Kanekura T, Takahashi K, Kitajima Y, Hashimoto K.	A randomized double-blind trial of intravenous immunoglobulin for bullous pemphigoid.	J Dermatol Sci			in press
4	Wang Z, Jinnin M, Harada M, Kudo H, Inoue K, Nakayama W, Honda N, Makino K, Kajihara I, Fukushima S, Ihn H.	Diagnosis of nail psoriasis: evaluation of nail-derived microRNAs as potential novel biomarker.	Eur J Dermatol			in press
5	Noguchi H, Hiruma M, Matsumoto T, Kano R, Ihn H.	Ungual hyalohyphomycosis caused by <i>Fusarium proliferatum</i> in an immunocompetent patients.	J Dermatol			in press
6	Saeki H, Nakagawa H, Nakajo K, Ishii T, Morisaki Y, Aoki T, Cameron GS, Osuntokun OO, Akasaka T, Asano Y, Etoh T, Fujita Y, Hashimoto T, Higashiyama M, Igarashi A, Ihn H, Iwatsuki K, Kabashima K, Kawada A, Kawashima M, Nakamura K, Okubo Y, Okuyama R, Ozawa A, Sayama K, Seishima M, Shiohara T, Takahara M, Takahashi H, Takehara K, Tanase K, Tani M, Umezawa Y, watanabe H, Yamamoto K.	Efficacy and safety of ixekizumab treatment for Japanese patients with moderate to severe plaque psoriasis, erythrodermic psoriasis and generalized pustular psoriasis: Results from a 52-week, open-label, phase 3 study (UNCOVER-J).	J Dermatol			in press
7	Egashira S, Kajihara I, Kanemaru H, Uemura M, Yamada S, Nakahara S, Nagamoto E, Fukushima S, Jinnin M, Inoue Y, Ihn H.	Dramatic efficacy of S-1 and docetaxel combination chemotherapy in two patients with metastatic extramammary Paget's disease.	J Dermatol			in press

8	Maeda S, Kajihara I, Ogata A, Johno T, Jinnin M, Ihn H.	Bromoderma in a pituitary adenoma patient treated with bromocriptine.	J Dermatol	in press
9	Sato Y, Kajihara I, Makino K, Ichihara A, Aoi J, Makino T, Fukushima S, Jinnin M, Ihn H.	S100A7 expression levels in coordination with IL-8 forecast the clinical response to infliximab for psoriasis.	J Dermatol	in press
10	Noguchi H, Hiruma M, Matsumoto T, Kano R, Ihn H.	Ungual aspergillosis successfully treated with topical efinaconazole.	J Dermatol	in press
11	Wang Z, Nakamura K, Jinnin M, Kudo H, Goto M, Era T, Kira T, Nakashima T, Fukushima S, Ihn H.	Establishment and gene expression analysis of disease-derived induced pluripotent stem cells of scleroderma.	J Dermatol Sci	in press
12	Sawamura S, Kajihara I, Makino K, Makino T, Fukushima S, Jinnin M, Oyama B, Hashimoto T, Ihn H.	Systemic lupus erythematosus associated with myasthenia gravis, pemphigus foliaceus and chronic thyroiditis after thymectomy.	Australas J Dermatol	in press
13	Nakayama W, Jinnin M, Nakamura K, Kudo H, Inoue K, Makino K, Honda N, Kajihara I, Fukushima S, Ihn H.	Dysregulated Interleukin-23 signaling contributes to the increased collagen production in scleroderma fibroblasts via balancing microRNA expression.	Rheumatology	in press
14	Tokuzumi A, Fukushima S, Miyashita A, Nakahara S, Kubo Y, Yamashita J, Harada M, Nakamura K, Kajihara I, Jinnin M, Ihn H.	Cell division cycle-associated protein 1 as a new melanoma-associated antigen. J Dermatol	J Dermatol	in press
15	Hamaguchi Y, Sumida T, Kawaguchi Y, Ihn H, Tanaka S, Asano Y, Motegi S, Kuwana M, Endo H, Takehara K.	Safety and tolerability of bosentan for digital ulcers in Japanese patients with systemic sclerosis: prospective, multicenter, open-label study.	J Dermatol	in press
16	Nakahara S, Fukushima S, Yamashita J, Kubo Y, Tokuzumi A, Miyashita A, Harada M, Nakamura K, Jinnin M, Ihn H.	AT-rich interaction domain-containing protein 3B is a new tumor marker for melanoma.	Acta Derm Venereol	in press
17	Izumiya Y, Ihn H, et al.	Expression of Let-7 family microRNAs in skin correlates negatively with severity of pulmonary hypertension in patients with systemic scleroderma.	International Journal of Cardiology (IJC) Heart & Vasculature.	in press
18	Umezaki N, Ishimoto T, Koba I, Nakaya T, Mawatari M, Kuramoto K, Izumi D, Sakamoto Y, Miyamoto Y, Yoshida N, Watanabe M, Inoue Y, Ihn H, Baba H.	Anorectal malignant melanoma with extensive intraepithelial extension: report of a case.	Int Canc Conf J	in press

19	Inoue H, Park JH, Kiyotani K, Zewde M, Miyashita A, Jinnin M, Kiniwa Y, Okuyama R, Tanaka R, Fujisawa Y, Kato H, Morita A, Asai J, Katoh N, Yokota K, Akiyama M, Ihn H, Fukushima S, Nakamura Y.	Intratumoral expression levels of PD-L1, GZMA, and HLA-A along with oligoclonal T cell expansion associate with response to nivolumab in metastatic melanomas.	Oncoimmunology	5	e1204507	2016
20	Nakamura K, Jinnin M, Harada M, Kudo H, Nakayama W, Inoue K, Ogata A, Kajihara I, Fukushima S, Ihn H.	Altered expression of CD63 and exomes in scleroderma dermal fibroblasts.	J Dermatol Sci	84	30-39	2016
21	Noguchi H, Hiram M, Maruo K, Jono M, Miyata K, Tanaka H, Tanabe K, Miyazaki Y, Ihn H.	Localized cutaneous cryptococcosis: Summary of reported cases in Japan.	Med Mycol J	57	E35-E39	2016
22	Yamada S, Jinnin M, Kajihara I, Nakashima T, Aoi J, Harada M, Igata T, Masuguchi S, Fukushima S, Ihn H.	Cytokine expression profiles in the sera of cutaneous squamous cell carcinoma patients.	Drug Discov Ther	10	172-6	2016
23	Kimura T, Fukushima S, Miyashita A, Aoi J, Jinnin M, Kosaka T, Ando Y, Matsukawa M, Inoue H, Kiyotani K, Park J-H, Nakamura Y, Ihn H.	Myasthenic crisis and polymyositis induced by one dose of nivolumab.	Cancer Sci	107	1055-8	2016
24	Inoue M, Jinnin M, Wang Z, Nakamura K, Inoue K, Ichihara A, Moriya C, Sakai K, Fukushima S, Ihn H.	microRNA level is raised in the hair shafts of patients with dermatomyositis in comparison with normal subjects and patients with scleroderma.	Int J Dermatol	55	786-90	2016
25	Nakamura K, Jinnin M, Kudo H, Inoue K, Nakayama W, Honda N, Kajihara I, Masuguchi S, Fukushima S, Ihn H.	The role of PSMB9 up-regulation by interferon signature in the pathophysiology of cutaneous lesions of dermatomyositis and lupus erythematosus.	Br J Dermatol	174	1030-41	2016
26	Noguchi H, Hiruma M, Miyashita A, Makino K, Miyata K, Ihn H.	A case of fingernail onychomycosis due to Aspergillus flavus.	Medical Mycol J	57	E21-E25	2016
27	Jhono T, Egawa K, Jinnin M, Fukushima S, Masuguchi S, Inoue Y, Ihn H.	Clinical usefulness of immunostaining with CEA in distinction between malignant melanoma and Spitz nevus.	Invest Dermatol Venereol Res	2	1~4	2016
28	Uchihara T, Imamura Y, Iwagami S, Kajihara I, Kanemaru H, Karashima R, Ida S, Ishimoto T, Baba Y, Sakamoto Y, Miyamoto Y, Yoshida N, Watanabe M, Iyama K, Ihn H, Baba H.	Small bowel perforation due to indistinguishable metastasis of angiosarcoma: case report and brief literature review.	Surg Case Rep	2	42	2016

29	Koga A, Kajihara I, Yamada S, Makino K, Ichihara A, Aoi J, Makino T, Fukushima S, Jinnin M, Ihn H.	Enhanced CCR9 expression levels in psoriatic skin are associated with poor clinical outcome to infliximab treatment.	J Dermatol	43	522-5	2016
30	Yoshino Y, Ohtsuka M, Kawaguchi M, Sakai K, Hashimoto A, Hayashi M, Madokoro N, Asano Y, Abe M, Ishii T, Isei T, Ito T, Inoue Y, Imafuku S, Irisawa R, Ohtsuka M, Ogawa F, Kadono T, Kawakami T, Kukino R, Kono T, Koder M, Takahara M, Tanioka M, Nakanishi T, Nakamura Y, Hasegawa M, Fujimoto M, Fujiwara H, Maekawa T, Matsuo K, Yamasaki O, Le Pavoux A,	The wound/ burn guidelines – 6: Guidelines for management of burns.	J Dermatol	43	989-1010	2016
31	Ito T, Kukino R, Takahara M, Tanioka M, Nakamura Y, Asano Y, Abe M, Ishii T, Isei T, Inoue Y, Imafuku S, Irisawa R, Ohtsuka M, Ohtsuka M, Ogawa F, Kadono T, Kawakami T, Kawaguchi M, Kono T, Koder M, Sakai K, Nakanishi T, Hashimoto A, Hasegawa M, Hayashi M, Fujimoto M, Fujiwara H, Maekawa T, Matsuo K, Madokoro N, Yamasaki O, Yoshino Y, Le Pavoux A, Tachibana T, Ihn H.	The wound/ burn guidelines – 5: Guidelines for management of lower leg ulcers/ varicose veins.	J Dermatol	43	853-68	2016
32	Fujimoto M, Asano Y, Ishii T, Ogawa F, Kawakami T, Koder M, Abe M, Isei T, Ito T, Inoue Y, Imafuku S, Irisawa R, Ohtsuka M, Ohtsuka M, Kadono T, Kawaguchi M, Kukino R, Kono T, Sakai K, Takahara M, Tanioka M, Nakanishi T, Nakamura Y, Hashimoto A, Hasegawa M, Hayashi M, Fujiwara H, Maekawa T, Matsuo K, Madokoro N, Yamasaki O, Yoshino Y, Le Pavoux A, Tachibana T, Ihn H.	The wound/ burn guidelines – 4: Guidelines for management of skin ulcers associated with connective tissue disease/ vasculitis.	J Dermatol	43	729-57	2016
33	Isei T, Abe M, Nakanishi T, Matsuo K, Yamasaki O, Asano Y, Ishii T, Ito T, Inoue Y, Imafuku S, Irisawa R, Ohtsuka M, Ohtsuka M, Ogawa F, Kadono T, Koder M, Kawakami T, Kawaguchi M, Kukino R, Kono T, Sakai K, Takahara M, Tanioka M, Nakamura Y, Hashimoto A, Hasegawa M, Hayashi M, Fujimoto M, Fujiwara H, Maekawa T, Madokoro N, Yoshino Y, Le Pavoux A, Tachibana T, Ihn H.	The wound/ burn guidelines – 3: Guidelines for the diagnosis and treatment for diabetic ulcer/gangrene.	J Dermatol	43	591-619	2016

34	Tachibana T, Imafuku S, Irisawa R, Ohtsuka M, Kadono T, Fujiwara H, Asano Y, Abe M, Ishii T, Isei T, Ito T, Inoue Y, Ohtsuka M, Ogawa F, Koder M, Kawakami T, Kawaguchi M, Kukino R, Kono T, Sakai K, Takahara M, Tanioka M, Nakanishi T, Nakamura Y, Hashimoto A, Hasegawa M, Hayashi M, Fujimoto M, Maekawa T, Matsuo K, Madokoro N, Yamasaki O, Yoshino Y, Le Pavoux A, Ihn H.	The wound/ burn guidelines – 2: Guidelines for the diagnosis and treatment for pressure ulcers.	J Dermatol	43	469-506	2016
35	Inoue Y, Hasegawa M, Maekawa T, Le Pavoux A, Asano Y, Abe M, Ishii T, Ito T, Isei T, Imafuku S, Irisawa R, Ohtsuka M, Ohtsuka M, Ogawa F, Kadono T, Koder M, Kawakami T, Kawaguchi M, Kukino R, Kono T, Sakai K, Takahara M, Tanioka M, Nakanishi T, Nakamura Y, Hashimoto A, Hayashi M, Fujimoto M, Fujiwara H, Matsuo K, Madokoro N, Yamasaki O, Yoshino Y, Tachibana T, Ihn H.	The wound/ burn guidelines – 1: Wounds in general.	J Dermatol	43	357-375	2016
36	Yamada S, Kajihara I, Johno T, Fukushima S, Jinnin M, Masunaga A, Kohrogi H, Ihn H.	Symptomless pulmonary cryptococcosis in a psoriatic arthritis patient during infliximab therapy.	Ann Dermatol	28	357-75	2016
37	Miyashita A, Fukushima S, Nakahara S, Kubo Y, Tokuzumi A, Yamashita J, Aoi J, Haruta M, Senju S, Nishimura Y, Jinnin M, Wang Z, Ihn H.	Immunotherapy against metastatic melanoma with human iPS cell-derived myeloid cell lines producing type I interferons.	Cancer Immunol Res	4	248-58	2016
38	Wang Z, Jinnin M, Nakamura K, Harada M, Kudo H, Nakayama W, Inoue K, Nakashima T, Honda N, Fukushima S, Ihn H.	Long non-coding RNA TSIX is up-regulated in scleroderma dermal fibroblasts and controls collagen mRNA stabilization.	Exp Dermatol	25	131-6	2016
39	Goto Y, Yajima I, Kumasaka M, Ohgami N, Tanaka A, Tsuzuki T, Inoue Y, Fukushima S, Ihn H, Kyoya M, Ohashi H, Kawakami T, Bennet DC, Kato M.	Transcription factor LSF (TFCP2) inhibits melanoma growth.	Oncotarget	7	2379-90	2016
40	Ichigozaki Y, Fukushima S, Jinnin M, Miyashita A, Nakahara S, Tokuzumi A, Yamashita J, Kajihara I, Aoi J, Masuguchi S, Wang Z, Ihn H.	Serum long non-coding RNA, snoRNA host gene 5 level as a new tumor marker of malignant melanoma.	Exp Dermatol	25	67-69	2016
41	Ihn H	Fibrosis: Overview.	Systemic sclerosis basic and Translational Research (Springer)		1~20	2016

42	Fukushima S, Motoyama K, Tanida Y, Higashi T, Ishitsuka Y, Kondo Y, Irie T, Tanaka T, Ihn H, Arima H.	Clinical evaluation of novel natural polysaccharides Sacran as a skincare material for atopic dermatitis patients.	J Cosmetics, Dermatologic Sciences and Applications	6	9~18	2016
43	長谷川 稔、石川 治、浅野善英、佐藤伸一、神人正寿、竹原和彦、藤本 学、山本俊幸、尹 浩信	硬化性萎縮性苔癬 診断基準・重症度分類・診療ガイドライン	日本皮膚科学会雑誌	126	2251-2257	2016
44	神人正寿、山本俊幸、浅野善英、石川 治、佐藤伸一、竹原和彦、長谷川 稔、藤本 学、尹 浩信	好酸球性筋膜炎 診断基準・重症度分類・診療ガイドライン	日本皮膚科学会雑誌	126	2241-2250	2016
45	野田知香、梶原一亨、谷川広紀、境 恵祐、福島 聡、神人正寿、尹 浩信	S状結腸癌を合併した落葉状天疱瘡の1例	皮膚臨床	58	1525-1528	2016
46	澤村創一郎、吉野雄一郎、藤澤明彦、鶴田美菜、山田早織、永元英子、尹 浩信	過去3年間に熊本赤十字病院を受診した熱傷患者1,700例の検討	日本皮膚科学会雑誌	126	2109-2116	2016
47	浅野善英、藤本 学、石川 治、佐藤伸一、神人正寿、竹原和彦、長谷川 稔、山本俊幸、尹 浩信	限局性強皮症 診断基準・重症度分類・診療ガイドライン	日本皮膚科学会雑誌	126	2039-2067	2016
48	浅野善英、神人正寿、川口鎮司、桑名正隆、後藤大輔、佐藤伸一、竹原和彦、波多野将、藤本 学、麦井直樹、尹 浩信	全身性強皮症 診断基準・重症度分類・診療ガイドライン	日本皮膚科学会雑誌	126	1831-1896	2016
49	山内 恵、牧野雄成、牧野貴充、福島 聡、神人正寿、尹 浩信	シクロホスファミド大量静注療法とアザチオプリンの併用が奏効した全身性強皮症に伴う間質性肺病変の1例	西日本皮膚科	78	356-361	2016
50	中村香代、梶原一亨、永元英子、緒方垂紀、牧野公治、岡本 実、尹 浩信	下肢蜂窩織炎患者において超音波検査は慢性静脈不全症のスクリーニングとして有用である	皮膚臨床	58	1259-1264	2016
51	徳澄垂紀、城野昌義、丸尾圭志、富安真二郎、山中 剛、尹 浩信	抗TIF1抗体陽性の皮膚筋炎において順次明らかとなった多彩な皮疹・重複胃癌・嚥下障害—5年間治療観察した症例—	西日本皮膚科	78	234-238	2016
52	澤村創一郎、市原麻子、鶴田美菜、神人正寿、尹 浩信	強膜炎を合併した壊疽性膿皮症の1例	皮膚臨床	58	401-403	2016
53	尹 浩信、立花隆夫、向井秀樹、浅井俊弥	熱傷の治療と熱傷診療の課題—熱傷ガイドラインについて—	皮膚診療	38	198-205	2016
54	尹 浩信	生物学的製剤による乾癬治療	J Environ Dermatol Cutan Allergol	10	519-522	2016
55	尹 浩信	皮膚老化の分子メカニズム	加齢皮膚医学セミナー	11	1~2	2016
56	尹 浩信	強皮症 診断基準	強皮症の基礎と臨床		80-84	2016
57	尹 浩信	診療ガイドラインの活用法	皮膚科研修ノート		20-21	2016

58	尹 浩信	全身性強皮症の診断と鑑別診断	リウマチ科	55	251-254	2016
59	尹 浩信	褥瘡病期分類と創傷治癒	WOC Nursing	4	4~13	2016
60	Yamashita T, Asano Y, Taniguchi T, Nakamura K, Saigusa R, Miura S, Toyama T, Takahashi T, Ichimura Y, Yoshizaki A, Trojanowska M, Sato S.	Glycyrrhizin ameliorates fibrosis, vasculopathy, and inflammation in animal models of systemic sclerosis.	J Invest Dermatol	in press		
61	Saigusa R, Asano Y, Nakamura K, Yamashita T, Ichimura Y, Takahashi T, Toyama T, Taniguchi T, Yoshizaki A, Miyazaki M, Tamaki Z, Sato S.	Plasma plasmin- α 2-plasmin inhibitor complex levels may predict the effect of cyclophosphamide for systemic sclerosis-related interstitial lung disease.	Mod Rheumatol	13	1-5	2016
62	Takahashi T, Asano Y, Nakamura K, Yamashita T, Saigusa R, Ichimura Y, Toyama T, Taniguchi T, Yoshizaki A, Miyazaki M, Tamaki Z, Sato S.	A potential contribution of antimicrobial peptide LL-37 to tissue fibrosis and vasculopathy in systemic sclerosis.	Br J Dermatol	175(6)	1195-1203	2016
63	Toyama T, Asano Y, Akamata K, Noda S, Taniguchi T, Takahashi T, Ichimura Y, Shudo K, Sato S, Kadono T.	Tamibarotene ameliorates bleomycin-induced dermal fibrosis by modulating phenotypes of fibroblasts, endothelial cells, and immune cells.	J Invest Dermatol	136	387-98	2016
64	Saigusa R, Asano Y, Nakamura K, Yamashita T, Ichimura Y, Takahashi T, Toyama T, Taniguchi T, Yoshizaki A, Miyazaki M, Tamaki Z, Sato S.	Association of anti-RNA polymerase III antibody and silicone breast implants in patients with systemic sclerosis.	J Dermatol	43	808-10	2016
65	Nakamura K, Asano Y, Taniguchi T, Minatsuki S, Inaba T, Maki H, Hatano M, Yamashita T, Saigusa R, Ichimura Y, Takahashi T, Toyama T, Yoshizaki A, Miyagaki T, Sugaya M, Sato S.	Serum levels of interleukin-18-binding protein isoform a: Clinical association with inflammation and pulmonary hypertension in systemic sclerosis.	J Dermatol	43	912-8	2016
66	Nakamura K, Yoshizaki A, Takahashi T, Saigusa R, Taniguchi T, Asano Y, Gono W, Hinata M, Shinozaki-Ushiku A, Sato S.	The first case report of fatal acute pulmonary dysfunction in a systemic sclerosis patient treated with rituximab.	Scand J Rheumatol	45	249-50	2016
67	Ebata S, Yoshizaki A, Fukasawa T, Nakamura K, Yamashita T, Miura S, Saigusa R, Ichimura Y, Takahashi T, Hirabayashi M, Taniguchi T, Akamata K, Asano Y, Sato S.	Unprecedented success of rituximab therapy for prednisolone- and immunosuppressant-resistant systemic sclerosis-associated interstitial lung disease.	Scand J Rheumatol	in press		
68	Yamashita T, Asano Y, Taniguchi T, Nakamura K, Saigusa R, Takahashi T, Ichimura Y, Toyama T, Yoshizaki A, Miyagaki T, Sugaya M, Sato S.	A potential contribution of altered cathepsin L expression to the development of dermal fibrosis and vasculopathy in systemic sclerosis.	Exp Dermatol	25	287-92	2016

69	Yoshizaki A, Taniguchi T, Saigusa R, Fukasawa T, Ebata S, Numajiri H, Nakamura K, Yamashita T, Takahashi T, Toyama T, Asano Y, Tedder TF, Sato S.	Nucleosome in patients with systemic sclerosis: possible association with immunological abnormalities via abnormal activation of T and B cells.	Ann Rheum Dis	75	1858-65	2016
70	Saigusa R, Asano Y, Yamashita T, Taniguchi T, Takahashi T, Ichimura Y, Toyama T, Yoshizaki A, Miyagaki T, Sugaya M, Sato S.	Fli1 deficiency contributes to the downregulation of endothelial protein C receptor in systemic sclerosis: a possible role in prothrombotic conditions.	Br J Dermatol	174	338-47	2016
71	Takahashi T, Asano Y, Oka T, Miyagaki T, Tamaki Z, Nonaka S, Sato S.	Scleroderma en coup de sabre with recurrent episodes of brain hemorrhage.	J Dermatol	43	203-6	2016
72	Wu CY, Asano Y, Taniguchi T, Sato S, Yu HS.	Serum level of circulating syndecan-1: A possible association with proliferative.	J Dermatol	43	63-6	2016
73	Uehara A, Motegi S, Yamada K, Uchiyama A, Perera B, Toki S, Ogino S, Yokoyama Y, Takeuchi Y, Ishikawa O	Mechanistic insight into the norepinephrine-induced fibrosis in systemic sclerosis	Scientific Reports	6	34012	2016
74	Motegi S, Sekiguchi A, Fujiwara C, Toki S, Ishikawa O	A possible association of elevated serum collagen type IV level with skin sclerosis in systemic sclerosis	Journal of Dermatology	in press		
75	Motegi S, Sekiguchi A, Toki S, Amano H, Ishikawa O	Progressive myelopathy in systemic sclerosis patient with cervical intraspinal calcinosis	Journal of Dermatology	in press		
76	Motegi S, Yamada K, Toki S, Uchiyama A, Kubota Y, Nakamura T, Ishikawa O	Beneficial effect of botulinum toxin A on Raynaud's phenomenon in Japanese patients with systemic sclerosis: a prospective, case series study	Journal of Dermatology	43	56-62	2016
77	Yamakoshi Y, Motegi S, Ishikawa O	Evaluation of peripheral blood circulation disorder in scleroderma patients using an optical sensor with a pressurization mechanism	PloS one	11	e0159611	2016
78	茂木 精一郎	全身性強皮症の末梢血管障害の特徴と治療	西日本皮膚科	78	343-346	2016
79	茂木 精一郎	総説 全身性強皮症の血管病変	Visual Dermatology	15	32-36	2016
80	関口 明子、茂木 精一郎、石川 治	外陰部硬化性萎縮性苔癬の3例	皮膚臨床	58	1861-4	2016
81	Saito S, Ishii T, Kamogawa Y, Watanabe R, Shirai T, Fujita Y, Shirota Y, Fujii H, Ito K, Shimokawa H, Yamaguchi T, Kawaguchi Y, Harigae H	Extracorporeal shock wave therapy for digital ulcers of systemic sclerosis: a phase 2 pilot study.	Tohoku J Exp Med	238	39-47	2016
82	Kawasumi H, Gono T, Tanaka E, Kaneko H, Kawaguchi Y, Yamanaka H	Clinical characteristics and cytokine profiles of organizing pneumonia in patients with rheumatoid arthritis treated with or without biologics.	J Rheumatol	43	738-744	2016
83	川口 鎮司	膠原病に伴う第1群肺動脈性肺高血圧症の治療成績(海外と比較して)	Pulmonary Hypertension Update	2	28-33	2016

84	Morita S, Shima Y, Wing JB, Sakaguchi S, Ogata A, Kumanogoh A	The Proportion of Regulatory T Cells in Patients with Rheumatoid Arthritis: A Meta-Analysis.	PLoS One.	in press		
85	Ito D, Kumanogoh A	The role of Sema4A in angiogenesis, immune responses, carcinogenesis, and retinal systems.	Cell Adh Migr	in press		
86	Kuwana M, Shirai Y, and Takeuchi T	Elevated serum Krebs von den Lungen-6 in early disease predicts subsequent deterioration of pulmonary function in patients with systemic sclerosis and interstitial lung disease.	J. Rheumatol	43(10)	1825-1831	2016
87	Hamaguchi Y, Sumida T, Kawaguchi Y, Ihn H, Tanaka S, Asano Y, Motegi S, Kuwana M, Endo H, and Takehara K	Safety and tolerability of bosentan for digital ulcers in Japanese patients with systemic sclerosis: prospective, multicenter, open-label study.	J. Dermatol	in press		
88	Coghlan JG, Galiè N, Barberà JA, Frost AE, Ghofrani HA, Hoepfer MM, Kuwana M, McLaughlin VV, Peacock AJ, Simonneau G, Vachiéry JL, Blair C, Gillies H, Miller KL, Harris JHN, Langley J, and Rubin LJ	Initial combination therapy with ambrisentan and tadalafil in connective tissue disease-associated pulmonary arterial hypertension (CTD-PAH): subgroup analysis from the AMBITION trial	Ann. Rheum	in press		
89	桑名正隆	全身性強皮症	内科	117(4)	901-907	2016
90	桑名正隆	全身性硬化症(強皮症)の早期診断と治療	日本内科学会雑誌	105(9)	1864-1869	2016
91	桑名正隆	強皮症の自然歴と早期診断	週間医学のあゆみ	258(10)	945-950	2016
92	Segawa S, Goto D, Iizuka A, Kaneko S, Yokosawa M, Kondo Y, Matsumoto I, Sumida T	The regulatory role of interferon- γ producing gamma delta T cells via the suppression of T helper 17 cell activity in bleomycin-induced pulmonary fibrosis.	Clin Exp Immunol	185	348-360	2016
93	Nakamura K, Jinnin M, Harada M, Kudo H, Nakayama W, Inoue K, Ogata A, Kajihara I, Fukushima S, Ihn H.	Altered expression of CD63 and exosomes in scleroderma dermal fibroblasts.	J Dermatol Sci	84	30-39	2016
94	Wang Z, Nakamura K, Jinnin M, Kudo H, Goto M, Era T, Kira T, Nakashima T, Fukushima S, Ihn H.	Establishment and gene expression analysis of disease-derived induced pluripotent stem cells of scleroderma.	J Dermatol Sci	84(2)	186-196	2016
95	Nakayama W, Jinnin M, Tomizawa Y, Nakamura K, Kudo H, Inoue K, Makino K, Honda N, Kajihara I, Fukushima S, Ihn H.	Dysregulated interleukin-23 signalling contributes to the increased collagen production in scleroderma fibroblasts via balancing microRNA expression.	Rheumatology	in press		

96	Washio M, Takahashi H, Kobashi G, Kiyohara C, Tada Y, Asami T, Ide Y, Atsumi T, Horiuchi T; Kyushu Sapporo SLE (KYSS) Study Group	Risk factors for development of systemic lupus erythematosus among Japanese females: medical history and reproductive factors.	Int J Rheum Dis	Epub ahead of print		
97	Ohyama K, Baba M, Tamai M, Yamamoto M, Ichinose K, Kishikawa N, Takahashi H, Kawakami A, Kuroda N	Immune complexome analysis of antigens in circulating immune complexes isolated from patients with IgG4-related dacryoadenitis and/or sialadenitis.	Mod Rheumatol	Epub ahead of print		
98	Matsushita T, Hamaguchi Y, Hasegawa M, Takehara K, Fujimoto M	Decreased levels of regulatory B cells in patients with systemic sclerosis: association with autoantibody production and disease activity.	Rheumatology (Oxford).	55(2)	263-267	2016
99	Mugii N, Hasegawa M, Matsushita T, Hamaguchi Y, Oohata S, Okita H, Yahata T, Someya F, Inoue K, Murono S, Fujimoto M, Takehara K.	Oropharyngeal Dysphagia in Dermatomyositis: Associations with Clinical and Laboratory Features Including Autoantibodies.	PLoS One.	10	e0154746	2016
100	Merola JF, Nyberg F, Furukawa F, Goodfield MJ, Hasegawa M, Marinovic B, Szepietowski J, Dutz J, Werth VP.	Redefining cutaneous lupus erythematosus: a proposed international consensus approach and results of a preliminary questionnaire.	Lupus Sci Med.	2(1)	e000085	2015
101	Hamaguchi Y, Koderia M, Matsushita T, Hasegawa M, Inaba Y, Usuda T, Kuwana M, Takehara K, Fujimoto M.	Clinical and immunologic predictors of scleroderma renal crisis in Japanese systemic sclerosis patients with anti-RNA polymerase III autoantibodies.	Arthritis Rheumatol.	67(4)	1045-52	2015
102	Matsushita T, Le Huu D, Kobayashi T, Hamaguchi Y, Hasegawa M, Naka K, Hirao A, Muramatsu M, Takehara K, Fujimoto M.	A novel splenic B1 regulatory cell subset suppresses allergic disease through phosphatidylinositol 3-kinase-Akt pathway activation.	J Allergy Clin Immunol.	138(4)	1170-82	2016
103	Furukawa H, Oka S, Kawasaki A, Shimada K, Sugii S, Matsushita T, Hashimoto A, Komiya A, Fukui N, Kobayashi K, Osada A, Ihata A, Kondo Y, Nagai T, Setoguchi K, Okamoto A, Okamoto A, Chiba N, Suematsu E, Kono H, Katayama M, Hirohata S, Sumida T, Migita K, Hasegawa M, Fujimoto M, Sato S, Nagaoka S, Takehara K, Tohma S, Tsuchiya N.	Human Leukocyte Antigen and Systemic Sclerosis in Japanese: The Sign of the Four Independent Protective Alleles, DRB1*13:02, DRB1*14:06, DQB1*03:01, and DPB1*02:01.	PLOS one.	11(4)	e0154255	2016
104	Matsushita T, Mizumaki K, Kano M, Yagi N, Tennichi M, Takeuchi A, Okamoto Y, Hamaguchi YO, Murakami A, Hasegawa M, Kuwana M, Fujimoto M, Takehara K.	Anti-MDA5 antibody level is a novel tool for monitoring disease activity in rapidly progressive interstitial lung disease with dermatomyositis(原著)	Br J Dermatol.	Epub ahead of print		

105	高嶋 渉、長谷川 稔	皮膚硬化型GVHD	Visual Dermatology	15(1)	50-51	2015
106	Hasegawa M.	Biomarkers in systemic sclerosis:their potential to predict clinical courses.	J Dermatol.	43(1)	29-38	2015
107	Hasegawa M.	Use of dermoscopy in the evaluation of connective tissue diseases.	Dermatol Clin Res.	1(3)	41-48	2015
108	長谷川 稔	全身性強皮症とその鑑別疾患.	Visual Dermatology.	15(1)	14-16	2015
109	長谷川 稔	膠原病による皮膚病変.	成人病と生活習慣病(増大号)	46(1)	34-40	2016
110	長谷川 稔	全身性強皮症における爪郭部のダーモスコピー所見	臨床皮膚科	70(5)増刊号	70-74	2016
111	長谷川 稔	ホスホジエステラーゼ5阻害薬	皮膚科の臨床(皮膚科の薬剤と医療機器 最近10年間の進歩)	58(6)5月臨時増刊号	978-082	2016
112	長谷川 稔	全身性強皮症の臨床研究:予後改善に向けて	金沢大学十全医学会雑誌	125(1)	23-24	2016
113	Fujimoto M, Asano Y, Ishii T, Ogawa F, Kawakami T, Koderu M, Abe M, Isei T, Ito T, Inoue Y, Imafuku S, Irisawa R, Ohtsuka M, Ohtsuka M, Kadono T, Kawaguchi M, Kukino R, Kono T, Sakai K, Takahara M, Tanioka M, Nakanishi T, Nakamura Y, Hashimoto A, Hasegawa M, Hayashi M, Fujiwara H, Maekawa T, Matsuo K, Madokoro N, Yamasaki O, Yoshino Y, Le Pavoux A, Tachibana T, Ihn H; Wound/Burn Guidelines Committee	The wound/burn guidelines - 4: Guidelines for the management of skin ulcers associated with connective tissue disease/vasculitis.	J Dermatol.	43	729-757	2016
114	Matsushita T, Hasegawa M, Takehara K	Watermelon stomach and colon in a patient with diffuse cutaneous systemic sclerosis.	Mod Rheumatol.	in press		
115	Fukada I, Araki K, Kobayashi K, Shibayama T, Hatano M, Takahashi S, Iwase T, Ohno S, Ito Y.	Imatinib could be a new strategy for pulmonary hypertension caused by pulmonary tumor thrombotic microangiopathy in metastatic breast cancer.(原著論文)	Springerplus	15	doi: 10.1186/s40064-016-3280-4	2016
116	Amiya E, Morita H, Hatano M, Nitta D, Hosoya Y, Maki H, Motozawa Y, Sato N, Ishiura H, Numakura S, Shintani Y, Kinugawa K, Takeda N, Shimizu J, Tsuji S, Komuro I.	Fukutin gene mutations that cause left ventricular noncompaction.(原著論文)	Int J Cardiol	222	727-729	2016

117	Maemura S, Amiya E, Seki H, Ueda K, Nitta D, Imamura T, Uehara M, Kawata T, Watanabe M, Hatano M, Kinugawa K, Komuro I.	Endomyocardial Fibrosis Associated With Apical Calcification and High Uptake on Myocardial Gallium-67 Scintigraphy.(原著論文)	Circ J	80	2053-2055	2016
118	Tahara N, Dobashi H, Fukuda K, Funouchi M, Hatano M, Ikeda S, Joho S, Kihara Y, Kimura T, Kondo T, Matsushita M, Minamino T, Nakanishi N, Ozaki Y, Saji T, Sakai S, Tanabe N, Watanabe H, Yamada H, Yoshioka K, Sasayama S.	Efficacy and Safety of a Novel Endothelin Receptor Antagonist, Macitentan, in Japanese Patients With Pulmonary Arterial Hypertension.(原著論文)	Circ J	80	1478-1483	2016
119	Nitta D, Kinugawa K, Imamura T, Endo M, Amiya E, Hatano M, Takahashi Y, Iriyama T, Kinoshita O, Nagamatsu T, Nawata K, Ono M, Komuro I.	Successful Pregnancy and Delivery in a Heart Transplantation Recipient.(原著論文)	Int Heart J	57	383-385	2016
120	Hatano M.	Potential of Receptor for Advanced Glycation End-Products (RAGE) as an Eligible Biomarker for Therapy Evaluation in Patients With Pulmonary Hypertension.	Int Heart J	57	132-133	2016
121	Nakamura K, Asano Y, Taniguchi T, Minatsuki S, Inaba T, Maki H, Hatano M, Yamashita T, Saigusa R, Ichimura Y, Takahashi T, Toyama T, Yoshizaki A, Miyagaki T, Sugaya M, Sato S.	Serum levels of interleukin-18-binding protein isoform a: Clinical association with inflammation and pulmonary hypertension in systemic sclerosis.(原著論文)	J Dermatol	43	912-918	2016
122	Niwa R, Hasumi E, Fujiu K, Uehara M, Nitta D, Hatano M, Akazawa H, Watanabe M, Komuro I.	A Case of Multiple Coronary Artery-Left Ventricular Micro Fistulae Complicated With Hepatic Arteriovenous Fistulae.(原著論文)	Int Heart J	57	123-126	2016
123	Nitta D, Kinugawa K, Imamura T, Endo M, Inaba T, Maki H, Amiya E, Hatano M, Kinoshita O, Nawata K, Kyo S, Ono M.	Novel Scoring System to Predict Ineligibility for Bridge to Implantable Left Ventricular Assist Device as Destination Therapy Before Extracorporeal Ventricular Assist Device Implantation - For the Coming Era of Destination Therapy in Japan.(原著論文)	Circ J	80	387-3943	2016
124	波多野将	この症例は本当に特発性肺動脈性肺高血圧症でよいか？－診断がその後の治療経過を大きく左右する－	内科	117	788－792	2016
125	波多野将	epoprostenol持続静注開始後に酸素化の悪化を認めた重症肺高血圧症	内科	117	793－796	2016
126	波多野将	静注, 皮下注製剤と吸入薬	Pulmonary Hypertension Update	2	30－36	2016
127	波多野将	心筋症の治療はどのように行いますか？	ハートナーシング	29	85－87	2016
128	波多野将	心筋症の患者さんの予後はどのくらい悪いのでしょうか？	ハートナーシング	29	88－89	2016
129	波多野将	心臓移植が必要な心筋症患者さんほどのような人でしょうか？	ハートナーシング	29	90	2016
130	波多野将	心筋症と診断された患者さんへの指導で、注意すべきことはありますか？	ハートナーシング	29	91	2016

131	全身性強皮症 診断基準・重症度分類・診療ガイドライン委員会	全身性強皮症 診断基準・重症度分類・診療ガイドライン	日皮会誌	126(10)	1831-1896	2016
132	限局性強皮症 診断基準・重症度分類・診療ガイドライン委員会	限局性強皮症 診断基準・重症度分類・診療ガイドライン	日皮会誌	126(11)	2039-2067	2016
133	Fujimoto M, Asano Y, Ishii T, Ogawa F, Kawakami T, Kodera M, Abe M, Isei T, Ito T, Inoue Y, Imafuku S, Irisawa R, Ohtsuka M, Ohtsuka M, Kadono T, Kawaguchi M, Kukino R, Kono T, Sakai K, Takahara M, Tanioka M, Nakanishi T, Nakamura Y, Hashimoto A, Hasegawa M, Hayashi M, Fujiwara H, Maekawa T, Matsuo K, Madokoro N, Yamasaki O, Yoshino Y, Le Pavoux A, Tachibana T, Ihn H; Wound/Burn Guidelines Committee.	The wound/burn guidelines - 4: Guidelines for the management of skin ulcers associated with connective tissue disease/vasculitis	J Dermatol.	43	729-757	2016
134	Hiraiwa T, Mori T, Ohashi T, Hanami Y, Yamamoto T.	Eosinophilic fasciitis with severe joint contracture in a patient with bladder cancer and B-cell lymphoma.	J Dermatol	43	68-69	2016
135	Hanami Y, Ohtsuka M, Yamamoto T.	Paraneoplastic eosinophilic fasciitis with generalized morphea and vitiligo in a patient working with organic solvents.	J Dermatol	43	67-68	2016
136	Ohyama K, Baba M, Tamai M, Yamamoto M, Ichinose K, Kishikawa N, Takahashi H, Kawakami A, Kuroda N.	Immune complexome analysis of antigens in circulating immune complexes isolated from patients with IgG4-related dacryoadenitis and/or sialadenitis.	Mod Rheumatol	26(2)	248-50	2016
137	Yasui K, Yuda S, Abe K, Muranaka A, Otsuka M, Ohnishi H, Hashimoto A, Takahashi H, Tsuchihashi K, Takahashi H, Takahashi S, Miura T.	Pulmonary vascular resistance estimated by Doppler echocardiography predicts mortality in patients with interstitial lung disease.	J Cardiol	68	300-7	2016
138	前島 英樹, 度会 晃, 三井 純雪, 田中住明, 立石 毅	DLEを併発したC1 inhibitor 欠損症	皮膚病診療	38(6)	583-6	2016
139	Wada Tatsuhiko, Abe Gakurou, Kudou Takeo, Ogawa Eisuke, Nagai Tatsuo, Tanaka Sumiaki, Hirohata Shunsei	Liver damage in patients with polymyositis and dermatomyositis (原著)	The Kitasato Medical Journal	46(1)	40-46	2016
140	Hamaguchi, Y. Sumida, T., Kawaguchi, Y., Ihn, H., Tanaka, S., Asano, Y., Motegi, S. I., Kuwana, M., Endo, H., Takehara, K.	Safety and tolerability of bosentan for digital ulcers in Japanese patients with systemic sclerosis: Prospective, multicenter, open-label study (原著)	J Dermatol	44	13-17	2017
141	田中住明, 小川英佑	全身性強皮症の病態・診断および治療に関する最近の知見】強皮症における肺高血圧症の病態・診断・治療.	リウマチ科	55(3)	268-273	2016

142	Oka S, Furukawa H, Shimada K, Sugii S, Hashimoto A, Komiya A, Fukui N, Suda A, Tsunoda S, Ito S, Katayama M, Nakamura T, Saisho K, Sano H, Migita K, Nagaoka S, Tsuchiya N, Tohma S.	Association of human leukocyte antigen alleles with chronic lung diseases in rheumatoid arthritis. (原著)	Rheumatology	55(7)	1301-7	2016
143	Furukawa H, Oka S, Kawasaki A, Shimada K, Sugii S, Matsushita T, Hashimoto A, Komiya A, Fukui N, Kobayashi K, Osada A, Ihata A, Kondo Y, Nagai T, Setoguchi K, Okamoto A, Okamoto A, Chiba N, Suematsu E, Kono H, Katayama M, Hirohata S, Sumida T, Migita K, Hasegawa M, Fujimoto M, Sato S, Nagaoka S, Takehara K, Tohma S, Tsuchiya N.	Human leukocyte antigen and systemic sclerosis in Japanese: The sign of the four independent protective alleles, DRB1*13:02, DRB1*14:06, DQB1*03:01, and DPB1*02:01. (原著)	PLoS ONE	11(4)	e0154255	2016
144	Kawasaki A, Hasebe N, Hidaka M, Hirano F, Sada K-e, Kobayashi S, Yamada H, Furukawa H, Yamagata K, Sumida T, Miyasaka N, Tohma S, Ozaki S, Matsuo S, Hashimoto H, Makino H, Arimura Y, Harigai M, Tsuchiya N.	Protective role of HLA-DRB1*13:02 against microscopic polyangiitis and MPO-ANCA positive vasculitides in a Japanese population: a case-control study. (原著)	PLoS ONE	11(5)	e0154393	2016
145	川崎綾、土屋尚之	全身性エリテマトーデスの病因-ゲノム解析からの知見.	医学のあゆみ	258(10)	932-936	2016
146	Hachiya Y, Kawasaki A, Oka S, Kondo Y, Ito S, Matsumoto, Kusaoi M, Amano H, Suda A, Setoguchi K, Nagai T, Shimada K, Sugii S, Okamoto A, Chiba N, Suematsu E, Ohno S, Katayama M, Kono H, Hirohata S, Takasaki Y, Hashimoto H, Sumida T, Nagaoka S, Tohma S, Furukawa H, Tsuchiya N.	Association of HLA-G 3' untranslated region polymorphisms with systemic lupus erythematosus in a Japanese population: a case-control association study. (原著)	PLoS ONE	11(6)	e0158065	2016
147	Dang TN, Naka I, Sa-Ngasang A, Anantapreecha S, Wichukchinda N, Sawanpanyalert P, Patarapotikul J, Tsuchiya N, Ohashi J.	Association of BAK1 single nucleotide polymorphism with a risk for dengue hemorrhagic fever. (原著)	BMC Med Genet	17(1)	43	2016
148	Higuchi T, Oka S, Furukawa H, Nakamura M, Komori A, Abiru S, Nagaoka S, Hashimoto S, Naganuma A, Naeshiro N, Yoshizawa K, Shimada M, Nishimura H, Tomizawa M, Kikuchi M, Makita F, Yamashita H, Ario K, Yatsuhashi H, Tohma S, Kawasaki A, Ohira H, Tsuchiya N, Migita K.	Association of a single nucleotide polymorphism upstream of ICOS with Japanese autoimmune hepatitis type 1. (原著)	J Hum Genet	Epub ahead of print		
149	Furukawa H, Oka S, Tsuchiya N, Shimada K, Hashimoto A, Tohma S, Kawasaki A.	The role of common protective alleles, HLA-DRB1*13, among systemic autoimmune diseases.	Genes Immun	Epub ahead of print		

150	Tsuchiya N, Kawasaki A.	Genetics of Systemic Sclerosis.	In "Systemic Sclerosis: Basic and Translational Research" (edited by Takehara K, Kuwana M and Fujimoto M)		81-92	2016
151	Yamanaka K, Nakanishi T, Isono K, Hasegawa C, Inada H, Mizutani K, Matsushima Y, Okada K, Mabuchi T, Kondo M, Yamagiwa A, Kakeda M, Habe K, Nosaka T, Gabazza EC, Yamazaki H, Mizutani H, Kawano M	Restrictive IL-10 induction by an innocuous parainfluenza virus vector ameliorates nasal allergy.	J Allergy Clin Immunol	Epub ahead of print		
152	Higashiyama A, Yokoyama T, Omoto Y, Habe K, Yamanaka K, Mizutani H	Flutamide-induced photoleukomelanoderma.	J Dermatol	Epub ahead of print		
153	Someya F, Mugii N, Oohata S	Factors relating to impaired stroke volume during the 6-minute walk test in patients with systemic sclerosis.	Clinical and Experimental Rheumatology	34Supp	S152-S156	2016
154	Someya F, Nakagawa T, Mugii N	The COPD Assessment Test as a Prognostic Marker in Interstitial Lung Disease.	Clin Med Insights Circ Respir Pulm Med	10	27-31	2016
155	Ikawa Y, Hamaguchi Y, Mugii N, Matsushita T, Takehara K.	Classification of Japanese patients with mild/early systemic sclerosis (SSc) by the 2013 ACR/EULAR classification criteria for SSc.	Mod Rheumatol.	Epub ahead of print		