

研究成果の刊行に関する一覧

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
菅野伸彦	特発性大腿骨頭壊死症をめぐり最近の展開。疫学と世界の状況		Loco Cure 2	株式会社先端医学社	日本	2016	106-111
菅野伸彦	腎と透析診療指針2016。腎移植後の合併症、整形外科的合併症		腎と透析, 80	株式会社東京医学社	日本	2016	738-40
Sugano N	Osteonecrosis of the humeral head.	Koo KH, Mont MA, Jones LC	Osteonecrosis	Springer	Heidelberg, New York, Dordrecht, London, Springer	2014	389-394
Sugano N Ohzono K	Natural course and the JIC classification of osteonecrosis.	Koo KH, Mont MA, Jones	Osteonecrosis	Springer	Heidelberg, New York, Dordrecht, London, Springer,	2014	207-210
黒田隆 猪原登志子 向井久美 浅田隆太 秋山治彦 松田秀一	-患者まで届いている再生医療- 特発性大腿骨頭壊死症に対するbFGF含有ゼラチンハイドロゲルを用いた低侵襲再生医療		再生医療 Vol. 15/No.2	メディカルレビュー社	日本	2016	40-46
秋山 治彦 菅野 伸彦 山本 卓明	特発性大腿骨頭壊死症の最新知見と展望		Loco Cure (2189-4221)2巻2号	株式会社先端医学社	日本	2016	93-101
黒田 隆	【特発性大腿骨頭壊死症をめぐり最近の展開】成長因子療法		Loco Cure (2189-4221)2巻2号	株式会社先端医学社	日本	2016	136-141
黒田 隆 秋山 治彦	新しい医療技術 特発性大腿骨頭壊死に対する再生医療の取り組み		整形・災害外科 (0387-4095)59巻1号		日本	2016	95-103
Fukushima W Hirota Y	Alcohol. In: Osteonecrosis. Koo KH, Jones LC, Mont MA, editors.			Springer		2014	95-99
山本 卓明 岩本幸英	特発性大腿骨頭壊死症をめぐり最近の展開 発生および発症予防に関する現況と展望		Loco Cure 2	株式会社先端医学社	日本	2016	32-37

山本 卓明	脆弱性骨折	土屋弘行 紺野慎一 田中康仁 田中栄 松田秀一	今日の整形外 科治療指針 第7版	株式会社 医学書院	日本	2016	58-59
山本 卓明	特発性骨壊死	土屋弘行 紺野慎一 田中康仁 田中栄 松田秀一	今日の整形外 科治療指針 第7版	株式会社 医学書院	日本	2016	168-169
山本 卓明	特発性大腿骨頭壊死症	土屋弘行 紺野慎一 田中康仁 田中栄 松田秀一	今日の整形外 科治療指針 第7版	株式会社 医学書院	日本	2016	722-724
山本 卓明	トピックス：大腿骨頭 軟骨下脆弱性骨折	土屋弘行 紺野慎一 田中康仁 田中栄 松田秀一	今日の整形外 科治療指針 第7版	株式会社 医学書院	日本	2016	731
久保田 聡 稲葉 裕 小林直実 池 裕之 手塚太郎 川村正樹 井上登美夫 齋藤知行	特集 整形外科領域に 生かすPET . 18F-Fluori de PETによる大腿骨頭 壊死症の予後予測		関節外科 34 (6)	株式会社 メジカル ビュー社	日本	2015	578-584

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Abe H Sakai T Ogawa T Takao M Nishii T Nakamura N Sugano N	Characteristics of bone turnover markers in rapidly destructive coxopathy.	J Bone Miner Metab.		[Epub a head of print]	2016
Takahashi S Fukushima W Yamamoto T Iwamoto Y Kubo T Sugano N Hirota Y	Temporal Trends in Charact eristics of Newly Diagnosed Nontraumatic Osteonecrosis of the Femoral Head From 1997 to 2011	A Hospital-Based Senti nel Monitoring System in Japan. J Epidemiol	Jun 5;25 (6)	437-44	2015

Abe H Sakai T Ando W Takao M Nishii T Nakamura N Hamasaki T Yoshikawa H Sugano N	Synovial joint fluid cytokine levels in hip disease.	Rheumatology (Oxford)	Jan;53(1)	165-72	2014
Fujita S Arai Y Honjo K Nakagawa S Kubo T	A Case of Spontaneous Osteonecrosis of the Knee with Early and Simultaneous Involvement of the Medial Femoral Condyle and Medial Tibial Plateau.	Case Rep Orthop		2574975	2016
Kubo T Ueshima K Saito M Ishida M Arai Y Fujiwara H	Clinical and basic research on steroid-induced osteonecrosis of the femoral head in Japan.	J Orthop Sci.	Jul;21(4)	407-13	2016
Saito M Ueshima K Ishida M Hayashi S Ikegami A Oda R Taniguchi D Fujiwara H Kubo T	Alcohol-associated osteonecrosis of the femoral head with subsequent development in the contralateral hip: A report of two cases.	J Orthop Sci.	21(6)	870-874	2016
Hayashi S Fujioka M Ikoma K Saito M Ueshima K Ishida M, Kuribayashi M, Ikegami A Mazda O Kubo T	Evaluation of femoral perfusion in a rabbit model of steroid-induced osteonecrosis by dynamic contrast-enhanced MRI with a high magnetic field MRI system.	J Magn Reson Imaging	41	935-940	2015
Ikegami A, Ueshima K Saito M Ikoma K Fujioka M Hayashi S Ishida M Fujiwara H Mazda O Kubo T	Femoral perfusion after pulsed electromagnetic field stimulation in a steroid-induced osteonecrosis model.	Bioelectromagnetics	36	349-357	2015

Saito M Ueshima K Fujioka M Ishida M Goto T Arai Y Ikoma K Fujiwara H, Fukushima W, Kubo T	Corticosteroid administration within 2 weeks after renal transplantation affects the incidence of femoral head osteonecrosis.	Acta Orthop	85	266-270	2014
高辻謙太 齊藤正純 上島圭一郎 石田雅史 山田 学 久保俊一	片側の特発性大腿骨頭壊死症の術後2年で対側に新規に骨壊死をきたした1例	中部整災誌	58	35-40	2015
佐々木幹 高窪祐弥 伊藤重治 石井政次 川路博之 門馬亮介 竹内隆二 高木理彰	特発性大腿骨頭壊死症におけるCTによる壊死領域の評価と骨頭圧潰の関連	Hip joint	42(2)	905-908	2016
佐々木幹 高窪祐弥 伊藤重治 石井政次 川路博之 門馬亮介 竹内隆二 高木理彰	特発性大腿骨頭壊死症に対する大腿骨前方回転骨切り術後の圧潰進行例の検討	Hip joint	42(2)	1092-1095	2016
Kuroda Y Asada R So K Yonezawa A, Nankaku M Mukai K Ito-Ihara T Tada H Yamamoto M Murayama M Morita S Tabata Y Yokode M Shimizu A, Matsuda S, Akiyama H	A pilot study of regenerative therapy using controlled release of rhFGF-2 for patients with precollapse osteonecrosis of the femoral head.	Int Orthop	40(8)	1747-54	2016
Kuroda Y Matsuda S Akiyama H	Joint-preserving regenerative therapy for patients with early-stage osteonecrosis of the femoral head.	Inflamm.	Regener	36:4	2016

Kuroda Y So K Goto K Matsuda S	Extremely early stage osteonecrosis of the femoral head in a patient with hip pain secondary systemic steroid pulse therapy for Vogt-Koyanagi-Harada syndrome.	Int J Surg Case Rep	Jun	15;25:97-101	2016
Okazaki S Nagoya S Shimizu J Takahashi N Mizuo K Hyodoh H Tateda K Kosukegawa I Watanabe S Yamashita T	Superior Retinacular Artery Did Not Occlude in a Rat Model of the Non-Traumatic Osteonecrosis of the Femoral Head.	Open Journal of Orthopedics	6	144-149	2016
		Published Online	June	http://www.scirp.org/journal/ojo http://dx.doi.org/10.4236/ojo.2016.66022	2016
Okazaki S Nagoya S, Matsumoto H, Mizuo K Shimizu Watanabe S Inoue H and Yamashita T	TLR4 stimulation and corticosteroid interactively induce osteonecrosis of the femoral head in rat.	J Orthop Res	Feb;34	342-5.	2016
		doi: 10.1002/jor.23008. Epub	Aug 19.		2015
Okazaki S Nagoya S Matsumoto H Mizuo K Sasaki M Watanabe S Yamashita T Inoue H	Development of non-traumatic osteonecrosis of the femoral head requires toll-like receptor 7 and 9 stimulations and is boosted by repression on nuclear factor kappa B in rats.	Laboratory investigation	95	92-99	2015

高橋信行 岡崎俊一郎 名越智 清水淳也 加谷光規 佐々木幹 館田健児 小助川維摩 大西史師 山下敏彦	移植後の特発性大腿骨頭壊死症の発生と免疫抑制剤	Hip Joint	42	161-163.	2016
鈴木大輔 名越 智 佐々木幹人ほか	大腿骨頭回転骨切り術における大腿骨頭の回転シミュレーション	Hip Joint	41	138-141	2015
岡崎俊一郎 名越 智 佐々木幹人 渡邊 智 井上裕匡 山下敏彦	大腿骨頭壊死症の発生と転写制御因子活性	東日本整災会誌	26	44-47	2014
Takahashi S Fukushima W Yamamoto T Iwamoto Y Kubo T Sugano N Hirota Y	Japanese Sentinel Monitoring Study Group for Idiopathic Osteonecrosis of the Femoral Head. Temporal Trends in Characteristics of Newly Diagnosed Nontraumatic Osteonecrosis of the Femoral Head From 1997 to 2011: A Hospital-Based Sentinel Monitoring System in Japan.	J Epidemiol	25(6)	437-44	2015
Saito M Ueshima K Fujioka M Ishida M Goto T Arai Y Ikoma K Fujiwara H Fukushima W Kubo T	Corticosteroid administration within 2 weeks after renal transplantation affects the incidence of femoral head osteonecrosis.	Acta Orthop	85(3)	266-70	2014
Iwasaki K Yamamoto T Motomura G Karasuyama K Sonoda K Kubo Y Iwamoto Y	Common site of subchondral insufficiency fracture of the femoral head based on three-dimensional magnetic resonance imaging.	Skeletal Radiol	45(1)	105-113	2016

Yamamoto T Motomura G Karasuyama K Nakashima Y Doi T Iwamoto Y	Results of the Sugioka transtrochanteric rotational osteotomy for osteonecrosis: Frequency and role of a defect of the quadratus femoris muscle in osteonecrosis progression	Orthop Traumatol Surg Res	102	387-390	2016
Sonoda K Yamamoto T Motomura G Karasuyama K Kubo Y Iwamoto Y	Fat-suppressed T2-weighted MRI appearance of subchondral insufficiency fracture of the femoral head.	Skeletal Radiology	45	1515-1521	2016
Hatanaka H Yamamoto T Motomura G Sonoda K Iwamoto Y	Histopathologic findings of spontaneous osteonecrosis of the knee at an early stage: a case report.	Skeletal Radiology	45(5)	713-716	2016
Utsunomiya T Yamamoto T Motomura G Hamai S Iwamoto Y	The clinicopathologic findings of a subchondral insufficiency fracture of the femoral head in a male patient: a case report.	Skeletal Radiology	45	1425-1429	2016
Sakamoto Y Yamamoto T Kajino Y Kabata T Tsuchiya H Miyake N Iwamoto Y Matsumoto N Ikegawa S	Screening of the COL2A1 mutation in idiopathic osteonecrosis of the femoral head.	J Orthop Res	DOI	10.1002/jor.23300	2016
Kubo Y Yamamoto T Motomura G Karasuyama K Sonoda K Iwamoto Y	Patient-reported outcomes of femoral osteotomy and total hip arthroplasty for osteonecrosis of the femoral head: a prospective case series study.	Springer Plus	5:1880	DOI:10.1186/s40064-016-3576-4	2016
Nakashima Y Yamamoto T Fukushi JI Motomura G Hamai S Kohno Y Iwamoto Y	Transtrochanteric rotational osteotomy for avascular necrosis of the femoral head after unstable slipped capital femoral epiphysis: 10-year clinical results.	J Orthop Sci	(in press)		2016
Kubo Y Motomura G Ikemura S Sonoda K Yamamoto T Nakashima Y	Factors influencing progressive collapse of the transposed necrotic lesion after transtrochanteric anterior rotational osteotomy for osteonecrosis of the femoral head.	Orthop Traumatol Surg Res	(in press)		2016

Ohtsuru T Yamamoto T Murata Y Morita Y Munakata Y Kato Y	Bilateral subchondral insufficiency fractures of the femoral head in patients with living renal transplantation: A report of two cases.	J Orthop Sci	(in press)		2016
Karasuyama K Yamamoto T Motomura G Sonoda K Kubo Y Iwamoto Y	The role of sclerotic changes in the starting mechanisms of collapse: A histomorphometric and FEM study on osteonecrosis of the femoral head.	Bone	81	644-648	2015
Sonoda K Yamamoto T Motomura G Nakashima Y Iwamoto Y	Outcome of transtrochanteric rotational osteotomy for posttraumatic osteonecrosis of the femoral head with a mean follow-up of 12.3 years.	Arch Orthop Trauma Surg	135	1257-1263	2015
Takahashi S Fukushima W Yamamoto T Iwamoto Y Kubo T Sugano N Hirota Y	Temporal trends in characteristics of newly diagnosed nontraumatic osteonecrosis of the femoral head from 1997 to 2011: A hospital-based sentinel monitoring system in Japan.	J Epidemiol	25(6)	437-444	2015
Sonoda K Yamamoto T Motomura G Yamaguchi R Karasuyama K Iwamoto Y	Contralateral osteonecrosis of the femoral head newly developed after increasing the dose of corticosteroids.	J Orthop Sci	20(4)	772-775	2015
Lee Y Motomura G Yamamoto T Nakashima Y Ohishi M Hamai S Iura K Iwamoto Y	Rapidly destructive arthroses of the hip joint in a young adult with systemic lupus erythematosus.	Rheumatol Int	35(10)	1753-1757	2015
Kubo Y Yamamoto T Motomura G Tsukamoto N Karasuyama K Sonoda K Hatanaka H Utsunomiya T Iwamoto Y	MRI-detected bone marrow changes within 3 weeks after initiation of high-dose corticosteroid therapy - A possible change preceding the subsequent appearance of low-intensity band in femoral head osteonecrosis-.	Rheumatol Int	35	1909-1912	2015
Sonoda K Yamamoto T Motomura G Hamai S Karasuyama K Kubo Y Iwamoto Y	Bilateral corticosteroid-induced osteonecrosis of the femoral head detected at a 6-week interval.	SpringerPlus	4	662	2015

				DOI 10.1186/s40064-015-1458-9	
Yamamoto T Iwamoto Y	Proximal femoral osteotomy: Transtrochanteric rotational osteotomy for the treatment of osteonecrosis THE HIP: Preservation, Replacement, and Revision, Cashman J, Goyal N, Parvizi J. (eds)	Data trace publishing company, Maryland, USA,	Volume 1	chapter 49, 1-10	2015
Yamamoto T Karasuyama K Iwasaki K Doi T Iwamoto Y	Subchondral insufficiency fracture of the femoral head in male.	Arch Orthop Trauma Surg	134(9)	1199-1203	2014
Yamaguchi R Yamamoto T Motomura G Ikemura S Iwasaki K Zhao G Doi T Iwamoto Y	Bone and cartilage metabolism markers in synovial fluid of the hip joint with secondary osteoarthritis.	Rheumatology	53	2191-2195	2014
Motomura G Yamamoto T Abe K Nakashima Y Ohishi M Hamai S Doi T Honda H Iwamoto Y	Scintigraphic assessments of reparative process in osteonecrosis of the femoral head using SPECT/CT with Tc-99m hydroxymethylen diphosphate.	Nucl Med Commun	35(10)	1047-1051	2014
Ikemura S Yamamoto T Motomura G Yamaguchi R Zhao G Iwasaki K Iwamoto Y	Cytochrome P4503A activity affects the gender difference in the development of steroid-induced osteonecrosis in rabbits.	Int J Exp Pathol	95(2)	147-152	2014
Nakashima Y Hirata M Akiyama M Itokawa T Yamamoto T Motomura G Ohishi M Hamai S Iwamoto Y	Combined anteversion technique reduced the dislocation in cementless total hip arthroplasty.	Int Orthop	38(1)	27-32	2014

Kohno Y Nakashima Y Kitano T Nakamura T Takamura K Akiyama M Hara D Yamamoto T Motomura G Ohishi M Mamai S Iwamoto Y	Subclinical bilateral involvement of the hip in patients with slipped capital femoral epiphysis – a multicenter study.	Int Orthop	37(12)	2331-2336	2014
Hamai S Nakashima Y Akiyama M Kuwashima U Yamamoto T Motomura G Ohishi M Iwamoto Y	Ischio-pubic stress fracture after peri-acetabular osteotomy in patients with hip dysplasia.	Int Orthop	28(10)	2051-2056	2014
Hamada T Yamamoto T Shida J Inokuchi A Arizono T	Subchondral insufficiency fracture of the femoral head in a patient with alkaptonuria.	Skeletal Radiol	43(6)	827-830	2014
Sonoda K Yamamoto T Motomura G Kido H Iwamoto Y	Subchondral insufficiency fracture of the femoral head after internal fixation for femoral neck fracture: histopathological investigation.	Skeletal Radiol	43(8)	1151-1153	2014
Karasuyama K Yamamoto T Motomura G Nakashima Y Saakmoto A Yamaguchi R Iwamoto Y	Osteonecrosis of the femoral head with collapsed medial lesion.	Clin Med Insights Case Rep	7	103-106	2014
Iida K Hamai S Yamamoto T Nakashima Y Motomura G Ohishi M Karasuyama K Iwamoto Y	Subchondral fracture of the femoral head after acetabular fracture.	J Med Case Rep	8	447	2014
S.Ueda T.Ichiseki Y.Ueda A.Kaneuji N.Kawahara T.Matsumoto	The timing of glucocorticoid-induced osteocytic cell necrosis under hypoxia.	Int J Clin Exp Pathol	9(7)	7470-7475	2016
K.Fukui A.Kaneuji T.Matsumoto	Arthroscopic correction for concomitant cam impingement in a patient with idiopathic osteonecrosis of the femoral head : A case report.	Int J Surg Case Rep	19	154-158	2016

K.Fukui A.Kaneuji T.Matsumoto	Occult fracture of the femoral neck associated with extensive osteonecrosis of the femoral head: A case report.	Int J Surg Case Rep	14	136-40	2015
Fukui K Kaneuji A Fukushima M Matsumoto T	Inversion of the acetabular labrum triggers rapidly destructive osteoarthritis of the hip: Representative case report and proposed etiology.	J Arthroplasty	29	2468-2472	2014
K.Fukui A.Kaneuji M.Fukushima T.Matsumoto	Imaging and histopathological evaluation of a cystlike formation in subchondral insufficiency fracture of the femoral head: A case report and literature review.	Int J Surg Case Rep	5	324-329	2014
Takahashi S, Fukushima W, Yamamoto T, Iwamoto Y, Kubo T, Sugano N, Hirota Y, Matsuno T, Ito H, Kishida S, Nakamura J, Nakamura Y, Kishiyama M, Yasunaga Y, Yamasaki T, Takahashi D, Asano T, Komiyama S, Ishidou Y, Arishima Y, Kabata T, Matsumoto T, Kaneuji A, Ohzono K, Ito man M, Nishiyama T, Fujishiro T, Higuchi F, Okawa T, Fujioka M, Ueshima K, Motomura G, Sudo A, Chosa E, Osaki M, Hasegawa Y, Endo N, Tokunaga K, Kaku N, Nishii T, Sakai T, Takao M, Takao K, Nakamura H, Iwaki H, Miki H, Hotokebuchi T, Mawatari M, Ni nomiya S, Taneda H, Nagoya S, Kodaira H, Atsumi T, Kobayashi S, Tanaka S, Ito H, Yamamoto K, Jinno T, Koga D, Takagi M, Sasaki K, Inaba Y, Kobayashi N	Temporal Trends in Characteristics of Newly Diagnosed Nontraumatic Osteonecrosis of the Femoral Head From 1997 to 2011: A Hospital-Based Sentinel Monitoring System in Japan.	J Epidemiol.	25(6)	437-44	2015

Kubota S Inaba Y Kobayashi N Tateishi U Ike H Inoue T Saito T	Prediction of femoral head collapse in osteonecrosis using 18F-fluoride positron emission tomography.	Nucl Med Commun	36(6)	596-603	2015
島貫景都 堀井健志 橋本典之 渡邊孝治 高田宗知 高木知治 安竹秀俊 加畑多文	両側大腿骨頸部骨折を生じた特発性大腿骨頭壊死症の1例	臨床整形外科	50(3)	283-286	2015
Okura T Hasegawa Y Morita D Osawa Y Ishiguro N	What factors predict the failure of curved intertrochanteric varus osteotomy for the osteonecrosis of the femoral head?	Arch Orthop Trauma Surg	Dec;136(12)	1647-1655	2016
Takegami Y Komatsu D Seki T Ishiguro N Hasegawa Y	Total hip arthroplasty after failed curved intertrochanteric varus osteotomy for avascular necrosis of the femoral head.	Nagoya J Med Sci	Feb;78(1)	89-97	2016
Ikeuchi K Hasegawa Y Seki T Takegami Y Amano T et al.	Epidemiology of nontraumatic osteonecrosis of the femoral head in Japan.	Mod Rheumatol	Mar;25(2)	278-81	2015
関泰輔 竹上靖彦 天野貴文 小松大悟 樋口善俊ら	特発性大腿骨頭壊死症に対するJHEQ評価	Hip Joint	42巻	78-82	2016
天野貴文 長谷川幸治 関泰輔 池内一磨 竹上靖彦ら	30歳未満の大腿骨頭壊死症に対する人工股関節全置換術の中・長期成績	日本人工関節学会誌	45巻	783-874	2015
石原 昌人 仲宗根 哲 山内 貴敬 金谷 文則	特発性大腿骨頭壊死症に対する人工股関節全置換術の臨床成績	Hip Joint	42	164-167	2016
仲宗根 哲 石原 昌人 山内 貴敬 金谷 文則	3D-MRIを用いた大腿骨頭壊死症に対する大腿骨頭回転骨切り術シミュレーション-クモの巣グラフを用いた三次元術前計画-	Hip Joint	42	147-151	2016