

平成28年度 研究業績

| 雑誌   |   |                              |  |
|--|---|------------------------------|--|
| 欧文   |   |                              |  |
| 著者名  | 論文タイトル  | 誌名                           | 巻：頁、出版年<br>(西暦)                            |
| Kumagai Y, Umegaki-Arao N, Sasaki T, Nakamura Y, Takahashi H, Ashida A, Tsunemi Y, Kawashima M, Shimizu A, Ishiko A, Nakamura K, Tsuchihashi H, <u>Amagai M</u> , Kubo A | Distinct phenotype of epidermolysis bullosa simplex with infantile migratory circinate erythema due to frameshift mutations in the V2 domain of KRT5. | J Eur Acad Dermatol Venereol | 31: e224-e272, 2016                        |
| Yokouchi M, Atsugi T, Logtestijn MV, Tanaka RJ, Kajimura M, Suematsu M, Furuse M, <u>Amagai M</u> , Kubo A   | Epidermal cell turnover across tight junctions based on Kelvin's tetrakaidecahedron cell shape.   | Elife                        | 5: e19593, (doi:10.7554/eLife.19593), 2016 |
| Kamiya K, <u>Aoyama Y</u> , Suzuki T, Niwa H, Horio A, Nishio E, Tokura Y  | Possible enhancement of BP180 autoantibody production by herpes zoster.   | J Dermatol                   | 43(2): 197-199, 2016                       |
| Kono M, Matsumoto F, Suzuki Y, Suganuma M, Saitsu H, Ito Y, Fujiwara S, Moriwaki S, Matsumoto K, Matsumoto N, Tomita Y, Sugiura K, <u>Akiyama M</u>                      | Dyschromatosis symmetrica hereditaria and Aicardi-Goutières syndrome 6 are phenotypic variants caused by ADAR1 mutations.                             | J Invest Dermatol            | 136: 875-878, 2016                         |
| Suzuki S, Nomura T, Miyauchi T, Takeda M, Nakamura H, Shinkuma S, Fujita Y, <u>Akiyama M</u> , Shimizu H   | Revertant mosaicism in ichthyosis with confetti caused by a novel frameshift mutation in KRT1.  | J Invest Dermatol            | 136: 2093-2095, 2016                       |
| Takeichi T, Liu L, Abdul-Wahab A, McMillan JR, Stone KL, <u>Akiyama M</u> , Simpson MA, Parsons M, Mellerio JE, McGrath JA   | Large intragenic KRT1 deletion underlying atypical autosomal dominant keratinopathic ichthyosis.  | J Invest Dermatol            | 136: 2095-2098, 2016                       |

| 著者名   | 論文タイトル  | 誌名                | 巻：頁、出版年<br>(西暦)            |
|---|---|-------------------|----------------------------|
| Zhong FL, Mamaï O, Sborgi L, Boussofara L, Hopkins R, Robinson K, Szeverényi I, Takeichi T, Balaji R, Lau A, Tye H, Roy K, Bonnard C, Ahl PJ, Jones LA, Baker P, Lacina L, Otsuka A, Fournie PR, Malecaze F, Lane EB, <u>Akiyama M</u> , Kabashima K, Connolly JE, Masters SL, Soler VJ, Omar SS, McGrath JA, Nedelcu R, Gribaa M, Denguezli M, Saad A, Hiller S, Reversade B | Germline NLRP1 mutations cause skin inflammatory and cancer susceptibility syndromes via inflammasome activation.                                   | Cell              | 167: 187–202.<br>e17, 2016 |
| Oiso N, Okubo Y, <u>Utani A</u> , Kawada A  | Pseudoxanthoma elasticum with peculiar acne scar of the neck: Dermoscopic features of tissue bridges as intact skin between crater-like acne scars. | J Dermatol        | 43: 454–456,<br>2016       |
| Takahashi T, Mizutani Y, Ito M, Nakano H, <u>Sawamura D</u> , Seishima M  | Dystrophic epidermolysis bullosa pruriginosa successfully treated with immunosuppressants.  | J Dermatol        | 43: 1391–1392,<br>2016     |
| Akasaka E, Hagiwara C, Takiyoshi N, Aizu T, Nakano H, <u>Sawamura D</u> , Ota T   | Elevated levels of circulating immunoglobulin E autoantibodies against BP180 and BP230 in an intractable case of bullous pemphigoid.                | J Dermatol Sci    | 84: 110–113,<br>2016       |
| Makino T, Shimizu K, Mizawa M, Nakano H, <u>Sawamura D</u> , Shimizu T  | A novel deletion mutation of the ATP2C1 gene in a family with Hailey-Hailey disease.  | Eur J Dermatol    | 26: 414–416,<br>2016       |
| Izumi K, Nishie W, Mai Y, Wada M, Natsuga K, Ujiie H, Iwata H, Yamagami J, <u>Shimizu H</u>   | Autoantibody profile differentiates between inflammatory and noninflammatory bullous pemphigoid.  | J Invest Dermatol | 136: 2201–2210,<br>2016    |
| Wada M, Nishie W, Ujiie H, Izumi K, Iwata H, Natsuga K, Nakamura H, Kitagawa Y, <u>Shimizu H</u>  | Epitope-dependent pathogenicity of Abs targeting a major bullous pemphigoid autoAg collagen XVII/BP180.   | J Invest Dermatol | 136: 938–946,<br>2016      |

| 著者名   | 論文タイトル   | 誌名             | 巻：頁、出版年<br>(西暦)                                  |
|---|--|----------------|--|
| Araki Y, Abe Y, Takeda Y, Nakano H, Sawamura D, Yamashita H, <u>Suzuki T</u>  | Incontinentia pigmenti with retinal vascular anomaly and deletion of exons 4–10 in NEMO.   | J Dermatol     | 2016 Sep 26.<br>doi:<br>10.1111/1346-8138.13609. |
| Hayashi M, Okamura K, Araki Y, Suzuki M, Tanaka T, Abe Y, Nakano S, Yoshizawa J, Hozumi Y, Inoie M, <u>Suzuki T</u>               | A novel three dimensional imaging method for the measurement of area in vitiligo and chemical leukoderma.  | J Dermatol Sci | 84: 219–221,<br>2016                             |
| Araki Y, Okamura K, Munkhbat B, Tamiya G, Erdene-Ochir B, Nemekhbaatar L, Hozumi Y, <u>Suzuki T</u>                               | Whole-exome sequencing confirmation of multiple MC1R variants associated with extensive freckles and red hair: Analysis of a Mongolian family.   | J Dermatol Sci | 84: 216–219,<br>2016                             |
| Iwata Y, Kobayashi T, Arima M, Numata S, Yagami A, Okamura K, Araki Y, Sugiura K, <u>Suzuki T</u> , Matsunaga K                   | Case of Japanese Hermansky-Pudlak syndrome patient with deeply invasive squamous cell carcinoma and multiple lesions of actinic keratosis on the face and neck.  | J Dermatol     | 2016 May 14.<br>doi:<br>10.1111/1346-8138.13462. |
| Torii H, <u>Terui T</u> , Matsukawa M, Takesaki K, Ohtsuki M, Nakagawa H; Japanese Dermatological Association (JDA) PMS committee | Safety profiles and efficacy of infliximab therapy in Japanese patients with plaque psoriasis with or without psoriatic arthritis, pustular psoriasis or psoriatic erythroderma: Results from the prospective post-marketing surveillance. | J Dermatol     | 43: 767–778,<br>2016                             |
| Namba C, Tohyama M, Hanakawa Y, Murakami M, Shirakata Y, Matsumoto T, Suemori K, Ishii N, <u>Hashimoto T</u> , Sayama K           | Paraneoplastic pemphigus associated with fatal bronchiolitis obliterans and intractable mucosal erosions: Treatment with cyclosporine in addition to steroid, rituximab and IVIG.  | J Dermatol     | 43(4): 419–422,<br>2016                          |
| Kamiya, K, Aoyama Y, Wakashima C, Kudo T, Nakajima K, Sano S, Ishii N, Teye K, <u>Hashimoto T</u> , Iwatsuki K, Tokura Y          | Atypical pemphigus with immunoglobulin autoantibodies against desmoglein 3 and desmocollin 3.  | J Dermatol     | 43(4): 429–431,<br>2016                          |

| 著者名  | 論文タイトル  | 誌名                           | 巻：頁、出版年<br>(西暦)        |
|--|---|------------------------------|------------------------|
| Nishikawa R, Takahashi H, Matsuda M, Imaoka K, Ogawa M, Teye K, Tsuchisaka A, Koga H, Komorowski L, Probst C, Hachiya T, Fritzler M, Ishii N, Ohata C, Furumura M, Krol P. R, Muro Y, Morita E, <u>Hashimoto T</u> | Anti-early endosome antigen 1 autoantibodies were detected in a pemphigus-like patient but not in the majority of pemphigus diseases.                 | Exp Dermatol                 | 25(5): 368–574, 2016   |
| Teye K, Suga Y, Numata S, Soejima M, Ishii N, Krol RP, Ohata C, Matsuda M, Honma M, Ishida-Yamamoto A, Hamada T, Koda Y, <u>Hashimoto T</u>  | A founder deletion of corneodesmosin gene is prevalent in Japanese patients with peeling skin disease: identification of 2 new cases.                 | J Dermatol Sci               | 82(2): 134–137, 2016   |
| Fukuda A, Himejima A, Tsuruta D, Koga H, Ohyama B, Morita S, <u>Hashimoto T</u>  | Four cases of mucous membrane pemphigoid with clinical features of oral lichen planus.  | Int J Dermatol               | 55(6): 657–665, 2016   |
| Dainichi T, Hayden MS, Park SG, Oh H, Seeley JJ, Grinberg-Bleyer Y, Beck KM, Miyachi Y, Kabashima K, <u>Hashimoto T</u> , Ghosh S  | PDK1 Is a Regulator of Epidermal Differentiation that Activates and Organizes Asymmetric Cell Division.   | Cell Rep                     | 15(8): 1615–1623, 2016 |
| Geller S, Gat A, Zeeli T, Schmidt E, Ishii N, <u>Hashimoto T</u> , Zillikens D, Sprecher E   | A refractory, cutaneous, subepidermal bullous disease.  | Clin Exp Dermatol            | 41(5): 573–575, 2016   |
| Teye K, Numata S, Ohzono A, Ohyama B, Tsuchisaka A, Koga H, Hachiya T, Tsuruta D, Ishii N, <u>Hashimoto T</u>  | Establishment of IgA ELISAs of mammalian recombinant proteins of human desmocollins 1–3.  | J Dermatol Sci               | 83(1): 75–77, 2016     |
| Inoue-Nishimoto T, Hanafusa T, Hirohata A, Mabuchi-Kiyohara E, Mizoguchi N, Matsumoto K, Ishii N, <u>Hashimoto T</u> , Ikegami R   | IgG/IgA Pemphigus representing Pemphigus vegetans caused by low titers of IgG and IgA antibodies to desmoglein 3 and IgA antibodies to desmocollin 3. | J Eur Acad Dermatol Venereol | 30(7): 1229–1231, 2016 |

| 著者名  | 論文タイトル  | 誌名                      | 巻：頁、出版年<br>(西暦)         |
|--|---|-------------------------|-------------------------|
| Winge MC, Ohyama B, Dey CN, Boxer LM, Li W, Ehsani-Chimeh N, Truong AK, Wu D, Armstrong AW, Makino T, Davidson M, Starcevic D, Kislat A, Nguyen NT, <u>Hashimoto T</u> , Homey B, Khavari PA, Bradley M, Waterman EA, Marinkovich MP | RAC1 activation drives pathologic interactions between the epidermis and immune cells.  | J Clin Invest           | 126(7): 2661–2677, 2016 |
| Numata S, Teye K, Krol RP., Okamatsu Y, Hashikawa K, Matsuda M, Fortugno P, Di Zenzo G, Castiglia D, Zambruno G, Hamada T, <u>Hashimoto T</u>  | A compound synonymous mutation c. 474G>A with p. Arg578X mutation in SPINK5 causes splicing disorder and mild phenotype in Netherton syndrome.  | Exp Dermatol            | 25(7): 568–570, 2016    |
| <u>Hashimoto T</u> , Jin Z, Ishii N  | Clinical and immunological studies for 105 Japanese seropositive patients of epidermolysis bullosa acquisita examined at Kurume University.   | Expert Rev Clin Immunol | 12(8): 895–902, 2016    |
| Otsuka Y, Ueno T, Kaneko A, Ito M, Osada S, Funasaka Y, Teye K, Ishii N, <u>Hashimoto T</u> , Kawana S   | Case of paraneoplastic pemphigus with immunoglobulin (Ig)G and IgA antibodies to various antigens.  | J Dermatol              | 43(8): 944–946, 2016    |
| Numata S, Teye K, Karashima T, Matsuda M, Hamada T, <u>Hashimoto T</u>   | Functional study of TGM1 missense mutations in autosomal recessive congenital ichthyosis.   | Exp Dermatol            | 25(8): 657–659, 2016    |
| Teye K, Numata S, Ishii N, Krol RP, Tsuchisaka A, Hamada T, Koga H, Karashima T, Ohata C, Tsuruta D, Saya H, Haftek M, <u>Hashimoto T</u>  | Isolation of all CD44 Transcripts in Human Epidermis and Regulation of their Expression by various Agents.  | Plos One                | 11(8): e0160952, 2016   |
| Yasukochi A, Teye K, Ishii N, <u>Hashimoto T</u>   | Clinical and Immunological Study of 332 Japanese Patients Tentatively Diagnosed as Anti-BP180-type Mucous Membrane Pemphigoid: A Novel BP180 C-terminal Domain Enzyme-linked Immunosorbent Assay. | Acta Derm Venereol      | 96(6): 762–767, 2016    |

| 著者名  | 論文タイトル   | 誌名                           | 巻：頁、出版年<br>(西暦)          |
|--|--|------------------------------|--------------------------|
| Oyama N, Matsuda M, Hamada T, Numata S, Teye K, <u>Hashimoto T</u> , Hasegawa M  | Two novel missense mutations of STS gene underlie X-linked recessive ichthyosis: understanding of the mutational and structural spectrum.                            | J Eur Acad Dermatol Venereol | 30(9): 1629–1631, 2016   |
| Floreac F, Koch M, <u>Hashimoto T</u> , Sitaru C   | Autoimmunity against laminins.   | Clin Immunol                 | 170: 39–52, 2016         |
| Kanwar AJ, Vinay K, Sawatkar GU, Dogra S, Minz RW, Ishii N, <u>Hashimoto T</u>   | Clinical and immunological study of mucous membrane pemphigoid in a cohort of Indian patients.   | Int J Dermatol               | 55(10): e557–e561, 2016  |
| Yamase A, Kono K, Ishii N, <u>Hashimoto T</u> , Saeki H  | An autoimmune bullous dermatosis with clinical, histopathological, and immunological features of bullous pemphigoid and epidermolysis bullosa acquisita in an adult. | Br J Dermatol                | 175(4): 790–793, 2016    |
| Inoue T, Yagami A, Iwata Y, Ishii N, <u>Hashimoto T</u> , Matsunaga K  | Mucous membrane pemphigoid reactive only with BP230.   | J Dermatol                   | 43(10): 1228–1229, 2016  |
| <u>Hashimoto T</u> , Tsuruta D, Koga H, Fukuda S, Ohyama B, Komai A, Karashima T, Ohata C, Teye K, Ishii N                           | Summary of results of serological tests and diagnoses for 4774 cases of various autoimmune bullous diseases consulted to Kurume University.                          | Br J Dermatol                | 175(5): 953–965, 2016    |
| Adachi A, Komine M, Suzuki M, Murata S, Hirano T, Ishii N, <u>Hashimoto T</u> , Ohtsuka M  | Oral Colchicine Monotherapy for Epidermolysis Bullosa Acquisita: Mechanism of Action and Efficacy.   | J Dematol                    | 43(11): 1389–1391, 2016  |
| Koga H, Recke A, Vidarsson G, Pas HH, Jonkman MF, <u>Hashimoto T</u> , Kasprick A, Ghorbanalipoor S, Tenor H, Zillikens D, Ludwig RJ | PDE4 inhibition as potential treatment of epidermolysis bullosa acquisita.   | J Invest Dermatol            | 136(11): 2211–2220, 2016 |

| 著者名   | 論文タイトル  | 誌名                             | 巻：頁、出版年<br>(西暦)       |
|---|---|--------------------------------|-----------------------|
| Męcińska-Jundziłł K, <u>Hashimoto T</u> , Kowalewski C, Woźniak K, Ishii N, Czajkowski R                          | Discrepancies among clinical, histological and immunological findings in IgA pemphigus: a case report and literature survey.  | Postepy Dermatol Alergol       | 33(6) : 480-484, 2016 |
| Harada N, Hiragun T, Mizuno M, Kawaguchi T, Ishii K, Yanase Y, Hiragun T, Sugita Y, <u>Hide M</u>                 | A case of erythritol allergy studied by basophil histamine release and CD203c expression in vitro in addition to a challenge test in vivo.                              | J Invest Allergol Clin Immunol | 26: 135-136, 2016     |
| <u>Muto M</u>   | Immunogenetic approach to psoriasis.  | Bull Yamaguchi Medical School  | 63: 35-40, 2016       |
| Yoshida K, Ishii K, Shimizu A, Yokouchi M, <u>Amagai M</u> , Shiraishi K, Shirakata Y, Stanley JR, Ishiko A       | Non-pathogenic pemphigus foliaceus (PF) IgG acts synergistically with a directly pathogenic PF IgG to increase blistering by p38MAPK-dependent desmoglein 1 clustering. | J Dermatol Sci                 | 85(3) : 197-207, 2017 |
| Okamura A, Nakamura R, <u>Yamagami I</u> , Ishii K, Kawakubo H, Omori T, Takeuchi H, <u>Amagai M</u> , Kitagawa Y | Evaluation of pharyngo-oesophageal involvement in pemphigus vulgaris and its correlation with disease activity.   | Br J Dermatol                  | 176: 224-226, 2017    |
| Fujio Y, Kojima K, Hashiguchi M, Wakui M, Murata M, <u>Amagai M</u> , <u>Yamagami I</u>                           | Validation of chemiluminescent enzyme immunoassay in detection of autoantibodies in pemphigus and pemphigoid.   | J Dermatol Sci                 | 85: 208-215, 2017     |

| 著者名   | 論文タイトル   | 誌名                   | 巻：頁、出版年<br>(西暦)  |
|---|--|----------------------|--|
| Lee JYW, Hsu C-K, Michael M, Nanda A, Liu L, McMillan JR, Pourreyon C, Takeichi T, Tolar J, Reid E, Hayday T, Blumen SC, Abu-Mouch S, Straussberg R, Basel-Vanagaite L, Barhum Y, Zouabi Y, Al-Ajmi H, Huang H-Y, Lin T-C, <u>Akiyama M</u> , Lee JYY, McLean WHI, Simpson MA, Parsons M, McGrath | Large intragenic deletion in DSTYK underlies autosomal recessive complicated spastic paraparesis (SPG23).  | Am J Hum Genet       | 100: 364-70, 2017  |
| Irabayashi T, Anjo T, Kaneko A, Senoo Y, Shibata A, Takama H, Yokoyama K, Nishito Y, Ono T, Taya C, Muramatsu K, Fukami K, Muñoz-Garcia A, Brash A, Ikeda K, Arita M, <u>Akiyama M</u> , Murakami M   | PNPLA1 has a crucial role in skin barrier function by directing acylceramide biosynthesis.   | Nat Commun           | 8: 14609, 2017   |
| Morizane S, Mizuno K, Takiguchi T, Sugimoto S, <u>Iwatsuki K</u>  | The involvement of serum amyloid A in psoriatic inflammation.  | J Invest Dermatol    | 137(3): 757-760, 2017  |
| Okamura K, Hayashi M, Abe Y, Araki Y, Hozumi Y, <u>Suzuki T</u>   | Microsatellite polymorphism located immediately upstream of the phosphatidylinositol glycan, class K gene (PIGK) affects its expression, which correlates with tyrosinase activity in human melanocytes. | J Dermatol Sci       | 2017 Feb;85(2):131-134. doi: 10.1016/j.jdermsci.2016.10.012. |
| Ozaki S, Funasaka Y, Otsuka Y, Oyama S, Ito M, Osada SI, Ueno T, Okamura K, Hozumi Y, <u>Suzuki T</u> , Kawana S, Saeki H   | Melanotic Malignant Melanoma in Oculocutaneous Albinism Type 4.  | Acta Derm Venereol   | 97: 287-288, 2017  |
| García-Díez I, Martínez-Escala ME, Ishii N, <u>Hashimoto T</u> , Mascaró Galy JM, Pujol RM, Herrero-González JE   | Usefulness of a Simple Immunohistochemical Staining Technique to Differentiate Anti-p200 Pemphigoid From Other Autoimmune Blistering Diseases: A Report of 2   | Actas Dermosifiliogr | 108(1): e1-e5, 2017  |

| 著者名  | 論文タイトル  | 誌名                           | 巻：頁、出版年<br>(西暦)   |
|--|---|------------------------------|---|
| Kieny A, <u>Hashimoto T</u> , Ishii N, Antal MC, Boehm N, Lipsker D  | Granular pemphigus-like IgM deposition around keratinocytes in a patient with Waldenström's macroglobulinaemia: a so far unreported finding.  | J Eur Acad Dermatol Venereol | 31(1): e47-e49, 2017                                      |
| Wijayanti A, Zhao CY, Boettiger D, Chiang YZ, Ishii N, <u>Hashimoto T</u> , Murrell DF   | The Reliability, Validity and Responsiveness of Two Disease Scores (BPDAI and ABSIS) for Bullous Pemphigoid: Which One to Use?  | Acta Derm Venereol           | 96(7): 24-31, 2017  |
| Amagai M, Ikeda S, <u>Hashimoto T</u> , Mizuashi M, Fujisawa A, Ihn H, Matsuzaki Y, Ohtsuka M, Fujiwara H, Furuta J, Tago O, Yamagami J, Tanikawa A, Uhara H, Morita A, Nakanishi G, Tani M, Aoyama Y, Makino E, Muto M, Manabe M, Konno T, Murata S, Izaki S, Watanabe H, Yamaguchi Y, Matsukura S, Seishima M, Habe K, Yoshida Y, Kaneko S, Shindo H, Nakajima K, Kanekura T, Takahashi K, Kitajima Y, Hashimoto K; Bullous Pemphigoid Study Group | A randomized double-blind trial of intravenous immunoglobulin for bullous pemphigoid.   | J Dermatol Sci               | 85(2): 77-84, 2017  |
| <u>Hashimoto T</u> , Tsuruta D, Ishii N  | IgE autoantibodies in bullous pemphigoid detected by IgE ELISAs and perspectives.   | JAMA Dermatol                | 153(1): 15-17, 2017                                       |
| <u>Hashimoto T</u> , Teye K, Ishii N   | Clinical and immunological studies of 49 cases of various types of intercellular IgA dermatosis and 13 cases of classical subcorneal pustular dermatosis examined at Kurume University. | Br J Dermatol                | 176(1): 168-175, 2017                                     |
| Sawamura S, Kajihara I, Makino K, Makino T, Fukushima S, Jinnin M, Oyama B, <u>Hashimoto T</u> , Ihn H   | Systemic lupus erythematosus associated with myasthenia gravis, pemphigus foliaceus and chronic thyroiditis after thymectomy.   | Australas J Dermatol         | 2016 Jun 7. doi: 10.1111/ajd.12510. [Epub ahead of print] |

| 著者名   | 論文タイトル  | 誌名                | 巻：頁、出版年<br>(西暦)   |
|---|---|-------------------|---|
| <u>Hashimoto T</u> , Ohzono A, Teye K, Numata S, Hiroyasu S, Tsuruta D, Hachiya T, Kuroda K, Hashiguchi M, Kawakami T, Ishii N                            | Detection of IgE autoantibodies to BP180 and BP230 and their relationship to clinical features in bullous pemphigoid.                     | Br J Dermatol     | 2016 Oct 7. doi: 10.1111/bjd.15114. [Epub ahead of print]       |
| Kawahira H, Higashi Y, Matsuoka A, Fujii K, Ishii N, <u>Hashimoto T</u> , Kanekura T  | Pyodermatitis vegetans with antibodies to bullous pemphigoid antigen 180.   | J Dermatol        | 2016 Dec 3. doi: 10.1111/1346-8138.13703. [Epub ahead of print] |
| Orime M, Tomiyama K, Hashidate H, Yoshida S, Hokari S, Tsuda A, Yokoyama H, Narita JI, Uchida Y, Kanekura T, Abe R, Ishii N, <u>Hashimoto T</u> , Kawai K | Non-paraneoplastic autoimmune subepidermal bullous disease associated with fatal bronchiolitis obliterans.                                | J Dermatol        | 2016 Dec 3. doi: 10.1111/1346-8138.13706. [Epub ahead of print] |
| Nomura H, Mukai M, Niimi Y, Egami S, Yokoyama T, Sugiura M, Inazumi T, Ishii N, <u>Hashimoto T</u>  | Coexistence of acquired perforating dermatosis and bullous pemphigoid: three cases.   | Eur J Dermatol    | 2016 Dec 22. doi: 10.1684/ejd.2016.2944. [Epub ahead of print]  |
| Akasaka E, Nakano H, Takagi Y, Toyomaki Y, <u>Sawamura D</u>  | Multiple milia as an isolated skin manifestation of dominant dystrophic epidermolysis bullosa: evidence of phenotypic variability.        | Pediatr Dermatol  | in press 2016   |
| <u>Hashimoto T</u>  | Induced autoimmune bullous diseases.  | Br J Dermatol     | in press 2016   |
| <u>Hashimoto T</u> , Teye K, Numata S, Suga Y, Hamada T, Ishii N  | Detection of SERPINB7 mutation can distinguish Nagashima-type palmoplantar keratoderma from other keratodermas with palmoplantar lesions. | Clin Exp Dermatol | in press 2016   |
| Yasuda H, Kanazawa N, Matsuda M, Hamada T, Furumura M, <u>Hashimoto T</u> , Nakama T, Furukawa F  | A case of Hailey-Hailey disease with a novel nonsense mutation in the ATP2C1 gene.  | Ann Dermatol      | in press 2016   |

| 著者名   | 論文タイトル   | 誌名                     | 巻：頁、出版年<br>(西暦)   |
|---|--|------------------------|---|
| Koga H, Ishii N, <u>Hashimoto T</u> , Nakama T                                      | A case of shift from linear IgA bullous dermatosis (LABD) to pemphigus herpetiformis (PH) for a short period of time.                      | J Dermatol             | in press 2016   |
| Bunimovich YL, Teye K, Ishii N, Ho J, <u>Hashimoto T</u> , Patton TJ                | IgG/IgA Pemphigus with Autoantibodies to Desmoglein 1 and Desmocollin 3, and Associated Lung Cancer.                                       | J Clin Cosmet Dermatol | in press 2016   |
| Matsuo Y, Tanaka A, Shimomura Y, <u>Hide M</u>                                      | Identified in a Japanese patient with autosomal recessive woolly hair.   | J Dermatol             | in press 2016   |
| Teye K, Numata S, Krol RP, Ishii N, Matsuda M, Lee JB, Hamada T, <u>Hashimoto T</u> | Prevalence of filaggrin gene mutations in patients with atopic dermatitis and ichthyosis vulgaris in Kyushu area of Japan and South Korea. | J Dermatol Sci         | 2017 Jan 22.<br>pii: S0923-1811(16)30846-5.<br>doi:<br>10.1016/j.jdermsci.2017.01.009.<br>[Epub ahead of print] |
| <u>Hashimoto T</u> , Mizoguchi A  | IL10-producing B-cells in autoimmune bullous diseases.   | Br J Dermatol          | in press 2017   |
| Aizawa N, Asahina A, Ishii N, <u>Hashimoto T</u> , Nakagawa H                       | The nose as a predilection site of pemphigus.  | Clin Exp Dermatol      | in press 2017   |
| Ohashi M, Takagi H, Mizutani Y, Seishima M, Koga H, <u>Hashimoto T</u>              | A case of pemphigoid with IgG autoantibodies to the $\alpha 3$ subunit of laminin 332 associated with psoriasis vulgaris.                  | Eur J Dermatol         | in press 2017   |

| 著者名  | 論文タイトル   | 誌名                | 巻：頁、出版年<br>(西暦) |
|--|--|-------------------|-----------------|
| Tani S, Ishii N, <u>Hashimoto T</u> , Tsujioka K   | Bullous pemphigoid arising in a patient with acquired perforating dermatosis.  | Clin Exp Dermatol | in press 2017   |
| Okahashi K, Oiso N, Ishii N, Sato M, Uchida S, Matsuda H, Kitano M, Hida J, Kawai S, Sano A, <u>Hashimoto T</u> , Kawada A   | Paraneoplastic pemphigus associated with Castleman disease: Progression from mucous to mucocutaneous lesions with epitope-spreading phenomena. | Br J Dermatol     | in press 2017   |
| Miyake M, Oiso N, Ishii K, <u>Hide M</u> , Kawada A  | Angioedema associated with excessive sweating and sweat allergy.   | J Dermatol        | in press 2017   |
| Iwanaga A, Okubo Y, Yozaki M, Koike Y, Kuwatsuka Y, Tomimura S, Yamamoto Y, Tamura H, Ikeda S, Maemura K, Tsuiki E, Kitaoka T, Endo Y, Mishima H, Yoshiura K, I, Ogi T, Tanizaki H, Wataya-Kaneda M, Hattori T, <u>Utani A</u> | Analysis of clinical symptoms and ABCC6 mutations in 76 Japanese patients with pseudoxanthoma elasticum.                                       | J Dermatol        | online, 2017    |
| Saito R, Boyce A, Hsu CK, Rashidghamat E, <u>Hide M</u> , Wedgeworth EK, Flohr C, Mellerio JE, McGrath JA  | Predictive phenotyping of inherited ichthyosis by next generation DNA sequencing.  | Br J Dermatol     | in press        |