

書籍

著者氏名	論文タイトル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ
松井 真	多発性硬化症・急性散在性脳脊髄炎	井村裕夫	わかりやすい内科学 (第4版)	文光堂	東京	2014	616-619
松井 真	重症筋無力症/ランバート・イートン症候群	井村裕夫	わかりやすい内科学 (第4版)	文光堂	東京	2014	641-645
長山成美、 松井 真	急性散在性脳脊髄炎	永井良三、鈴木則宏	神経内科研修ノート	診断と治療社	東京	2015	323-326
松井 真	多発性硬化症・視神経脊髄炎の再発予防と最新治療	小林祥泰、水澤英洋、山口修平	神経疾患最新の治療 2015-2017	南江堂	東京	2015	29-32
松井 真	免疫性神経疾患のガイドラインにはどのようなものがあるか、どう使うのがよいか	吉良潤一、辻省次	免疫性神経疾患 病態と治療のすべて	中山書店	東京	2016	460-466
長山成美、 松井 真	多発性硬化症・視神経脊髄炎	門脇 孝、小室一成、 宮地良樹	日常生活に活かす診療ガイドライン UP-TO-DATE 2015-2017	メディカルレビュー	東京	2016	521-526
Matasui M.	Multiple sclerosis: Disgnosis and treatment	Kusunoki S	Neuroimmunological Diseases	Springer Japan	Tokyo	2016	105-122
荻野美恵子	超高額な免疫療法はわが国の医療経済を破綻させるか	吉良潤一、辻省次	アクチュアル脳・神経疾患の臨床 免疫性神経疾患 病態と治療のすべて	中山書店	東京	2016	533-538
松瀬大、 吉良潤一	多発性硬化症・視神経脊髄炎	門脇孝、宮地良樹、 小室一成	診療ガイドラインUp-To-Date 2014-2015.	メディカルレビュー	大阪	2014	524-529
吉良潤一	多発性硬化症	山口徹、北原光夫	今日の診療指針2015年版 ー 私はこう治療している。	医学書院	東京	2015	882-884
吉良潤一	多発性硬化症	鈴木則宏、荒木信夫、 神田隆、吉良潤一、 塩川芳昭、西野一二、 水澤英洋、清水利彦	神経内科研修ノート.	診断と治療社	東京	2015	318-322
藤井敬之、 吉良潤一	各論：病態と治療. アトピー性脊髄炎. ホブキンス症候群.	吉良潤一、辻省次	アクチュアル脳・神経疾患の臨床 免疫性神経疾患 病態と治療のすべて	中山書店	東京	2016	259-263
松下拓也、 吉良潤一	多発性硬化症と視神経脊髄炎	田村晃、松谷雅生、 清水輝夫、塩川芳昭、 成田善孝、辻貞俊	EBM に基づく脳神経疾患の基本治療指針 第4版	メディカルレビュー	東京	2016	478-486
山崎亮、 吉良潤一	アトピー性脊髄炎	田村晃、松谷雅生、 清水輝夫、塩川芳昭、 成田善孝、辻貞俊	EBM に基づく脳神経疾患の基本治療指針 第4版.	メディカルレビュー	東京	2016	486-488

鈴木秀和、 楠 進	Bickerstaff脳幹脳炎			別冊日本臨牀新領域別症候群シリーズ No. 34 免疫症候群 (第2版) I	日本臨牀社	大阪	2015	126-129
桑原 基、 楠 進	Guillain-Barré症候群	小林祥泰、水澤英洋、 山口修平		神経疾患最新の治療2015 -2017	南江堂	東京	2015	211-214
<u>Kusunoki S.</u>	Guillain-Barré syndrome: epidemiology, diagnosis and treatment.	<b>Kusunoki S</b>		Neuroimmunological Diseases	Springer	Japan, Tokyo	2016	153-164
川頭祐一、小池 春樹、祖父江元	各種疾患 末梢神経障害 脱髄性ニューロパチ ーのランビエ絞輪部における分子病態(解説)	鈴木則宏、祖父江元、 荒木信夫、宇川義一		Annual Review 神経	中外医学者	東京	2015	219-25
野村恭一	免疫グロブリン大量静注療法	吉良潤一、辻省次		アクチュアル脳・神経疾 患の臨床 免疫性神経疾 患 病態と治療のすべて	中山書店	東京	2016	173-182
<u>Motomura M,</u> <u>Nakata R,</u> <u>Shiraishi H</u>	Chapter 13 Treatment of Myasthenia Gravis After the 2014 Japanese Clinical Guideline	<b>Susumu Kusunoki</b>		Neuroimmunological Diseases	Springer	Japan	2016	211-222
渡邊 修	抗VGKC複合体抗体が関連する Isaacs 症候群、 Morvan 症候群、辺縁系脳炎	鈴木則宏、祖父江 元、荒木信夫、宇川 義一、川原信隆		Annual Review 2015 神 経	中外医学社	東京	2015	93-99
渡邊 修	抗VGKC複合体抗体辺縁系脳炎	宮坂信之		免疫症候群 (第2版) I	日本臨牀	東京	2015	108-112
渡邊 修	Isaacs 症候群	宮坂信之		免疫症候群 (第2版) I	日本臨牀	東京	2015	172-176
渡邊 修	Morvan 症候群	宮坂信之		免疫症候群 (第2版) I	日本臨牀	東京	2015	177-181

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
松井 真	多発性硬化症治療ガイドラインの要点	日本臨床	73(増7)	181-186	2015
松井 真、長山成美	免疫性神経疾患の疫学的動向とその背景	Modern physician	36	609-612	2016
松井 真、長山成美	日本で保険収載されている多発性硬化症疾患修飾薬の使用のしかた	最新醫學	71	1142-1148	2016
Shimojima Y, Ikeda S, et al.	Hypertrophic pachymeningitis is a characteristic manifestation of granulomatosis with polyangiitis: A retrospective study of anti-neutrophil cytoplasmic antibody-associated vasculitis.	Int J Rheum Dis		Published online	2017
荻野美恵子	難治性免疫性神経疾患における高額薬剤の使用について～包括医療において負のインセンティブが働いているか？～	北里医学	44	7-12	2014
Furukawa T, Matsui N, Fujita K., et al.	CSF cytokine profile distinguishes multifocal motor neuropathy from progressive muscular atrophy.	Neurol Neuroimmunol Neuroinflammation	2	e138	2015
Nodera H, Takamatsu N, Matsui N, et al.	Intramuscular dissociation of echogenicity in the triceps surae characterizes sporadic inclusion body myositis.	Eur J Neurol	23	588-596	2016
Kamata M, Nakane S, Matsui N, et al.	Ocular myasthenia gravis with anti-muscle-specific tyrosine kinase antibodies: Two new cases and a systematic literature review.	Clinical and Experimental Neuroimmunology		cen3, 12296	2016
Sakai W, Matsui N, Ishida M, et al.	Late-onset myasthenia gravis is predisposed to become generalized in the elderly.	eNeurologicalSci	2	17-20	2016
Nakane S, Furutani K, Harada M, et al.	Multimodal analysis based on high-field magnetic resonance and motor evoked potentials: A case report of multiple sclerosis.	Clinical and Experimental Neuroimmunology		cen3, 12352	2016
Shimizu F, Tasaki A, Sano Y, Ju M, Nishihara H, Oishi M, Koga M, Kawai M, Kanda T	Markedly increased IP-10 production by blood-brain barrier in neuromyelitis optica.	PLoS One	10(3)	e0122000	2015
Nishihara H, Shimizu F, Sano Y, Takeshita Y, Maeda T, Abe M, Koga M, Kanda T	Fingolimod prevents blood-brain barrier disruption induced by the sera from patients with multiple sclerosis.	PLoS One	10(3)	e0121488	2015
Koga M, Takahashi M, Yokoyama K, Kanda T	Ambiguous value of anti-ganglioside IgM autoantibodies in Guillain-Barré syndrome and its variants.	J Neurol	262(8)	1954-60	2015
Sano Y, Nakano Y, Omoto M, Takao M, Ikeda E, Oga A, Nakamichi K, Saijo M, Maoka T, Sano H, Kawai M, Kanda T.	Rituximab-associated progressive multifocal leukoencephalopathy derived from non-Hodgkin lymphoma: neuropathological findings and results of mefloquine treatment.	Intern Med	54(8)	965-70	2015

Nakane S, Higuchi O, Koga M, Kanda T, Murata K, Suzuki T, Kurono H, Kunimoto M, Kaida K, Mukaino A, Sakai W, Maeda Y, Matsuo H	Clinical features of autoimmune autonomic ganglionopathy and the detection of subunit-specific autoantibodies to the ganglionic acetylcholine receptor in Japanese patients.	PLoS One	10(3)	e0118312	2015
Nishihara H, Shimizu F, Kitagawa T, Yamanaka N, Akada J, Kuramitsu Y, Sano Y, Takeshita Y, Maeda T, Abe M, Koga M, Nakamura K, Kanda T.	Identification of galectin-3 as a possible antibody target for secondary progressive multiple sclerosis.	Mult Scler	DOI:10.1177/1352458516655217	[Epub ahead of print]	2016
Yoshimura S, Isobe N, Matsushita T, Masaki K, Sato S, Kawano Y, Ochi H, Kira J.	Genetic and infeactionous profiles influence cerebrospinal fluid IgG abnormality in Japanese multiple sclerosis patients.	PLOS ONE	9	e95367	2014
Niino M, M, Mifune N, Kohriyama T, Mori M, Ohashi T, Kawachi I, Shimizu Y, Fukaura H, Nakashima I, Kusunoki S, Miyamoto K, Yoshida K, Kanda T, Nomura K, Yamamura T, Yoshii F, Kira J, Nakane S, Yokoyama K, Matsui M, Miyazaki Y, Kikuchi S	Apathy/depression, but not subjective fatigue, is related with cognitive dysfunction in patients with multiple sclerosis.	BMC Neurology	14	3	2014
Niino M, Sato S, Fukazawa T, Yoshimura S, Hisahara S, Matsushita T, Isobe N, Yoshida K, Houzen H, Miyazaki Y, Shimohama S, Kikuchi S, Kira J.	Association of cognitive impairment with magnetic resonance imaging findings and social activities in patients with multiple sclerosis.	Clin Exp Neuroimmunol	5	328-335	2014
Hayashida S, Masaki K, Yonekawa T, Suzuki OS, Hiwatashi A, Matsushita T, Watanabe M, Yamasaki R, Suenaga T, Iwaki T, Murai H, Kira J.	Early and extensive spinal white matter involvement in neuromyelitis optica.	Brain Pathol	In press		
Nakamura Y, Matsushita T, Sato S, Niino M, Fukazawa T, Yoshimura S, Hisahara S, Osobe N, Shimohama S, Watanabe M, Yoshida K, Houzen H, Miyazaki Y, Yamasaki R, Kikuchi S, Kira J, the Japan Multiple Sclerosis Genetics Consortium.	Latitide and HLA-DRBI* 04:05 independently influence disease severity in Japanese multiple sclerosis.	J Neuroinflammation	13	239	2016
Ogata H, Matsuse D, Yamasaki R, Kawamura N, Matsushita T, Yonekawa T, Hirotsani M, Murai H, Kira J.	A nationwide survey of combined central and peripheral demyelination in Japan.	J Neurol Neurosurg Psychiatry	87	29-36	2016
Hamada Y, Hirano M, Kuwahara M, Samukawa M, Takada K, Morise J, Yabuno K, Oka S, Kusunoki S.	Binding specificity of anti-HNK-1 IgM M-protein in anti-MAG neuropathy: Possible clinical relevance.	Neurosci Res.	91	63-68	2015

Mitsui Y, Kusunoki S, Arimura K, Kaji R, Kanda T, Kuwabara S, Sonoo M, Takada K, the Japanese GBS Study Group.	A multicenter prospective study of Guillain-Barré syndrome in Japan: a focus on the incidence of subtypes.	J Neurol Neurosurg Psychiatry	86	110-114	2015
Sekiguchi Y, Misawa S, Shibuya K, Nasu S, Mitsuuma S, Iwai Y, Beppu M, Sawai S, Ito S, Hirano S, Nakaseko C, Kuwabara S	Ambiguous effects of anti-VEGF monoclonal antibody (bevacizumab) for POEMS syndrome	J Neurol Neurosurg Psychiatry	84	1346-1348	2013
Misawa S, Sato Y, Katayama K, Hanaoka H, Sawai S, Beppu M, Nomura F, Shibuya K, Sekiguchi Y, Iwai Y, Watanabe K, Amino H, Ohwada C, Takeuchi M, Sakaida E, Nakaseko C, Kuwabara S.	Vascular endothelial growth factor as a predictive marker for POEMS syndrome treatment response: retrospective cohort study	BMJ Open	5	e009157	2015
Mitsuma S, Misawa S, Shibuya K, Iose S, Sekiguchi Y, Iwai Y, Beppu M, Watanabe K, Amino H, Kuwabara S	Altered axonal excitability properties and nerve edema in POEMS syndrome	Clinical Neurophysiology	126	2014-2018	2015
Araki N, Misawa S, Shibuya K, Ota S, Oide T, Kawano A, Beppu M, Nakatani Y, Kuwabara S	POEMS syndrome and calciphylaxis: an unrecognized cause of abnormal small vessel calcification	Orphanet Journal of Rare Diseases	12	11-35	2016
Okuma H, Saito F, Mitsui J, Hara Y, Hatanaka Y, Ikeda M, Shimizu T, Matsumura K, Shimizu J, Tsuji S, Sonoo M	Tubular aggregate myopathy caused by a novel mutation in the cytoplasmic domain of STIM1	Neurol Genet	2	e50	2016
Kadoya M, Hida A, Hashimoto Maeda M, Taira K, Ikenaga C, Uchio N, Kubota A, Kaida K, Miwa Y, Kurasawa K, Shimada H, Sonoo M, Chiba A, Shiio Y, Uesaka Y, Sakurai Y, Izumi T, Inoue M, Kwak S, Tsuji S, Shimizu J	Cancer association as a risk factor for anti-HMGCR antibody-positive myopathy.	Neurol Neuroimmunol Neuroinflamm	3	e290	2016

Hida A, Yamashita T, Hosono Y, Inoue M, Kaida K, Kadoya M, Miwa Y, Yajima N, Maezawa R, Arai S, Kurasawa K, Ito K, Shimada H, Iwanami T, Sonoo M, Hatanaka Y, Murayama S, Uchibori A, Chiba A, Aizawa H, Momoo T, Nakae Y, Sakurai Y, Shiio Y, Hashida H, Yoshizawa T, Sakiyama Y, Oda A, Inoue K, Takeuchi S, Iwata NK, Date H, Masuda N, Mikata T, Motoyoshi Y, Uesaka Y, Maeda MH, Nakashima R, Tsuji S, Kwak S, Mimori T, Shimizu J	Anti-TIF1-gamma antibody and cancer-associated myositis: A clinicohistopathologic study	Neurology	87	299-308	2016
Kobayashi M, Shimizu Y, Shibata N, Uchiyama S 池口亮太郎, 清水優子, 清水悟, 小林正樹, 内山真一郎 清水優子	Gadolinium enhancement patterns of tumefactive demyelinating lesions: correlations with brain biopsy findings and pathophysiology. 多発性硬化症, 視神経脊髄炎, 中枢神経浸潤を伴う悪性リンパ腫の鑑別における IgG index, 髄液インターロイキン-6・可溶性インターロイキン-2 受容体・ミエリン塩基性蛋白の有用性 多発性硬化症の妊娠・出産—自験例を含めた最近の知見—	J. Neurol	261	1902-1910	2014
Shimizu Y	The management for multiple sclerosis and neuromyelitis optica in pregnancy and childbearing.	Clinical and Experimental Neuroimmunology	6	93-98	2015
Shimizu Y, Makioka H, Harada N, Nakabayashi S, Saida T, Kira JI.	Outcomes of pregnancy during interferon beta-1a therapy in Japanese patients with multiple sclerosis: interim results of a postmarketing surveillance study	Clinical and Experimental Neuroimmunology	6	402-408	2015
Suzuki M, Shimizu Y, Uchiyama S	Neuromyelitis optica spectrum disorder associated with human T-lymphotropic virus type 1	Clinical and Experimental Neuroimmunology	6	430-432	2015
Shimizu Y, Kitagawa K	Management of myasthenia gravis in pregnancy.	Clinical and Experimental Neuroimmunology	7	199-204	2016
Shimizu Y, Fujihara K, Ohashi T, Nakashima I, Yokoyama K, Ikeguch R, Takahashi T, Mitsu T, Shimizu S, Aoki M, Kitagawa K.	Pregnancy-related relapse risk factors in women with anti-AQP4 antibody positivity and neuromyelitis optica spectrum disorder.	Mult Scler.	22	1413-1420	2016
Shimizu Y, Suzuki S, Utsugisawa K, Imai T, Murai H, Nagane Y, Tsuda E, Nagasao T, Ogata H, Yazawa M, Suzuki N, Kishi K	Is surgical intervention safe and effective in the treatment of myasthenic blepharoptosis? A multicenter survey in Japan.	Eur Neurol	71	259-261	2014

Utsugisawa K, Suzuki S, Nagane Y, Masuda M, Murai H, Imai T, Tusunda E, Konno S, Nakane S, Suzuki Y, Fujihara K, Suzuki N	Health-related quality of life and treatment targets in myasthenia gravis.	Muscle Nerve	50	493-500	2014
Suzuki S, Yonakawa T, Kuwana M, Hayashi YK, Okazaki Y, Kawaguchi Y, Suzuki N, Nishino I	Clinical and histological findings associated with autoantibodies detected by RNA immunoprecipitation in inflammatory myopathies	J Neuroimmunol	274	202-208	2014
Shimizu Y, Suzuki S, Nagasao T, Ogata H, Suzuki N, Kishi K	Surgical treatment for medically refractory myasthenic blepharoptosis.	Clin Ophthalmol	8	1859-1867	2014
Watanabe Y, Suzuki S, Nishimura H, Murata K, Kurashige T, Ikawa M, Asahi M, Konishi H, Mitsuma S, Kawabata S, Suzuki N, Nishino I	Statins and myotoxic effects associated with anti-3-hydroxy-3-methylglutaryl-coenzyme A reductase autoantibodies: an observational study in Japan.	Medicine	94	e416	2015
Konno S, Suzuki S, Masuda M, Nagane Y, Tsuda E, Murai H, Imai T, Fujioaka T, Suzuki N, Utsugisawa K	Association between glucocorticoid-induced osteoporosis and myasthenia gravis: a cross-sectional study.	PLOS One	10	e0126579	2015
Suzuki S, Nishikawa A, Kuwana M, Nishimura H, Watanabe Y, Nakahara J, Hayashi YK, Suzuki N, Nishino I	Inflammatory myopathy with anti-signal recognition particle antibodies: case series of 100 patients.	Orphanet J Rare Dis	10	61	2015
Takizawa T, Suzuki S, Suzuki N	When do we judge IVIg for myasthenia gravis ineffective?	Neurol Sci	36	1295-1297	2015
Watanabe Y, Uruha A, Suzuki S, ... et al. Suzuki N	Clinical features and prognosis in anti-SRP and anti-HMGCR necrotizing myopathy.	J Neurol Neurosurg Psychiatry	87	1038-1044	2016
Uruha A, Suzuki S, Suzuki N, Nishino I.	Perifascicular necrosis in anti-synthetase syndrome beyond anti-Jo-1 (Letter).	Brain	139	e50	2016
Ohnuki Y, Suzuki S, Shiina T, ... et al. Suzuki N	HLA-DRB1 Alleles in immune-mediated necrotizing myopathy.	Neurology	87	1954-1955	2016
Liang WC, Uruha A, Suzuki S, ... et al. Suzuki N	Pediatric necrotizing myopathy associated with anti-3-hydroxy-3-methylglutaryl-coenzyme A reductase antibodies.	Rheumatology	56	287-293	2017
Kadoya A, Ogawa G, Kawakami S, et al.	The correlation between the change of distal motor latency of the median nerve and the abundant A-waves in Guillain-Barré syndrome.	J Neurol Neurosurg Psychiatry	87(4)	444-446	2016
Kamiya H, Kimura M, Hoshino S, et al.	Prognosis of severe carpal tunnel syndrome with absent compound muscle action potential.	Muscle Nerve	54(3)	427-431	2016
Hatanaka Y, Higashihara M, Chiba T, et al.	Utility of repetitive nerve stimulation test for ALS diagnosis.	Clin Neurophysiol	in print		2017

Kawagashira Y, Koike H, Ohyama K, Hashimoto R, Iijima M, Adachi H, Katsuno M, Chapman M, Lunn M, Sobue G	Axonal loss influences the response to rituximab treatment in neuropathy associated with IgM monoclonal gammopathy with anti-myelin-associated glycoprotein antibody.	J Neurol Sci	348	67-73	2014
Okada A, Koike H, Nakamura T, Motomura M, Sobue G	Efficacy of intravenous immunoglobulin for treatment of Lambert-Eaton myasthenic syndrome without anti-presynaptic P/Q-type voltage-gated calcium channel antibodies: a case report	Neuromuscul Disord	25	70-72	2014
Ohyama K, Koike H, Katsuno M, Takahashi M, Hashimoto R, Kawagashira Y, Iijima M, Adachi H, Watanabe H, Sobue G	Muscle atrophy in chronic inflammatory demyelinating polyneuropathy: a computed tomography assessment.	Eur J Neurol	21	1002-1010	2014
Tamburin S, Borg K, Caro XJ, Jann S, Clark AJ, Magrinelli F, Sobue G, Werhagen L, Zanette G, Koike H, Späth PJ, Vincent A, Goebel A	Immunoglobulin g for the treatment of chronic pain: report of an expert workshop.	Pain Med	15	1072-1082	2014
Yokoi S, Kawagashira Y, Ohyama K, Iijima M, Koike H, Watanabe H, Tatematsu A, Nakamura S, Sobue G	Mononeuritis multiplex with tumefactive cellular infiltration in a patient with reactive lymphoid hyperplasia with increased immunoglobulin G4-positive cells.	Hum Pathol	45	427-430	2014
Okada A, Koike H, Nakamura T, Watanabe H, Sobue G	Slowly progressive folate-deficiency myelopathy: report of a case.	J Neurol Sci	336	273-275	2014
Koike H, Sobue G	What is the prototype of familial amyloid polyneuropathy?	J Neurol Neurosurg Psychiatry	85	713	2014
Ohyama K, Koike H, Takahashi M, Kawagashira Y, Iijima M, Watanabe H, Sobue G	Immunoglobulin G4-related pathologic features in inflammatory neuropathies.	Neurology.	85(16)	1400-7	2015
Maeshima S, Koike H, Noda S, Noda T, Nakanishi H, Iijima M, Ito M, Kimura S, Sobue G	Clinicopathological features of sarcoidosis manifesting as generalized chronic myopathy.	J Neurol.	262(4)	1035-45	2015
Katayama K, Misawa S, Sato Y, Sobue G, Yabe I, Watanabe O, Nishizawa M, Kusunoki S, Kikuchi S, Nakashima I, Ikeda S, Kohara N, Kanda T, Kira J, Hanaoka H, Kuwabara S; J-POST Trial study investigators.	Japanese POEMS syndrome with Thalidomide (J-POST) Trial: study protocol for a phase II/III multicentre, randomised, double-blind, placebo-controlled trial.	BMJ Open.	5(1)		2015

Misawa S, Sato Y, Katayama K, Nagashima K, Aoyagi R, Sekiguchi Y, Sobue G, Koike H, Yabe I, Sasaki H, Watanabe O, Takashima H, Nishizawa M, Kawachi I, Kusunoki S, Mitsui Y, Kikuchi S, Nakashima I, Ikeda S, Kohara N, Kanda T, Kira J, Hanaoka H, Kuwabara S; Japanese POEMS Syndrome for Thalidomide (J-POST) Trial Study Group.	Safety and efficacy of thalidomide in patients with POEMS syndrome: a multicentre, randomised, double-blind, placebo-controlled trial.	Lancet Neurol	15(11)	1129-37	2016
Koike H, Ikeda S, Takahashi M, Kawagashira Y, Iijima M, Misumi Y, Ando Y, Ikeda S, Katsuno M, Sobue G	Schwann cell and endothelial cell damage in transthyretin familial amyloid polyneuropathy.	Neurology	87(21)	2220-2229	2016
Kadoya M, Kaida K, Koike H, Takazaki H, Ogata H, Moriguchi K, Shimizu J, Nagata E, Takizawa S, Chiba A, Yamasaki R, Kira J, Sobue G, Ikekawa K	IgG4 anti-neurofascin155 antibodies in chronic inflammatory demyelinating polyradiculoneuropathy: Clinical significance and diagnostic utility of a conventional assay.	J Neuroimmunol.	301	16-22	2016
Koike H, Kadoya M, Kaida K, Ikeda S, Kawagashira Y, Iijima M, Kato D, Ogata H, Yamasaki R, Matsukawa N, Kira J, Katsuno M, Sobue G	Paranodal dissection in chronic inflammatory demyelinating polyneuropathy with anti-neurofascin-155 and anti-contactin-1 antibodies.	J Neurol Neurosurg Psychiatry.			2017
Tanaka M, Kinoshita M	Daily fingolimod administration may cause lymphopenia but alternate-day administration may be too little to inhibit disease activity.	J Neuroimmunol	288	69	2015
Tanaka M	Practical tips for tacrolimus treatment in neuromyelitis optica spectrum disorder.	Clin Exp Neuroimmunol	7	197-8	2016
Tanaka M, Yokoyama K	Comparison of nadir serum concentrations in the extended dosing therapy of natalizumab between American and Japanese multiple sclerosis patients.	Mult Scler J Exp Transl Clin	2	1-2	2016
Tanaka M, Tanaka K	Sudden hearing loss as the initial symptom in Japanese patients with multiple sclerosis and seropositive neuromyelitis optica spectrum disorders	J Neuroimmunol	298	16-8	2016
Tanaka M, Shikata Y, Kinoshita M, Inoue Y, Tanaka K, Saida T.	Neuromyelitis optica patient relapsed after 9 years with seroreversion of anti-aquaporin 4 antibodies.	Clin Exp Neuroimmunol	8	47-8	2017
Koda T, Okuno T, Takata K, Honorat JA, Kinoshita M, Tada S, Moriya M, Sakoda S, Mochizuki H, Kumanogoh A, Nakatsuji Y.	Sema4A inhibits the therapeutic effect of IFN- $\beta$ in EAE	J Neuroimmunol	268(1-2)	43-49	2014

Takata K, Kato H, Shimosegawa E, Okuno T, Koda T, Sugimoto T, Mochizuki H, Hatazawa J, Nakatsuji Y, Tada S, Okuno T, Hitoshi Y, Yasui T, Honorat JA, Takata K, Koda T, Shimagami H, Chi-Jing C, Namba A, Sugimoto T, Sakoda S, Mochizuki H, Kikutani H, <u>Nakatsuji Y.</u>	11C-Acetate PET Imaging in Patients with Multiple Sclerosis.	PLoS ONE	9(11)	e111598	2014
Takata K, Tomita T, Okuno T, Kinoshita M, Koda T, Honorat JA, Takei M, Hagiwara K, Sugimoto T, Mochizuki H, Sakoda S, <u>Nakatsuji Y.</u>	Partial suppression of M1 microglia by Janus kinase 2 inhibitor does not protect against neurodegeneration in animal models of amyotrophic lateral sclerosis.	J Neuroinflammation	11(1)	179 (8 pages)	2014
<u>Niino M</u> , Miyazaki Y.	Dietary Yeasts Reduce Inflammation in Central Nerve System via Microflora.	Ann Clin Transl Neurol	2(1)	56-66	2015
Miyazaki Y, <u>Niino M</u> , et al.	Radiologically isolated syndrome and clinically isolated syndrome.	Clin Exp Neuroimmunol	8	24-32	2017
Yamasaki R, Matsushita T, Fukazawa T, Yokoyama K, Fujihara K, Ogino M, Yokota T, Miyamoto K, <u>Niino M</u> , et al.	Fingolimod suppresses bone resorption in female patients with multiple sclerosis.	J Neuroimmunol	298	24-31	2016
Yokoseki A, Saji E, Arakawa M, K osaka T, Hokari M, Toyoshima Y, Okamoto K, Takeda S, Sanpei K, Ki kuchi H, Hirohata S, Akazawa K, Ka kita A, Takahashi H, Nishizawa M, a nd <u>Kawachi I.</u>	Efficacy of intravenous methylprednisolone pulse therapy in patients with multiple sclerosis and neuromyelitis optica.	Mult Scler	22	1337-48	2016
Hokari M, Yokoseki A, Arakawa M, Saji E, Yanagawa K, Yanagimura F, Toyoshima Y, Okamoto K, Ueki S, Hatase T, Ohashi R, Fukuchi T, Akazawa K, Yamada M, Kakita A, Takahashi H, Nishizawa M, <u>Kawachi I.</u>	Hypertrophic pachymeningitis: significance of myeloperoxidase anti-neutrophil cytoplasmic antibody.	Brain	137(2)	520-536	2014
Yamaguchi Y, Torisu H, Kira R, Ishizaki Y, <u>Sakai Y</u> , Sanefuji M, Ichiyama T, Oka A, Kishi T, Kimura S, Kubota M, Takahashi J, Takahashi Y, Tamai H, Natsume J, Hamano S, Hirabayashi S, Maegaki Y, Mizuguchi M, Minagawa K, Yoshikawa H, <u>Kira J</u> , Kusunoki S, Hara T	Clinicopathological features in anterior visual pathway in neuromyelitis optica.	Annals of Neurology	79(4)	605-624	2016
	A nationwide survey of pediatric acquired demyelinating syndromes in Japan	Neurology	87	2006-2015	2016

Bradl M, Kanamori Y, Nakashima I, Misu T, <u>Fujihara K</u> , Lassmann H, Sandkuhler J.	Pain in neuromyelitis optica - prevalence, pathogenesis and therapy.	Nat Rev Neurol	10	529-536	2014
Petzold A, Wattjes M, Costello F, Rivera JF, Fraser C, <u>Fujihara K</u> , Leavitt J, Marignier R, Paul F, Schippling S, Sindic C, Villoslada P, Weinschenker B, Plant G.	The investigation of acute optic neuritis: a review and proposed protocol.	Nat Rev Neurol	10	447-458	2014
Kaneko K, Sato, DK, Misu T Kurosawa K, Nakashima I, <u>Fujihara K</u> , Aoki M.	Anti-N-methyl-aspartate receptor encephalitis with multiphasic demyelination.	Ann Neurol	76 (3)	462-464	2014
Akaishi T, Yamaguchi T, Suzuki Y, Nagane Y, Suzuki S, Murai H, Imai T, Motomura M, <u>Fujihara K</u> , Aoki M, Utsugisawa K.	Insights into the classification of myasthenia gravis.	PLoS One	9	e106757	2014
Ikeguchi R, Shimizu Y, Suzuki S, Shimizu S, Kabasawa C, Hashimoto S, Masuda M, Nagane Y, Utsugisawa K, Suzuki, Y, Takahashi T, Utsumi H, <u>Fujihara K</u> , Suzuki N, Uchiyama S.	Japanese cases of neuromyelitis optica spectrum disorders associated with myasthenia gravis and a review of the literature.	Clin Neurol Neurosurg	125	217-221	2014
Hyun JW, Kim SH, Huh SY, Kim W, Yun J, Joung A, Sato DK, <u>Fujihara K</u> , Kim HJ.	Idiopathic aquaporin-4 antibody negative longitudinally extensive transverse myelitis.	Mult Scler	21 (6)	710-717	2015
Ikeda K, Kiyota N, Kuroda H, Sato DK, Nishiyama S, Takahashi T, Misu T, Nakashima I, <u>Fujihara K</u> , Aoki M.	Severe demyelination but no astrocytopathy in clinically definite neuromyelitis optica with anti-myelin-oligodendrocyte glycoprotein antibody.	Mult Scler	21 (5)	656-659	2015
Imai T, Suzuki S, Tsuda E, Nagane Y, Murai H, Masuda M, Konno S, Suzuki, Y Nakane S, <u>Fujihara K</u> , Suzuki N, Utsugisawa K.	Oral corticosteroid therapy and present disease status in myasthenia gravis.	Muscle Nerve	51 (5)	692-696	2015
<u>Fujihara K</u> .	BENEFIT 8-year results provide further support for the long-term value of early treatment of multiple sclerosis.	J Neurol Neurosurg Psychiatry	85 (11)	1179	2014
<u>Fujihara K</u> , Nakashima I.	Secondary progression and innate immunity in NMO: a possible link to alemtuzumab ?	Neurology: Neuroimmunology & Neuroinflammation	1 (3)	e38	2014
<u>Fujihara K</u> , Palace J.	Toward more-accurate diagnosis in neuromyelitis optica.	Nat Rev Neurol	10 (12)	679-681	2014

Kobayashi J, Kuroda H, Ezura M, Sugeno N, Shibui A, Takahashi T, Misu T, Fujihara K, Mori E, Aoki M.	Acute callosal disconnection syndrome as an initial manifestation of neuromyelitis optica spectrum disorders.	3 (4)	137-139	2015
Piccolo L, Kumar G, Nakashima I, Misu T, Kong Y, Wakerley B, Ryan S, Cavey A, Fujihara K, Palace J.	Multiple Sclerosis in Japan appears to be a milder disease compared to the UK.	262 (4)	831-836	2015
Misu T, Sato D, Nakashima I, Fujihara K.	MOG-IgG serological status matters in paediatric ADEM.	86 (3)	242	2015
Fujihara K, Misu T.	AQP4 in biopsied demyelinating lesions as a diagnostic clue to NMOSD and MS: Final answer ?	84 (2)	110-111	2015
Kim, HJ, Paul F, Lana-Peixoto MA, Tenenbaum S, Asgari N, Palace J, Klawiter EC, Sato DK, de Seze J, Jens Wuerfel J, Banwell BL, Villoslada P, Saiz A, Fujihara K, Kim SH.	MRI characteristics of neuromyelitis optica spectrum disorder: an international update.	84	1165-1173	2015
Weinshenker BG, Barron G, Behne JM, Bennett JL, Chin PS, Cree B, de Seze J, Armando Flor, Fujihara K, Greenberg BM, Higashi S, Holt W, Khan OA, Knappertz V, Levy M, Melia AT, Palace J, Smith TJ, Sormani MP, Van Herle K, VanMeter SA, Villoslada P, Walton MK, Wasiewski W, Wingerchuk D, Yeaman M.	Challenges and opportunities in designing clinical trials for neuromyelitis optica.	84	1805-1815	2015
Kremer S, Renard F, Achard S, Lana-Peixoto MA, Palace J, Asgari N, Klawiter EC, Tenenbaum SN, Banwell B, Greenberg BM, Bennett JL, Levy M, Villoslada P, Saiz A, Fujihara K, Chan KH, Schippling S, Paul F, Kim HJ, de Seze J, Wuerfel JT; and the Guthy-Jackson Charitable Foundation (GJCF) Neuromyelitis Optica (NMO) International Clinical Consortium and Biorepository	Use of Advanced Magnetic Resonance Imaging Techniques in JAMA Neurol. Neuromyelitis Optica Spectrum Disorder.	72	815-822	2015

Wingerchuk DM, Banwell B, Bennett JL, Cabre P, Carroll W, Chitnis T, de Seze J, Fujihara K, Greenberg B, Jacob A, Jarius S, Lana-Peixoto M, Levy M, Simon JH, Tenembaum S, Traboulsee AL, Waters P, Wellik KE, Weinshenker BG.	International consensus diagnostic criteria for neuromyelitis optica spectrum disorders.	Neurology	85	177-189	2015
Passos G, Sato D, Becker J, Fujihara K.	Th17 Cells Pathways in Multiple Sclerosis and Neuromyelitis Optica Spectrum Disorders: Pathophysiological and Therapeutic Implications"	Mediators Inflamm	ID5314 541	11pages	2016
Kaneko K, Sato DK, Nakashima I, Nishiyama S, Tanaka S, Marignier R, Hyun JW, Oliveira LM, Reindl M, Seifert-Held T, Sepulveda M, Siritho S, Waters PJ, Kurosawa K, Akaishi T, Kuroda H, Misu T, Prayoonwiwat N, Berger T, Saiz A, Kim HJ, Nomura K, Callegaro D, Fujihara K, Aoki M	Myelin injury without astrocytopathy in neuroinflammatory disorders with MOG antibodies.	J Neurol Neurosurg Psychiatry.	87 (11)	1257-1259	2016
Akaishi T, Ichiro Nakashima, Takeshita T, Mugikura S, Sato DK, Takahashi T, Nishiyama S, Kurosawa K, Misu T, Nakazawa T, Aoki M, Fujihara K	Lesion length of optic neuritis impacts visual prognosis in neuromyelitis optica.	J Neuroimmunol	293	28-33	2016
Huang P, Takai Y, Kusano-Arai O, Ramadhanti J, Iwanari H, Miyauchi T, Sakihama T, Han JY, Aoki M, Hamakubo T, Fujihara K, Yasui M, Abe Y	The Binding Property of a Monoclonal Antibody Against the Extracellular Domains of Aquaporin-4 Directs Aquaporin-4 Toward Endocytosis.	Biochem Biophys Rep	7	77-83	2016
Higuchi O, Nakane S, Sakai W, Maeda Y, Niino M, Takahashi T, Fukazawa T, Kikuchi S, Fujihara K, Matuo H	Lack of KIR4.1 autoantibodies in Japanese patients with MS and NMO.	Neurol Neuroimmunol Neuroinflamm	3 (5)	263	2016
Oji S, Tanaka S, Kojima M, Fukaura H, Mori M, Takahashi T, Fujihara K, Nomura K	Quotient of cerebrospinal fluid/serum immunoglobulin G as a predictive factor for non-responders to intravenous methylprednisolone therapy in patients with relapsing neuromyelitis optica spectrum disorder: implication for early institution of plasmapheresis.	Clin Exp Neuroimmunol	7	272-280	2016
Kanamori Y, Nakashima I, Takai Y, Misu T, Kuroda H, Nishiyama S, Takahashi T, Sato S, Fujimori J, Higuchi J, Itoyama Y, Aoki M, Fujihara K	Impact of the Great East Japan Earthquake in 2011 on MS and NMOSD: a study in Sendai, Japan.	J Neurol Neurosurg Psychiatry			2016

Pandit L, Sato DK, Mustafa S, Takahashi T, D'Cunha A, Malli C, Sudhir A, Fujihara K	Relapsing optic neuritis and isolated transverse myelitis are the predominant clinical phenotypes for patients with antibodies to myelin oligodendrocyte glycoprotein in India	Multiple Sclerosis Journal: Experimental, Translational and Clinical	2	1-5	2016
Pandit L, Sato DK, Mustafa S, Takahashi T, D'Cunha A, Malli C, Sudhir A, Fujihara K	Serological markers associated with neuromyelitis optica spectrum disorders in South India.	Ann Indian Acad Neurol	19 (4)	505-509	2016
Ochi H, Fujihara K	Demyelinating diseases in Asia.	Curr Opin Neurol	29 (3)	222-228	2016
Akaishi T, Nakashima I, Sato DK, Takahashi T	Neuromyelitis optica spectrum disorders.	Neuroimaging Clin N Am			
Ogawa R, Nakashima I, Takahashi T, Kaneko K, Akaishi T, Takai Y, Sato DK, Nishiyama S, Mitsu T, Kuroda H, Aoki M, Fujihara K	MOG-antibody-positive, benign, unilateral, cerebral cortical encephalitis with epilepsy.	Neurol Neuroimmunol Neuroinflamm	4 (2)	322	2017
Suzuki S, Murai H, Imai T, Nagane Y, Masuda M, Tsuda E, Konno S, Oji S, Nakane S, Motomura M, Suzuki N, Utsugisawa K	Quality of life in purely ocular myasthenia in Japan	BMC Neurol	14	142	2014
Okada A, Koike H, Nakamura T, Motomura M, Sobue G	Efficacy of intravenous immunoglobulin for treatment of Lambert-Eaton myasthenic syndrome without anti-presynaptic P/Q-type voltage-gated calcium channel antibodies: a case report	Neuromuscul Disord	25(1)	70-72	2015
Motomura M, Nakata R, Shiraishi H	Lambert-Eaton myasthenic syndrome	Clinical and Experimental Neuroimmunology	7	238-245	2016
Iwasa K, Yoshikawa H, Samuraki M, Shinohara M, Hamaguchi T, Ono K, Nakamura H, Yamada M.	Myasthenia gravis: predictive factors associated with the synchronized elevation of anti-acetylcholine receptor antibody titer in Kanazawa, Japan.	J Neuroimmunol.	267	97-101	2013
Iwasa K, Nambu Y, Motozaki Y, Furukawa Y, Yoshikawa H, Yamada M.	Increased skeletal muscle expression of the endoplasmic reticulum chaperone GRP78 in patients with myasthenia gravis.	J Neuroimmunol.	273	72-76	2014
Toshika Ohkawa, Shin'ichiro Satake, Northiko Yokoi, Yu Miyazaki, Tomohiko Ohshita, Gen Sobue, Hiroshi Takashima, Osamu Watanabe, Yuko Fukata, Masaki Fukata	Identification and Characterization of GABAA Receptor Autoantibodies in Autoimmune Encephalitis	Journal of Neuroscience	34(24)	8151-8163	2014
渡邊 修	抗 VGKC 複合体抗体	Clinical Neuroscience	33(1)	40-44	2015
渡邊 修	抗 VGKC 複合体抗体辺縁系脳炎	日本臨牀	73	613-618	2015

<u>渡邊 修</u>	抗 VGKC 複合体抗体陽性の免疫性神経疾患の広がり	医学のあゆみ	255 (5)	505-511	2015
<u>渡邊 修</u>	Isaacs 症候群と Morvan 症候群	Modern Physician	36(7)	740-744	2016
<u>渡邊 修</u>	自己免疫性脳炎と認知症	Brain and Nerve	68 (4)	341-350	2016
<u>渡邊 修</u>	VGKC 複合体抗体関連脳症とその周辺疾患	Brain and Nerve	68 (9)	1011-1023	2016