

**研究成果の刊行に関する一覧表**  
**(平成26年度～28年度分)**

**【雑誌】**

欧文

発表者名	論文タイトル名	発表誌名	巻：頁、西暦年号
Yamauchi T, Matsushita S, Hashimoto T, Hirako Y	Major cleavage-dependent epitopes for linear IgA bullous dermatosis are formed at the boundary between the non-collagenous 16A and collagenous 15 domain s of BP180.	J Dermatol Sci	76(1):25-33, 2014
Teye K, Hamada T, Krol R P, Numata S, Ishii N, Matsu da M, Ohata C, Furumura M, <u>Hashimoto T</u>	Homozygous deletion of six ge nes including corneodesmosin o n chromosome 6p21.3 is associ ated with generalized peeling sk in disease.	J Dermatol Sci	75(1):36-42, 2014
Goletz S, <u>Hashimoto T</u> , Zilli kens D, Schmidt E	Zillikens D, Schmidt E: Anti-p2 00 pemphigoid.	J Am Acad De rmatol	71(1):185-191, 2014
Saruta H, Ohata C, Muto I, Yoshimura K, Inoue Y, Ham ada T, Furumura M, <u>Hashim oto T</u>	Adenocarcinoma of Moll's gland with multiple metastases.	Eur J Dermatol	24(2):269-271, 2014
Matsui K, Makino T, Takeg ami Y, Murayama S, Seki Y, Ishii N, <u>Hashimoto T</u> , Sh imizu T	Bullous pemphigoid with IgG a nti-LAD-1antibodies.	Eur J Dermatol	24(2):275-276, 2014
España A, Koga H, Suárez-F ernández R, Ohata C, Ishii N, Irarrazaval I, Teye K, Oh yama B, <u>Hashimoto T</u>	Antibodies to the amino-termina l domain of desmoglein 1 are r etained during transition from p emphigus vulgaris to pemphigus foliaceus.	Eur J Dermatol	24(2):174-179, 2014
Gallo E, Garcia-Martin P, Fr aga J, Teye K, Koga H, <u>Ha shimoto T</u> , Garcia-Diez A	Paraneoplastic pemphigus with e osinophilic spongiosis and autoa ntibodies against desmocollins 2 and 3.	Clin Exp Derm atol	39(3):323-326, 2014
Hashikawa K, Yasumoto S, Nakashima K, Arakawa F, K iyasu J, Kimura Y, Saruta H, Nakama T, Yasuda K, T ashiro K, Kuhara S, <u>Hashim oto T</u> , Ohshima K	Microarray analysis of gene exp ression by microdissected epider mis and dermis in mycosis fun goides and adult T-cell leukemi a/lymphoma.	Int J Oncol	45(3):1200-1208, 2014
Yoshimura K, Ishii N, Hama da T, Abe T, Ono F, Hashi kawa K, Fukuda S, Ohyama B, Koga H, Sogame R, Te ye K, Ochiai T, Nakajima H, Nakajima K, Iijima S, K anzaki M, Kojima K, Nagata ni T, Fujimoto W, Karashim a T, Nakama T, Ohata C, Furumura M, Tsuruta D, <u>Hash imoto T</u>	Clinical and immunological prof iles in 17 Japanese patients wit h drug-induced pemphigus studi ed at Kurume University.	Br J Dermatol	171(3):544-553, 2014
Shintani T, Ohata C, Koga H, Ohyama B, Hamada T, Nakama T, Furumura M, Ts uruta D, Ishii N, <u>Hashimoto T</u>	Combination therapy of fexofen adine and montelukast is effecti ve in prurigo nodularis and pe mphigoid nodularis.	Dermatol Ther	27(3):135-139, 2014

Vinay K, Kanwar AJ, Sawatkar GU, Dogra S, Ishii N, Hashimoto T	<a href="#"><u>Successful use of rituximab in the treatment of childhood and juvenile pemphigus.</u></a>	J Am Acad Dermatol	71(4):669-675, 2014
Hida T, Kase K, Hamada T, Matsuda M, <u>Hashimoto T</u> , Yamashita T	Ankyloblepharon-ectodermal defects-cleft lip/palate syndrome: a case with a novel p63 mutation associated with abnormal keratohyalin granules.	Eur J Dermatol	24(4):495-497, 2014
Hayakawa T, Furumura M, Fukano H, Li X, Ishii N, Hamada T, Ohata C, Tsuruta D, Shimozato K, <u>Hashimoto T</u>	Diagnosis of oral mucous membrane pemphigoid by means of combined serologic testing.	Oral Surg Oral Med Oral Pathol Oral Radiol	117(4):483-496, 2014
Zenke Y, Nakano T, Eto H, Koga H, <u>Hashimoto T</u>	A case of vancomycin-associated linear IgA bullous dermatosis and IgA antibodies to the $\alpha 3$ subunit of laminin-332.	Br J Dermatol	170(4):965-969, 2014
Mizuno K, Hamada T, <u>Hashimoto T</u> , Okamoto H	<a href="#"><u>Successful treatment with narrow-band UVB therapy for a case of generalized Hailey-Hailey disease with a novel splice-site mutation in ATP2C1 gene.</u></a>	Dermatol Ther	27(4):233-235, 2014
Sato M, Oiso N, Koga H, Ishii N, Matsuda H, Hayamizu K, Saitou K, Doi K, <u>Hashimoto T</u> , Kawada A	<a href="#"><u>Mucosal dominant-type pemphigus vulgaris associated with gastrointestinal stromal tumor.</u></a>	Eur J Dermatol	24(4):494-495, 2014
Furuya A, Takahashi E, Ishii N, <u>Hashimoto T</u> , Satoh T	IgG/IgA pemphigus recognizing desmogleins 1 and 3 in a patient with Sjögren's syndrome.	Eur J Dermatol	24(4):512-513, 2014
Hara H, Makino T, Matsui K, Takegami Y, Koga H, Fukuda S, Ishii N, <u>Hashimoto T</u> , Shimizu T	Unusual bullous pemphigoid without infiltration of inflammatory cells in the skin lesions.	Eur J Dermatol	24(4):488-489, 2014
Sato H, Toriyama K, Yagi S, Takanari K, Takama H, Sawada M, <u>Hashimoto T</u> , Kamei Y	Surgical Correction of Microstomia in a Patient With Antilaminin 332 Mucous Membrane Pemphigoid.	Ann Plast Surg	72(5):553-555, 2014
Hatano Y, Ishikawa K, Koga H, Ishii N, <u>Hashimoto T</u> , Takeo N, Shimada H, Sakai T, Okamoto O, Fujiwara S	A case of concurrent pemphigoid vegetans and pemphigus vegetans remitted without oral corticosteroid.	Br J Dermatol	170(5):1192-1194, 2014
Matsuda M, Ohata C, Hamada T, Oiso N, Tsuruta D, Furumura M, <u>Hashimoto T</u>	Late-onset Brooke-Spiegler syndrome with family histories of various cancers.	J Dermatol	41(5):454-456, 2014
Kusuhsara M, Qian H, Li X, Tsuruta D, Tsuchisaka A, Ishii N, Ohata C, Furumura M, <u>Hashimoto T</u>	Mouse bone marrow-derived dendritic cells can phagocytize the spirothrix schenckii, and mature and activate the immune response by secreting IL-12 and presenting antigens to T lymphocytes.	J Dermatol	41(5):386-392, 2014
Tsuchisaka A, Furumura M, <u>Hashimoto T</u>	Cytokine regulation in epidermal differentiation and skin barrier.	J Invest Dermatol	134(5):1194-1196, 2014
Demitsu T, Yamada T, Nakamura S, Kakurai M, Dohimoto T, Kamiya K, Aoyama Y, Iwatsuki K, Yamagami J, Ohyama B, Ohata C, Koga H, <u>Hashimoto T</u>	Detection of Autoantibodies to Precursor Proteins of Desmogleins in Sera of a Patient with Bowen Carcinoma.	Acta Derm Venereol	94(5):601-603, 2014

Muro Y, Tsuchisaka A, Ishii N, <u>Hashimoto T</u> , Sugiura K, Akiyama M	Author's Reply to "Detection of anti-periplakin autoantibodies during idiopathic pulmonary fibrosis" by Taille et al.	Clin Chim Acta	433C:194, 2014
Kanwar AJ, Vinay K, Sawatkar GU, Dogra S, Minz RW, Shear NH, Koga H, Ishii N, <u>Hashimoto T</u>	Clinical and immunological outcomes of high and low dose rituximab treatments in pemphigus patients: A randomized comparative observer blinded study.	Br J Dermatol	170(6):1341-1349, 2014
Karashima T, Furumura M, Ishii N, Ohyama B, Saruta H, Natsuaki Y, Nakama T, Ohata C, Tsuruta D, Hitomi K, <u>Hashimoto T</u>	Distinct protein expression and activity of transglutaminases found in different epidermal tumors.	Exp Dermatol	23(6):433-435, 2014
Aoki N, Nakajima K, Shiga T, Koga H, <u>Hashimoto T</u> , Sano S	A case of anti-BP180 type mucous membrane pemphigoid treated with intravenous immunoglobulin.	J Dermatol	41(6):557-559, 2014
Amagai M, Tanikawa A, Shimizu T, <u>Hashimoto T</u> , Ikeda S, Kurosawa M, Niizeki H, Aoyama Y, Iwatsuki K, Kitajima Y	Japanese guidelines for the management of pemphigus. Committee for Guidelines for the Management of Pemphigus Disease.	J Dermatol	41(6):471-486, 2014
Osawa M, Ueda-Hayakawa I, Isei T, Yoshimura K, Fukuda S, <u>Hashimoto T</u> , Okamoto H	<a href="#"><u>A case of childhood bullous pemphigoid with IgG and IgA autoantibodies to various domains of BP180.</u></a>	J Am Acad Dermatol	70(6):e129-131, 2014
Matsuda M, Hamada T, Numata S, Teye K, Okazawa H, Imafuku S, Ohata C, Furumura M, <u>Hashimoto T</u>	Mutation-dependent effects on mRNA and protein expressions in cultured keratinocytes of Hailey-Hailey disease.	Exp Dermatol	23(7):514-516, 2014
Kanaoka M, Matsukura S, Ishikawa H, Matsuura M, Ishii N, <u>Hashimoto T</u> ; Aihara M	Paraneoplastic pemphigus associated with fatal bronchiolitis obliterans and appearance of anti-BP180 antibodies in the late stage of the disease.	J Dermatol	41(7):628-630, 2014
Takayama N, Nakazono S, Kumagai J, Kawamura T, Suzuki F, Ishii N, <u>Hashimoto T</u> , Namiki T	<a href="#"><u>Case of subepidermal bullous disease with diffuse esophageal involvement presenting with immunoglobulin G autoantibodies to both the BP180 NC16a and C-terminal domains, and immunoglobulin A autoantibodies to the BP180 NC16a domain.</u></a>	J Dermatol	41(7):665-667, 2014
Nagamoto E, Fujisawa A, Jinnin M, Koga H, Ishii N, <u>Hashimoto T</u> , Yoshino Y	Case of pemphigoid vegetans positive with both BP180 and BP230 in enzyme-linked immunosorbent assays.	J Dermatol	41(7):667-668, 2014
Jinbu Y, Kashiwazaki A, Munemasa N, Ozawa M, Kusama M, Ishii N, Ohyama B, Ohata C, <u>Hashimoto T</u>	Oral lesions of a patient with a antidesmoglein 1 antibody-positive and antidesmoglein 3 antibody-negative pemphigus.	J Oral Maxillofac Surg Med Pathol	26(3):369–373, 2014
Ohata C, Fukuda S, Hashikawa K, Ishii N, Hamada T, Nakama T, Furumura M, Tsuruta D, Ohshima K, <u>Hashimoto T</u>	Molluscum Contagiosum With CD30+ Cell Infiltration in a Patient With Mycosis Fungoides.	Am J Dermopathol	36(8):685-687, 2014
Tsuchisaka A, Kawano H, Yasukochi A, Teye K, Ishii N, Koga H, Sogame R, Ohzono A, Krol RP, Kawakami T, Furumura M, Ohata C, Li	Immunological and Statistical Studies of Anti-BP180 Antibodies in Paraneoplastic Pemphigus.	J Invest Dermatol	134(8):2283-2287, 2014

X, Hashimoto T			
Matsukura S, Takahashi K, Hirokado M, Ikezawa Y, Nakamura K, Fukuda S, <u>Hashimoto T</u> , Ikezawa Z, Aihara M, Kambara T	Recalcitrant pemphigus herpetiformis with high titer of immunoglobulin G antibody to desmoglein 1 and positive IgG antibody to desmocollin 3, elevating thymus and activation-regulated chemokine.	Int J Dermatol	53(8):1023-1026, 2014
Qian H, Kusuvara M, Li X, Tsuruta D, Tsuchisaka A, Ishii N, Koga H, Hayakawa T, Ohara K, Karashima T, Ohyama B, Ohata C, Furumura M, <u>Hashimoto T</u>	B-cell activating factor detected on both naive and memory B-cells in bullous pemphigoid.	Exp Dermatol	23(8):596-605, 2014
Yoneda K, Moriue J, Demitsu T, Ishii N, Kubota Y, <u>Hashimoto T</u>	<a href="#">Case of mucous membrane pemphigoid with autoantibodies solely to the <math>\gamma 2</math>-subunit of laminin-332.</a>	J Dermatol	41(8):766-767, 2014
Ludwig RJ, Borradori L, Diaz LA, <u>Hashimoto T</u> , Hertl M, Ibrahim SM, Jonkman MF, Kitajima Y, Murrell DF, Schmidt E, Shimizu H, Stanley JR, Woodley D, Zillikens D	From epidemiology and genetics to diagnostics, outcome measures and novel treatments in autoimmune bullous diseases.	J Invest Dermatol	134(9):2298-2300, 2014
Li X, Qian H, Ono F, Tsuchisaka A, Krol RP, Ohara K, Hayakawa T, Matsueda S, Sasada T, Ohata C, Furumura M, Hamada T, <u>Hashimoto T</u>	Human dermal fibroblast migration induced by fibronectin in autocrine and paracrine manners.	Exp Dermatol	23(9):682-684, 2014
Minakawa S, Kaneko T, Rokunohe D, Nakajima K, Matsumura Y, Nakano H, <u>Hashimoto T</u> , Sawamura D	<a href="#">Pemphigoid gestationis with prepartum flare.</a>	J Dermatol	41(9):850-851, 2014
Jang HW, Chun SH, Lee JM, Jeon J, <u>Hashimoto T</u> , Kim IH	Radiotherapy-induced pemphigus vulgaris.	J Dermatol	41(9):851-852, 2014
Alloo A, Strazzula L, Rothchild B, Hawryluk E, Levine D, Hoang MP, Koga H, <u>Hashimoto T</u> , Kroshinsky D	Refractory antilaminin $\gamma 1$ pemphigoid successfully treated with intravenous immunoglobulin and mycophenolate mofetil.	J Eur Acad Dermatol Venereol	28(10):1401-1403, 2014
garashi M, Tsunemi Y, Koga H, <u>Hashimoto T</u> , Tateishi C, Tsuruta D, Ishii M, Kawashima M	Anti-laminin $\gamma 1$ pemphigoid associated with pustular psoriasis.	Eur J Dermatol	24(5):629-630, 2014
Sasai S, Nishikawa R, Ohzono A, Hayakawa T, Tsuruta D, Kudoh K, Kikuchi T, Hashiguchi M, Ohata C, Furumura M, Koga H, Ishii N, <u>Hashimoto T</u>	Characterization of Two Cases of Bullous Pemphigoid Reactive Only with BP230 on Japanese Enzyme-linked Immunosorbent Assays.	Acta Derm Venereol	94(6):734-736, 2014
Uchiyama R, Ishii N, Arakura F, Kiniwa Y, Nakazawa K, Uhara H, <u>Hashimoto T</u> , Okuyama R	IgA/IgG Pemphigus with Infiltration of Neutrophils and Eosinophils in an Ulcerative Colitis Patient.	Acta Derm Venereol	94(6):737-738, 2014
Natsuaki Y, Egawa G, Nakamizo S, Ono S, Hanakawa S, Okada T, Kusuba N, Otsuka A, Kitoh A, Honda T, Nakajima S, Tsuchiya S, Su	Perivascular leukocyte clusters are essential for efficient activation of effector T cells in the skin.	Nat Immunol	15(11):1064-1069, 2014

gimoto Y, Ishii KJ, Tsutsui H, Yagita H, Iwakura Y, Kubo M, Ng LG, <u>Hashimoto T</u> , Fuentes J, Guttman-Yassky E, Miyachi Y, Kabashima K			
Shimizu T, Takebayashi T, Sato Y, Niizeki H, Aoyama Y, Kitajima Y, Iwatuki K, <u>Hashimoto T</u> , Yamagami J, Werth VP, Amagai M, Tani kawa A	Grading criteria for disease severity by pemphigus disease area index.	J Dermatol	41(11):969-973, 2014
Uchida S, Oiso N, Koga H, Ishii N, Okahashi K, Matsu da H, <u>Hashimoto T</u> , Kawada A	Refractory bullous pemphigoid leaving numerous milia during recovery.	J Dermatol	41(11):1003-1005, 2014
Otaguchi R, Kawakami T, Matsuoka M, Kimura S, So ma Y, Matsuda M, Hamada T, <u>Hashimoto T</u>	<a href="#"><u>A sporadic elder case of erythr okeratoderma variabilis with a single base-pair transversion in GJB3 gene successfully treated with systemic vitamin A derivative.</u></a>	J Dermatol	41(11):1016-1018, 2014
Ansai SI, Hashizume S, Ka wana S, Tateishi C, Koga H, <u>Hashimoto T</u>	Case of anti-laminin gamma-1 p emphigoid with antibody against C-terminal domain of BP180 in a patient with psoriasis vulga ris.	J Dermatol	41(11):1031-1033, 2014
Sekiya A, Kodera M, Yama oka T, Iwata Y, Usuda T, Ohzono A, Yasukochi A, Kog a H, Ishii N, <u>Hashimoto T</u>	<a href="#"><u>A case of lichen planus pemphi goides with autoantibodies to th e NC16a and C-terminal domai ns of BP180 and to desmoglein -1.</u></a>	Br J Dermatol	171(5):1230-1235, 2014
Li X, Qian H, Ishii N, Yam aya M, Fukuda H, Mukai H, Hirako Y, <u>Hashimoto T</u>	A case of concurrent anti-lamini n $\gamma 1$ pemphigoid and anti-lamin in 332-type mucous membrane pemphigoid.	Br J Dermatol	171(5):1257-1259, 2014
Nakamura Y, Takahata H, T eye K, Ishii N, <u>Hashimoto T</u> , Muto M	A case of pemphigus herpetifor mis-like atypical pemphigus wit h IgG anti-desmocollin 3 antibo dies.	Br J Dermatol	171(6):1588-1590, 2014
Miyamoto S, Chikazu D, Ya suda T, Enomoto A, Oh-i T, Hirako Y, Tsuchisaka A, Yasukochi A, Sogame R, Teye K, Koga H, Ishii N, Qian H, Li X, <u>Hashimoto T</u>	<a href="#"><u>A case of oral mucous membra ne pemphigoid with IgG antibo dies to integrin <math>\alpha 6\beta 4</math>.</u></a>	Br J Dermatol	171(6):1555-1557, 2014
Wozniak K, Kalinska-Bienias A, <u>Hashimoto T</u> , Kowalews ki C	Ultraviolet-induced linear IgA bullous dermatosis: a case report and literature survey.	Br J Dermatol	171(6):1578-1581, 2014
Murrell DF, Marinovic B, C aux F, Prost C, Ahmed R, Wozniak K, Amagai M, Bauer J, Beissert S, Borradori L, Culton D, Fairley JA, Fiv enson D, Jonkman MF, Marinkovich MP, Woodley D, Zone J, Aoki V, Bernard P, Bruckner-Tuderman L, Cianchini G, Venning V, Diaz L, Eming R, Grando SA, Hall RP, <u>Hashimoto T</u> , Herrero-González JE, Hertl M, Joly	Definitions and outcome measur es for mucous membrane pemp higoid: Recommendations of an international panel of experts.	J Am Acad De rmatol	72(1):168-174, 2015

P, Karpati S, Kim J, Chan Kim S, Korman NJ, Kowalewski C, Lee SE, Rubenstein DR, Sprecher E, Yancey K, Zambruno G, Zillikens D, Doan S, Daniel BS, Werth VP			
Ohzono A, Numata S, Hamada T, Fukuda S, Teye K, Shirakashi Y, Kasai H, Koga H, Ishii N, Sugiura M, Hashimoto T	Anti-laminin- $\gamma$ 1 pemphigoid developed in a case of gene undetermined autosomal recessive congenital ichthyosis.	Acta Derm	95(1):93-94, 2015
Ishii N, Furumura M, Hamada T, Mori O, Ohzono A, Ueda A, Karashima T, Nakama T, Tsuruta D, Takedatsu H, Fujita H, Hashimoto T	<a href="#"><u>Oesophageal involvement in epidermolysis bullosa acquista.</u></a>	Br J Dermatol	172(1):288-290, 2015
España A, Gimenez-Azcarate A, Ishii N, Idoate MA, Panizo C, Hashimoto T	<a href="#"><u>Anti-desmocollin 1 autoantibody negative SPD-type IgA pemphigus associated with multiple myeloma.</u></a>	Br J Dermatol	172(1):296-298, 2015
Yan Y, Furumura M, Numata S, Teye K, Karashima T, Ohyama B, Tanida N, Hashimoto T	Various peroxisome proliferator-activated receptor (PPAR)- $\gamma$ agonists differently induce differentiation of cultured human keratinocytes.	Exp Dermatol	24(1):62-65, 2015
Tani N, Kimura Y, Koga H, Kawakami T, Ohata C, Ishii N, Hashimoto T	Clinical and immunological profiles of 25 patients with pemphigoid gestationis.	Br J Dermatol	172(1):120-129, 2015
Asahina A, Niizuma A, Ohzono A, Ishii N, Koga H, Hashimoto T	<a href="#"><u>Pemphigoid Nodularis with Diverse IgG, IgA and IgE Antibodies Showing Neutrophilic Papillary Microabscesses.</u></a>	Acta Derm Venereol	95(2):239-240, 2015
Tsuchisaka A, Ohara K, Ishii N, Nguyen NT, Peter Mariukovich M, Hashimoto T	Type VII Collagen is the Major Autoantigen for Sublamina Dnsa-Type Linear IgA Bullous Dermatoses.	J Invest Dermatol	135(2):626-629, 2015
Solano-López G, Concha-Garzón MJ, Sánchez-Pérez J, Hirako Y, Li X, Ishii N, Hashimoto T, Daudén E	<a href="#"><u>Pure ocular mucous membrane pemphigoid reactive with both <math>\beta</math>4 integrin and the BP180 C-terminal domain.</u></a>	Br J Dermatol	172(2):542-544, 2015
Izaki S, Mitsuya J, Okada T, Koga H, Hashimoto T, Terui T	A Case of Linear IgA/IgG Bullous Dermatoses with Anti-laminin-332 Autoantibodies.	Acta Derm Venereol	95(2):359-360, 2015
Tsuchisaka A, Ishii N, Hamada T, Teye K, Sogame R, Koga H, Tsuruta D, Ohata C, Furumura M, Hashimoto T	Epidermal polymeric immunoglobulin receptors: Leads from intraepidermal neutrophilic IgA dermatosis-type IgA pemphigus.	Exp Dermatol	24(3):217-219, 2015
Numata S, Teye K, Krol RP, Karashima T, Fukuda S, Matsuda M, Ishii N, Furumura M, Ohata C1, Saminathan SD, Ariffin R, Pramono ZA, Leong KF, Hamada T, Hashimoto T	Mutation study for 9 genes in 23 unrelated patients with autosomal recessive congenital ichthyosis in Japan and Malaysia.	J Dermatol Sci	78 (1):82-85, 2015
Hong WJ, Lee SE, Chang SE, Hashimoto T, Kim SC	<a href="#"><u>Paraneoplastic pemphigus associated with metastatic lymphoepithelioma-like carcinoma originating from the thyroid gland.</u></a>	Br J Dermatol	172(3):831-834, 2015

On HR, <u>Hashimoto T</u> , Kim SC	Pemphigus herpetiformis with Ig G autoantibodies to desmoglein 1 and desmocollin 1.	Br J Dermatol	172(4):1144-1146, 2015
Oh SJ, Kim TH, Roh MR, <u>Hashimoto T</u> , Kim SC	Coexistence of Psoriasis and Bullous Pemphigoid in Three Cases.	Korean J Dermatol	53(3):239-243, 2015 (in Korean)
Li X, Qian H, Takizawa M, Koga H, Tsuchisaka A, Ishii N, Hayakawa T, Ohara K, Sitaru C, Zillikens D, Sekiguchi K, Hirako Y, <u>Hashimoto T</u>	N-linked glycosylation on laminin $\gamma 1$ influences recognition of anti-laminin $\gamma 1$ pemphigoid auto antibodies.	J Dermatol Sci	77(2):125-129, 2015
<u>Hashimoto T</u>	Production of numerous autoantibodies in paraneoplastic pemphigus.	Br J Dermatol	172(4):849-850, 2015
Ishida S, Takahashi K, Kanakura M, Okawa T, Tateishi C, Yasukochi A, Ishii N, Li X, <u>Hashimoto T</u> , Aihara M	A case of subepidermal autoimmune bullous disease with psoriasis vulgaris reacting to both BP180 C-terminal domain and laminin gamma-1.	J Dermatol	42(4):391-393, 2015
Imanishi A, Tateishi C, Imanishi H, Sowa-Osako J, Koga H, Tsuruta D, <u>Hashimoto T</u>	Pemphigoid with antibodies to laminin $\gamma 1$ , BP180 and BP230, associated with psoriasis vulgaris: Successful disease control with cyclosporine.	J Dermatol	42(4):394-397, 2015
Hirakawa Y, Oiso N, Ishii N, Koga H, Tatebayashi M, Uchida S, Matsuda H, <u>Hashimoto T</u> , Kawada A	Mucous Membrane Pemphigoid with Immunoglobulin G Autoantibodies to the 120-kDa Ectodomain of Type XVII Collagen (BP180/Linear IgA Dermatositis Antigen) in a Patient with Idiopathic Thrombocytopenic Purpura.	Acta Derm Venereol	95(4):493-494, 2015
Kanwar AJ, Vinay K, Varmava S, Koga H, Ishii N, <u>Hashimoto T</u>	Anti-desmoglein antibody-negative paraneoplastic pemphigus successfully treated with rituximab.	Int J Dermatol	54(5):576-579, 2015
Matsuda H, Oiso N, Ishii N, Sato M, Tatebayashi M, <u>Hashimoto T</u> , Kawada A	Bullous pemphigoid in infancy showing epitope-spreading phenomenon: recovery with topical therapy.	Acta Derm Venereol	95(5):610-611, 2015
Prüßmann W, Prüßmann J, Koga H, Recke A, Iwata H, Juhl D, Görg S, Henschler R, <u>Hashimoto T</u> , Schmidt E, Zillikens D, Ibrahim SM, Ludwig RJ	Prevalence of pemphigus and pemphigoid autoantibodies in the general population.	Orphanet J Rare Dis	10(1):63, 2015
Vorobyev A, Ujiie H, Recke A, Buijsrogge JJ, Jonkman MF, Iwata H, <u>Hashimoto T</u> , Kim SC, Kim JH, Groves R, Samavedam U, Gupta Y, Schmidt E, Zillikens D, Shimizu H, Ludwig RJ	Autoantibodies to multiple epitopes on the non-collagenous-1 domain of type VII collagen induce blisters.	J Invest Dermatol	135(6):1565-1573, 2015
Minagawa A, Arakura F, Koga H, Tokuda Y, Koga H, <u>Hashimoto T</u> , Okuyama R	An immunogenetic study of bullous pemphigoid with mucosal involvement in two siblings.	Eur J Dermatol	25(2):186-188, 2015
Takayama N, Nakazono S, Kumagai J, Chioorean R, Sitaru C, Ishii N, <u>Hashimoto T</u> , Namiki T	Pemphigoid gestationis with IgG autoantibodies to both the 120 kDa LAD-1 and the BP180 N C16a domain.	Eur J Dermatol	25(2):190-192, 2015

Kaipe H, Carlson LM, Erkers T, Nava S, Molldén P, Gustafsson B, Qian H, Li X, <u>Hashimoto T</u> , Sadeghi B, Alhemim M, Ringden O	Immunogenicity of decidual stromal cells in an epidermolysis bullosa patient and in allogeneic hematopoietic stem cell transplantation patients.	Stem Cells Dev	24(12):1471-1482, 2015
Akasaka E, Nakano H, Korekawa A, Fukui T, Kaneko T, Koga H, <u>Hashimoto T</u> , Sawamura D	Anti-laminin $\gamma 1$ pemphigoid associated with ulcerative colitis and psoriasis vulgaris showing autoantibodies to laminin $\gamma 1$ , type XVII collagen and laminin-332.	Eur J Dermatol	25(2):198-199, 2015
Morita R, Oiso N, Ishii N, Tatebayashi M, Matsuda H, <u>Hashimoto T</u> , Kawada A	A case of burn-associated bullous pemphigoid caused by anti-BP230 IgG autoantibodies.	J Dermatol	42(6):657-658, 2015
Ohata C, Ishii N, Koga H, Fukuda S, Tateishi C, Tsuruta D, Furumura M, <u>Hashimoto T</u>	Coexistence of autoimmune bullous diseases and psoriasis: a series of 145 cases.	J Am Acad Dermatol	73(1):50-55, 2015
Kato K, Koike K, Kobayashi C, Iijima S, <u>Hashimoto T</u> , Tsuchida M	Bullous pemphigoid after allogeneic hematopoietic stem cell transplantation.	Pediat Int	57(3):480-483, 2015
Okahashi K, Oiso N, Ishii N, Uchida S, Matsuda H, <u>Hashimoto T</u> , Kawada A	Bullous pemphigoid associated with psoriasis: a possible example of an inverse intramolecular epitope-spreading phenomenon.	J Dermatol	42(7):758-759, 2015
Gawaz A, Metzler G, Hertl M, <u>Hashimoto T</u> , Schaller M	Treatment of anti-Laminin- $\gamma 1$ -Pemphigoid with mycophenolate mofetil.	J Dtsch Dermatol Ges	13(7):696-697, 2015
Ishii N, Teye K, Fukuda S, Uehara R, Hachiya T, Koga H, Tsuchisaka A, Numata S, Ohyama B, Tateishi C, Tsuruta D, Furumura M, Hattori S, Kawakami T, Ohata C, <u>Hashimoto T</u>	Anti-desmocollin autoantibodies in non-classical pemphigus.	Br J Dermatol	173(1):59-68, 2015
Tsuchisaka A, Kaneko S, Imaoka K, Ota M, Kishimoto K, Tomaru U, Kasahara M, Ohata C, Furumura M, Takamori S, Morita E, <u>Hashimoto T</u>	Presence of autoimmune regulator and absence of desmoglein 1 in a thymoma in a patient with pemphigus foliaceus.	Br J Dermatol	173(1):268-271, 2015
Ueo D, Ishii N, Hamada T, Teye K, <u>Hashimoto T</u> , Hatanaka Y, Fujiwara S	Desmocollin-specific antibodies in a patient with Hailey-Hailey disease.	Br J Dermatol	173(1):307-309, 2015
Akasaka E, Kayo SJ, Nakano H, Ishii N, <u>Hashimoto T</u> , Sawamura D	Diaminodiphenyl Sulfone-Induced Hemolytic Anemia and Alopecia in a Case of Linear IgA Bullous Dermatoses.	Case Rep Dermatol	7(2):183-186, 2015
Iino Y, Kano T, Adachi F, Suzuki M, Nishikawa R, Ishii N, Ohata C, Furumura M, Hamada T, <u>Hashimoto T</u>	A case of bullous pemphigoid associated with psoriasis vulgaris showing Hailey-Hailey disease-like histopathological changes in regenerated epidermis without genomic mutation in ATP2C1 or ATP2A2 gene.	J Eur Acad Dermatol Venereol	29(8):1646-1648, 2015
Vinay K, Kanwar AJ, Mittal A, Dogra S, Minz RW, <u>Hashimoto T</u>	Intralesional Rituximab in the Treatment of Refractory Oral Pemphigus Vulgaris.	JAMA Dermatol	151(8):878-882, 2015

Yan Y, Furumura M, Gouya T, Iwanaga A, Teye K, Numata S, Karashima T, Li X, Hashimoto T	Shikonin promotes skin cell proliferation and exerts anti-inflammatory effect via proteasome inhibition in vitro.	Chin Med J	128(16):2228-2233, 2015
Sueki H, Sato Y, Ohtoshi S, Nakada T, Yoshimura A, Tateishi C, Borza DB, Fader W, Ghohestani RF, Hirako Y, Koga H, Ishii N, Tsuchisaka A, Qian H, Li X, Hashimoto T	A case of subepidermal blistering disease with autoantibodies to multiple laminin subunits developing membranous glomerulonephropathy.	Acta Derm Venereol	95(7):826-829, 2015
Hashimoto T, Ishii N, Demitsu T	Response to the Letter to the Editor by Muro et al. The mechanisms for pathogenicity of autoantibodies to desmogleins.	Acta Derm Venereol	95(7):872-874, 2015
Hashimoto T, Nishikawa T	Nomenclature for diseases with IgA anti-keratinocyte cell surface autoantibodies.	Br J Dermatol	173(3):868-869, 2015
Li X, Tsuchisaka A, Qian H, Teye K, Ishii N, Sogame R, Harada K, Nakagomi D, Shimada S, Tateishi C, Hirakawa Y, Hashimoto T	Linear IgA/IgG bullous dermatosis reacts with multiple laminins and integrins.	Eur J Dermatol	25(5):418-423, 2015
Li M, Kensuke M, Hashimoto T, Naoyuki H	Epidermolysis bullosa acquisita in a patient with psoriasis vulgaris.	Eur J Dermatol	25(5):499-500, 2015
Shimada H, Shono T, Sakai T, Ishikawa K, Takeo N, Hatanaka Y, Ishii N, Hashimoto T, Inomata M, Tojigamori M, Ichimada M, Kitano S, Fujiwara S	Lichen planus pemphigoides concomitant with rectal adenocarcinoma: fortuitous or a true association?	Eur J Dermatol	25(5):501-503, 2015
Okada R, Yamaguchi Y, Sawaki H, Hashimoto T, Aihara M	Development of mucous membrane pemphigoid with antibodies to the $\beta$ 3 subunit of laminin 332 and bronchiolitis obliterans in a patient with chronic graft-versus-host disease.	Eur J Dermatol	25(5):505-506, 2015
Jakubowska B, Kowalewski C, Ishii N, Hashimoto T, Fraczek M, Kalinska-Bienias A, Sobocki J, Wozniak K	Mucous membrane pemphigoid with severe stricture of the esophagus mediated by IgG and IgA autoantibodies to LAD-1.	Eur J Dermatol	25(5):510-512, 2015
Yamashita H, Ansai S, Ueno T, Kawana S, Koga H, Ishii N, Hashimoto T	Bullous pemphigoid with IgG autoantibodies to BP180 C-terminal domain and desmocollin 3 associated with transverse colon cancer.	Eur J Dermatol	25(5):515-516, 2015
Iijima S, Okazaki Y, Watanabe S, Tsuruta D, Tateishi C, Ishii N, Ohata C, Hashimoto T	A case of concurrence of anti-laminin gamma-1 pemphigoid and scabies.	J Dermatol	42(10):1024-1026, 2015
Matsuda M, Hamada T, Numata S, Teye k, Ishii N, Ohata C, Furumura M, Nakama T, Hashimoto T	A three-dimensional in vitro culture model of Hailey-Hailey disease.	Exp Dermatol	24(10):788-789, 2015
Hirano T, Higuchi Y, Yuki H, Hirata S, Nosaka K, Ishii N, Hashimoto T, Mitsuya H, Okuno Y	Rituximab Monotherapy and Rituximab-Containing Chemotherapy Were Effective for Paraneoplastic Pemphigus Accompanying Follicular Lymphoma, but not for Subsequent Bronchiolitis Obliterans	J Clin Exp Hematop	55(2):83-88, 2015

	terans.		
Goto-Hamano H, Ito K, Sakamoto-Kimura K, Terui T, Ohyama B, <u>Hashimoto T</u> , Hara H	<a href="#"><u>Autoantibodies Against Multiple Epitopes in Bp180 and Laminin Gamma-1 in Subepidermal Blistering Skin Disease Associated with Psoriatic Erythroderma.</u></a>	Indian J Dermatol	60(5):521, 2015
Lazić-Mosler E, Jukić IL, Murat-Sušić S, Husar K, Skerlev M, Bukvić Mokos Z, Ishii N, <u>Hashimoto T</u> , Marinović B	Inflammatory epidermolysis bullosa acquisita in a 4-year-old girl.	J Dermatol	42(11):1098-1100, 2015
Takahashi H, Sato K, Takagi A, Ikawa S, Ishii N, <u>Hashimoto T</u> , Ishida-Yamamoto A, Iizuka H	Subepidermal autoimmune blistering lesion in a case of psoriasis successfully treated with cyclosporin.	J Dermatol	42(11):1125-1126, 2015
Murata S, Sumikawa Y, Takahashi H, Ota M, Kusatake K, Niihara H, Koga H, <u>Hashimoto T</u> , Morita E	Case of mucous membrane pemphigoid with immunoglobulin G antibodies to the beta 3 subunit of laminin-332 showing clinically Stevens-Johnson syndrome-like generalized blistering mucocutaneous lesions.	J Dermatol	42(11):1126-1128, 2015
Ivars M, <u>Hashimoto T</u> , Ishii N, Bernad I, Lecumberri R, España A	Atypical bullous pemphigoid with extensive cutaneous and mucosal erosions associated with chronic lymphocytic leukaemia.	J Dermatol	42(11):1128-1129, 2015
Uchiyama M, Mitsuhashi Y, Tsuboi R, Ishii N, Hayakawa T, Yasukochi A, <u>Hashimoto T</u>	Anti-BP180-type oral mucous membrane pemphigoid reactive to both NC16a and C-terminal domains.	Indian J Dermatol Venereol Leprol	81(6):637-639, 2015
Ohzono A, Sogame R, Li X, Teye K, Tsuchisaka A, Numata S, Koga H, Kawakami T, Tsuruta D, Ishii N, <u>Hashimoto T</u>	Clinical and immunological findings in 104 cases of paraneoplastic pemphigus.	Br J Dermatol	173(6):1447-1452, 2015
<u>Hashimoto T</u> , Fukuda A, Himejima A, Morita S, Daisuke T, Koga H, Krol RP, Ishii N	Ten cases of severe oral lichen planus showing granular C3 deposition in oral mucosal basement membrane zone.	Eur J Dermatol	25(6):539-547, 2015
Makino T, Hara H, Mizawa M, Seki Y, Hayashi M, Ishii N, <u>Hashimoto T</u> , Shimizu T	Detection of IgG antibodies to desmoglein 3 and desmocollins 2 and 3 in mucosal dominant-type pemphigus vulgaris with severe pharyngalgia and hyperemia of the bulbar conjunctiva.	Eur J Dermatol	25(6):619-620, 2015
Oh SJ, Lee SE, <u>Hashimoto T</u> , Kim SC	A case of paraneoplastic pemphigus associated with Castleman's disease reacting with multiple autoantigens including laminin γ1.	Br J Dermatol	172(3):831-834, 2015
Ohata C, Ishii N, Niizeki H, Shimomura Y, Furumura M, Inoko H, Mitsunaga S, Saiki M, Shigeta M, Fujiwara S, Yamakawa K, Kobayashi S, Kamata M, Inaba M, Ito T, Uhara H, Watanabe R, Ohtoshi S, Ohashi T, Tanaka T, Suzuki M, Sitaru C, Karpati S, Zone JJ, <u>Hashimoto T</u>	Unique characteristics in Japanese dermatitis herpetiformis.	Br J Dermatol	174 (1):180-183, 2016

Geller S, Gat A, Harel A, Mashiah J, Zeeli T, Eming R, Ishii N, Hertl M, <u>Hashimoto T</u> , Sprecher E	Childhood Pemphigus Foliaceus with Exclusive Immunoglobulin G Autoantibodies to Desmocollins.	Pediatr Dermatol	33(1):e10-13, 2016
Tsuchisaka A, Numata S, Te ye K, Natsuaki Y, Kawakami T, Takeda Y, Wang W, Is hikawa K, Goto M, Koga H, Sogame R, Ishii N, Takam ori S, Hoshino T, Brandt O, Pas Hendri, Fujiwara S, <u>Hashimoto T</u>	Epiplakin is a paraneoplastic pemphigus autoantigen and related to bronchiolitis obliterans in Japanese patients.	J Invest Dermatol	136(2):399-408, 2016
Concha-Garzón MJ, Pérez-Gala S, Solano-López G, Fraga J, Ishii N, <u>Hashimoto T</u> , D audén E	<a href="#"><u>Ketoprofen-induced lamina lucid a-type linear IgA bullous dermatosis.</u></a>	J Eur Acad Dermatol Venereol	30(2):350-352, 2016
Hong WJ, <u>Hashimoto T</u> , Kim SC	A Case of Pemphigus Herpetiformis with Only Immunoglobulin G Anti-Desmocollin 3 Antibodies.	Ann Dermatol	28(1):102-106, 2016
Kalinska-Bienias A, Kalowska M, Kwiek B, Jakubowska B, Ishii N, <u>Hashimoto T</u> , Kowalewski C, Wozniak K	Efficacy and safety of perilesional/intralesional triamcinolone injections of oral mucous membrane pemphigoid.	Br J Dermatol	174(2):436-438, 2016
<u>Hashimoto T</u> , Ohzono A, Ishii N	'Reply to: Clinical and immunological findings in 104 cases of paraneoplastic pemphigus': reply from the authors.	Br J Dermatol	174(2):461-462, 2016
Izaki S, Ito K, Ishii N, <u>Hashimoto T</u> , Fujita H, Terui T	Infantile linear IgA/IgG bullous dermatosis.	Eur J Dermatol	26(1):96-98, 2016
Ise Y, Suga Y, Okumura K, Negi O, Ishii, N, <u>Hashimoto T</u>	A case report of erythematous variety of bullous pemphigoid and literature surveillance.	Acta Derm Venereol	96(3):412–413, 2016
Yamate T, Shono T, Shimada H, Ishikawa K, Hatano Y, Kohno K, Yamamoto, T, Fujimoto W, Yamaguchi M, Ao yama,Y, Ishii N, <u>Hashimoto T</u> , Fujiwara S	Blistering disease associated with diffuse large B cell lymphoma but without autoantibodies.	J Dermatol	43(3):341-343, 2016
Yamate T, Shono T, Shimada H, Ishikawa K, Hatano Y, Kohno K, Yamamoto, T, Fujimoto W, Yamaguchi M, Ao yama,Y, Ishii N, <u>Hashimoto T</u> , Fujiwara S	Blistering disease associated with diffuse large B cell lymphoma but without autoantibodies.	J Dermatol	43(3):341-343, 2016
Namba C, Tohyama M, Han akawa Y, Murakami M, Shir akata Y, Matsumoto T, Sue mori K, Ishii N, <u>Hashimoto T</u> , Sayama K	Paraneoplastic pemphigus associated with fatal bronchiolitis obliterans and intractable mucosal erosions: Treatment with cyclosporine in addition to steroid, rituximab and IVIG.	J Dermatol	43(4):419-422, 2016
Sato-Shibuya M, Dainichi T, Egawa G, Honda T, Otsuka A, <u>Hashimoto T</u> , Miyachi Y, Kabashima K	Case with Brunsting-Perry-like 1 ocalized subepidermal blister formations and IgG antibodies agai nst unidentified basement memb rane zone antigen.	J Dermatol	43(4):426-428, 2016
Kamiya, K, Aoyama Y, Wa kashima C, Kudo T, Nakajima K, Sano S, Ishii N, Tey e K, <u>Hashimoto T</u> , Iwatsuki	Atypical pemphigus with immuno globulin autoantibodies agains t desmoglein 3 and desmocollin 3.	J Dermatol	43(4):429-431, 2016

K, Tokura Y			
<u>Hashimoto T</u> , Hirako Y, Tsuruta D	$\beta 4$ integrin in hereditary and acquired mucocutaneous diseases.	Exp Dermatol	25(4):267-268, 2016
Arakawa M, Ohata C, Tsuruta D, Ishii N, Sogame R, Nakama T, Yasumoto S, Yokoyama Y, Takeishi E, <u>Hashimoto T</u>	A severe and prolonged case of pemphigoid gestationis successfully treated with combination therapies.	Br J Dermatol	174(4):925-927, 2016
Maki N, Demitsu T, Umemoto N, Nagashima K, Nakamura T, Kakura M, Nakamura S, Yamada T, Ishii N, <u>Hashimoto T</u>	Possible paraneoplastic syndrome case of bullous pemphigoid with immunoglobulin G anti-BP180 C-terminal domain antibodies associated with psoriasis and primary macroglobulinemia.	J Dermatol	43(5):571-574, 2016
Nishikawa R, Takahashi H, Matsuda M, Imaoka K, Oga wa M, Teye K, Tsuchisaka A, Koga H, Komorowski L, Probst C, Hachiya T, Fritzer M, Ishii N, Ohata C, Furumura M, Krol P. R, Muro Y, Morita E, <u>Hashimoto T</u>	Anti-early endosome antigen 1 autoantibodies were detected in a pemphigus-like patient but not in the majority of pemphigus diseases.	Exp Dermatol	25(5):368-374, 2016
Teye K, Suga Y, Numata S, Soejima M, Ishii N, Krol RP, Ohata C, Matsuda M, Honma M, Ishida-Yamamoto A, Hamada T, Koda Y, <u>Hashimoto T</u>	A founder deletion of corneodesmosin gene is prevalent in Japanese patients with peeling skin disease: identification of 2 new cases.	J Dermatol Sci	82(2):134-137, 2016
Fukuda A, Himejima A, Tsuruta D, Koga H, Ohyama B, Morita S, <u>Hashimoto T</u>	Four cases of mucous membrane pemphigoid with clinical features of oral lichen planus.	Int J Dermatol	55(6):657-665, 2016
Hayakawa T, Teye K, Hachiya T, Uehara R, Hashiguchi M, Kawakami T, Li X, Tsuchisaka A, Ohara K, Sogame R, Koga H, Hamada T, Ohata C, Furumura M, Ishii N, Fukano H, Shimozato K, <u>Hashimoto T</u>	Clinical and immunological profiles of anti-BP230-type bullous pemphigoid: Restriction of epitopes to C-terminal domain of BP230 shown by novel ELISAs of BP230-domain specific recombinant proteins.	Eur J Dermatol	26(2):155-163, 2016
Dainichi T, Hayden MS, Park SG, Oh H, Seeley JJ, Grinberg-Bleyer Y, Beck KM, Miyachi Y, Kabashima K, <u>Hashimoto T</u> , Ghosh S	PDK1 Is a Regulator of Epidermal Differentiation that Activates and Organizes Asymmetric Cell Division.	Cell Rep	15(8):1615-1623, 2016
Imanishi A, Imanishi H, Hirayasu S, Ozawa T, Koga H, Ishii N, Kitajima Y, <u>Hashimoto T</u> , Tsuruta D	Anti-BP180-type mucous membrane pemphigoid immunoglobulin G shows heterogeneity of internalization of BP180/collagen XVII into keratinocyte cytoplasm.	Med Mol Morphol	49(2):89-97, 2016
Geller S, Gat A, Zeeli T, Schmidt E, Ishii N, <u>Hashimoto T</u> , Zillikens D, Sprecher E	A refractory, cutaneous, subepidermal bullous disease.	Clin Exp Dermatol	41(5):573-575, 2016
Teye K, Numata S, Ohzono A, Ohyama B, Tsuchisaka A, Koga H, Hachiya T, Tsuruta D, Ishii N, <u>Hashimoto T</u>	Establishment of IgA ELISAs of mammalian recombinant proteins of human desmocollins 1-3.	J Dermatol Sci	83(1):75-77, 2016

Inoue-Nishimoto T, Hanafusa T, Hirohata A, Mabuchi-Kiyohara E, Mizoguchi N, Matsumoto K, Ishii N, <u>Hashimoto T</u> , Ikegami R	IgG/IgA Pemphigus representing Pemphigus vegetans caused by low titers of IgG and IgA antibodies to desmoglein 3 and IgA antibodies to desmocollin 3.	J Eur Acad Dermatol Venereol	30(7):1229-1231, 2016
Li X, Qian H, Sogame R, Hirakawa Y, Tsuruta D, Ishii N, Koga H, Tsuchisaka A, Jin Z, Tsubota K, Fukumoto A, Sotozono C, Kinoshita S, <u>Hashimoto T</u>	Integrin $\beta$ 4 is a major target antigen in pure ocular mucous membrane pemphigoid.	Eur J Dermatol	26(3):247-253, 2016
Winge MC, Ohyama B, Dey CN, Boxer LM, Li W, Ehsani-Chimeh N, Truong AK, Wu D, Armstrong AW, Makino T, Davidson M, Starcevic D, Kislat A, Nguyen NT, <u>Hashimoto T</u> , Homey B, Khavari PA, Bradley M, Waterman EA, Marinkovich MP	RAC1 activation drives pathologic interactions between the epidermis and immune cells.	J Clin Invest	126(7):2661-2677, 2016
Numata S, Teye K, Krol RP, Okamatsu Y, Hashikawa K, Matsuda M, Fortugno P, Di Zenzo G, Castiglia D, Zambruno G, Hamada T, <u>Hashimoto T</u>	A compound synonymous mutation c.474G>A with p.Arg578X mutation in SPINK5 causes splitting disorder and mild phenotype in Netherton syndrome.	Exp Dermatol	25(7):568-570, 2016
<u>Hashimoto T</u> , Jin Z, Ishii N	Clinical and immunological studies for 105 Japanese seropositive patients of epidermolysis bullosa acquisita examined at Kurume University.	Expert Rev Clin Immunol	12(8):895-902, 2016
Witte M, Koga H, <u>Hashimoto T</u> , Ludwig RJ, Bieber K	Discovering potential drug-targets for personalized treatment of autoimmune disorders - what we learn from Epidermolysis bullosa acquisita.	Expert Opin Ther	20(8):985-998, 2016
Otsuka Y, Ueno T, Kaneko A, Ito M, Osada S, Funasaki A Y, Teye K, Ishii N, <u>Hashimoto T</u> , Kawana S	Case of paraneoplastic pemphigus with immunoglobulin (Ig)G and IgA antibodies to various antigens.	J Dermatol	43(8):944-946, 2016
Numata S, Teye K, Karashima T, Matsuda M, Hamada T, <u>Hashimoto T</u>	Functional study of TGM1 missense mutations in autosomal recessive congenital ichthyosis.	Exp Dermatol	25(8):657-659, 2016
<u>Hashimoto T</u>	Collaboration between dermatologists and dentists in autoimmune bullous diseases and IgA antibodies in pemphigus.	Br J Dermatol	175 (1):15-16, 2016
Teye K, Numata S, Ishii N, Krol RP, Tsuchisaka A, Hamada T, Koga H, Karashima T, Ohata C, Tsuruta D, Sayah H, Haftek M, <u>Hashimoto T</u>	Isolation of all CD44 Transcripts in Human Epidermis and Regulation of their Expression by various Agents.	Plos One 11	11(8):e0160952, 2016
<u>Hashimoto T</u> , Tsuruta D, Yasukochi A, Imanishi H, Sekine H, Fujita T, Wanibuchi H, Gi M, Karpati S, Sitaru C, Zone JJ, Endo D, Abe S, Nishino T, Koji T, Ishii N	Granular C3 dermatosis.	Acta Derm Venereol	96(6):748-753, 2016

Yasukochi A, Teye K, Ishii N, <u>Hashimoto T</u>	Clinical and Immunological Study of 332 Japanese Patients Tentatively Diagnosed as Anti-BP180-type Mucous Membrane Pemphigoid: A Novel BP180 C-terminal Domain Enzyme-linked Immunosorbent Assay.	Acta Derm Venereol	96(6):762-767, 2016
Ikawa T, Tada Y, Ohnishi T, Miyagaki T, Watanabe R, Ishii N, <u>Hashimoto T</u> , Watanabe S	Bullous Pemphigoid with Immunoglobulin G anti-LAD-1 Antibodies without Evident Erythema and Eosinophil Infiltration.	Acta Derm Venereol	96(6):832-833, 2016
Oyama N, Matsuda M, Hamada T, Numata S, Teye K, <u>Hashimoto T</u> , Hasegawa M	Two novel missense mutations of STS gene underlie X-linked recessive ichthyosis: understanding of the mutational and structural spectrum.	J Eur Acad Dermatol Venereol	30(9):1629-1631, 2016
Floreac F, Koch M, <u>Hashimoto T</u> , Sitaru C	Autoimmunity against laminins.	Clin Immunol	170:39-52, 2016
Kanwar AJ, Vinay K, Sawarkar GU, Dogra S, Minz RW, Ishii N, <u>Hashimoto T</u>	Clinical and immunological study of mucous membrane pemphigoid in a cohort of Indian patients.	Int J Dermatol	55(10):e557-e561, 2016
Yamase A, Kono K, Ishii N, <u>Hashimoto T</u> , Saeki H	An autoimmune bullous dermatosis with clinical, histopathological, and immunological features of bullous pemphigoid and epidermolysis bullosa acquisita in an adult.	Br J Dermatol	175(4):790-793, 2016
Kawano H, Kayama H, Nakama T, <u>Hashimoto T</u> , Umemoto E, Takeda K	IL-10-producing lung interstitial macrophages prevent neutrophilic asthma.	Int Immunol	28(10):489-501, 2016
Inoue T, Yagami A, Iwata Y, Ishii N, <u>Hashimoto T</u> , Matsunaga K	Mucous membrane pemphigoid reactive only with BP230.	J Dermatol	43(10):1228-1229, 2016
<u>Hashimoto T</u> , Tsuruta D, Koga H, Fukuda S, Ohyama B, Komai A, Karashima T, Ohata C, Teye K, Ishii N	Summary of results of serological tests and diagnoses for 4774 cases of various autoimmune bullous diseases consulted to Kurume University.	Br J Dermatol	175(5):953-965, 2016
Tomida E, Kato Y, Ozawa H, Hasegawa H, Ishii N, <u>Hashimoto T</u> , Akiyama M	Causative drug detection by drug-induced lymphocyte stimulation test in drug-induced linear IgA bullous dermatosis.	Br J Dermatol	175(5):1106-1108, 2016
Adachi A, Komine M, Suzuki M, Murata S, Hirano T, Ishii N, <u>Hashimoto T</u> , Ohtsuka M	Oral Colchicine Monotherapy for Epidermolysis Bullosa Acquisita: Mechanism of Action and Efficacy.	J Dermatol	43(11):1389-1391, 2016
Koga H, Recke A, Vidarsen G, Pas HH, Jonkman MF, <u>Hashimoto T</u> , Kasprick A, Ghorbanalipoor S, Tenor H, Zillikens D, Ludwig RJ	PDE4 inhibition as potential treatment of epidermolysis bullosa acquisita.	J Invest Dermatol	136(11):2211-2220, 2016
Irie H, Dainichi T, Fujita M, Endo Y, Fujisawa A, Tanioka M, Ishii N, <u>Hashimoto T</u> , Kabashima K, Miyachi Y	Anti-BP180 mucous membrane pemphigoid associated with acquired hemophilia A in a patient who suffered from life-threatening mucosal bleeding.	J Eur Acad Dermatol Venereol	30(12):e199-e201, 2016
Męcińska-Jundziłł K, <u>Hashimoto T</u> , Kowalewski C, Woźniak K, Ishii N, Czajkowski	Discrepancies among clinical, histological and immunological findings in IgA pemphigus: a case	Postepy Dermatol Alergol	33(6):480-484, 2016

R	e report and literature survey.		
García-Díez I, Martínez-Escal a ME, Ishii N, <u>Hashimoto T</u> , Mascaró Galy JM, Pujol RM, Herrero-González JE	Usefulness of a Simple Immuno histochemical Staining Techniqu e to Differentiate Anti-p200 Pe mphigoid From Other Autoimm une Blistering Diseases: A Rep ort of 2 Cases.	Actas Dermosifi liogr	108(1):e1-e5, 2017
Kieny A, <u>Hashimoto T</u> , Ishii N, Antal MC, Boehm N, Lipsker D	Granular pemphigus-like IgM de position around keratinocytes in a patient with Waldenström's macroglobulinaemia: a so far un reported finding.	J Eur Acad Der matol Venereol	31(1):e47-e49, 2017
Wijayanti A, Zhao CY, Boet tiger D, Chiang YZ, Ishii N, <u>Hashimoto T</u> , Murrell DF	The Reliability, Validity and Re sponsiveness of Two Disease S cores (BPDAI and ABSIS) for Bullous Pemphigoid: Which On e to Use?	Acta Derm Ven ereol	96(7):24-31, 2017
Amagai M, Ikeda S, <u>Hashim oto T</u> , Mizuashi M, Fujisawa A, Ihn H, Matsuzaki Y, Oh tsuka M, Fujiwara H, Furuta J, Tago O, Yamagami J, T anikawa A, Uhara H, Morita A, Nakanishi G, Tani M, Aoyama Y, Makino E, Muto M, Manabe M, Konno T, Murata S, Izaki S, Watanabe H, Yamaguchi Y, Matsukur a S, Seishima M, Habe K, Yoshida Y, Kaneko S, Shind o H, Nakajima K, Kanekura T, Takahashi K, Kitajima Y, Hashimoto K	Bullous Pemphigoid Study Grou p: A randomized double-blind tr ial of intravenous immunoglobulin for bullous pemphigoid.	J Dermatol Sci	85(2):77-84, 2017
<u>Hashimoto T</u> , Tsuruta D, Ish ii N	IgE autoantibodies in bullous pe mphigoid detected by IgE ELIS As and perspectives.	JAMA Dermato 1	153(1):15-17, 2017
<u>Hashimoto T</u> , Teye K, Ishii N	Clinical and immunological stud ies of 49 cases of various types of intercellular IgA dermatosis and 13 cases of classical subc orneal pustular dermatosis exam ined at Kurume University.	Br J Dermatol	176(1):168–175, 2017
Sawamura S, Kajihara I, Ma kino K, Makino T, Fukushima S, Jinnin M, Oyama B, Hashimoto T, Ihn H	Systemic lupus erythematosus as sociated with myasthenia gravis, pemphigus foliaceus and chron ic thyroiditis after thymectomy.	Australas J Der matol.	2016 Jun 7. doi: 10.111 1/ajd.12510. [Epub ahea d of print]
<u>Hashimoto T</u> , Ohzono A, Te ye K, Numata S, Hiroyasu S, Tsuruta D, Hachiya T, K uroda K, Hashiguchi M, Ka wakami T, Ishii N	Detection of IgE autoantibodies to BP180 and BP230 and their relationship to clinical features in bullous pemphigoid.	Br J Dermatol.	2016 Oct 7. doi: 10.111 1/bjd.15114. [Epub ahea d of print]
Kawahira H, Higashi Y, Mat suoka A, Fujii K, Ishii N, <u>H ashimoto T</u> , Kanekura T	Pyodermititis vegetans with anti bodies to bullous pemphigoid a ntigen 180.	J Dermatol.	2016 Dec 3. doi: 10.111 1/1346-8138.13703. [Epu b ahead of print]
Orime M, Tomiyama K, Has hidate H, Yoshida S, Hokari S, Tsuda A, Yokoyama H, Narita JI, Uchida Y, Kanekura T, Abe R, Ishii N, <u>Hashimoto T</u> , Kawai K	Non-paraneoplastic autoimmune subepidermal bullous disease ass ociated with fatal bronchiolitis obliterans.	J Dermatol	2016 Dec 3. doi: 10.111 1/1346-8138.13706. [Epu b ahead of print]

Nomura H, Mukai M, Niimi Y, Egami S, Yokoyama T, Sugiura M, Inazumi T, Ishii N, <u>Hashimoto T</u>	Coexistence of acquired perforating dermatosis and bullous pemphigoid: three cases.	Eur J Dermatol	2016 Dec 22. doi: 10.1684/ejd.2016.2944. [Epub ahead of print]
Hayakawa T, Hirako Y, Teye K, Tsuchisaka A, Koga H, Ishii N, Karashima T, Kaneda M, Oyu Y, Tateishi C, Sugawara K, Yonamine A, Shinkuma S, Shimizu H, Fukano H, Shimozato K, Nguyen NT, Marinkovich MP, Tsuruta D, <u>Hashimoto T</u>	Unique mouse monoclonal antibodies reactive with maturation-related epitopes on type VII collagen.	Exp Dermatol	2017 Jan 23. doi: 10.1111/exd.13306. [Epub ahead of print]
Teye K, Numata S, Krol RP, Ishii N, Matsuda M, Lee JB, Hamada T, <u>Hashimoto T</u>	Prevalence of filaggrin gene mutations in patients with atopic dermatitis and ichthyosis vulgaris in Kyushu area of Japan and South Korea.	J Dermatol Sci	2017 Jan 22. pii: S0923-1811(16)30846-5. doi: 10.1016/j.jdermsci.2017.01.009. [Epub ahead of print]
<u>Hashimoto T</u>	Induced autoimmune bullous diseases.	Br J Dermatol	2016 in press
<u>Hashimoto T</u> , Teye K, Numata S, Suga Y, Hamada T, Ishii N	Detection of SERPINB7 mutation can distinguish Nagashima-type palmoplantar keratoderma from other keratodermas with palmoplantar lesions.	Clin Exp Dermatol	2016 in press
Yasuda H, Kanazawa N, Matsuda M, Hamada T, Furumura M, <u>Hashimoto T</u> , Nakama T, Furukawa F	A case of Hailey-Hailey disease with a novel nonsense mutation in the ATP2C1 gene.	Ann Dermatol	2016 in press
Koga H, Ishii N, <u>Hashimoto T</u> , Nakama T	A case of shift from linear IgA bullous dermatosis (LABD) to pemphigus herpetiformis (PH) for a short period of time.	J Dermatol	2016 in press
Bunimovich YL, Teye K, Ishii N, Ho J, <u>Hashimoto T</u> , Patton TJ	IgG/IgA Pemphigus with Autoantibodies to Desmoglein 1 and Desmocollin 3, and Associated Lung Cancer.	J Clin Cosmet Dermatol 1(1): doi <a href="http://dx.doi.org/10.16966/jcc.d.102">http://dx.doi.org/10.16966/jcc.d.102</a>	2016 in press
<u>Hashimoto T</u> , Mizoguchi A	IL10-producing B-cells in autoimmune bullous diseases.	Br J Dermatol	2017 in press
Aizawa N, Asahina A, Ishii N, <u>Hashimoto T</u> , Nakagawa H	The nose as a predilection site of pemphigus.	Clin Exp Dermatol	2017 in press
Ohashi M, Takagi H, Mizutani Y, Seishima M, Koga H, <u>Hashimoto T</u>	A case of pemphigoid with IgG autoantibodies to the $\alpha 3$ subunit of laminin 332 associated with psoriasis vulgaris.	Eur J Dermatol	2017 in press
Tani S, Ishii N, <u>Hashimoto T</u> , Tsujioka K	Bullous pemphigoid arising in a patient with acquired perforating dermatosis.	Clin Exp Dermatol	2017 in press
Okahashi K, Oiso N, Ishii N, Sato M, Uchida S, Matsuura H, Kitano M, Hida J, Kawai S, Sano A, <u>Hashimoto T</u> , Kawada A	Paraneoplastic pemphigus associated with Castleman disease: Progression from mucous to mucocutaneous lesions with epitope-spreading phenomena	Br J Dermatol	2017 in press
<u>Kanazawa N</u> , <u>Kunimoto K</u> , Ishii N, Inamo Y, <u>Furukawa F</u>	Is CANDLE the best nomenclature?	Br J Dermatol	171: 659-660, 2014

<u>Kanazawa N</u> , Tchernev G, Wollina U	Autoimmunity versus autoinflammation - friend or foe?	Wien Med Wochenschr	164: 274-277, 2014
<u>Kanazawa N</u>	Hereditary disorders presenting with urticaria.	Immunol Allergy Clin N Am	34: 169-179, 2014
Ikeda K, Kambe N, Takei S, Nakano T, Inoue Y, Tomita M, Oyake N, Satoh T, Yamatou T, Kubota T, Okafuji I, <u>Kanazawa N</u> , Nishikomori R, Shimojo N, Matsue H, Nakajima H	Ultrasonographic assessment reveals detailed distribution of synovial inflammation in Blau syndrome.	Arthritis Res Ther	16: R89, 2014
<u>Kanazawa N</u> , Tchernev G, Chokoeva AA, Maximov GK, Wollina U, Lotti T, Patterson JW, Guarneri C, Tana C, Furukawa F	Interstitial granulomatous dermatitis demonstrating small, discrete skin-colored papules.	J Biol Regul Homeost Agents	30: 49-52, 2016
Kamio Y, <u>Kanazawa N</u> , Mine Y, Utani A	Intractable leg ulcers in Blau syndrome.	J Dermatol	43: 1096-1097, 2016
Harada J, Nakajima T, <u>Kanazawa N</u>	A case of Blau syndrome with NOD2 E383K mutation.	Pediatr Dermatol	33: e385-e387, 2016
Nishiguchi M, <u>Furukawa F</u> , <u>Kanazawa N</u>	Leprosy versus sarcoidosis: different diagnosis and review of misdiagnosed cases.	J Dermatol Clin Res	4: 1087, 2016
Moriwaki S	Human DNA repair disorders in dermatology: A historical perspective, current concepts and new insight	J Dermatol Sci	81:77-84, 2016
Kondo D, Noguchi A, Tamura H, Tsuchida S, Takahashi I, Kubota H, Yano T, Oyama C, Sawaishi Y, Moriwaki S, Takahashi T	Elevated urinary levels of 8-hydroxy-2'-deoxyguanosine in a Japanese child of xeroderma pigmentosum/Cockayne syndrome complex with infantile onset of nephrotic syndrome	Tohoku J Exp Med	239:231-5, 2016
Imafuku K, Hata H, Yanagi T, Kitamura S, Inamura Y, Nishimura M, Kitamura S, Moriwaki S, Shimuzu H	Multiple skin cancers in patients with mycosis fungoides after long-term ultra-violet phototherapy	Clin Exp Dermatol	in press
Tofuku Y, Nobeyama Y, Kamide K, Moriwaki S, Hidemi Nakagawa H	Xeroderma pigmentosum complementation group F: report of a case and review of Japanese patients	J Dermatol	42:897-9, 2015.
Kuwabara A, Tsugawa N, Uejima Y, Ogawa J, Otao N, Yamada N, Tanaka K, Masaki T, Nishigori C, Moriaki M, Okano T	High prevalence of vitamin D deficiency in patients with xeroderma pigmentosum (XP)-A under strict sun-protection	European Journal of Clinical Nutrition	69:693-6, 2015
Moriwaki S, Saruwatari H, Nakanishi N, Kanzaki T, Kanekura T, Minoshima S	Trichothiodystrophy Group A : A first Japanese patient with a novel homozygous nonsense mutation in the GTF2H5 gene.	J Dermatol	41:705-8, 2014
Yoneda K, Demitsu T, et al	Detection of apoptotic keratinocytes in a case of bullous pemphigoid developed after graft versus-host disease	Acta Derm Venereol	94: 231-232, 2014

Yoneda K, Nakai K, et al.	Polycystic kidney disease with Steatocystoma multiplex: evidences for a disruptive effect of mutated polycystin-1 on keratin 17 polymerisation	Acta Derm Venereol	95: 353-354, 2015
Koura-Nishiura A, Yoneda K et al.	Cellulitis-like skin eruption of purulent tenosynovitis caused by <i>Streptococcus dysgalactiae</i>	Acta Derm Venereol	95: 501-502, 2015
Yoneda K	Inherited ichthyosis: syndromic forms	J Dermatol	43: 252-263, 2016
Yoneda K, Kubota Y	Coccygeal pad associated with neurosyphilis	J Eur Acad Dermatol Venerol	30: 1039-1041, 2016
Matsuda M, Hamada T, Numata S, Teye K, Ishii N, Ohata C, Furumura M, Nakama T, Hashimoto T.	A three-dimensional in vitro culture model of Hailey-Hailey disease.	Exp Dermatol	24(10):788-9, 2015
Iino Y, Kano T, Adachi F, Suzuki M, Nishikawa R, Ishii N, Ohata C, Furumura M, Hamada T, Hashimoto T	A case of bullous pemphigoid associated with psoriasis vulgaris showing Hailey-Hailey disease-like histopathological changes in regenerated epidermis without genomic mutation in ATP2C1 or ATP2A2 gene	J Eur Acad Dermatol Venerol	29(8):1646-8, 2015
Matsuda M, Hamada T, Numata S, Teye K, Okazawa H, Imafuku S, Ohata C, Furumura M, Hashimoto T..	Mutation-dependent effects on mRNA and protein expressions in cultured keratinocytes of Hailey-Hailey disease	Exp Dermatol	23(7):514-6, 2014
Demitsu T, Yamada T, Nakamura S, Kakurai M, Dohmoto T, Kamiya K, Aoyama Y, Iwatsuki K, Yamagami J, Ohyama B, Ohata C, Koga H, Hashimoto T	Detection of autoantibodies to precursor proteins of desmogleins in sera of a patient with Bowen carcinoma.	Acta Derm Venereol	94(5):601-603, 2014.
Espana A, Koga H, Suarez-Fernandez R, Ohata C, Ishii N, Irarrazaval I, Teye K, Ohyama B, Hashimoto T	Antibodies to the amino-terminal domain of desmoglein 1 are retained during transition from pemphigus vulgaris to pemphigus foliaceus.	Eur J Dermatol	24(2):174-179, 2014.
Hayakawa T, Furumura M, Fukano H, Li X, Ishii N, Hamada T, Ohata C, Tsuruta D, Shimozato K, Hashimoto T	Diagnosis of oral mucous membrane pemphigoid by means of combined serologic testing.	Oral Surg Oral Med Oral Pathol Oral Radiol	117(4):483-496, 2014.
Iijima S, Hamada T, Kanzaki M, Ohata C, Hashimoto T	Sibling cases of hailey-hailey disease showing atypical clinical features and unique disease course.	JAMA Dermatol	150(1):97-99, 2014.
Karashima T, Furumura M, Ishii N, Ohyama B, Saruta H, Natsuaki Y, Nakama T, Ohata C, Tsuruta D, Hitomi K, Hashimoto T	Distinct protein expression and activity of transglutaminases found in different epidermal tumors.	Exp Dermatol	23(6):433-435, 2014.

Kusuhara M, Qian H, Li X, Tsuruta D, Tsuchisaka A, Ishii N, Ohata C, Furumura M, Hashimoto T	Mouse bone marrow-derived dendritic cells can phagocytize the <i>Sporothrix schenckii</i> , and mature and activate the immune response by secreting interleukin-12 and presenting antigens to T lymphocytes.	J Dermatol	41(5):386-392, 2014.
Li X, Ishii N, Ohata C, Furumura M, Hashimoto T	Signalling pathways in pemphigus vulgaris.	Exp Dermatol	23(3):155-156, 2014.
Li X, Qian H, Ono F, Tsuchisaka A, Krol RP, Ohara K, Hayakawa T, Matsueda S, Sasada T, Ohata C, Furumura M, Hamada T, Hashimoto T	Human dermal fibroblast migration induced by fibronectin in autocrine and paracrine manners.	Exp Dermatol	23(9):682-684, 2014.
Matsuda M, Hamada T, Numata S, Teye K, Okazawa H, Imafuku S, Ohata C, Furumura M, Hashimoto T	Mutation-dependent effects on mRNA and protein expressions in cultured keratinocytes of Hailey-Hailey disease.	Exp Dermatol	23(7):514-516, 2014.
Matsuda M, Ohata C, Hamada T, Oiso N, Tsuruta D, Furumura M, Hashimoto T	Late-onset Brooke-Spiegler syndrome with family histories of various cancers.	J Dermatol	41(5):454-456, 2014.
Ohata C	Hailey-Hailey disease.	Cutis	94(1):8, 33-34, 2014.
Ohata C, Fukuda S, Hashikawa K, Ishii N, Hamada T, Nakama T, Furumura M, Tsuruta D, Ohshima K, Hashimoto T	Molluscum Contagiosum With CD30+ Cell Infiltration in a Patient With Mycosis Fungoides.	Am J Dermopathol	36(8):685-687, 2014.
Ohata C, Ishii N, Furumura M	Locations of acantholysis in pemphigus vulgaris and pemphigus foliaceus.	J Cutan Pathol	41(11):880-889, 2014.
Qian H, Kusuhara M, Li X, Tsuruta D, Tsuchisaka A, Ishii N, Koga H, Hayakawa T, Ohara K, Karashima T, Ohyama B, Ohata C, Furumura M, Hashimoto T	B-cell activating factor detected on both naive and memory B cells in bullous pemphigoid.	Exp Dermatol	23(8):596-605, 2014.
Saruta H, Ohata C, Moto I, Yoshimura K, Inoue Y, Hamada T, Furumura M, Hashimoto T	Adenocarcinoma of Moll's gland with multiple metastases.	Eur J Dermatol	24(2):269-271, 2014.
Sasai S, Nishikawa R, Ohzono A, Hayakawa T, Tsuruta D, Kudoh K, Kikuchi T, Hashiguchi M, Ohata C, Furumura M, Koga H, Ishii N, Hashimoto T	Characterization of two cases of bullous pemphigoid reactive only with BP230 on Japanese enzyme-linked immunosorbent assays.	Acta Derm Venereol	94(6):734-736, 2014.
Teye K, Hamada T, Krol RP, Numata S, Ishii N, Matsuda M, Ohata C, Furumura M, Hashimoto T	Homozygous deletion of six genes including corneodesmosin on chromosome 6p21.3 is associated with generalized peeling skin disease.	J Dermatol Sci	75(1):36-42, 2014.
Tsuchisaka A, Kawano H, Yasukochi A, Teye K, Ishii N, Koga H, Sogami	Immunological and Statistical Studies of Anti-BP180 Antibodies in Paraneoplastic	J Invest Dermatol	134(8):2283-2287, 2014.

e R, Ohzono A, Krol RP, Kawakami T, Furumura M, Ohata C, Li X, Hashimoto T	Pemphigus.		
Yoshimura K, Ishii N, Hamada T, Abe T, Ono F, Hashikawa K, Fukuda S, Ohyama B, Koga H, Sogame R, Teye K, Ochiai T, Nakajima H, Nakajima K, Iijima S, Kanzaki M, Kojima K, Nagatani T, Fujimoto W, Karashima T, Nakama T, Ohata C, Furumura M, Tsuruta D, Hashimoto T	Clinical and immunological profiles in 17 Japanese patients with drug-induced pemphigus studied at Kurume University.	Br J Dermatol	171(3):544-553, 2014.
Iino Y, Kano T, Adachi F, Suzuki M, Nishikawa R, Ishii N, Ohata C, Furumura M, Hamada T, Hashimoto T	A case of bullous pemphigoid associated with psoriasis vulgaris showing Hailey-Hailey disease-like histopathological changes in regenerated epidermis without genomic mutation in ATP2C1 or ATP2A2 gene.	J Eur Acad Dermatol Venereol	29(8):1646-1648, 2015.
Ohata C, Imamura T, Nakama T	Cutaneous Metastasis of Cecal Carcinoma With Epidermotropism.	Dermatol Surg	41(7):854-856, 2015.
Ohata C, Ishii N, Furumura M, Nakama T	Adnexal involvement in bullous pemphigoid.	J Cutan Pathol	42(8):587-590, 2015.
Ohata C, Ishii N, Koga H, Fukuda S, Tateishi C, Tsuruta D, Furumura M, Hashimoto T	Coexistence of autoimmune bullous diseases (AIBDs) and psoriasis: A series of 145 cases.	J Am Acad Dermatol	73(1):50-55, 2015.
Ohata C, Matsuda M, Hamada T, Shintani T, Moto I, Nagata H, Furumura M, Nakama T	Loss of heterozygosity in a case of glomuvenous malformations.	J Dermatol	42(6):646-647, 2015.
Ohata C, Nii S, Furumura M, Nakama T	Vesicles and pustules on the fingers as an initial manifestation of eosinophilic pustular folliculitis.	J Dermatol	42(9):914-915, 2015.
Ohata C, Shintani T, Arakawa M, Yoshimura K, Ohyama B, Ishii N, Ono F, Hamada T, Karashima T, Furumura M	Frequent office visits for injections may reduce adalimumab survival rate in patients with psoriasis.	J Dermatolog Treat	26(4):312-313, 2015.
Tani N, Kimura Y, Koga H, Kawakami T, Ohata C, Ishii N, Hashimoto T	Clinical and immunological profiles of 25 patients with pemphigoid gestationis.	Br J Dermatol	172(1):120-129, 2015.
Tsuchisaka A, Ishii N, Hamada T, Teye K, Sogame R, Koga H, Tsuruta D, Ohata C, Furumura M, Hashimoto T	Epidermal polymeric immunoglobulin receptors: leads from intraepidermal neutrophilic IgA dermatosis-type IgA pemphigus.	Exp Dermatol	24(3):217-219, 2015.
Tsuchisaka A, Kaneko S, Imaoka K, Ota M, Kishimoto K, Tomaru U, Kasahara M, Ohata C, Furumura M, Takamori S, Morita E, Hashimoto T	Presence of autoimmune regulator and absence of desmoglein 1 in a thymoma in a patient with pemphigus foliaceus.	Br J Dermatol	173(1):268-271, 2015.

<u>Ohata C</u> , Ohyama B, Nagata H, Saruta H, Furumura M, Nakama T	Successful treatment with a dalimumab in a patient with psoriasis vulgaris after infliximab-related liver injury.	J J Expt Derm Res	1(4):014, 2015.
<u>Ohata C</u> , Ohyama B, Ono F, Karashima T, Hamada T, Ishii N, Natsuaki Y, Saruta H, Gohara M, Tani N, Furumura M, Nakama T	Opinions of Japanese patients with psoriasis regarding treatment with biological agents.	J J Expt Derm Res	1(4):015, 2015.
Arakawa M, Ohata C, Tsuruta D, Ishii N, Sogame R, Nakama T, Yasumoto S, Yokoyama Y, Takeishi E, Hashimoto T	A severe and prolonged case of pemphigoid gestationis successfully treated with combination therapies.	Br J Dermatol	174(4):925-927, 2016.
Ohata C, Ishii N, Niizeki H, Shimomura Y, Furumura M, Inoko H, Mitsu naga S, Saiki M, Shigeta M, Fujiwara S, Yamakawa K, Kobayashi S, Kamata M, Inaba M, Ito T, Uhara H, Watanabe R, Ohtoshi S, Ohashi T, Tanaka T, Suzuki M, Sitaru C, Karpati S, Zone JJ, Hashimoto T	Unique characteristics in Japanese dermatitis herpetiformis.	Br J Dermatol	174(1):180-183, 2016.
Ohata C, Ohyama B, Nagata H, Furumura M, Nakama T	Comparative Study of Direct Immunofluorescence in Discoid Lupus Erythematosus and Bullous Pemphigoid.	Am J Dermatopathol	38(2):121-123, 2016.
<u>Ohata C</u>	Dermatitis herpetiformis: A cutaneous gluten-related disorder with possible exception in Asian patients.	J Dermatol Res Ther	2(6):039, 2016.
<u>Ohata C</u>	Brown macule on the waist.	Cutis	97(3):169-172, 2016.
<u>Ohata C</u> , Imamura T	Painful purple toes.	Cutis	98(3):E8-E10, 2016.
Kitazawa T, Kawakami T, Matsuoka M, Kimura S, Soma Y, Nakano H.	Splicing mutation in the COL7A1 gene mRNA exon 71 in a female patient with pretibial epidermolysis bullosa.	J Dermatol.	41(11):1018-1019, 2014
Otaguchi R, Kawakami T, Matsuoka M, Kimura S, Soma Y, Matsuda M, Hamada T, Hashimoto T.	A sporadic elder case of erythrokeratoderma variabilis with a single base-pair transversion in GJB3 gene successfully treated with systemic vitamin A derivative.	J Dermatol.	41(11):1016-1018, 2014
Goto Y, Yajima I, Kumasaka M, Ohgami N, Tanaka A, Tsuzuki T, Inoue Y, Fukushima S, Ihn H, Kyoya M, Ohashi H, Kawakami T, Bennett DC, Kato M.	Transcription factor LSF (TCP2) inhibits melanoma growth.	Oncotarget	19;7(3):2379-2390, 2016
Hayashi R, Yoshida K, Abe R, Niizeki H, Shimomura Y	First Japanese case of congenital generalized hypertrichosis with a copy number variation on chromosome 17q24.	J Dermatol Sci	85(1):63-65, 2017

<u>Shimomura Y</u>	Journey toward unraveling the molecular basis of hereditary hair disorders.	J Dermatol Sci	84(3):232-238, 2016
Ito T, <u>Shimomura Y</u> , Hayashi R, Tokura Y	Identification of a novel mutation, c.686delAins18 (p.Asp229Glyfs*22), in the LIPH gene as a compound heterozygote with c.736T>A (p.Cys246Ser) in autosomal recessive woolly hair/hypotrichosis.	J Dermatol	42(7):752-753, 2015
Hayashi R, Inoue A, Suga Y, Aoki J, <u>Shimomura Y</u>	Analysis of unique mutations in the LPAR6 gene identified in a Japanese family with autosomal recessive woolly hair/hypotrichosis: Establishment of a useful assay system for LPA6.	J Dermatol Sci	78(3):197-205, 2015
Hayashi R, Bito T, Taniguchi-Ikeda M, Farooq M, Ito M, <u>Shimomura Y</u>	Japanese case of oculodentodigital dysplasia caused by a mutation in the GJA1 gene.	J Dermatol	41(12):1109-1110, 2014
Hayashi R, Akasaka T, Ito M, <u>Shimomura Y</u>	Compound heterozygous mutations in two distinct catalytic residues of the LIPH gene underlie autosomal recessive woolly hair in a Japanese family.	J Dermatol	41(10):937-938, 2014
Hayashi R, Inui S, Farooq M, Ito M, <u>Shimomura Y</u>	Expression studies of a novel splice site mutation in the LIPH gene identified in a Japanese patient with autosomal recessive woolly hair.	J Dermatol	41(10):890-894, 2014
Azmahani A, Nakamura Y, Felizola SJ, Ozawa Y, Ise K, Inoue T, McNamara KM, Doi M, Okamura H, Zouboulis CC, <u>Setsuya A</u> , et al.	Steroidogenic enzymes, their related transcription factors and nuclear receptors in human sebaceous glands under normal and pathological conditions.	<i>J Steroid Biochem Mol Biol</i>	2014;144 PtB(268-79).
Fujimura T, Hashimoto A, Furudate S, Kambayashi Y, Haga T, and <u>Aiba S</u> .	Successful Treatment of Eccrine Porocarcinoma Metastasized to a Cervical Lymph Node with CyberKnife Radiosurgery.	<i>Case reports in Dermatology</i>	2014;6:159-163
Fujimura T, Kambayashi Y, Furudate S, Kakizaki A, and <u>Aiba S</u> .	A possible mechanism in the recruitment of eosinophils and Th2 cells through CD 163(+)M2 macrophages in the lesional skin of eosinophilic cellulitis.	<i>Eur J Dermatol</i>	2014;24(2):180-5.
Fujimura T, Tagami H, and <u>Aiba S</u> .	Infantile cellular schwannoma developing on the skin with atypical clinical features.	<i>Case reports in Dermatology</i>	2014;6:185-188
Furudate S, Fujimura T, Kakizaki A, Kambayashi Y, Hashimoto A, and <u>Aiba S</u>	Keratoacanthoma accompanied by multiple lung squamous cell carcinomas developing in a renal transplant recipient	<i>Case reports in Dermatology</i>	2014;6:169-175

Furudate S, Fujimura T, Kambayashi Y, Haga T, Hashimoto A, and <u>Aiba S.</u>	Immunosuppressive and cytotoxic cells in invasive vs. non-invasive Bowen's disease.	<i>Acta Derm Venereol</i>	2014;94:337-339
Furudate S, Fujimura T, Kambayashi Y, Kakizaki A, and <u>Aiba S.</u>	Comparison of CD163+ CD206+ M2 Macrophages in the Lesional Skin of Bullous Pemphigoid and Pemphigus Vulgaris: The Possible Pathogenesis of Bullous Pemphigoid.	<i>Dermatology</i>	2014;229:369-378
Furudate S, Fujimura T, Kambayashi Y, Kawano M, Ogasawara K, Tsukada A, Tamabuchi E, Haga T, Hashimoto A, and <u>Aiba S.</u>	Successful treatment of adult Onset Langerhans cell histiocytosis with bi-weekly administration of pegylated interferon-alpha.	<i>Acta Derm Venereol</i>	2014;94:611-612
Haga T, Fujimura T, Takeuchi I, Deguchi M, and <u>Aiba S.</u>	Successful Treatment of Two Cases of Squamous Cell Carcinoma on the Ear with Intra-Arterial Administration of Peplomycin through a Superficial Temporal Artery.	<i>Case reports in Dermatology</i>	2014;6:207-212
Hagiwara A, Fujimura T, Furudate S, Kambayashi Y, Kagatani S, and <u>Aiba S.</u>	Induction of CD163(+) M2 macrophages in the lesional skin of eosinophilic pustular folliculitis.	<i>Acta Derm Venereol</i>	2014;94:104-106
Inoue T, Miki Y, Kakuo S, Hachiya A, Kitahara T, <u>Aiba S.</u> , Zouboulis CC, and Sasano H.	Expression of steroidogenic enzymes in human sebaceous glands.	<i>Journal of Endocrinology</i>	2014;223(3):301-12
Iwama E, Fujimura T, Tanita K, Ishibashi M, Watabe A, and <u>Aiba S.</u>	Acquired Idiopathic Generalized Anhidrosis: An Immunohistopathological Investigation of Peri-glands Infiltrated with Immunoreactive Cells.	<i>Acta Derm Venereol</i>	2014
Kagimoto Y, Mizuashi M, Kikuchi K, and <u>Aiba S.</u>	A case of ophiasis type of alopecia areata in a patient with ring chromosome 18 syndrome.	<i>J Dermatol.</i>	2014;41(6):559-60.
Kagimoto Y, Mizuashi M, Kikuchi K, and <u>Aiba S.</u>	Lichenoid drug eruption with hyperpigmentation caused by imatinib mesylate.	<i>Int J Dermatology</i>	2014;53(3)e158-239
Kakizaki A, Fujimura T, Kambayashi Y, Furudate S, Kawano M, Ogasawara K, and <u>Aiba S.</u>	Comparison of CD163+ Macrophages and CD206+ Cells in Lesional Skin of CD30+ Lymphoproliferative Disorders of Lymphomatoid Papulosis and Primary Cutaneous Anaplastic Large-cell Lymphoma.	<i>Acta Derm Venereol</i>	2014
Kimura Y, Fujimura C, Ito Y, Takahashi T, and <u>Aiba S.</u>	Evaluation of the Multi-ImmunoTox Assay composed of 3 human cytokine reporter cells by examining immuno	<i>Toxicol In Vitro</i>	2014;28(5):759-68

	logical effects of drugs.		
Kondo Y, Iwata T, Haga T, Kimura O, Ninomiya M, Kakazu E, Kogure T, Morosawa T, <u>Aiba S</u> , and Shimosegawa T.	Eradication of hepatitis C virus could improve immunological status and pyoderma gangrenosum-like lesions.	<i>Hepatol Res.</i>	2014;44(2):238-45.
Kusakari Y, Yamasaki K, and <u>Aiba S</u> .	Painful macules of hand cholesterol crystal embolization successfully treated with oral corticosteroid, statin, and sarpogrelate.	<i>J Dermatol.</i>	2014;41(7):662-4
Li N, Yamasaki K, Saito R, Fukushi-Takahashi S, Shimada-Omori R, Asan o M, and <u>Aiba S</u> .	Alarmin function of cathelicidin antimicrobial peptide LL37 through IL-36gamma induction in human epidermal keratinocytes.	<i>J Immunol.</i>	2014;193(10):5140-8
Ogura F, Wakao S, Kuro da Y, Tsuchiyama K, Ba gheri M, Heneidi S, Chaz enbalk G, <u>Aiba S</u> , and D ezawa M.	Human adipose tissue posse sses a unique population of pluripotent stem cells with nontumorigenic and low telo merase activities: potential i mPLICATIONS in regenerative medicine.	<i>Stem Cells Dev.</i>	2014;23(7):717-28
Ohashi K, Sampei K, Na kagawa M, Uchiumi N, A manuma T, Aiba S, Oika wa M, and Mizuno K.	Damnacanthal, an effective inhibitor of LIM-kinase, inhibits cell migration and invasion.	<i>Mol Biol Cell.</i>	2014;25(6):828-40
Onami K, Kimura Y, Ito Y, Yamauchi T, Yamasaki K, and <u>Aiba S</u> .	Nonmetal haptens induce ATP release from keratinocytes through opening of pann exin hemichannels by reactive oxygen species.	<i>J Invest Dermatol.</i>	2014;134(7):1951-60
Sato Y, Fujimura T, Tam abuchi E, Haga T, and <u>Aiba S</u> .	Dermoscopy findings of hidroacanthoma simplex.	<i>Case reports in Dermatology</i>	2014;6:154-158
Takahashi T, Fujimura T, Kambayashi Y, Numata Y, and <u>Aiba S</u> .	Isolated collagenoma developing on the scalp.	<i>Eur J Dermatol.</i>	2014
Tsujita-Inoue K, Hirota M, Ashikaga T, Atobe T, Kouzuki H, and <u>Aiba S</u> .	Skin sensitization risk assessment model using artificial neural network analysis of data from multiple in vitro assays.	<i>Toxicol In Vitro.</i>	2014;28(4):626-39
Watanabe M, Kurai J, Tomita K, Sano H, Abe S, Saito R, Minato S, Igishi T, Burioka N, Sako T, et al.	Effects on asthma and induction of interleukin-8 caused by Asian dust particles collected in western Japan.	<i>J Asthma.</i>	2014;51(6):595-602
Yu Z, Ono C, <u>Aiba S</u> , Kikuchi Y, Sora I, Matsuoka H, and Tomita H.	Therapeutic concentration of lithium stimulates complement C3 production in dendritic cells and microglia via GSK-3 inhibition.	<i>Glia.</i>	2015;63(2):257-70

Aiba S.	<a href="#">Dendritic Cells-Importance in Allergy.</a>	Allergol Int.	2007;56(3):201-208
Sato Y, Fujimura T, Furudate S, Kakizaki A, Iizawa O, <u>Aiba S.</u>	<a href="#">M2-Polarized Macrophages Compose Lupus Vulgaris Arising from a Bacillus Calmette-Guérin Vaccination Site.</a>	Case Rep Dermatol.	<b>2016</b> Jul 19;8(2):202-206.
Suzuki H, Kikuchi K, Fukuwara N, Nakano H, <u>Aiba S.</u>	<a href="#">Case of late-onset erythropoietic protoporphyrina with mild odysplastic syndrome who has homozygous IVS3-48C polymorphism in the ferrocatalase gene.</a>	J Dermatol.	<b>2016</b> Dec 27.
Kagimoto Y, Yamasaki K, Shimada-Ohmori R, Nan L, Numata Y, <u>Aiba S.</u>	<a href="#">Positive correlation of vanilloid receptor subtype1 and prostaglandin E2 expression with pain in leiomyomas.</a>	J Dermatol.	<b>2016</b> Dec 27.
Furudate S, Fujimura T, Kambayashi Y, Hidaka T, Hashimoto A, <u>Aiba S.</u>	<a href="#">Sequential Therapy with Nivolumab Followed by Ipilimumab Induces Complete Response in Metastatic Melanoma of the Lung but with Severe Hepatotoxicities.</a>	Case Rep Oncol	<b>2016</b> Oct 17;9(3):644-649
Fujimura T, Kambayashi Y, Furudate S, Hidaka T, Sato Y, Tanita K, Ton o H, Tsukada A, Hashimoto A, <u>Aiba S.</u>	<a href="#">Successful treatment of multiple in-transit melanomas on the leg with intensity-modulated radiotherapy and immune checkpoint inhibitors: Report of two cases.</a>	J Dermatol.	<b>2016</b> Dec 3.
Hidaka T, Ogawa E, Kobayashi EH, Suzuki T, Funayama R, Nagashima T, Fujimura T, <u>Aiba S.</u> , Nakayama K, Okuyama R, Yamamoto M.	<a href="#">The aryl hydrocarbon receptor AhR links atopic dermatitis and air pollution via induction of the neurotrophic factor artemin.</a>	Nat Immunol.	2017 Jan;18(1):64-73.
Fujimura T, Kakizaki A, Furudate S, <u>Aiba S.</u>	<a href="#">A possible interaction between periostin and CD163+ skin-resident macrophages in pemphigus vulgaris and bullous pemphigoid.</a>	Exp Dermatol.	<b>2016</b> Aug 8.
Hagiwara-Takita A, Fujimura T, Kakizaki A, <u>Aiba S.</u>	<a href="#">RANKL-Expressing Ectopic Extramammary Paget's Disease on the Lower Abdomen.</a>	Case Rep Dermatol.	<b>2016</b> Jun 6;8(2):130-5.
Fujimura T, Kambayashi Y, Furudate S, Kakizaki A, Hidaka T, Haga T, Hashimoto A, Morimoto R, <u>Aiba S.</u>	<a href="#">Isolated adrenocorticotrophic hormone deficiency possibly caused by nivolumab in a metastatic melanoma patient.</a>	J Dermatol.	<b>2016</b> Jul 21.
Azmahani A, Nakamura Y, Ishida H, McNamara KM, Fujimura T, Haga T, Hashimoto A, <u>Aiba S.</u> , Sasano H.	<a href="#">Estrogen receptor β in Merkel cell carcinoma: its possible roles in pathogenesis.</a>	Hum Pathol.	<b>2016</b> Oct;56:128-33
Furudate S, Fujimura T, Kakizaki A, Hidaka T, Asano M, <u>Aiba S.</u>	<a href="#">Tumor-associated M2 macrophages in mycosis fungoides acquire immunomodulatory function by interferon alpha</a>	J Dermatol Sci.	<b>2016</b> Sep;83(3):182-9.

	<a href="#"><u>a and interferon gamma.</u></a>		
Terui H, Fujimura T, Kakizaki A, Furudate S, <u>Aiba S.</u>	<a href="#"><u>Merkel Cell Carcinoma with Spontaneous Regression: A Case Report and Immunohistochemical Study.</u></a>	Case Rep Dermatol.	<b>2016</b> Feb 24;8(1):52-8
Tanita K, Fujimura T, Kakizaki A, Furudate S, Mizuashi M, Watabe A, <u>Aiba S.</u>	<a href="#"><u>Periostin in the Cancer Stromal Mycosis Fungoides Palmaris et Plantaris: A Case Report and Immunohistochemical Study.</u></a>	Case Rep Dermatol	. <b>2016</b> Feb 6;8(1):31-5.
Shido K, Fujimura T, Kakizaki A, Furudate S, Asano M, <u>Aiba S.</u>	<a href="#"><u>Plexiform Fibrohistiocytic Tumor on the Ear: Case Report and Immunohistochemical Investigation of Stromal Factor.</u></a>	Case Rep Dermatol.	<b>2016</b> Feb 5;8(1):26-30.
Fujimura T, Kakizaki A, Furudate S, Kambayashi Y, <u>Aiba S.</u>	<a href="#"><u>Tumor-associated macrophages in skin: How to treat their heterogeneity and plasticity.</u></a>	J Dermatol Sci.	<b>2016</b> Sep;83(3):167-73.
Fujimura T, Kambayashi Y, Kakizaki A, Furudate S, <u>Aiba S.</u>	<a href="#"><u>RANKL expression is a useful marker for differentiation of pagetoid squamous cell carcinoma in situ from extramammary Paget disease.</u></a>	J Cutan Pathol.	<b>2016</b> Sep;43(9):772-5.
Fujimura T, Kambayashi Y, Furudate S, Kakizaki A, Hidaka T, Asano M, <u>Aiba S.</u>	<a href="#"><u>Receptor activator of nuclear factor kappa-B ligand (RANKL)/RANK signaling promotes cancer-related inflammation through M2 macrophages.</u></a>	Exp Dermatol.	<b>2016</b> May;25(5):397-9.
Tsuchiyama K, Watabe A, Sadayasu A, Onodera N, Kimura Y, <u>Aiba S.</u>	<a href="#"><u>Successful Treatment of Segmental Vitiligo in Children with the Combination of 1-mm Minigrafts and Phototherapy.</u></a>	Dermatology.	<b>2016</b> ;232(2):237-41.
Oeda S, Hirota M, Nishida H, Ashikaga T, Sasa H, <u>Aiba S.</u> , Tokura Y, Kozuki H.	<a href="#"><u>Development of an in vitro photosensitization test based on changes of cell-surface thiols and amines as biomarkers: the photo-SH/NH<sub>2</sub> test.</u></a>	J Toxicol Sci.	<b>2016</b> Feb;41(1):129-42
Fujimura T, Furudate S, Kakizaki A, Kambayashi Y, Haga T, Hashimoto A, <u>Aiba S.</u>	<a href="#"><u>Contact immunotherapy enhances the therapeutic effects of nivolumab in treating in-transit melanoma: Two cases reports.</u></a>	J Dermatol.	<b>2016</b> Jun;43(6):686-9.
Azmahani A, Nakamura Y, Felizola SJ, Ozawa Y, Ise K, Inoue T, McNamara KM, Doi M, Okamura H, Zouboulis CC, <u>Aiba S.</u> , Sasano H.	<a href="#"><u>Reply to comments to "Letter to the Editor: comment on Azmahani et al. steroidogenic enzymes, their related transcription factors and nuclear receptors in human sebaceous glands under normal and pathological conditions".</u></a>	J Steroid Biochem Mol Biol.	<b>2016</b> Jan;155(Pt A):178-80.

Furudate S, Fujimura T, Kakizaki A, Kambayashi Y, Asano M, Watabe A, <u>Aiba S.</u>	<u>The possible interaction between periostin expressed by cancer stroma and tumor-associated macrophages in developing mycosis fungoides.</u>	Exp Dermatol.	<b>2016</b> Feb;25(2):107-12.
Terui H, Hashimoto A, Yamasaki K, <u>Aiba S.</u>	<u>Milia En Plaque as a Distinct Follicular Hamartoma With Cystic Trichoepitheliomatous Features.</u>	Am J Dermopathol.	<b>2016</b> Mar;38(3):212-7.
Watanabe Y, Shido K, Niihori T, Niizuma H, Katai Y, Iizuka C, Oba D, Moriya K, Saito-Nanjo Y, Onuma M, Rikiishi T, Sasahara Y, Watanabe M, <u>Aiba S.</u> , Saito R, Sonoda Y, Tominaga T, Aoki Y, Kure S.	<u>Somatic BRAF c.1799T&gt;A p.V600E Mosaicism syndrome characterized by a linear syringocystadenoma papilliferum, anaplastic astrocytoma, and ocular abnormalities.</u>	Am J Med Genet A.	<b>2016</b> Jan;170A(1):189-94.
Tsutsumi M, Fukuda M, Kumamoto J, Goto M, Denuda S, Yamasaki K, <u>Aiba S.</u> , Nagayama M, Denda M.	<u>Abnormal Morphology of Blood Vessels in Erythematous Skin From Atopic Dermatitis Patients.</u>	Am J Dermopathol.	<b>2016</b> May;38(5):363-4.

## 和文

発表者名	論文タイトル名	発表誌名	巻：頁、西暦年号
河野秀郎、橋川恵子、夏秋洋平、名嘉眞武国、安元慎一郎、橋本隆	生後1ヶ月で消退したSolitary Langerhans Cell Histiocytosis(Con genital Self-healing Reticulohistiocytosis)の1例	西日本皮膚科	76(3):206-209,2014
新谷貴子、濱田尚宏、坂口麻莉子、猿田寛、井上義彦、上田明弘、石井文人、橋本隆、名嘉眞武国	水疱症類天疱瘡を合併したX連鎖性劣性魚鱗癬の1例	皮膚の科学	14(1):12-16,2015
大畠千佳、濱田尚宏、小野文武、荒木由布子、角間辰之、橋本隆	魚鱗癬におけるリアペクトの臨床効果の検討	薬理と治療	43(2):175-180,2015
小野寺信江、水芦政人、萩原彰子、加賀谷早織、沼田郁子、菊地克子、相場節也、古賀浩嗣、橋本隆	治療に難渋した抗BP180型粘膜類天疱瘡の1例	臨床皮膚科	69(11):827-830,2015
滝沢佐和、春名邦隆、濱田尚宏、沼田早苗、橋本隆、須賀康	TGM1遺伝子変異が同定された葉状魚鱗癬の姉弟症例	臨床皮膚科	69(12):917-922,2015
橋本啓代、山本洋輔、外川八英、石井文人、橋本隆、松江弘之	Brunsting-Perry型を思わせる皮疹の分布を初発症状とした水疱性類天疱瘡	皮膚病診療	38(10):983-986,2016
秦舞子、周円、加納宏行、清島真理子、古賀浩嗣、橋本隆	肺癌患者に生じた抗180型粘膜類天疱瘡	皮膚病診療	38(10):1003-1006,2016
守屋智枝、周円、加納宏行、小森聰子、橋本隆、石井文人、清島真理子	糖尿病治療薬による類天疱瘡型薬疹を疑った症例	皮膚病診療	38(10):1003-1006,2016

西岡いずみ、平澤祐輔、吉原渚、扇谷咲子、池田志季、石井文人、古賀浩嗣、橋本隆	線状IgA/IgG水疱症	皮膚病診療	38(10):1023-102 6, 2016
片山智恵子、齊藤恭子、徳永千春、小澤知倫、石井文人、橋本隆	歯肉辺縁に生じた尋常性天疱瘡	皮膚病診療	38(11):1069-107 2, 2016
白川典子、船坂陽子、菊地伊豆実、大塚流音、橋本隆、川名誠司、佐伯秀久	水疱症・膿疱症】原発性マクログロブリン血症に合併した腫瘍隨伴性天疱瘡の1例	皮膚科の臨床	58(1):9-13, 2016
宇津宮まりか、佐々木哲雄、勝野正子、竹下芳裕、池澤善郎、野澤昭典、石井文人、橋本隆	【水疱症・膿疱症】掌蹠、口腔粘膜を中心に水疱を認めた後天性表皮水疱症の1例	皮膚科の臨床	58(1):31-35, 2016
藤田真文、遠藤雄一郎、藤澤章弘、谷岡未樹、大日輝記、桝島健治、石井文人、橋本隆、宮地良樹	歯肉粘膜びらんのみを呈した粘膜類天疱瘡の1例	臨床皮膚科	70(3):207-212, 20 16
伊藤恵梨、足立秀禎、鈴木伸吾、石井文人、橋本隆	潰瘍性大腸炎に合併した線状IgA水疱性皮膚症の1例	臨床皮膚科	70(8):585-590, 20 16
大塚明奈、阿部俊文、安元慎一郎、橋本隆、名嘉眞武国	左上口唇に生じたMucoepidermoid Carcinomaの1例	西日本皮膚科	78(3):266-269, 20 16
川村みゆき、石井文人、松田光弘、大畑千佳、名嘉眞武国、橋本隆	【遺伝子検索を行った皮膚病】 臨床例 SERPINB7変異を認めた長島型掌蹠角化症の3例	皮膚病診療	38(8):785-788, 20 16
島本純子、谷崎英昭、黒川晃夫、森脇真一、濱田尚宏、橋本隆	【遺伝子検索を行った皮膚病】 臨床例 ATP2C1遺伝子に新規変異を認めたHailey-Hailey病	皮膚病診療	38(8):793-796, 20 16
山名やよい、小林里実、高山亜由美、福田俊平、橋本隆	口腔粘膜病変に加えて爪巣炎と小水疱性皮疹を呈した抗BP180型粘膜類天疱瘡	皮膚病診療	38(10):999-1002, 2016
藤井麻美、水谷陽子、清島真理子、石井文人、橋本隆	抗BP180型粘膜類天疱瘡	Visual Dermatology	16(1):24-25, 2017
堤美穂、峠岡理沙、中川有夏、上田有希子、張財源、益田浩司、加藤則人、立石千晴、鶴田大輔、橋本隆	抗ラミン 1類天疱瘡の1例	臨床皮膚科	71(1):37-42, 2017
<u>金澤伸雄</u>	中條 - 西村症候群	分子リウマチ治療	7:25-29、 2014
<u>金澤伸雄</u>	中條 - 西村症候群 : 和歌山発・プロテアソーム不全による新しい自己炎症疾患	日本臨床皮膚科医会近畿ブロック会報	29 : 4-5、 2014
<u>金澤伸雄</u>	サルコイドーシス	別冊BIO Clinica	3(2):80-85, 2014
<u>金澤伸雄</u>	単球系細胞の免疫反応および肉芽種における役割	日皮会誌	124(12):3096-309 8、 2014
<u>金澤伸雄</u>	なじみのない蕁麻疹様皮疹	MB Derma	228:1-8、 2015
<u>金澤伸雄</u>	中條 - 西村症候群	リウマチ科	54 : 178-184、 2015

<u>金澤伸雄</u>	尋麻疹の鑑別診断 - 自己炎症症候群	MB Derma	236: 27-34、2015
<u>金澤伸雄、古川福実</u>	差分解説 中條 - 西村症候群 (Naka jo-Nishimura syndrome) .	日本医事新報	4813: 52, 2016
<u>金澤伸雄</u>	中條 - 西村症候群の病因と診断 .	新薬と臨床	65: 1212-1217, 2016
<u>金澤伸雄</u>	自己炎症疾患 .	日本サルコイドーシス/肉芽腫性疾患学会雑誌	36: 21-26, 2016
<u>西口麻奈、渡邊有史、上中智香子、古川福実、伊東秀文、立石千晴、鶴田大輔、石井則久、金澤伸雄</u>	サルコイドーシスと診断された多菌型ハンセン病の日本人新規発症例 .	日本皮膚科学会雑誌	126: 2433-2439, 2016
<u>金澤伸雄</u>	中條 - 西村症候群 .	Visual Dermatology	16: 128-132, 2017
<u>花見由華、山本俊幸、金澤伸雄、三嶋博之、木下晃、吉浦孝一郎</u>	: エカルディ・グティエール症候群 (家族性凍瘡様ループス) の父子例 —当初中條 - 西村症候群を疑った症例 .	Visual Dermatology	16: 133-135, 2017
<u>稻葉豊、国本佳代、金澤伸雄、古川福実</u>	抗核抗体高値を伴った中條 - 西村症候群一本疾患における自己抗体出現のまとめ .	Visual Dermatology	16: 141-143, 2017
<u>森脇真一</u>	小児の光線過敏症	小児内科	48 : 594-597, 2016
<u>森脇真一、苅田典生、林 雅晴、酒井良忠、錦織千佳子</u>	色素性乾皮症の診療ガイドライン	日本皮膚科学会雑誌	125:2013-22, 2015
<u>森脇真一</u>	色素性乾皮症とその類縁疾患	日本臨床増刊号	p257-262 (2015)
<u>森脇真一</u>	小児の光線過敏症	Monthly Book Dermatology	236:89-95, 2015
<u>森脇真一</u>	皮膚科領域の遺伝カウンセリング：その理論と実際	日本遺伝カウンセリング学会雑誌	35 : 67-72、2014
<u>森脇真一</u>	光線過敏症～確定診断へのアプローチ～	皮膚科の臨床	56:723-9, 2014
<u>大畠千佳</u> .	【自己免疫性疾患としての水疱症】日本人ジューリング疱疹状皮膚炎の特徴.	アレルギー・免疫	21(11):1734-1739, 2014.
<u>大畠千佳</u> .	医療の最前線シリーズ 生物学的製剤による乾癬治療.	久留米医学会雑誌	78(2-4):51-58, 2015
<u>大畠千佳</u> , 濱田尚宏, 小野文武, 荒木由布子, 角間辰之, 橋本隆.	魚鱗癬におけるリペクトの臨床効果の検討.	薬理と治療	43(2):175-180, 2015
<u>大畠千佳</u> .	本邦の疱疹状皮膚炎の現状.	皮膚病診療	38(11):1062-1066, 2016.

### 【書籍(単行本)】

欧文

著者名	題名	書名	編集者名	発行社(発行地)	頁、西暦年号
<u>Kanazawa</u>	Rare hereditary	Dermatology Res	Yan-Hua Li	NOVA Science	Vol.2, pp.3-1

N	autoinflammatory disorders.	earch Advances,	ang	Publishers, Inc. NY	8, 2015
Moriwak S	Prenatal diagnosis of xeroderma pigmentosum group A	DNA repair disorders -clinical and molecular aspects	Nishigori C, Sugasawa K	Springer	in press

和文

著者名	題名	書名	編集者名	発行社(発行地)	頁、西暦年号
金澤伸雄	中條 西村症候群、別冊日本臨牀 新領域症候群シリーズNo.27神経症候群(第2版) —その他の神経疾患を含めて—」			日本臨牀社(東京)	pp.683-688、2014
金澤伸雄	Blau症候群、サルコイドーシス診療Q&A集、	厚生労働科学研究費補助金難治性疾患克服研究事業びまん性肺疾患に関する調査研究	杉山幸比古監修、山口哲生 四十坊典晴編集	鈴木印刷(宇都宮)	pp.114-116, 2014
金澤伸雄	中條 - 西村症候群 .	別冊日本臨牀 新領域症候群シリーズ No.36免疫症候群(第2版) - その他の免疫疾患を含めて - III		日本臨牀社(東京)	pp.825-830、2016
金澤伸雄	Blau症候群 .	呼吸器科医のためのサルコイドーシス診療ガイド	杉山幸比古監修	南江堂(東京)	pp.118-122、2016
金澤伸雄	Weber-Christian病(再発性熱性結節性非化膿性脂肪織炎) .	皮膚疾患最新の治療2017-2018	渡辺晋一、古川福実編	南江堂(東京)	印刷中
森脇真一	光線過敏症	マイスターから学ぶ 皮膚科治療薬の服薬指導術	大谷道輝、宮地良樹	メディカルレビュー社	p278-281, 2016
森脇真一	光線過敏症	JMEDJ治療法便覧2016 ~私の治療~	猿田享男、北村惣一郎	日本医事新報社	印刷中
森脇真一	小児の光線過敏症	今日の小児治療指針	水口雅、市橋光、崎山弘	医学書院	p837-838、2015
森脇真一	可視光のアンチエイジング効果	光老化科学の最前線	前田憲寿	シーエムシー出版	p45-50、2015
森脇真一	トピック UDS、ポルフィリアなど	定番・外来皮膚科検査法のすべて	宮地良樹	文光堂	p59-60、2015
森脇真一	光線過敏症	今日の治療指針 2015年版 私はこう治療している	福井次矢、高木誠、小室一成	医学書院	p1153-4、2015
森脇真一	こどもの異常な日焼け診断の決め手:色素性乾皮症を疑うべきかの解決法は?	苦手な外来皮膚疾患100の解決法 ~そのとき達人は	加藤則人	メディカルレビュー社	p104-105、2014
米田耕造	掌蹠角化症	平成26年度日本皮膚科学会研修講習会テキスト	日本皮膚科学会研修委員会	日本皮膚科学会(東京)	pp 1-4, 2014