

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
Uchino H, <u>Kazumata K</u> , <u>Houkin K</u>	Significance of RNF213 in Clinical Management in Japan.	Koizumi A, Nagata K, Houkin K, Tominaga T, Miyamoto S, Kure S, Tournier-Lasserre E.	Moyamoya Disease Explored Through RNF213: Genetics, Molecular Pathology, and Clinical Sciences	Springer	Singapore	2017	13-22
Koizumi A, Nagata K, Houkin K., Tominaga T, Miyamoto S, Kure S, Tournier-Lasserre E	Moyamoya Disease Explored Through RNF213 - Genetics, Pathology and Clinical Sciences.	Koizumi A, Nagata K., Houkin K., Tominaga T, Miyamoto S, Kure S, Tournier-Lasserre E	Moyamoya Disease Explored Through RNF213 - Genetics, Pathology and Clinical Sciences.	Springer	Singapore	2017	Koizumi A, Nagata K, Houkin K., Tominaga T, Miyamoto S, Kure S, Tournier-Lasserre E
Minehara Y, Takagi Y, Miyamoto S.	Significance of RNF213 in Clinical Management in Japan.	Koizumi A, Nagata K, Houkin K, Tominaga T, Miyamoto S, Kure S, Tournier-Lasserre E.	Moyamoya Disease Explored Through RNF213: Genetics, Molecular Pathology, and Clinical Sciences	Springer	Singapore	2017	137-150

## 雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yamamoto S, Kashiwazaki D, Akioka N, Kuwayama N, Kuroda S	Superficial temporal artery to middle cerebral artery anastomosis for neovascular glaucoma due to common carotid artery occlusion.	Surg Neurol Int	6(Supple 9)	S304-S308	2016

Yamada S, Oki K, Itoh Y, Kuroda S, Houkin K, Tominaga T, Miyamoto S, Hashimoto N, Suzuki N, on behalf of the Research Committee on Spontaneous Occlusion of the Circle of Willis (Moyamoya Disease)	Effect of surgery and antiplatelet therapy in 10-year follow-up from the registry study of Research Committee on Moyamoya Disease in Japan.	J Stroke Cerebrovasc Dis	25	340-349	2016
Takahashi JC, Funaki T, Houkin K, Inoue T, Ogasawara K, Nakagawara J, Kuroda S, Yamada K, Miyamoto S	Significance of the hemorrhagic site for recurrent bleeding – A prespecified analysis in the Japan Adult Moyamoya Trial.	Stroke	47	37-43	2016
Yamamoto S, Koh M, Kashiwazaki D, Akioka N, Kuwayama N, Noguchi K, Kuroda S	Is quasi-moyamoya disease a uniform disease entity? A 3D-CISS imaging study.	J Stroke Cerebrovasc	25	1509-1516	2016
Uchino H, Nakayama N, Kazumata K, Kuroda S, Houkin K	Edaravone reduces hyperperfusion-related neurological deficits in adult moyamoya disease: a historical control study.	Stroke	47	1930-1932	2016
Yamamoto S, Akioka N, Kashiwazaki D, Tomita T, Kuwayama N, Kuroda S	Moyamoya disease emerged with corpus callosum hemorrhage – A 3D computer graphic analysis.	Neurol Med Chir (Tokyo) Case Report Journal	33	85-89	2016
Maruyama K, Akioka N, Kashiwazaki N, Kuwayama N, Kuroda S	Postpartum ischemic stroke in moyamoya disease associated with protein Z deficiency – A case report.	J Stroke Cerebrovasc Dis	25	e158-160	2016
Noguchi K, Itoh T, Naruto N, Takashima S, Tanaka K, Kuroda S	A novel technique “X-map” to identify acute ischemic lesion using non-contrast dual energy CT.	J Stroke Cerebrovasc Dis	26	34-41	2017

Uchino H, Kim J H, Fujima N, Kazumata K, Ito M, Nakayama N, Kuroda S, Houkin K	Synergistic interactions between direct and indirect bypasses in combined procedures: The significance of indirect bypasses in moyamoya disease.	Neurosurgery	80	201-209	2017
Tanabe N, Yamamoto S, Kashiwazaki D, Akioka N, Kuwayama N, Noguchi K, Kuroda S	Indocyanine green visualization of middle meningeal artery before craniotomy during surgical revascularization for moyamoya disease.	Acta Neurochir (Wien)	159	567-575	2017
Hamauchi S, Shichinohe H, Uchino H, Yamaguchi S, Nakayama N, Kazumata K, Osanai T, Akumino T	Cellular Functions and Gene and Protein Expression Profiles in Endothelial Cells Derived from Moyamoya Disease-Specific iPS Cells.	PLoS One	23;11(9)	e0163561. 3.	2016
Uchino H, Nakayama N, Kazumata K, Kuroda S, Houkin K.	Edaravone Reduces Hyperperfusion-Related Neurological Deficits in Adult Moyamoya Disease: Historical Control Study.	Stroke	Jul;47(7)	1930-2	2016
数又 研、寶金清博	脳神経外科診療と難病行政	脳神経外科	45(5)	443-449	2017
Banh RS, Koizumi A 他 23 名(18 番目)	PTP1B controls non-mitochondrial oxygen consumption by regulating RNF213 to promote tumour survival during hypoxia.	Nat Cell Biol.	18(7)	803-813	2016
Zhou S, Koizumi A 他 17 名(16 番目)	RNF213 Is Associated with Intracranial Aneurysms in the French-Canadian Population.	Am J Hum Genet.	99(5)	1072-1085	2016

Kobayashi H, <u>Koizumi A</u> 他 18 名(20 番目)	RNF213 rare variants in Slovakian and Czech moyamoya disease patie nts.	<i>PLoS One.</i>	11(10)	e0164759	2016
Cao Y, <u>Koizumi A</u> 他 4 名(6 番目).	Frequency of RNF213 p.R4810K, a susceptibil ity variant for moyamo ya disease, and health characteristics of carrier s in the Japanese popul ation.	<i>Environ Healt h Prev Med.</i>	21(5)	387-390	2016
Morimoto T, <u>Koizumi A</u> 他 7 名(9 番目).	Significant Association of the RNF213 p.R481 0K Polymorphism with Quasi-Moyamoya Disea se.	<i>J Stroke Cere brovasc Dis.</i>	25(11)	2632-2636	2016
Fushimi Y, Okada T, Takagi Y, Funaki T, Takahashi JC, Miyamoto S, Togashi K.	Voxel Based Analysis of Surgical Revasculari zation for Moyamoya Disease: Pre- and Post operative SPECT Studi es.	<i>PLoS One</i>	11(2)	e0148925.	2016
Funaki T, Takahashi JC, Yoshida K, Takagi Y, Fushimi Y, Kikuchi T, Mineharu Y, Okada T,	Periventricular anastom osis in moyamoya dise ase: detecting fragile c ollateral vessels with MR angiography.	<i>J Neurosurg</i>	27	1-7	2015
Takagi Y, Miyamoto S; COSMO-Japan Study Group.	Cognitive Dysfunction Survey of the Japanese Patients with Moyam oya Disease (COSMO- JAPAN Study): Study Protocol.	<i>Neurol Med Chir (Tokyo)</i>	55(3)	199-203	2015
Funaki T, Fushimi Y, Takahashi JC, Takagi Y, Araki Y, Yoshida K, Kikuchi T, Miyamoto S.	Visualization of Perive ntricular Collaterals in Moyamoya Disease wit h Flow-sensitive Black -blood Magnetic Reson ance Angiography: Prel iminary Experience.	<i>Neurol Med Chir (Tokyo).</i>	55(3)	204-209	2015

Funaki T, Takahashi JC, Takagi Y, Kikuchi T, Yoshida K, Mitsuhara T, Kataoka H, Okada T, Fushimi	Unstable moyamoya disease: clinical features and impact on perioperative ischemic complications.	J Neurosurg	122(2)	400-7	2015
Araki Y, Takagi Y, Ueda K, Ubukata S, Ishida J, Funaki T, Kikuchi T, Takahashi JC, Murai T, Miyamoto S.	Cognitive function of patients with adult moyamoya disease.	J Stroke Cerebrovasc Dis	23(7)	1789-94	2014
Funaki T, Takahashi JC, Takagi Y, Yoshida K, Araki Y, Kikuchi T, Kataoka H, Iihara K, Sano N,	Incidence of late cerebrovascular events after direct bypass among children with moyamoya disease: a descriptive longitudinal study at a single center.	Acta Neurochir (Wien)	156(3)	551-559	2014
Funaki T, Takahashi JC, Takagi Y, Yoshida K, Araki Y, Kikuchi T, Kataoka H, Iihara K, Miyamoto S.	Impact of posterior cerebral artery involvement on long-term clinical and social outcome of pediatric moyamoya disease	J Neurosurg Pediatr	12(6)	626-632	2013
Mineharu Y, Takagi Y, Takahashi JC, Hashikata H, Liu W, Hitomi T, Kobayashi H, Koizumi A,	Rapid progression of unilateral moyamoya disease in a patient with a family history and a RNF213 risk variant.	Cerebrovasc Dis	36(2)	155-157	2013
Kazumata K, Thakur KK, Narita H, Shichinohe H, Ito M, Uchino H, Abumiya T.	Investigating Brain Network Characteristics Interrupted by Covert White Matter Injury in Patients with Moyamoya Disease: Insights from Graph Theoretical Analysis.	World Neurosurg.	May;89:	654-665	2016
Kazumata K, Thakur KK, Uchino H, Shiga T, Shichinohe H, Ito M, Nakayama N, Abumiya T.	Topographic changes in cerebral blood flow and reduced white matter integrity in the first 2 weeks following revascularization surgery in adult moyamoya disease.	J Neurosurg.	Sep 2	1-10	2016

<u>Kazumata K</u> , <u>Tha KK</u> , <u>Narita H</u> , <u>Kusumi I</u> , <u>Shichinohe H</u> , <u>Ito M</u> , <u>Nakayama N</u> , <u>Houkin K</u> .	Chronic ischemia alters brain microstructural integrity and cognitive performance in adult moyamoya disease.	Stroke	Feb;46(2)	354-60	2015
<u>Kazumata K</u> , <u>Ito M</u> , <u>Tokairin K</u> , <u>Ito Y</u> , <u>Houkin K</u> , <u>Nakayama N</u> , <u>Kuroda S</u> , <u>Ishikawa T</u> , <u>Kamiyama H</u> .	The frequency of postoperative stroke in moyamoya disease following combined revascularization: a single-university series and systematic review.	J Neurosurg.	Aug;121(2)	432-40	2014
<u>Kazumata K</u> , <u>Shinbo D</u> , <u>Ito M</u> , <u>Shichinohe H</u> , <u>Kuroda S</u> , <u>Nakayama N</u> , <u>Houkin K</u> .	Spatial relationship between cerebral microbleeds, moyamoya vessels, and hematoma in moyamoya disease.	J Stroke Cerebrovasc Dis.	Jul;23(6)	1421-8	2014
<u>Kazumata K</u> , <u>Kamiyama H</u> , <u>Saito H</u> , et al.	Direct Anastomosis Using Occipital Artery for Additional Revascularization in Moyamoya Disease After Combined Superficial Temporal Artery-Middle Cerebral Artery Bypass	Operative Neurosurgery.	doi: 10.1227/NEU.0000000000001346		In press
<u>Sato-Maeda M</u> , <u>Fujimura M</u> , <u>Kanoke A</u> , <u>Morita-Fujimura Y</u> , <u>Niizuma K</u> , <u>Tominaga T</u> .	Transient middle cerebral artery occlusion in mice induces neuronal expression of RNF213, a susceptibility gene for moyamoya disease	Brain Res	1630	50-55	2016
<u>Mugikura S</u> , <u>Fujimura M</u> , <u>Takahashi S</u> .	Implications of “off-label” (unapproved) use of acetazolamide in the management of moyamoya in Japan.	Radiology	279	652-653	2016
<u>Rashad S</u> , <u>Fujimura M</u> , <u>Niizuma K</u> , <u>Endo H</u> , <u>Tominaga T</u>	Long-term follow-up of pediatric Moyamoya disease treated by combined direct-indirect revascularization surgery: Single institute experience with surgical and perioperative	Neurosurg. Rev.	39	615-623	2016

Kanoke A, <u>Fujimura M</u> , Niizuma K, Fujimura T, Kakizaki A, Ito A, Sakata H, Sato-Maeda M, Kure S, <u>Tominaga T</u> .	Temporal profile of magnetic resonance angiography and decreased ratio of regulatory T cells after immunological adjuvant administration to mice lacking RNF213, a susceptibility gene for moyamoya disease.	Brain Res	1642	1-9	2016
Abe T, <u>Fujimura M</u> , Mugikura S, Endo H, <u>Tominaga T</u>	Brain stem infarction due to basilar artery dissection in a patient with moyamoya disease four years after successful bilateral revascularization surgeries.	J. Stroke Cerebrovasc. Dis.	25	e76-82	2016
Tashiro R, <u>Fujimura M</u> , Niizuma K, Endo H, Sakata H, Sato-Maeda M, <u>Tominaga T</u> .	De novo development of moyamoya disease in an adult female with a genetic variant of the RNF-213 gene: case report.	J. Stroke Cerebrovasc. Dis.	26	e8-e11	2017