

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻(号)	ページ	出版年
1	<u>Tsuboi H</u> , Hagiwara S, Asashima H, Takahashi H, Hirota T, Umehara H, <u>Kawakami A</u> , Nakamura H, <u>Sano H</u> , <u>Tsubota K</u> , Ogawa Y, <u>Takamura E</u> , <u>Saito J</u> , Inoue H, <u>Nakamura S</u> , Moriyama M, <u>Takeuchi T</u> , <u>Tanaka Y</u> , Hirata S, <u>Mimori T</u> , Matsumoto I, <u>Sumida T</u> .	Comparison of the performance of new ACR-EULAR classification criteria for primary Sjögren's syndrome with former sets of criteria in Japanese patients.	Ann Rheum Dis		in press	
2	Sun C, Molineros J, Looger L, Kim K, Zhou X-J, Kim-Howard X, Motghore P, Bhattarai K, Adler A, Bang S-Y, Lee H-S, Kim T-H, Kang Y-M, Suh C-H, Chung W-T, Park Y-B, Choe J-Y, Shim S-C, Lee S-S, Han B-G, Dozmorov M, Wren J, Harley J, Chua K-H, Zhang H, Bae S-X, Kim Y-J, Okada Y, Kochi Y, Suzuki A, Kubo M, <u>Sumida T</u> , <u>Yamamoto K</u> , Shen N, Ma J, Qi Y-Y, and Kaufman K.	High-density genotyping of immune-related loci identifies new SLE risk variants in individuals with Asian ancestry.	Nat Genet	48(3)	323-330	2016
3	Seror R, Bootsma H, Saraux A, Bowman S.J., Theander E, Brun J.G., Baron G, Leguern V., Devauchelle-Pensec V., Ramos-Casals M, Valim V., Dörner T, Tzioufas A, Gottenberg J-E, Laque R.S., Mandl T, Hachulla E, Sivils K.L., Ng W-F, Fauchais A-L, Bombardieri S, Valesini G, Bartoloni E, Goeb V, Praprotnik S, <u>Sumida T</u> , Nishiyama S, Caporali R, Kruize A.A., Vollenweider C, Ravaud P, Meiners P, Brito-Zeron P, Vitali C, Mariette X.	Defining disease activity states and clinically meaningful improvement in primary Sjögren's syndrome with EULAR primary Sjögren's syndrome disease activity (ESSDAD) and patient-reported indexes (ESSPRI).	Ann Rheum Dis	75(2)	382-389	2016
4	<u>Tsuboi H</u> , Matsumoto I, Hagiwara S, Hirota T, Takahashi H, Ebe H, Yokosawa M, Yagishita M, Takahashi H, Kurata I, Ohyama A, Honda F, Asashima H, Miki H, Umeda N, Kondo Y, Hirata S, Saito K, <u>Tanaka Y</u> , Horai Y, Nakamura H, <u>Kawakami A</u> , <u>Sumida T</u> .	Effectiveness of abatacept for patients with Sjögren's syndrome associated with rheumatoid arthritis. An open label, multicenter, one-year, prospective study: ROSE (Rheumatoid Arthritis with Orencia Trial toward Sjögren's syndrome Endocrinopathy) trial.	Mod Rheumatol	26(6)	891-899	2016
5	Seror R, Theander E, Brun J.G., Ramos-Casals M, Valim V, Dörner T, Bootsma H, Tzioufas A, Laque R.S., Mandl T, Gottenberg J-E, Hachulla E, Moser K, Ng W-F, Fauchais A-L, Bombardieri S, Valesini G, Gerli R, Bartoloni E, Saraux A, Praprotnik S, Tomsic M, <u>Sumida T</u> , Nishiyama S, Caporali R, Kruize A.A., Vooenweider C, Ravaud P, Vitali C, Mariette X, Bowman S.J.	Validation of EULAR primary Sjögren's syndrome disease activity and patient indexes.	Ann Rheum Dis	74(5)	859-866	2015
6	Iizuka M, <u>Tsuboi H</u> , Asashima H, Hirota T, Kondo Y, Matsui M, Matsumoto I, <u>Sumida T</u> .	M3 muscarinic acetylcholine receptor reactive IL-17-producing T cells promotes development of Sjögren's syndrome like sialadenitis.	Mod Rheumatol	25(1)	158-160	2015
7	Iizuka M, <u>Tsuboi H</u> , Matsuo N, Asashima H, Hirota T, Kondo Y, Iwakura Y, Takahashi S, Matsumoto I, <u>Sumida T</u> .	Pathogenic role of ROR γ t in spontaneous sialoadenitis-like Sjögren's syndrome through downregulation of Foxp3 in CD4+CD25+ regulatory T cells.	J Immunol	194(1)	56-67	2015
8	Asashima H, <u>Tsuboi H</u> , Takahashi H, Hirota T, Iizuka M, Kondo Y, Matsui M, Matsumoto I, <u>Sumida T</u> .	The anergy induction of M3 muscarinic acetylcholine receptor-reactive CD4+ T cells suppresses experimental sialadenitis-like Sjögren's syndrome.	Arthritis Rheumatol	67(8)	2213-25	2015
9	Tahara M, Kondo Y, Yokosawa M, <u>Tsuboi H</u> , Takahashi S, Shibayama S, Matsumoto I, <u>Sumida T</u> .	T-bet regulates differentiation of forkhead box protein 3+ regulatory T cells in programmed cell death-1-deficient mice.	Clin Exp Immunol	179(2)	197-209	2015
10	<u>Sumida T</u> , <u>Tsuboi H</u> , Iizuka M, Hirota T, Asashima H, Matsumoto I.	The role of M3 muscarinic acetylcholine receptor reactive T cells in Sjögren's syndrome. (REVIEW)	J Autoimmun	51	44-50	2014
11	<u>Tsuboi H</u> , Asashima H, Takai C, Hagiwara S, Hagiya C, Yokosawa M, Hirota T, Umehara H, Kawakami A, Nakamura H, <u>Sano H</u> , <u>Tsubota K</u> , Ogawa Y, <u>Takamura E</u> , <u>Saito J</u> , Inoue H, <u>Nakamura S</u> , Moriyama M, <u>Takeuchi T</u> , <u>Tanaka Y</u> , Hirata S, <u>Mimori T</u> , Yoshifuji H, <u>Ohta A</u> , Matsumoto I, <u>Sumida T</u> .	Primary and secondary survey on epidemiology of Sjögren's syndrome in Japan.	Mod Rheumatol	24(3)	464-470	2014
12	Kimura N, Hirata S, Miyasaka N, Kawahata K, <u>Kohsaka H</u> .	Injury and subsequent regeneration of muscles activate local innate immunity to facilitate development and relapse of autoimmune myositis.	Arthritis Rheumatol	67(4)	1107-1116	2015
13	Hosoya T, Iwai H, Yamaguchi Y, Kawahata K, Miyasaka N, <u>Kohsaka H</u> .	Cell cycle regulation therapy combined with cytokine blockade enhances anti-arthritis effects without increase of immune suppression.	Ann Rheum Dis	75(1)	253-259	2016
14	Tomimitsu H, <u>Ohta A</u> , Nagai M, Nishina M, Ishihara S, <u>Kohsaka H</u> .	Epidemiologic analysis of the clinical features of Japanese patients with polymyositis and dermatomyositis.	Mod Rheumatol	26(3)	398-402	2016
15	Yoshihashi-Nakazato Y, Kawahata K, Kimura N, Miyasaka N, <u>Kohsaka H</u> .	Interferon-gamma but not interleukin-4 restrains experimental polymyositis.	Arthritis Rheumatol	68(6)	1505-1510	2016
16	<u>Ohta A</u> , Nagai N, Nishina M, Tomimitsu H, <u>Kohsaka H</u> .	Prevalence and Incidence of Polymyositis and Dermatomyositis in Japan.	Mod Rheumatol	24(3)	477-480	2014
17	<u>Tanaka Y</u> , <u>Takeuchi T</u> , Miyasaka N, <u>Sumida T</u> , Mimori T, Koike T, Endo K, Mashino N, Yamamoto K.	Efficacy and safety of rituximab in Japanese patients with systemic lupus erythematosus including lupus nephritis who are refractory to conventional therapy.	Mod Rheumatol	26(1)	80-86	2016
18	Isenberg DA, Petri M, Kalunian K, <u>Tanaka Y</u> , Urowitz MB, Hoffman RW, Morgan-Cox M, Iikuni N, Silk M, Wallace DJ.	Efficacy and safety of subcutaneous tabalumab in patients with systemic lupus erythematosus: results from ILLUMINATE-1, a 52-week, phase 3, multicenter, randomized, double-blind, placebo-controlled study.	Ann Rheum Dis	75(2)	323-231	2016
19	Wang SP, Iwata S, Nakayama S, Niuro H, Jabbarzadeh-Tabrizi S, Kondo M, Kubo S, Yoshikawa M, <u>Tanaka Y</u> .	Amplification of IL-21 signaling pathway through Bruton's tyrosine kinase in human B cell activation.	Rheumatology (Oxford)	54(8)	1488-1497	2015
20	Iwata S, Yamaoka K, Niuro H, Jabbarzadeh-Tabrizi S, Wang S-P, Kondo M, Yoshikawa M, Akashi K, <u>Tanaka Y</u> .	Increased Syk phosphorylation leads to overexpression of TRAF6 in peripheral B cells of patients with systemic lupus erythematosus.	Lupus	24(7)	695-704	2015
21	Ishizaki J, Saito K, Nawata M, Mizuno Y, Tokunaga M, Sawamukai N, Tamura M, Hirata S, Yamaoka K, Hasegawa H, <u>Tanaka Y</u> .	Low complements and high titre of anti-Sm antibody as predictors of histopathologically proven silent lupus nephritis without abnormal urinalysis in patients with systemic lupus erythematosus.	Rheumatology (Oxford)	54(3)	405-412	2015

22	Kubo S, Yamaoka K, Kondo M, Yamagata K, Zhao J, Iwata S, Tanaka Y.	The JAK inhibitor tofacitinib reduces the T cell stimulatory capacity of human monocyte-derived dendritic cells.	Ann Rheum Dis	73(12)	2192-2198	2014
23	Amengual O, Forastiero R, Sugjura-Ogasawara M, Otomo K, Oku K, Favas C, Delgado Alves J, Zigon P, Ambrožič A, Tomšič M, Ruiz-Arzuza I, Ruiz-Irasterza G, Bertolaccini ML, Norman GL, Shums Z, Arai J, Murashima A, Tebo AE, Gerosa M, Meroni PL, Rodríguez-Piñó I, Cervera R, Swadzba J, Musial J, Atsumi T.	Evaluation of phosphatidylserine-dependent antiprothrombin antibody testing for the diagnosis of antiphospholipid syndrome: results of an international multicentre study.	Lupus	26(3)	266-276	2017
24	Shimizu Y, Yasuda S, Kako Y, Nakagawa S, Kanda M, Hisada R, Ohmura K, Shimamura S, Shida H, Fujieda Y, Kato M, Oku K, Bohgaki T, Horita T, Kusumi I, Atsumi T.	Post-steroid neuropsychiatric manifestations are significantly more frequent in SLE compared with other systemic autoimmune diseases and predict better prognosis compared with de novo neuropsychiatric SLE.	Autoimmun Rev	15(8)	786-794	2016
25	Oku K, Nakamura H, Kono M, Ohmura K, Kato M, Bohgaki T, Horita T, Yasuda S, Amengual O, Atsumi T.	Complement and thrombosis in the antiphospholipid syndrome.	Autoimmun Rev	15(10)	1001-1004	2016
26	Oku K, Amengual O, Hisada R, Ohmura K, Nakagawa I, Watanabe T, Bohgaki T, Horita T, Yasuda S, Atsumi T.	Autoantibodies against a component of complement one contribute to complement activation and recurrent thrombosis/pregnancy morbidity in antiphospholipid syndrome.	Rheumatology (Oxford)	55(8)	1403-1411	2016
27	Yasuda S, Atsumi T. , Shimamura S, Ono K, Hiromura K, Sada K, Mori M, Takei S, Kawaguchi S, Tamura N, Takasaki Y.	Surveillance for the use of mycophenolate mofetil for adult patients with lupus nephritis in Japan.	Mod Rheumatol	25(6)	854-857	2015
28	Terada A, Yamada R. , Tsuda K, Sese J.	LAMPLINK: detection of statistically significant SNP combinations from GWAS data.	Bioinformatics	32(22)	3513-3515	2016
29	Morimoto C, Manabe S, Kawaguchi T, Kawai C, Fujimoto S, Hamano Y, Yamada R. , Matsuda F, Tamaki K.	Pairwise Kinship Analysis by the Index of Chromosome Sharing Using High-Density Single Nucleotide Polymorphisms.	PLoS One	11(7)	e0160287	2016
30	Fujii Y, Narita T, Tice RR, Takeda S, Yamada R.	Isotonic Regression Based-Method in Quantitative High-Throughput Screenings for Genotoxicity.	Dose Response	13(1)	13-045	2015
31	Terao C, Yamada R. , Mimori T. , Yamamoto K. , Sumida T.	A nationwide study of SLE in Japanese identified subgroups of patients with clear signs patterns and associations between signs and age or sex.	Lupus	23(13)	1435-1442	2016
32	Terao C, Ohmura K, Kochi Y, Ikari K, Okada Y, Shimizu M, Nishina N, Suzuki A, Myouzen K, Kawaguchi T, Takahashi M, Takasugi K, Murasawa A, Mizuki S, Iwahashi M, Funahashi K, Natsumeda M, Furu M, Hashimoto M, Ito H, Fujii T, Ezawa K, Matsubara T, Takeuchi T. , Kubo M, Yamada R. , Taniguchi A, Yamanaka H, Momohara S, Yamamoto K. , Mimori T. , Matsuda F.	Anti-citrullinated peptide/protein antibody (ACPA)-negative RA shares a large proportion of susceptibility loci with ACPA-positive RA: a meta-analysis of genome-wide association study in a Japanese population.	Arthritis Res Ther	17	104	2015
33	Terao C, Asai K, Hashimoto M, Yamazaki T, Ohmura K, Yamaguchi A, Takahashi K, Takei N, Ishii T, Kawaguchi T, Tabara Y, Takahashi M, Nakayama T, Kosugi S, Sekine A, Fujii T, Yamada R. , Mimori T. , Matsuda F, Bessho K, Nagahama Study Group.	Significant association of periodontal disease with anti-citrullinated peptide antibody in a Japanese healthy population - The Nagahama study.	J Autoimmun	59	85-90	2015
34	Narahara M, Higasa K, Nakamura S, Tabara Y, Kawaguchi T, Ishii M, Matsubara K, Matsuda F, Yamada R.	Large-scale East-Asian eQTL mapping reveals novel candidate genes for LD mapping and the genomic landscape of transcriptional effects of sequence variants	PLoS One	9(6)	e100924	2014
35	Minowa K, Amano H. , Ando S, Watanabe T, Ogasawara M, Kawano S, Kaneko T, Morimoto S, Yamaji K, Tamura N, Tokano Y, Hashimoto H, Takasaki Y.	Disease flare patterns and predictors of systemic lupus erythematosus in a monocentric cohort of 423 Japanese patients during a long-term follow-up: The JUDE study.	Mod Rheumatol	27(1)	72-76	2017
36	Hachiya Y, Kawasaki A, Oka S, Kondo Y, Ito S, Matsumoto I, Kusaoi M, Amano H. , Suda A, Setoguchi K, Nagai T, Shimada K, Sugii S, Okamoto A, Chiba N, Suematsu E, Ohno S, Katayama M, Kono H, Hirohata S, Takasaki Y, Hashimoto H, Sumida T. , Nagaoka S, Tohma S, Furukawa H, Tsuchiya N.	Association of HLA-G 3' Untranslated Region Polymorphisms with Systemic Lupus Erythematosus in a Japanese Population: A Case-Control Association Study.	PLoS One	11(6)	e0158065	2016
37	Doe K, Nozawa K, Hirai T, Tsushima H, Hayashi E, Hiruma K, Ando S, Nakano S, Kon T, Amano H. , Yamaji K, Tamura N, Takasaki Y.	Second-to-fourth Digit Ratio in Systemic Lupus Erythematosus.	J Rheumatol	42(5)	826-828	2015
38	Ohtsui M, Lin Q, Nishikawa K, Ohtsui N, Okazaki H, Tsurui H, Amano H. , Shirai T, Nishimoto N, Nishimura H, Hirose S.	IL-6 signal blockade ameliorates the enhanced osteoclastogenesis and the associated joint destruction in a novel Fc γ RIIb-deficient rheumatoid arthritis mouse model.	Mod Rheumatol	25(2)	270-277	2015
39	Kawasaki A, Furukawa H, Nishida N, Warabi E, Kondo Y, Ito S, Matsumoto I, Kusaoi M, Amano H. , Suda A, Nagaoka S, Setoguchi K, Nagai T, Hirohata S, Shimada K, Sugii S, Okamoto A, Chiba N, Suematsu E, Ohno S, Katayama M, Okamoto A, Kono H, Tokunaga K, Takasaki Y, Hashimoto H, Sumida T. , Tohma S, Tsuchiya N.	Association of Functional Polymorphisms in Interferon Regulatory Factor 2 (IRF2) with Susceptibility to Systemic Lupus Erythematosus: A Case-Control Association Study.	PLoS One	9(10)	10e109764	2014
40	Okazaki H, Lin Q, Nishikawa K, Ohtsui N, Tsurui H, Ohtsui M, Amano H. , Tada N, Sudo K, Nishimura H, Shirai T, Hirose S.	TNF α but not IL-17 is critical in the pathogenesis of rheumatoid arthritis spontaneously occurring in a unique Fc γ RIIb-deficient mouse model.	Mod Rheumatol	24(6)	931-938	2014
41	Doe K, Nozawa K, Hiruma K, Yamada Y, Matsuki Y, Nakano S, Ogasawara M, Nakano H, Ikeda T, Ikegami T, Fujishiro M, Kawasaki M, Ikeda K, Amano H. , Morimoto S, Ogawa H, Takamori K, Sekigawa I, Takasaki Y.	Antibody against chromatin assembly factor-1 is a novel autoantibody specifically recognized in systemic lupus erythematosus.	Lupus	23(10)	1031-1041	2014
42	Furukawa H, Kawasaki A, Oka S, Ito I, Shimada K, Sugii S, Hashimoto A, Komiya A, Fukui N, Kondo Y, Ito S, Hayashi T, Matsumoto I, Kusaoi M, Amano H. , Nagai T, Hirohata S, Setoguchi K, Kono H, Okamoto A, Chiba N, Suematsu E, Katayama M, Migita K, Suda A, Ohno S, Hashimoto H, Takasaki Y, Sumida T. , Nagaoka S, Tsuchiya N, Tohma S.	Human Leukocyte Antigens and Systemic Lupus Erythematosus: A Protective Role for the HLA-DR6 Alleles DRB1*13:02 and *14:03.	PLoS One	9(2)	2e87792	2014
43	Kaneko T, Amano H. , Kawano S, Minowa-K, Ando S, Watanabe T, Nakano S, Suzuki J, Morimoto S, Tokano Y, Takasaki Y.	Increased serum concentration of BAFF/APRIL and IgA2 subclass in patients with mixed connective tissue disease complicated by interstitial lung disease.	Mod Rheumatol	24(2)	310-315	2014
44	Saito, S., Ishii, T. , Kamogawa, Y., Watanabe, R., Shirai, T., Fujita, Y., Shiota, Y., Fujii, H., Ito, K., Shimokawa, H., Yamaguchi, T.	Extracorporeal Shock Wave Therapy for Digital Ulcers of Systemic Sclerosis: A Phase 2 Pilot Study.	Tohoku J Exp Med	238(1)	39-47	2016

45	Yoshida, M., Watanabe, R., <u>Ishii, T.</u> , Machiyama, T., Akita, K., Fujita, Y., Shirota, Y., Sugimura, K., Fujii, H., Shimokawa, H., Harigae, H.	Retrospective analysis of 95 patients with large vessel vasculitis: a single center experience.	Int J Rheum Dis	19(1)	87-94	2016
46	Inui M., Sugahara-Tobinai A., Fujii H., Itoh-Nakadai A., Fukuyama H., Kurosaki T., <u>Ishii T.</u> , Harigae H., Takai T.	Tolerogenic immunoreceptor ILT3/LILRB4 paradoxically marks pathogenic auto-antibody-producing plasmablasts and plasma cells in non-treated SLE.	Int Immunol	28(12)	597-604	2016
47	Tomiyama F., Watanabe R., <u>Ishii T.</u> , Kamogawa Y., Fujita Y., Shirota Y., Sugimura K., Fujii H., Harigae H.	High Prevalence of Acute Exacerbation of Interstitial Lung Disease in Japanese Patients with Systemic Sclerosis.	Tohoku J Exp Med	239(4)	297-305	2016
48	Watanabe, R., <u>Ishii, T.</u> , Kobayashi, H., Asahina, I., Takemori, H., Izumiyama, T., Oguchi, Y., Urata, Y., Nishimaki, T., Chiba, K., Komatsuda, A., Chiba, N., Miyata, M., Takagi, M., Kawamura, O., Kanno, T., Hirabayashi, Y., Konta, T., Ninomiya, Y., Abe, Y., Murata, Y., Saito, Y., Ohira, H., Harigae, H., Sasaki, T.	Prevalence of hepatitis B virus infection in patients with rheumatic diseases in Tohoku area: a retrospective multicenter survey.	Tohoku J Exp Med	233(2)	129-133	2014
49	Hosono Y, Nakashima R, Serada S, Murakami K, Imura Y, Yoshifuji H, Ohmura K, Naka T, <u>Mimori T.</u>	Splicing factor proline/glutamine-rich is a novel autoantigen of dermatomyositis and associated with anti-melanoma differentiation-associated gene 5 antibody.	J Autoimmun	77	116-122	2017
50	Hida A, Yamashita T, Hosono Y, Inoue M, Kaida K, Kadoya M, Miwa Y, Yajima N, Maezawa R, Arai S, Kurasawa K, Ito K, Shimada H, Iwanami T, Sonoo M, Hatanaka Y, Murayama S, Uchibori A, Chiba A, Aizawa H, Momoo T, Nakae Y, Sakurai Y, Shiio Y, Hashida H, Yoshizawa T, Sakiyama Y, Oda A, Inoue K, Takeuchi S, Iwata NK, Date H, Masuda N, Mikata T, Motoyoshi Y, Uesaka Y, Maeda MH, Nakashima R, Tsuji S, Kwak S, <u>Mimori T.</u> , Shimizu J.	Anti-TIF1- γ antibody and cancer-associated myositis: A clinicohistopathologic study.	Neurology	87(3)	299-308	2016
51	Sato S, Murakami A, Kuwajima A, Takehara K, <u>Mimori T.</u> , Kawakami A, Mishima M, Suda T, Seishima M, Fujimoto M, Kuwana M.	Clinical Utility of an Enzyme-Linked Immunosorbent Assay for Detecting Anti-Melanoma Differentiation-Associated Gene 5 Autoantibodies.	PLoS One	11(4)	e0154285	2016
52	Shiomi A, Usui T, Ishikawa Y, Shimizu M, Murakami K, <u>Mimori T.</u>	GM-CSF but not IL-17 is critical for the development of severe interstitial lung disease in SKG mice	J Immunol	193(2)	849-859	2014
53	<u>Muro Y.</u> , Nakashima R, Hosono Y, Sugiura K, <u>Mimori T.</u> , Akiyama M.	Autoantibodies to DNA mismatch repair enzymes in polymyositis/dermatomyositis and other autoimmune diseases: A possible marker of favorable prognosis.	Arthritis Rheumatol	66(12)	3457-3462	2014
54	Sano H, Sano Y, Ishiguchi E, Shimizu F, Omoto M, Maeda T, Nishihara H, Takeshita Y, Takahashi S, Oishi M, <u>Kanda T.</u>	Establishment of a New Conditionally Immortalized Human Skeletal Muscle Microvascular Endothelial Cell Line.	J Cell Physiol	in press		
55	Shimizu F, Nishihara H, Sano Y, Takeshita Y, Takahashi S, Maeda T, Takahashi T, Abe M, Koga M, <u>Kanda T.</u>	Markedly increased IP-10 production by blood-brain barrier in neuromyelitis optica.	PLoS One	10(3)	e0122000	2015
56	Nishihara H, Shimizu F, Sano Y, Takeshita Y, Maeda T, Abe M, Koga M, <u>Kanda T.</u>	Fingolimod prevents blood-brain barrier disruption induced by the sera from patients with multiple sclerosis.	PLoS One	10(3)	e0121488	2015
57	Shimizu, F., Omoto, M., Sano, Y., Mastui, N., Miyashiro, A., Tasaki, A., Maeda, T., Koga, M., Kajii, R., <u>Kanda, T.</u>	Sera from patients with multifocal motor neuropathy disrupt the blood-nerve barrier.	J Neurol Neurosurg Psychiatry	85(5)	526-537	2014
58	Shimizu, F., Sawai, S., Sano, Y., Beppu, M., Misawa, S., Nishihara, H., Koga, M., Kuwabara, S., <u>Kanda, T.</u>	Severity and patterns of blood-nerve barrier breakdown in patients with chronic inflammatory demyelinating polyradiculoneuropathy: correlations with clinical subtypes.	PLoS One	9(8)	e104205	2014
59	Ang CC, Anyanwu CO, Robinson E, Okawa J, Feng R, <u>Fujimoto M.</u> , Hamaguchi Y, Werth VP	Clinical signs associated with an increased risk of interstitial lung disease: a retrospective study of 101 patients with dermatomyositis.	Br J Dermatol	176(1)	231-233	2017
60	<u>Fujimoto M.</u> , Murakami A, Kurei S, Okiyama N, <u>Kawakami A.</u> , Mishima M, Sato S, Seishima M, Suda T, <u>Mimori T.</u> , Takehara K, Kuwana M.	Enzyme-linked immunosorbent assays for detection of anti-transcriptional intermediary factor-1 gamma and anti-Mi-2 autoantibodies in dermatomyositis.	J Dermatol Sci	84(3)	272-281	2016
61	<u>Fujimoto M.</u> , Watanabe R, Ishitsuka Y, Okiyama N.	Recent advances in dermatomyositis-specific autoantibodies.	Curr Opin Rheumatol	28(6)	636-644	2016
62	Matsushita T, Mizumaki K, Kano M, Yagi N, Tennichi M, Takeuchi A, Okamoto Y, Hamaguchi Y, Murakami A, Hasegawa M, Kuwana M, <u>Fujimoto M.</u> , Takehara K.	Antimelanoma differentiation-associated protein 5 antibody level is a novel tool for monitoring disease activity in rapidly progressive interstitial lung disease with dermatomyositis.	Br J Dermatol	Epub ahead of print		2016
63	Oishi K, Hamaguchi Y, Matsushita T, Hasegawa M, Okiyama N, Dermedde J, Weinhart M, Haag R, Tedder TF, Takehara K, <u>Kohsaka H.</u> , <u>Fujimoto M.</u>	A crucial role of L-selectin in C protein-induced experimental polymyositis of mice.	Arthritis Rheumatol	66(7)	1864-1871	2014
64	Hemmi S, Kurokawa K, Nagai T, Kushida R, Okamoto T, Murakami T, <u>Sunada Y.</u>	Variations in the distal branches of the superficial fibular sensory nerve.	Muscle Nerve	55(1)	74-76	2017
65	Imamura K, Sahara N, Kanaan NM, Tsukita K, Kondo T, Kutoku Y, Ohsawa Y, <u>Sunada Y.</u> , Kawakami K, Hotta A, Yawata S, Watanabe D, Hasegawa M, Trojanowski JQ, Lee VM, Suhara T, Higuchi M, Inoue H.	Calcium dysregulation contributes to neurodegeneration in FTLD patient iPSC-derived neurons.	Sci Rep	6	34904	2016
66	Ohsawa Y, Takayama K, Nishimatsu S, Okada T, Fujino M, Fukai Y, Murakami T, Hagiwara H, Itoh F, Tsuchida K, Hayashi Y, <u>Sunada Y.</u>	The Inhibitory Core of the Myostatin Prodomain: Its Interaction with Both Type I and II Membrane Receptors, and Potential to Treat Muscle Atrophy.	PLoS One	10(7)	e0133713	2015
67	Kutoku Y, Ohsawa Y, Kuwano R, Ikeuchi T, Inoue H, Ataka S, Shimada H, Mori H, <u>Sunada Y.</u>	A second pedigree with amyloid-less familial Alzheimer's disease harboring an identical mutation in the amyloid precursor protein gene (E693delta).	Intern Med	54(2)	205-208	2015
68	Takayama K, Noguchi Y, Aoki S, Takayama S, Yoshida M, Asari T, Yakushiji F, Nishimatsu SI, Ohsawa Y, Itoh F, Negishi Y, <u>Sunada Y.</u> , Hayashi Y.	Identification of the minimum peptide from mouse myostatin prodomain for human myostatin inhibition.	J Med Chem	58(3)	1544-1549	2015
69	Kawasumi H, Gono T, Tanaka E, Kaneko H, <u>Kawaguchi Y.</u> , Yamanaka H	Clinical characteristics and cytokine profiles of organizing pneumonia in patients with rheumatoid arthritis treated with or without biologics.	Mod Rheumatol	43	738-744	2016
70	Nishimura K, Omori M, Katsumata Y, Sato E, Gono T, <u>Kawaguchi Y.</u> , Harigai M, Mimura M, Yamanaka H, Ishigooka J.	Neurocognitive impairment in corticosteroid-naïve patients with active systemic lupus erythematosus: a prospective study	J Rheumatol	42	441-448	2015
71	Higuchi T, <u>Kawaguchi Y.</u> , Takagi K, Tochimoto A, Ota Y, Katsumata Y, Ichida H, Hanaoka M, Kawasumi H, Tochihiro M, Yamanaka H	Sildenafil attenuates the fibrotic phenotype of skin fibroblasts in patients with systemic sclerosis	Clin Immunol	161	333-338	2015
72	Gono T, Kaneko H, <u>Kawaguchi Y.</u> , Hanaoka M, Kataoka S, Kuwana M, Takagi K, Katsumata Y, Ota Y, Kawasumi H, Yamanaka H.	Cytokine profiles in polymyositis and dermatomyositis complicated with rapidly progressive or chronic interstitial lung disease.	Rheumatology	53	2196-2203	2014

73	Sugiura T, Kawaguchi Y , Goto K, Hayashi Y, Gono T, Furuya T, Nishino I, Yamanaka H	Association between C8orf13-BLK polymorphisms and polymyositis/dermatomyositis in the Japanese population.	PLoS One	9	e90019	2014
74	Murase C, Muro Y , Akiyama M.	Rapid increase of serum anti-MDA-5 antibodies and exacerbation of clinically amyopathic dermatomyositis/interstitial lung disease.	J Eur Acad Dermatol Venereol	31(1)	e43-e44	2017
75	Muro Y , Sugiura K, Nara M, Sakamoto I, Suzuki N, Akiyama M.	High incidence of cancer in anti-small ubiquitin-like modifier activating enzyme antibody-positive dermatomyositis.	Rheumatology (Oxford)	54(9)	1745-1747	2015
76	Muro Y , Hosono Y, Sugiura K, Ogawa Y, Mimori T , Akiyama M.	Anti-PM/Scl antibodies are found in Japanese patients with various systemic autoimmune conditions besides myositis and scleroderma.	Arthritis Res Ther	17	57	2015
77	Hane H, Muro Y , Watanabe K, Ogawa Y, Sugiura K, Akiyama M.	Establishment of an ELISA to detect anti-glycyl-tRNA synthetase antibody (anti-EJ), a serological marker of dermatomyositis/polymyositis and interstitial lung disease.	Clin Chim Acta	431	9-14	2014
78	Nakayama, W., Jinnin M , Tomizawa, Y., Nakamura, K., Kudo, H., Inoue, K., Makino, K., Honda, N., Kajihara, I., Fukushima, S., Ihn, H.	Dysregulated interleukin-23 signalling contributes to the increased collagen production in scleroderma fibroblasts via balancing microRNA expression.	Rheumatology (Oxford)	56(1)	145-155	2017
79	Nakamura, K., Jinnin M , Kudo, H., Inoue, K., Nakayama, W., Honda, N., Kajihara, I., Masuguchi, S., Fukushima, S., Ihn, H.	The role of PSMB9 up-regulated by interferon signature in the pathophysiology of cutaneous lesions of dermatomyositis and lupus erythematosus.	Br J Dermatol	174(5)	1030-1041	2016
80	Shimozono, N., Jinnin M , Masuzawa, M., Wang, Z., Hirano, A., Tomizawa, Y., Etoh-Kira, T., Kajihara, I., Harada, M., Fukushima, S., Ihn, H.	NUP160-SLC43A3 Is a novel recurrent fusion oncogene in angiosarcoma.	Cancer Res	75(21)	4458-4465	2015
81	Nakamura H, Kawakami A .	What is the evidence for Sjögren's syndrome being triggered by viral infection? Subplot: infections that cause clinical features of Sjögren's syndrome.	Curr Opin Rheumatol	28(4)	390-397	2016
82	Yoshimura S, Nakamura H, Horai Y, Nakajima H, Shiraihi H, Hayashi T, Takahashi T, Kawakami A .	Abnormal distribution of AQP5 in labial salivary glands is associated with poor saliva secretion in patients with Sjögren's syndrome including neuromyelitis optica complicated patients.	Mod Rheumatol	26(3)	384-90	2016
83	Mukaino A, Nakane S, Higuchi O, Nakamura H, Miyagi T, Shiroma K, Tokashiki T, Fuseya Y, Ochi K, Umeda M, Nakazato T, Akioka S, Maruoka H, Hayashi M, Igarashi SI, Yokoi K, Maeda Y, Sakai W, Matsuo H, Kawakami A .	Insights from the ganglionic acetylcholine receptor autoantibodies in patients with Sjögren's syndrome.	Mod Rheumatol	26(5)	708-15	2016
84	Takagi Y, Sumi M, Nakamura H, Sato S, Kawakami A , Nakamura T.	Salivary gland ultrasonography as a primary imaging tool for predicting efficacy of xerostomia treatment in patients with Sjögren's syndrome.	Rheumatology (Oxford)	55(2)	237-245	2016
85	Takagi Y, Sumi M, Nakamura H, Iwamoto N, Horai Y, Kawakami A , Nakamura T.	Ultrasonography as an additional item in the American College of Rheumatology classification of Sjögren's syndrome.	Rheumatology (Oxford)	53(11)	1977-1983	2014
86	Azuma N, Katada Y, Kitano S, Sekiguchi M, Kitano M, Nishioka A, Hashimoto N, Matsui K, Iwasaki T, Sano H .	Rapid decrease in salivary epidermal growth factor levels in patients with Sjögren's syndrome: A 3-year follow-up study.	Mod Rheumatol	25(6)	876-882	2015
87	Azuma N, Katada Y, Kitano S, Sekiguchi M, Kitano M, Nishioka A, Hashimoto N, Matsui K, Iwasaki T, Sano H .	Correlation between salivary epidermal growth factor levels and refractory intraoral manifestations in patients with Sjögren's syndrome.	Mod Rheumatol	24(4)	626-632	2014
88	Tsubota K , Yokoi N, Shimazaki J, Watanabe H, Dogru M, Yamada M, Kinoshita S, Kim HM, Tchah HW, Hyon JY, Yoon KC, Seo KY, Sun X, Chen W, Liang L, Li M, Liu Z; Asia Dry Eye Society.	New Perspectives on Dry Eye Definition and Diagnosis: A Consensus Report by the Asia Dry Eye Society.	Ocul Surf	15(1)	65-76	2017
89	Uchino Y, Uchino M, Yokoi N, Dogru M, Kawashima M, Komuro A, Sonomura Y, Kato H, Argu'eso P, Kinoshita S, Tsubota K .	Impact of Cigarette Smoking on Tear Function and Correlation between Conjunctival Goblet Cells and Tear MUC5AC Concentration in Office Workers.	Sci Rep	6	27699	2016
90	Liu Y, Hirayama M, Cui X, Connell S, Kawakita T, Tsubota K .	Effectiveness of Autologous Serum Eye Drops Combined With Punctal Plugs for the Treatment of Sjögren Syndrome-Related Dry Eye.	Cornea	34(10)	1214-20	2015
91	Yamane M, Ogawa Y, Fukui M, Kamoi M, Saijo-Ban Y, Yaguchi S, Mukai S, Kawakita T, Simmura S, Tsubota K .	Long-term rebamipide and diquafosol in two cases of immune-mediated dry eye	Optom Vis Sci	92	S25-32	2015
92	Inoue, H., Kishimoto, A., Ushikoshi-Nakayama, R., Hasaka, A., Takahashi, A., Ryo, K., Muramatsu, T., Ide, F., Mishima, K., and Saito I .	Resveratrol improves salivary dysfunction in a non-obese diabetic (NOD) mouse model of Sjögren's syndrome.	J Clin Biochem Nutr	59(1)	107-112	2016
93	Kusakabe, Y., Shindo, Y., Kawai, T., Takahashi, Y., Koori, M., Inoue, H., and Saito I .	Sex-Based Differences in SmgG Expression in the Submandibular Gland of C57BL/6 Mice.	Pathobiology	83(6)	287-294	2016
94	Takahashi, A., Inoue, H., Mishima, K., Ide, F., Nakayama, R., Hasaka, A., Ryo, K., Ito, Y., Sakurai, T., Hasegawa Y., Saito I .	Evaluation of the effects of quercetin on damaged salivary secretion.	PLoS One	10(1)	e0116008	2015
95	Matsuoka, H., Chiba, I., Sakano, Y., Saito I , and Abiko, Y.	The effect of cognitive appraisal for stressors on the oral health-related QOL of dry mouth patients.	Biopsychosoc Med	8(24)	eCollection 1-5	2014
96	Niikura A.J., Yamachika, S., Yamamoto, K., Okamoto M.R., Ikeda Y. F., Nakamura, S., Oda, E., Imamura T.K., Saito I , and Nakagawa, Y.	Efficient diagnosis of Sjögren's syndrome to reduce the burden on patients.	Mod Rheumatol	25(1)	100-104	2014
97	Furukawa S, Moriyama N, Miyake K, Nakashima H, Tanaka A, Maehara T, Iizuka-Koga M, Tsuboi H , Hayashida JN, Ishiguro N, Yamauchi M, Sumida T , Nakamura S .	Interleukin-33 produced by M2 macrophages and other immune cells contributes to Th2 immune reaction of IgG4-related disease.	Sci Rep	7	42413	2017
98	Ohyama K, Moriyama M, Hayashida JN, Tanaka A, Maehara T, Ieda S, Furukawa S, Ohta M, Imabayashi Y, Nakamura S .	Saliva as a potential tool for diagnosis of dry mouth including Sjögren's syndrome.	Oral Dis	21(2)	224-231	2015
99	Shimizu M, Okamura K, Kise Y, Takeshita Y, Furuhashi H, Weerawanich W, Moriyama M, Ohyama Y, Furukawa S, Nakamura S , Yoshiura K.	Effectiveness of imaging modalities for screening IgG4-related dacryoadenitis and sialadenitis (Mikulicz's disease) and for differentiating it from Sjögren's syndrome (SS), with an emphasis on sonography.	Arthritis Res Ther	17	223	2015
100	Hayashida JN, Minami S, Moriyama M, Toyoshima T, Shinozaki S, Tanaka A, Maehara T, Nakamura S .	Differences of stimulated and unstimulated salivary flow rates in the patients with dry mouth.	J Oral Maxillofac Surg Med Pathol	27	96-101	2015

101	Moriyama M, Tanaka A, Maehara T, Furukawa S, Nakashima H, <u>Nakamura S</u> .	T helper subsets in Sjögren's syndrome and IgG4-related dacryoadenitis and sialoadenitis: A critical review.	J Autoimmun	51	81-88	2014
102	Shoji J, Sakimoto T, Inada N, Kamei Y, Matsubara M, <u>Takamura E</u> , Sama M.	A diagnostic method for herpes simplex keratitis by simultaneous measurement of viral DNA and virus-specific secretory IgA in tears: an evaluation.	Jpn J Ophthalmol	60(4)	294-301	2016
103	Fujishima H, Ohashi Y, <u>Takamura E</u> .	Efficacy of epinastine hydrochloride ophthalmic solution in allergic conjunctivitis by conjunctival cedar pollen allergen challenge.	Ann Allergy Asthma Immunol	133(4)	476-481	2014
104	Fukushima A, Ohashi Y, Nobuyuki E, Uchio E, Okamoto S, Kumagai N, Shoji J, <u>Takamura E</u> , Nakagawa Y, Namba K, Fujishima H, Miyazaki D.	Therapeutic effects of 0.1% tacrolimus eye drops for refractory allergic ocular diseases with proliferative lesion or corneal involvement.	Br J Ophthalmol	98(8)	1023-1027	2014
105	Yamaguchi M, Nishijima T, Shimazaki J, <u>Takamura E</u> , Yokoi N, Watanabe H, Ohshi Y	Clinical usefulness of diquafosol for real-world dry eye patients: a prospective, open-label, non-interventional, observational study.	Adv Ther	31(11)	1169-1181	2014
106	Araki Y, Wada TT, Aizaki Y, Sato K, Yokota K, Fujimoto K, Yoon-Tae, Oda H, Kurokawa R, <u>Mimura T</u> .	Histone methylation and STAT3 differentially regulate IL-6-induced MMP gene activation in rheumatoid arthritis synovial fibroblasts.	Arthritis Rheumatol	68(5)	1111-1123	2016
107	Miyoshi F, Honne K, Minota S, Okada M, Ogawa N, <u>Mimura T</u> .	A novel method predicting clinical response using only background clinical data in RA patients before treatment with infliximab.	Mod Rheumatol	26(6)	813-816	2016
108	Asanuma YF, <u>Mimura T</u> , Tsuboi H, Noma H, Miyoshi F, Yamamoto K, <u>Sumida T</u> .	Nationwide epidemiological survey of 169 patients with adult Still's disease in Japan.	Mod Rheumatol	25(3)	393-400	2015
109	Yokota K, Sato K, Miyazaki T, Kitaura H, Kayama H, Miyoshi F, Araki Y, Akiyama Y, Takeda K, <u>Mimura T</u> .	Combination of tumor necrosis factor α and interleukin 6 induces mouse osteoclast-like cells with bone-resorption activity both in vitro and in vivo.	Arthritis Rheumatol	66(1)	121-129	2014
110	Wada TT, Araki Y, Sato K, Aizaki Y, Yokota K, Kim YT, Oda H, Kurokawa R, <u>Mimura T</u> .	Aberrant histone acetylation contributes to elevated interleukin-6 production in rheumatoid arthritis synovial fibroblasts.	Biochem Biophys Res Commun	444(4)	682-686	2014

研究成果の刊行に関する一覧表(平成26-28年度)

書籍

著者氏名	タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
自己免疫疾患に関する調査研究班	多発性筋炎・皮膚筋炎治療ガイドライン	多発性筋炎皮膚筋炎分科会 編集	診断と治療社	2015
		多発性筋炎・皮膚筋炎治療ガイドライン	東京	-
Amengual O, Atsumi T.	Pathogenesis of Antiphospholipid Syndrome.	Tsokos G	Academic Press	2016
		Systemic Lupus Erythematosus.	San Diego,USA	487-494
Amengual O, Bertolaccini ML, Atsumi T.	Laboratory markers with clinical significance in the antiphospholipid syndrome.	Cervera R	Academic Press	2016
		Antiphospholipid Syndrome.	San Diego,USA	45-67
瀧美達也	全身性エリテマトーデス	日本リウマチ財団教育研修委員会・日本リウマチ学会生涯教育委員会	診断と治療社	2016
		リウマチ病学テキスト	東京	176-197
加藤将, 瀧美達也	全身性エリテマトーデス	上阪等 責任編集	診断と治療社	2016
		膠原病・リウマチ・アレルギー	東京	315-318
大西直樹, 瀧美達也	抗リン脂質抗体症候群	田中良哉	最新医学社	2016
		全身性エリテマトーデス	東京	235-242
三森経世	全身性エリテマトーデス	山口徹, 北原光夫 監修	東京	2017
		今日の治療指針2017私はこう治療している	医学書院	825-827
三森経世	多発性筋炎・皮膚筋炎	泉 孝英 編集	東京	2016
		ガイドライン外来診療2016	日経メディカル開発	462-466
熊谷俊子, 三森経世	自己免疫疾患に関する検査	金井正光監修	金原出版	2015
		臨床検査法提要(改訂第34版)	東京	871-902
三森経世	抗Jo-1抗体	三橋知明編集	文光堂	2015
		臨床検査ガイド(2015年改訂版)	東京	740-742
三森経世	膠原病および類縁疾患ー最近の動向ー	福井次矢, 高木誠, 小室一成総編集	医学書院	2015
		今日の治療方針:私はこう治療している2015	東京	794-797
室 慶直	Sjogren症候群	渡辺晋一, 古川福実	南江堂	2015
		皮膚疾患 最新の治療 2015-2016	東京	87
室 慶直	皮膚筋炎	吉良潤一	日本臨床社	2015
		免疫性神経疾患 基礎・臨床研究の最新知見	大阪	567-573
室 慶直	抗核抗体陽性患者を紹介されたら?	山岡邦宏, 五野貴久, 三森経世, 桑名正隆	文光堂	2016
		リウマチ・膠原病診療ハイグレード リウマチ・膠原病の合併症や諸問題を解く	東京	2-11
室 慶直	凍瘡	福井次矢, 高木誠, 小室一成	医学書院	2017
		今日の治療指針 2017	東京	1193
古田 英司, 柴崎 佳幸, 福田 泰彦, 坪田 一男, 大橋 裕一, 木下 茂	レセプトデータベースを用いたレバミピド懸濁点眼液による涙嚢炎・涙道閉塞関連事象の発生状況に関する検討	稗田 牧・木下 茂	メディカル葵出版	2016
		あたらしい眼科	東京	1489-1492
坪田一男, 小沢洋子	慢性炎症と疾患.	坪田一男, 小澤洋子	北隆館	2015
		別冊BIO Clinica.	東京	14-19
坪田一男, 木下茂	眼とアンチエイジング 序説.	坪田 一男・木下 茂	メディカル葵出版	2014
		あたらしい眼科	東京	479-80
坪田一男, 島崎潤, 横井則彦, 渡辺仁, 大橋裕一, 木下茂.	第3版ドライアイ診断基準改定の提言 総説.	坪田 一男・木下 茂	メディカル葵出版	2014
		あたらしい眼科	東京	523-525
小川葉子, 坪田一男.	6 涙腺生検病理診断	監修 住田孝之, 川上純編集	診断と治療社	2014
		シェーグレン症候群の診断と治療マニュアル改訂第2版	東京	86-93
斎藤 一郎	唾液および唾液腺検査	山根源之, 草間幹夫, 久保田英朗, 北川善政, 里村一人, 片倉 朗	永末書店	2016
		口腔内科学	京都	123-127
斎藤 一郎	ドライマウスから考えるドライシンドローム	坪田一男, 斎藤一郎 (監修)	メディカルレビュー社	2016
		ドライシンドロームの基礎と臨床	大阪	27-30
斎藤 一郎	口腔乾燥症	内山健志・近藤壽郎・久保田英郎	医学書院	2015
		標準口腔外科学	東京	353-356
斎藤 一郎	自己免疫疾患 (関節リウマチ, Sjogren症候群)	柳井秀雄・清水則夫・吉山裕規	診断と治療社	2015
		EBウイルス	東京	151-57

斎藤 一郎	アンチエイジング医学と唾液検査	榎木恵一(監修)	シーエムシー出版	2015
		非侵襲的検体検査の最前線-唾液検査・呼吸検査を中心に-	東京	111-116
中村誠司	他のドライマウスとどう違う? どう気をつける? シェーグレン症候群	小川悦子	クインテッセンス	2015
		歯科衛生士	東京	70-80
中村誠司	ドライマウスはどのような病気か? 鑑別すべき疾患とは? ~原因別に考えるドライマウスの診断		ヒョーロン・パブリッシャー	2015
		日本歯科評論	東京	37-46
森山 雅文、中村誠司	ミクリツ病/IgG4関連疾患とシェーグレン症候群の新しい理解		金原出版	2014
		臨床放射線	東京	1033-1043
坪井洋人、住田孝之	抗SS-A/Ro抗体、抗SS-B/La抗体	三橋 知明、Medical Practice編集委員会	文光堂	2015
		臨床検査ガイド	東京	752-754
坪井洋人、浅島弘充、廣田智哉、住田孝之	Sjögren症候群 病態と治療アプローチ(概略)	松本功、保田晋助、三村経世、桑名正隆	文光堂	2015
		分子標的/Bio時代のリウマチ・膠原病治療ストラテジー	東京	272-281
坪井洋人、浅島弘充、住田孝之	自己抗体	住田孝之、川上純	診断と治療社	2014
		シェーグレン症候群の診断と治療マニュアル 改訂第2版	東京	94-103
三村俊英	14. 膠原病および類縁疾患. 成人発症ステイル病(成人発症ステイル病)	福井次矢・高木誠・小室一成	医学書院	2016
		今日の治療指針2016年版-私はこう治療している	東京	884-885
三村俊英	X 膠原病・類縁疾患. 9. 成人ステイル病.	門脇孝・小室一成・宮地良樹	メディカルレビュー社	2016
		診療ガイドラインUP-TO-DATE	大阪	614-618
三村俊英	リウマチ膠原病領域の診断と治療	山科 章	日本内科学会	2015
		内科	東京	2107-2109
三村俊英	成人ステイル病	沼田 稔	医薬ジャーナル社	2015
		アレルギー・免疫	東京	1764-1771
三村俊英	B型肝炎ウイルス再活性化 3章ウイルス感染症	賀来満夫・山本一彦・越智隆弘	医薬ジャーナル社	2014
		「関節リウマチ治療中における感染症のマネジメント」	東京	63-73