

研究成果の刊行に関する一覧表（平成 28 年度）

雑誌

| | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|---|---|----------------|-----|--------|----------|
| 1 | Atsumi T, Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watanabe A, Origasa H, Yasuda S, Yamanishi Y, Kita Y, Matsubara T, Iwamoto M, Shoji T, Togo O, Okada T, van der Heijde D, Miyasaka N, Koike T. | Clinical benefit of 1-year certolizumab pegol (CZP) add-on therapy to methotrexate treatment in patients with early rheumatoid arthritis was observed following CZP discontinuation: 2-year results of the C-OPERA study, a phase III randomised trial. | Ann Rheum Dis. | | | in press |
| 2 | Amengual O, Forastiero R, Sugiura-Ogasawara M, Otomo K, <u>Oku K</u> , Favas C, Delgado Alves J, Žigon P, Ambrožič A, Tomšić M, Ruiz-Arruza I, Ruiz-Irastorza G, Bertolaccini ML, Norman GL, Shums Z, Arai J, Murashima A, Tebo AE, Gerosa M, Meroni PL, Rodriguez-Pintó I, Cervera R, Swadzba J, Musial J, <u>Atsumi T</u> | Evaluation of phosphatidylserine-dependent antiprothrombin antibody testing for the diagnosis of antiphospholipid syndrome: results of an international multicentre study. | Lupus | | | in press |
| 3 | Atsumi T, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Yasuda S, Yamanishi Y, Kita Y, Matsubara T, Iwamoto M, Shoji T, Okada T, van der Heijde D, Miyasaka N, Koike T. | The first double-blind, randomised, parallel-group certolizumab pegol study in methotrexate-naïve early rheumatoid arthritis patients with poor prognostic factors, C-OPERA, shows inhibition of radiographic progression. | Ann Rheum Dis. | 75 | 75-83 | 2016 |
| 4 | <u>Oku K</u> , Amengual O, Kato M, Bohgaki T, Horita T, Yasuda S, Sakamoto N, Ieko M, Norman GL, <u>Atsumi T</u> . | Significance of fully automated tests for the diagnosis of antiphospholipid syndrome. | Thromb Res. | 146 | 1-6 | 2016 |
| 5 | Oku K, Nakamura H, Kono M, Ohmura K, Kato M, Bohgaki T, Horita T, Yasuda S, Amengual O, <u>Atsumi T</u> . | Complement and thrombosis in the antiphospholipid syndrome. | Autoimmun Rev | 15 | 1001-4 | 2016 |

| | | | | | | |
|----|---|---|-------------------|-----|-----------|----------|
| 6 | Oku K, Amengual O, Hisada R, Ohmura K, Nakagawa I, Watanabe T, Bohgaki T, Horita T, Yasuda S, <u>Atsumi T</u> | Autoantibodies against a component of complement one contribute to complement activation and recurrent thrombosis/pregnancy morbidity in antiphospholipid syndrome. | Rheumatology | 55 | 1403-11 | 2016 |
| 7 | <u>Suzuki-Inoue K.</u> | CLEC-2/podoplanin and thromboinflammation. | Blood. | 129 | 1896-1898 | 2017 |
| 8 | Kono H, Fujii H, <u>Suzuki-Inoue K, Inoue O</u> , Furuya S, Hirayama K, Akazawa Y, Nakata Y, Sun C, Tsukiji N, Shirai T, Ozaki Y. | The platelet-activating receptor C-type lectin receptor-2 plays an essential role in liver regeneration after partial hepatectomy in mice. | J Thromb Haemost. | 15 | 1-11 | 2017 |
| 9 | Shirai T, Inoue O, Tamura S, Tsukiji N, Sasaki T, Endo H, Satoh K, Osada M, Sato-Uchida H, Fujii H, Ozaki Y, <u>Suzuki-Inoue K.</u> | C-type lectin-like receptor 2 promotes hematogenous tumor metastasis and prothrombotic state in tumor-bearing mice. | J Thromb Haemost. | 15 | 513-525 | 2017 |
| 10 | <u>Suzuki-Inoue K</u> , Osada M, Ozaki Y. | Physiologic and pathophysiologic roles of interaction between C-type lectin-like receptor 2 and podoplanin: partners from in utero to adulthood. | J Thromb Haemost. | 16 | 219-229 | 2017 |
| 11 | Iwaki T, Nagahashi K, Takano K, <u>Suzuki-Inoue K</u> , Kanayama N, Umemura K, Urano T. | Mutation in a highly conserved glycine residue in strand 5B of plasminogen activator inhibitor 1 causes polymerisation | Thromb Haemost | | | in press |
| 12 | Kadohira Y, Matsuura E, Hayashi T, <u>Morishita E</u> , Nakao S, Asakura H | A case of aortic aneurysm-associated DIC that responded well to a switch from warfarin to rivaroxaban. | Int Med | | | in press |
| 13 | Sekiya A, Taniguchi F, Yamaguchi D, Kamijima S, Kaneko S, Katsu S, Hanamura M, Takata M, Nakano H, Asakura H, Otake S, <u>Morishita E</u> | Causative genetic mutations for antithrombin deficiency and their clinical background among Japanese patients. | Int J Hematol | 105 | 287-294 | 2017 |
| 14 | Taniguchi F, <u>Morishita E</u> , Sekiya A, Nomoto H, Katsu S, Kaneko S, Asakura H, Otake S. | Gene analysis of six cases of congenital protein S deficiency and functional analysis of protein S mutations (A139V, C449F, R451Q, C475F, A525V and D599TfsTer13). | Thromb Res | 151 | 8-16 | 2017 |

| | | | | | | |
|----|--|---|--|-----------|---------|------|
| 15 | Sekiya A, Hayashi T, Kadohira Y, Shibayama M, Tsuda T, Jin X, Nomoto H, Asakura H, Wada T, Otake S, <u>Morishita E</u> | Thrombosis prediction based on reference ranges of coagulation-related markers in different stages of pregnancy. | Clinical and Applied Thrombosis/Hemostasis | 10 | 1177 | 2016 |
| 16 | Kagami K, Yamazaki R, Minami T, Okumura N, <u>Morishita E</u> | Fujiwara H: Familial discrepancy of clinical outcomes associated with fibrinogen Dorfen: A case of huge genital hematoma after episiotomy | J Obstet Gynaecol Res | 42(6) | 722-725 | 2016 |
| 17 | Miyasaka N, Miura O, Kawaguchi T, Arima N, <u>Morishita E</u> , Usuki K, Morita Y, Nishiwaki K, Ninomiya H, Gotoh A, Imashuku S, Urabe A, Shichishima T, Nishimura J, Kanakura Y | Pregnancy outcomes of patients with paroxysmal nocturnal hemoglobinuria treated with eculizumab: a Japanese experience and updated review | Int J Hematol | 103 (6) | 703-712 | 2016 |
| 18 | 本木由香里, 野島順三, 吉田美香, 關谷暁子, 原和冴, 森下英理子, 家子正裕 | ELISAによる抗リン脂質抗体価測定の標準化に向けて | 日本血栓止血学会誌 | 27(6) | 644-652 | 2016 |
| 19 | <u>森下英理子</u> , 永井信夫, 家子正裕 | 2015 Hot Topics 線溶分野 | 日本血栓止血学会誌 | 27(1) | 99-102 | 2016 |
| 20 | <u>森下英理子</u> | フォンヴィルブランド因子の臨床検査 | BIO Clinica | 31(6) | 39-43 | 2016 |
| 21 | <u>森下英理子</u> | 先天性素因の検査 アンチトロンビン, プロテインC, プロテインS | 臨床検査 | 60(2) | 158-165 | 2016 |
| 22 | <u>森下英理子</u> | 質疑応答「プロからプロへ」不育症例に対する抗凝固療法と対応 | 日本医事新報 | 8月12日号 | 4816 | 2016 |
| 23 | <u>森下英理子</u> | 最新情報と今後の展望 2016(血小板・凝固・線溶系疾患)オーバービュー | 臨床血液 | 57(3) | 307 | 2016 |
| 24 | <u>森下英理子</u> | 深部静脈血栓症・肺塞栓症の発症機序と危険因子 | 日本医師会雑誌 | 146 (1) | 22-26 | 2016 |

書籍

| | 著者氏名 | 論文タイトル名 | 書籍全体の編集者名 | 出版社名 | 出版年 |
|---|---|---|---|--------------------------------------|----------|
| | | | 書籍名 | 出版地 | ページ |
| 1 | <u>Oku K, Amengual O, Otomo K and Atsumi T.</u> | Disease and Risk Measurement Criteria in APS, Antiphospholipid score. In Antiphospholipid Syndrome - Current Research Highlights and Clinical Insights. | Doruk Erkan and Dr. Michael Lockshin | Springer Science and Business Media. | in press |
| | | | Current Research Highlights and Clinical Insights | Berlin | |

| | | | | | |
|---|-------|--------------------|----------------------------------|------|---------|
| 2 | 森下英理子 | その他の先天性凝固異常症・線溶異常症 | 小澤敬也，中尾眞二，松村到 | 南江堂 | 2017 |
| | | | 『血液疾患最新の治療 2017-2019』 | 東京 | 242-247 |
| 3 | 森下英理子 | 繰り返す静脈血栓症 | | 南江堂 | 2017 |
| | | | 『むかしの頭で診ていませんか？血液診療をスッキリまとめました。』 | 東京 | 印 刷 中 |
| 4 | 森下英理子 | 静脈疾患の検査 | | 日本臨床 | 2017 |
| | | | 『動脈・静脈の疾患（上）- 最近の診断・治療動向-』 | 東京 | 印 刷 中 |