

研究成果の刊行に関する一覧表（平成 27 年度～平成 28 年度）

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Atsumi T, Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watanabe A, Origasa H, Yasuda S, Yamanishi Y, Kita Y, Matsubara T, Iwamoto M, Shoji T, Togo O, Okada T, van der Heijde D, Miyasaka N, Koike T.	Clinical benefit of 1-year certolizumab pegol (CZP) add-on therapy to methotrexate treatment in patients with early rheumatoid arthritis was observed following CZP discontinuation: 2-year results of the C-OPERA study, a phase III randomised trial.	Ann Rheum Dis.			in press
2	Amengual O, Forastiero R, Sugiura-Ogasawara M, Otomo K, <u>Oku K</u> , Favas C, Delgado Alves J, Žigon P, Ambrožič A, Tomšič M, Ruiz-Arruza I, Ruiz-Irastorza G, Bertolaccini ML, Norman GL, Shums Z, Arai J, Murashima A, Tebo AE, Gerosa M, Meroni PL, Rodriguez-Pintó I, Cervera R, Swadzba J, Musial J, <u>Atsumi T</u>	Evaluation of phosphatidylserine-dependent antiprothrombin antibody testing for the diagnosis of antiphospholipid syndrome: results of an international multicentre study.	Lupus			in press
3	<u>Atsumi T</u> , Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Yasuda S, Yamanishi Y, Kita Y, Matsubara T, Iwamoto M, Shoji T, Okada T, van der Heijde D, Miyasaka N, Koike T.	The first double-blind, randomised, parallel-group certolizumab pegol study in methotrexate-naïve early rheumatoid arthritis patients with poor prognostic factors, C-OPERA, shows inhibition of radiographic progression.	Ann Rheum Dis.	75	75-83	2016
4	<u>Oku K</u> , Amengual O, Kato M, Bohgaki T, Horita T, Yasuda S, Sakamoto N, Ieko M, Norman GL, <u>Atsumi T</u> .	Significance of fully automated tests for the diagnosis of antiphospholipid syndrome.	Thromb Res.	146	1-6	2016
5	Oku K, Nakamura H, Kono M, Ohmura K, Kato M, Bohgaki T, Horita T, Yasuda S, Amengual O, <u>Atsumi T</u> .	Complement and thrombosis in the antiphospholipid syndrome.	Autoimmun Rev	15	1001-4	2016
6	Oku K, Amengual O, Hisada R, Ohmura K, Nakagawa I, Watanabe T, Bohgaki T, Horita T, Yasuda S, <u>Atsumi T</u> .	Autoantibodies against a component of complement one contribute to complement activation and recurrent thrombosis/pregnancy morbidity in antiphospholipid syndrome.	Rheumatology	55	1403-11	2016

7	<u>Oku K</u> , Amengual O, Bohgaki T, Horita T, Yasuda S, <u>Atsumi T.</u>	An independent validation of the Global Anti-Phospholipid Syndrome Score in a Japanese cohort of patients with autoimmune diseases.	Lupus	24	774-775	2015
8	Tanimura K, Jin H, Morikami S, Suenaga T, Arase N, Kishida K, Hirayasu K, Kohyama M, Ebina Y, Yasuda S, Horita T, Takasugi K, Ohmura K, Yamamoto K, Katayama I, Sasazuki T, Lanier LL, <u>Atsumi T.</u> , Yamada H, Arase H.	Beta2-glycoprotein I/HLA class II complexes are novel autoantigens in antiphospholipid syndrome	Blood	125	2835-2844	2015
9	Sugiura-Ogasawara M, <u>Atsumi T.</u> , Yamada H, Kitaori T, Ozaki Y, Katano K, Murashima A.	Real-world practice of obstetricians in respect of assays for antiphospholipid antibodies.	Mod Rheumatol	25	883-887	2015
10	Amengual O, Fujita D, Ota E, Carmona K, <u>Oku K</u> , Sugiura-Ogasawara M, Murashima A, <u>Atsumi T.</u>	Primary prophylaxis to prevent obstetric complications in asymptomatic women with antiphospholipid antibodies: a systematic review.	Lupus	23	1135-1142	2015
11	Kitaori K, Sugiura-Ogasawara M, <u>Oku K</u> , Papisch W, Ebara T, Ozaki Y, Katano K, <u>Atsumi T.</u>	Determination of clinically significant tests for antiphospholipid antibodies and cutoff levels for obstetric antiphospholipid syndrome.	Lupus	24	1505-1519	2015
12	Yamada T, Ishiguro N, <u>Oku K</u> , Higuchi I, Nakagawa I, Noguchi A, Yasuda S, Fukumoto T, Iwasaki S, Akizawa K, Furugen A, Yamaguchi H, Iseki K.	Successful colistin treatment of multidrug-resistant <i>pseudomonas aeruginosa</i> infection using a rapid method for determination of colistin in plasma usefulness of therapeutic drug monitoring	Biol. Pharm. Bull.	38	1430-1433	2015
13	<u>Suzuki-Inoue K.</u>	CLEC-2/podoplanin and thromboinflammation.	Blood.	129	1896-1898	2017
14	Kono H, Fujii H, Suzuki-Inoue K, Inoue O, Furuya S, Hirayama K, Akazawa Y, Nakata Y, Sun C, Tsukiji N, Shirai T, Ozaki Y.	The platelet-activating receptor C-type lectin receptor-2 plays an essential role in liver regeneration after partial hepatectomy in mice.	J Thromb Haemost.	15	1-11	2017
15	Shirai T, Inoue O, Tamura S, Tsukiji N, Sasaki T, Endo H, Satoh K, Osada M, Sato-Uchida H, Fujii H, Ozaki Y, <u>Suzuki-Inoue K.</u>	C-type lectin-like receptor 2 promotes hematogenous tumor metastasis and prothrombotic state in tumor-bearing mice.	J Thromb Haemost.	15	513-525	2017

16	<u>Suzuki-Inoue K</u> , Osada M, Ozaki Y.	Physiologic and pathophysiologic roles of interaction between C-type lectin-like receptor 2 and podoplanin: partners from in utero to adulthood.	J Thromb Haemost.	16	219-229	2017
17	Iwaki T, Nagahashi K, Takano K, <u>Suzuki-Inoue K</u> , Kanayama N, Umemura K, Urano T.	Mutation in a highly conserved glycine residue in strand 5B of plasminogen activator inhibitor 1 causes polymerisation	Thromb Haemost			in press
18	Kazama F, Nakamura J, Osada M, Inoue O, Oosawa M, Tamura S, Tsukiji N, Aida K, Kawaguchi A, Takizawa S, Kaneshige M, Tanaka S, <u>Suzuki-Inoue K</u> , Ozaki Y.	Measurement of soluble C-type lectin-like receptor 2 in human plasma.	Platelets	26 (8)	711-9	2015
19	Kadohira Y, Matsuura E, Hayashi T, <u>Morishita E</u> , Nakao S, Asakura H	A case of aortic aneurysm-associated DIC that responded well to a switch from warfarin to rivaroxaban.	Int Med			in press
20	Sekiya A, Taniguchi F, Yamaguchi D, Kamijima S, Kaneko S, Katsu S, Hanamura M, Takata M, Nakano H, Asakura H, Ohtake S, <u>Morishita E</u>	Causative genetic mutations for antithrombin deficiency and their clinical background among Japanese patients.	Int J Hematol	105	287-294	2017
21	Taniguchi F, <u>Morishita E</u> , Sekiya A, Nomoto H, Katsu S, Kaneko S, Asakura H, Ohtake S.	Gene analysis of six cases of congenital protein S deficiency and functional analysis of protein S mutations (A139V, C449F, R451Q, C475F, A525V and D599TfsTer13).	Thromb Res	151	8-16	2017
22	Sekiya A, Hayashi T, Kadohira Y, Shibayama M, Tsuda T, Jin X, Nomoto H, Asakura H, Wada T, Ohtake S, <u>Morishita E</u>	Thrombosis prediction based on reference ranges of coagulation-related markers in different stages of pregnancy.	Clinical and Applied Thrombosis/Hemostasis	10	1177	2016

23	Kagami K, Yamazaki R, Minami T, Okumura N, <u>Morishita E</u>	Fujiwara H: Familial discrepancy of clinical outcomes associated with fibrinogen Dorfen: A case of huge genital hematoma after episiotomy	J Obstet Gynaecol Res	42(6)	722-725	2016
24	Miyasaka N, Miura O, Kawaguchi T, Arima N, <u>Morishita E</u> , Usuki K, Morita Y, Nishiwaki K, Ninomiya H, Gotoh A, Imashuku S, Urabe A, Shichishima T, Nishimura J, Kanakura Y	Pregnancy outcomes of patients with paroxysmal nocturnal hemoglobinuria treated with eculizumab: a Japanese experience and updated review	Int J Hematol	103 ( 6 )	703-712	2016
25	Yoshikawa Y, Kitayama J, Ishikawa H, Nakamura A, Taniguchi F, <u>Morishita E</u> , Ago T, Nakane H, Kitazono T	Fulminant bilateral cerebral infarction caused by paradoxical embolism in a patient with protein S Ala525Val substitution	Neurology and Clinical Neuroscience	3(3)	105-107	2015
26	Sekiya A, <u>Morishita E</u> , Maruyama K, Torishima H, Ohtake S	Fluvastatin upregulates the expression of tissue factor pathway inhibitor in human umbilical vein endothelial cells	J Atheroscler Thromb	22(7)	660-668	2015
27	Taniguchi F, <u>Morishita E</u> , Sekiya A, Yamaguchi D, Nomoto H, Kobayashi E, Takata M, Kosugi I, Takeuchi N, Asakura H, Ohtake S	Late onset thrombosis in two Japanese patients with compound heterozygote protein S deficiency	Thromb Res	135(6 )	1221-1223	2015
28	Nomoto H, Takami A, Espinoza JL, Matsuo K, Mizuno S, Onizuka M, Kashiwase K, Morishima Y, Fukuda T, Kodera Y, Doki N, Miyamura K, Mori T, Nakao S, Ohtake S, <u>Morishita E</u>	A donor thrombomodulin gene variation predicts graft-versus-host disease development and mortality after bone marrow transplantation	Int J Hematol	102(4 )	460-470	2015
29	Maruyama K, Akiyama M, Kokame K, Sekiya A, <u>Morishita E</u> , Miyata T	ELISA-based detection system for protein S K196E mutation, a genetic risk factor for venous thromboembolism	PLoS One	10(7)	e013319 6	2015
30	本木由香里，野島 順三，吉田美香，關谷暁子，原和汎，森下英理子，家子正裕	ELISA による抗リン脂質抗体価測定の標準化に向けて	日本血栓止血学会誌	27(6)	644-652	2016

31	<u>森下英理子</u> , 永井信夫 , 家子正裕	2015 Hot Topics 線溶分野	日本血栓止血学会誌	27(1)	99-102	2016
32	<u>森下英理子</u>	フォンヴィルブランド因子の臨床検査	BIO Clinica	31(6)	39-43	2016
33	<u>森下英理子</u>	先天性素因の検査 アンチトロンビン , プロテイン C , プロテイン S	臨床検査	60(2)	158-165	2016
34	<u>森下英理子</u>	質疑応答 プロからプロへ」不育症例に対する抗凝固療法と対応	日本医事新報	8月 12日 号	4816	2016
35	<u>森下英理子</u>	最新情報と今後の展望 2016 ( 血小板・凝固・線溶系疾患 ) オーバービュー	臨床血液	57(3)	307	2016
36	<u>森下英理子</u>	深部静脈血栓症・肺塞栓症の発症機序と危険因子	日本医師会雑誌	146 ( 1 )	22-26	2016

書籍

	著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
			書籍名	出版地	ページ
1	<u>Oku K</u> , Amengual O, Otomo K and <u>Atsumi T.</u>	Disease and Risk Measurement Criteria in APS, Antiphospholipid score. In Antiphospholipid Syndrome - Current Research Highlights and Clinical Insights.	Doruk Erkan and Dr. Michael Lockshin	Springer Science and Business Media.	in press
			Current Research Highlights and Clinical Insights	Berlin	
1	<u>森下英理子</u>	その他の先天性凝固異常症・線溶異常症	小澤敬也 , 中尾真二 , 松村到	南江堂	2017
			『血液疾患最新の治療 2017-2019』	東京	242-247
2	<u>森下英理子</u>	繰り返す静脈血栓症	南江堂	南江堂	2017
			『むかしの頭で診ていませんか？血液診療をスッキリまとめました。』	東京	印刷中
3	<u>森下英理子</u>	静脈疾患の検査	日本臨床	日本臨床	2017
			『動脈・静脈の疾患（上）- 最近の診断・治療動向 -』	東京	印刷中
4	<u>森下英理子</u>	第 X 因子とプロトロンビン	一瀬白帝 , 丸山征郎 , 家子正裕 編著	金芳堂	2015
			新・血栓止血血管学 凝固と炎症	京都	pp20-27
5	<u>森下英理子</u>	PNH の血栓症	金倉譲、西村純一 編著	医薬ジャーナル社	2015
			発作性夜間ヘモグロビン尿症(PNH)	大阪	pp100-109