

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
村川洋子	抗リン脂質抗体症候群 antiphospholipid syndrome (APS)	山口 徹(監修)	今日の治療指針2016年版	医学書院	東京	2016	888-889
鈴木康夫	第3章 IBD の診断 1 潰瘍性大腸炎とクローン病の診断(総論)	編集: 日比紀文、久松理一	IBD を日常診療で診る	羊土社	東京	2017	41-50
Bertolaccin ML, Amengual O, Artim-Eser B, Atsumi T, de Groot PG, de Laat4 B, Devreese K, Giles I, Meroni PL, Borghi MO, Rahman A, Rand J, Regnault V, Kumar R, Tincani A, Wahl D, Willis R, Zuily S, Sanna G.	Clinical and Prognostic Significance of Non-criteria Antiphospholipid Antibody Tests.	Edited by Doruk Erkan and Dr. Michael Lockshin.	In Antiphospholipid Syndrome: Current Research Highlights and Clinical Insights	Publishers Springer Science and Business Media.			in press
Oku K, Amengual O, Otomo K and Atsumi T.	Disease and Risk Measurement Criteria in APS, Antiphospholipid score.	Edited by Doruk Erkan and Dr. Michael Lockshin.	In Antiphospholipid Syndrome: Current Research Highlights and Clinical Insights	Publishers Springer Science and Business Media.			in press

Amengual O, Bertolacini ML and Atsumi T.	Laboratory Markers with clinical significance in the antiphospholipid Syndrome.	Edited by Doruk Erkan and Dr. Michael Lockshin.	In Antiphospholipid Syndrome: Current Research Highlights and Clinical Insights	Publishers Springer Science and Business Media.			in press
Amengual O and Atsumi T.	Pathogenesis of antiphospholipid syndrome.	Edited by George C Tsokos.	In Systemic lupus erythematosus, basic, applied and clinical aspects.	Academic Press.		2016	Chapter 56, p487-92
村島温子、渥美達也、井上永介、大田えりか、奥健志、小澤伸晃、金子佳代、後藤美賀子、齋藤滋、杉浦真弓、関口将軌、高橋尚人、出口雅士、中山雅弘、野澤和久、平井千裕、藤田太輔、松岡健太郎、松木祐子、Amengual O、三木明德、光田信明、森臨太郎、山田秀人、山本亮、横山健次、和田芳直	「抗リン脂質抗体症候群合併妊娠の診療ガイドライン」	平成27年度日本医療研究開発機構成育疾患克服等総合研究事業「抗リン脂質抗体症候群合併妊娠の治療及び予後に関する研究」研究班編	「抗リン脂質抗体症候群合併妊娠の診療ガイドライン」	南山堂	東京	2016	1-76

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Saito S, Nakabayashi Y, Nakashima A, Shima T, Yoshino O.	A new era in reproductive medicine: consequences of third-party oocyte donation for maternal and fetal health.	<i>Semin Immunol.</i>	38	687-697	2016
Yoneda S, Shiozaki A, Yoneda N, Ito M, Shima T, Fukuda K, Ueno T, Niimi H, Kitajima I, Kigawa M, Saito S.	Antibiotic therapy increases the risk of preterm birth in preterm labor without intra-amniotic microbes, but may prolong the gestation period in preterm labor with microbes, evaluated by rapid and high sensitive PCR system.	<i>Am J Reprod Immunol.</i>	75	440-450	2016
Yoneda N, Yoneda S, Niimi H, Ueno T, Hayashi S, Ito M, Shiozaki A, Urushiyama D, Hata K, Suda W, Hattori M, Kigawa M, Kitajima I, Saito S.	Polymicrobial Amniotic Fluid Infection with Mycoplasma/Ureaplasma and Other Bacteria Induces Severe Intra-Amniotic Inflammation Associated with Poor Perinatal Prognosis in Preterm Labor.	<i>Am J Reprod Immunol.</i>	75	112-125	2016
Saito S, Shima T, Nakashima A, Inada K, Yoshino O.	Role of paternal antigen-specific Treg cells in successful implantation.	<i>Am J Reprod Immunol.</i>	75	310-316	2016
Nakabayashi Y, Nakashima A, Yoshino O, Shima T, Shiozaki A, Adachi T, Nakabayashi M, Okai T, Kushima M, Saito S.	Impairment of the accumulation of decidual T cells, NK cells, and monocytes, and the poor vascular remodeling of spiral arteries, were observed in oocyte donation cases, regardless of the presence or absence of preeclampsia.	<i>J Reprod Immunol.</i>	114	65-74	2016
稲田貢三子, 島友子, 中島彰俊, 齋藤滋.	018 妊娠とサイトカイン.	周産期医学	46	56-59	2016

齋藤 滋	制御性 T(Treg) 細胞と妊娠維持.	炎症と免疫.	24	61-66	2016
稲田 貢三子, 齋藤 滋.	I. ハイリスク妊娠の抽出 不育症	産婦人科の実際	65	1121-1129	2016
塩崎有宏, 齋藤 滋	腸内細菌と妊娠・出産.	診断と治療.	104	175-180	2016
kashi K, Saegusa J, Nakamachi Y, Nakazawa T, Kumagai S, Morinobu A.	Hepatitis B Virus Reactivation Following Salazosulfapyridine Monotherapy in a Patient with Rheumatoid Arthritis.	Intern Med.	55	1371-1373	in press
Akashi K, Saegusa J, Sendo S, Nishimura K, Okano T, Yagi K, Yanagisawa M, Emoto N, Morinobu A.	Knockout of endothelin type B receptor signaling attenuates bleomycin-induced skin sclerosis in mice.	Arthritis Res Ther.	18	113	2016
Yamamoto T, Tanaka H, Kurimoto C, Imanishi T, Hayashi N, Saegusa J, Morinobu A, Hirata KI, Kawano S.	Very early stage left ventricular endocardial dysfunction of patients with hypereosinophilic syndrome.	Int J Cardiovasc Imaging.	32	1357-1361	2016
Morinobu A, Tanaka S, Nishimura K, Takahashi S, Kageyama G, Miura Y, Kurosaka M, Saegusa J, Kumagai S.	Expression and Functions of Immediate Early Response Gene X-1(IEX-1) in Rheumatoid Arthritis Synovial Fibroblasts.	PLoS One.	11	e0164350	2016
Masuda Y, Fujiwara S, Kunisada M, Yamada H, Morinobu A, Nishigori C.	Two cases of cytomegalovirus-related cutaneous ulcers indicating an ominous clinical prognosis.	Eur J Dermatol.	26	499-501	2016

Kageyama G, Okano T, Yamamoto Y, Nishimura K, Sugiyama D, Saegusa J, Tsuji G, Kumagai S, Morinobu A.	Very high frequency of fragility fractures associated with high-dose glucocorticoids in postmenopausal women: A retrospective study.	Bone Rep.	6	3-8	2016
Okano T, Saegusa J, Nishimura K, Takahashi S, Senda S, Ueda Y, Morinobu A.	3-bromophruvate ameliorate autoimmune arthritis by modulating Th17/Treg cell differentiation and suppressing dendritic cell activation.	Sci Rep.	7	42412	2017
森信 暁雄.	【自己免疫疾患-Preclinical State から発症・早期診断まで】病因にせまる 自己免疫疾患のエピジェネティクス(解説/特集).	医学のあゆみ	258	915-918	2016
三枝 淳, 蔭山 豪一, 森信 暁雄.	「IgG4 関連疾患の最新情報」に寄せるメタボロームに着目した膠原病の新規治療法および診断法の開発(解説).	アレルギーの臨床	36	1292-1297	2016
Kaneko Y, Atsumi T, Tanaka Y, Inoo M, Kobayashi-Haraoka H, Amano K, Miyata M, Murakawa Y, Yasuoka H, Hirata S, Nagasawa H, Tanaka E, Miyasaka N, Yamanaka H, Yamamoto K, Takeuchi T.	Comparison of adding tocilizumab to methotrexate with switching to tocilizumab in patients with rheumatoid arthritis with inadequate response to methotrexate: 52-week results from a prospective, randomised, controlled study (SURPRISE study).	Ann Rheum Dis.	75(11)	1917-1923	2016
村川洋子.	特集：関節リウマチ update . 特論 妊娠, 授乳とリウマチ治療.	日本臨床.	74(6)	1035-1041	2016

森山繭子、 村川洋子.	妊婦に対する注意点と使用法.	リウマチ科.	56(1)	15-19	2016
Matsui K, Maruoka M, Yoshikawa T, Hashimoto N, Nogami M, Sekiguchi M, Azuma N, Kitano M,, Tsunoda S and Sano H,	Assessment of 2012 EULAR/ACR New Classification Criteria for Polymyalgia Rheumatica in Japanese Patients Diagnosed using Bird's Criteria.	Int. J. Rheum. Disease,			in press.
Sekiguchi M, Fujii T, Matsui K, Murakami K, Morita S, Ohmura K, Kawahito Y, Nishimoto N, Mimori T, Sano H and ABROAD Study Investigators.	Differences in Predictive Factors for Sustained Clinical Remission with Abatacept Between Younger and Elderly Patients with Biologic-naive Rheumatoid Arthritis: Results from the ABROAD Study.	J. Rheumatol.	43(11)	1974-1983	2016
松井 聖, 野上みか, 橋本尚明, 西岡亜紀, 関口昌弘, 東 直人, 北野将康, 岩崎 剛, 佐野 統.	当科におけるリウマチ性多発筋痛症の臨床的特徴と治療の検討.	臨床リウマチ.	28	135-142	2016
Arai T, Takeuchi K, Miyamura M, Ishikawa R, Yamada A, Katsumata M, Igarashi Y, Suzuki Y	Level of Fecal Calprotectin Correlates With Severity of Small Bowel Crohn's Disease, Measured by Balloon-assisted Enteroscopy and Computed Tomography Enterography.	Clin Gastroenterol Hepatol	15(1)	56-62	2017

Watanabe T, Ajioka Y, Mitsuyama K, Watanabe K, Hanai H, Nakase H, Kunisaki R, Matsuda K, Iwakiri R, Hida N, Tanaka S, Takeuchi Y, Ohtsuka K, Murakami K, Kobayashi K, Iwao Y, Nagahori M, Iizuka B, Hata K, Igarashi M, Hirata I, Kudo SE, Matsumoto T, Ueno F, Watanabe G, Ikegami M, Ito Y, Oba K, Inoue E, Tomotsugu N, Takebayashi T, Sugihara K, Suzuki Y, Watanabe M, Hibi T	Comparison of Targeted vs Random Biopsies for Surveillance of Ulcerative Colitis-Associated Colorectal Cancer	Gastroenterology	151(6)	1122-1130	2016
Matsumoto T, Motoya S, Watanabe K, Hisamatsu T, Nakase H, Yoshimura N, Ishida T, Kato S, Nakagawa T, Esaki M, Nagahori M, Matsui T, Naito Y,	Adalimumab Monotherapy and a Combination with Azathioprine for Crohn's Disease: A Prospective, Randomized Trial.	J Crohns Colitis	10(11)	1259-1266	2016
Komoto S, Motoya S, Nishiwaki Y, Matsui T, Kunisaki R, Matsuoka K, Yoshimura N, Kagaya T, Naganuma M, Hida N, Watanabe M, Hibi T, Suzuki Y, Miura S, Hokari R; Japanese study group for pregnant women with IBD.	Pregnancy outcome in women with inflammatory bowel disease treated with anti-tumor necrosis factor and/or thiopurine therapy: a multicenter study from Japan.	INTESTINAL RESEARCH	14(2)	139-45	2016

Yasuo Suzuki, Mitsuo Iida, Hiroaki Ito, Naoto Tachikawa, and Toshifumi Hibi	Investigation of a High-Dose pH-Dependent-Release Mesalazine on the Induction of Remission in Active Crohn's Disease	Drugs R D.	16(1)	35-43	2016
Kobayashi T, Suzuki Y, Motoya S, Hirai F, Ogata H, Ito H, Sato N, Ozaki K, Watanabe M, Hibi T.	First trough level of infliximab at week 2 predicts future outcomes of induction therapy in ulcerative colitis-results from a multicenter prospective randomized controlled trial and its post hoc analysis	J Gastroenterol	51(3)	241-51	2016
Suzuki Y, Iida M, Ito H, Tachikawa N, Hibi T.	Investigation of a High-Dose pH-Dependent-Release Mesalazine on the Induction of Remission in Active Crohn's Disease.	Cross Mark	16(1)	35-43	2016
Suzuki Y, Iida M, Ito H, Saida I, Hibi T.	Efficacy and safety of two pH-dependent-release mesalamine doses in moderately active ulcerative colitis: a multicenter, randomized, double-blind, parallel-group study.	INTESTINAL RESEARCH	14(1)	50-59	2016
竹内 健、 鈴木康夫	貧血病 最新の診断・治 療動向 造血因子欠乏による 貧血 消化器疾患における鉄欠 乏性貧血診療の考え方	日本臨牀	75(1)	106-109	2017
鈴木康夫	特集：演奏性腸疾患 (IBD)の内科的治療、最 新の話題から 【クローン病の治療にお ける5-ASA製剤の役割と 今後】	消化器の臨床	19(6)	433-438	2016
鈴木康夫	特集：診断に迷う IBD の 非典型例 【IBD の典型像-臨床所見 -】	INTESTINE	20(6)	515-522	2016

鈴木康夫	特集：免疫疾患の trends&topics 2017 【腸管型BD:抗TNF-抗体でどこまで治るか?】	Mebio	33(10)	25-32	2016
竹内 健、石川ルミ子、宮村美幸、山田哲弘、鈴木康夫	特集：非腫瘍性消化管疾患の画像診断 beyond barium study and endoscopy 【炎症性腸疾患のCT colonography(CTC)】	画像診断	36(10)	1019-1027	2016
竹内 健、鈴木康夫	特集：潰瘍性大腸炎 - 明日から使える内科治療のコツと最新情報 【各論】 .モニタリング (2)CT colonography	INTESTINE	20(4)	392-397	2016
樋口哲也、鈴木康夫	炎症性腸疾患、Behcet病の皮膚病変	胃と腸	51(8)	1009-1018	2016
竹内 健、宮村美幸、新井典岳、石川ルミ子、山田哲弘、岩佐亮太、佐々木大樹、勝俣雅夫、鈴木康夫	大腸三次元 CT 炎症性腸疾患を中心に	胃と腸	51(7)	891898	2016
鈴木康夫	質疑応答 Pro Pro プロからプロへ 内科・消化器 【炎症性腸疾患の患者が妊娠した際の治療薬使用:回答】	週間 日本医事新報	4807	56-57	2016
竹内 健、鈴木康夫	講座 IBD 治療のピットフォール第10回 【クローン病の直腸狭窄病変手術のタイミングは?】	IBD Research	10(2)	53-58	2016
鈴木康夫	炎症性腸疾患に対する血球成分除去療法の日本での位置づけ ステロイド・免疫抑制剤・生物学的製剤との関係について	日本アフェシス学会雑誌	32(2)	82-87	2016
鈴木康夫	徹底解説！抗 TNF- 抗体に関するギモンを解決！【抗 TNF- 抗体の効果減弱・二次無効に対する治療戦略】	薬局 別冊	67(6)	57-63	2016

竹内 健、鈴木康夫	実地医科が実践すべき 診療のプロセス 【クローン病小腸診断の 現状と今後の展望】	Medical Practice	33(5)	745-748	2016
竹内 健、鈴木康夫	特集：クローン病治療の 最前線 【便中カルプロテクチンに よる治療効果モニタリン グ】	INTESTINE	20(2)	191-195	2016
鈴木康夫	消化器疾患 Inflammatory Bowel Disease (Ulcerative Colitis/Crohn's Disease) 【炎症性腸疾患（潰瘍性 大腸炎・クローン病）】	今日の診療の ために ガイドライン 外来診療 2016	16 版	417-420	2016
鈴木康夫	高齢者の IBD 治療	CLINICIAN	63(646)	155-161	2016
鈴木康夫	特集：『早期大腸癌』から の 20 年、『INTESTINE』か らの今後 20 年 (炎症分野)【クローン病 診療の将来像】	INTESTINE	20(1)	86-90	2016
武井修治	慢性疾患患児の一生を 診る：若年性特発性関節 炎(少関節炎・多関節炎)。	小児内科	48(10)	1662-1665	2016
武井修治	小児期発症リウマチ性疾 患の成人期移行。	九州リウマチ。	37(1)	6-10	2017
Tsuboi H, Sumida T, Noma H, Yamagishi K, Anami A, Fukushima K, Horigome H, Maeno Y, Kishimoto M, Takasaki Y, Nakayama M, Waguri M, Sago H, Murashima A.	Maternal predictive factors for fetal congenital heart block in pregnant mothers positive for anti-SS-A antibodies.	Mod Rheumatol.	26(4)	569-575	2016
鈴木孝典, 林 泰 佑, 小野 博, 前野 泰樹, 堀米仁志, 村島温子.	母体抗 SS-A 抗体陽性の 先天性完全房室ブロック の胎児における子宮内胎 児死亡の危険因子。	Pediatric Cardiology and Cardiac Surgery.	32	19-25	2016

橋本就子, 村島温子.	妊娠希望患者における治療選択.	内科	117(5)	1203-1208	2016
Origasa H, Yasuda S, Yamanishi Y, Kita Y, Matsubara T, Iwamoto M, Shoji T, Togo O, Okada T, van der Heijde D, Miyasaka N, Koike T.	Clinical benefit of 1-year certolizumab pegol (CZP) add-on therapy to methotrexate treatment in patients with early rheumatoid arthritis was observed following CZP discontinuation: 2-year results of the C-OPERA study, a phase III randomised trial.	Ann Rheum Dis.			in press
Atsumi T, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Yasuda S, Yamanishi Y, Kita Y, Matsubara T, Iwamoto M, Shoji T, Okada T, van der Heijde D, Miyasaka N, Koike T.	The first double-blind, randomised, parallel-group certolizumab pegol study in methotrexate-naive early rheumatoid arthritis patients with poor prognostic factors, C-OPERA, shows inhibition of radiographic progression.	Ann Rheum Dis.	75(1)	75-83	2016
Atsumi T, Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watanabe A, Kaneko Y, Atsumi T, Tanaka Y, Inoo M, Kobayashi-Haraoka H, Amano K, Miyata M, Murakawa Y, Yasuoka H, Hirata S, Nagasawa H, Tanaka E, Miyasaka N, Yamanaka H, Yamamoto K, Takeuchi T.	Comparison of adding tocilizumab to methotrexate with switching to tocilizumab in patients with rheumatoid arthritis with inadequate response to methotrexate: 52-week results from a prospective, randomised, controlled study (SURPRISE study).	Ann Rheum Dis.	75(11)	1917-1923	2016

Ishiguro N, <u>Atsumi T</u> , Harigai M, Mimori T, Nishimoto N, Sumida T, Takeuchi T, Tanaka Y, Nakasone A, Takagi N, Yamanaka H.	Effectiveness and safety of tocilizumab in achieving clinical and functional remission, and sustaining efficacy in biologics-naive patients with rheumatoid arthritis: The FIRST Bio study.	Mod Rheumatol.				in press.
Sakashita T, Kamishima T, Kobayashi Y, Sugimori H, Tang M, Sutherland K, Noguchi A, Kono M, and <u>Atsumi T</u> .	Accurate quantitative assessment of synovitis in rheumatoid arthritis using pixel-by-pixel, time-intensity curve shape analysis.	Br J Radiol.	89(1061)	20151000		2016
Sugiyama N, Kawahito Y, Fujii T, <u>Atsumi T</u> , Murata T, Morishima Y, Fukuma Y.	Treatment Patterns, Direct Cost of Biologics, and Direct Medical Costs for Rheumatoid Arthritis Patients: A Real-world Analysis of Nationwide Japanese Claims Data.	Clin Ther.	38(6)	1359-1375.e1		2016
Sakano R, Saito K, Kamishima T, Nishida M, Horie T, Noguchi A, Kono M, Sutherland K, <u>Atsumi T</u> .	Power Doppler signal calibration in the finger joint between two models of ultrasound machine: a pilot study using a phantom and joints in patients with rheumatoid arthritis.	Acta Radiol.				in press
Fukae J, Tanimura K, Isobe M, Kitano A, Henmi M, Nakai M, Aoki Y, Sakamoto F, Narita A, Ito T, Mitsuzaki A, Matsuhashi M, Shimizu M, Kamishima T, <u>Atsumi T</u> , Koike T.	Active synovitis in the presence of osteitis predicts residual synovitis in patients with rheumatoid arthritis with a clinical response to treatment.	Int J Rheum Dis.				in press

Mimori T, Harigai M, Atsumi T, Fujii T, Kuwana M, Matsuno H, Momohara S, Takei S, Tamura N, Takasaki Y, Ikeuchi S, Kushimoto S, Koike T.	Safety and effectiveness of 24-week treatment with iguratimod, a new oral disease-modifying antirheumatic drug, for patients with rheumatoid arthritis: interim analysis of a post-marketing surveillance study of 2679 patients in Japan.	Mod Rheumatol.				in press
Yasuda S, Shimizu Y, Atsumi T.	Brain MRI abnormalities defined as risks for poor prognosis in lupus patients with acute confusional state: Are they antibody mediated?	Mod Rheumatol.	30	1		2016
Yasuda S.	Presence of Antiphospholipid Antibodies as a Thrombotic Risk Factor in Connective Tissue Diseases and Idiopathic/immune Thrombocytopenic Purpura - -Proposal for Altered Cut-off values for Better Prediction.	Intern Med.	55(6)	557-558		2016
Yasuda S, Ohmura K, Kanazawa H, Kurita T, Kon Y, Ishii T, Fujieda Y, Jodo S, Tanimura K, Minami M, Izumiyama T, Matsumoto T, Amasaki Y, Suzuki Y, Kasahara H, Yamauchi N, Kato M, Kamishima T, Tsutsumi A, Takemori H, Koike T, Atsumi T.	Maintenance Treatment using Abatacept with Dose Reduction after Achievement of Low Disease Activity in Patients with Rheumatoid Arthritis (MATADOR) – A prospective, multicenter, single arm pilot clinical trial.	Mod Rheumatol.				in press

Amengual O, Forastiero R, Sugiura-Ogasawara M, Otomo K, <u>Oku K</u> , Favas C, Delgado Alves J, Zigon P, Ambrozic A, Tomsic M, Ruiz-Arruza I, Ruiz-Irastorza G, Bertolaccini ML, Norman GL, Shums Z, Arai J, Murashima A, Tebo AE, Gerosa M, Meroni PL, Rodriguez-Pintó I, Cervera R, Swadzba J, Musial J, <u>Atsumi T</u> .	Evaluation of phosphatidylserine-dependent antiprothrombin antibody testing for the diagnosis of antiphospholipid syndrome: results of an international multicentre study.	Lupus.			in press.
<u>Oku K</u> , Amengual O, Hisada R, Ohmura K, Nakagawa I, Watanabe T, Bohgaki T, Horita T, Yasuda S <u>Atsumi T</u> .	Autoantibodies against a complement component 1q subcomponent contribute to complement activation and recurrent thrombosis/pregnancy morbidity in anti-phospholipid syndrome.	Rheumatology (Oxford).	55(8)	1403-1411	2016
<u>Oku K</u> , Amengual O, Kato M, Bohgaki T, Horita T, Yasuda S, Sakamoto N, Ieko M, Norman GL, <u>Atsumi T</u> .	Significance of fully automated tests for the diagnosis of antiphospholipid syndrome.	Thromb Res.	146	1-6	2016
<u>Oku K</u> , Nakamura H, Kono M, Ohmura K, Kato M, Bohgaki T, Horita T, Yasuda S, Amengual O, <u>Atsumi T</u> .	Complement and thrombosis in the antiphospholipid syndrome.	Autoimmun Rev.	15(10)	1001-1004	2016

Naoi T, Kameda T, Oku K, Ando A, Hayashi Y, Miyamoto M, Suzuki H, Kawakami T.	Internal carotid artery occlusion and cerebral infarction in a case of juvenile systemic lupus erythematosus and positive for phosphatidylserine dependent antiprothrombin antibody (aPS/PT).	Neurology and Clinical Neuroscience.				in press.
Otomo K, Amengual O, Fujieda Y, Nakagawa H, Kato M, Oku K, Horita T, Yasuda S, Matsumoto M, Nakayama KI, Hatakeyama S, Koike T, Atsumi T.	Role of apolipoprotein B100 and oxidized low-density lipoprotein in the monocyte tissue factor induction mediated by anti-beta2 glycoprotein I antibodies.	Lupus.	25(12)	1288-1298		2016
Kato M, Ospelt C, Kolling C, Shimizu T, Kono M, Yasuda S, Michel BA, Gay RE, Gay S, Klein K, Atsumi T.	AAA-ATPase p97 suppress apoptotic and autophagy-associated cell death in rheumatoid arthritis synovial fibroblasts.	Oncotarget.	7(39)	64221-64232		2016
Hatano K, Kamishima T, Sutherland K, Kato M, Nakagawa I, Ichikawa S, Kawauchi K, Saitou S, Mukai M.	A reliability study using computer-based analysis of finger joint space narrowing in rheumatoid arthritis patients.	Rheumatol Int.				in press.
Fujieda Y, Amengual O, Matsumoto M, Kuroki K, Takahashi H, Kono M, Kurita T, Otomo K, Kato M, Oku K, Bohgaki T, Horita T, Yasuda S, Maenaka K, Hatakeyama S, Nakayama KI, Atsumi T.	Ribophorin II is involved in the tissue factor expression mediated by phosphatidylserine-dependent antiprothrombin antibody on monocytes.	Rheumatology (Oxford).	55(6)	1117-1126		2016

<p>Kono Michihito, Kamishima T, Yasuda S, Sakamoto K, Abe S, Noguchi A, Watanabe T, Shimizu Y, <u>Oku K</u>, Bohgaki T, Amengual O, Horita T, <u>Atsumi T</u>.</p>	<p>Effectiveness of whole-body magnetic resonance imaging for the efficacy of biologic anti-rheumatic drugs in patients with rheumatoid arthritis: a retrospective pilot study.</p>	<p>Mod Rheumatol.</p>			<p>in press</p>
<p>Shimizu Y, Yasuda S, Kako Y, Nakagawa S, Kanda M, Hisada R, Ohmura K, Shimamura S, Shida H, Fujieda Y, Kato M, <u>Oku K</u>, Bohgaki T, Horita T, Kusumi I, <u>Atsumi T</u>.</p>	<p>Post-steroid neuropsychiatric manifestations are significantly more frequent in SLE compared with other systemic autoimmune diseases and predict better prognosis compared with de novo neuropsychiatric SLE.</p>	<p>Autoimmun Rev.</p>	<p>15(8)</p>	<p>786-794</p>	<p>2016</p>