

研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 宮 坂 信 之

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Sakai R, Cho SK, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Amano K, Tanaka Y, Sumida T, Ihata A, Yasuda S, Nakajima A, Sugihara T, Tamura N, Fujii T, Dobashi H, Miura Y, Miyasaka N, Harigai M; REAL study group.	The risk of serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors decreased over time: a report from the registry of Japanese rheumatoid arthritis patients on biologics for long-term safety (REAL) database.	Rheumatol. Int.	34(12)	1729-1736	2014
2	Kaneko Y, Koike T, Oda H, Yamamoto K, Miyasaka N, Harigai M, Yamanaka H, Ishiguro N, Tanaka Y, Takeuchi T.	Obstacles to the implementation of the treat-to-target strategy for rheumatoid arthritis in clinical practice in Japan.	Mod.Rheumatol.	25(1)	43-49	2015
3	Tanaka M, Koike R, Sakai R, Saito K, Hirata S, Nagasawa H, Kameda H, Hara M, Kawaguchi Y, Tohma S, Takasaki Y, Dohi M, Nishioka Y, Yasuda S, Miyazaki Y, Kaneko Y, Nanki T, Watanabe K, Yamazaki H, Miyasaka N, Harigai M.	Pulmonary infections following immunosuppressive treatments during hospitalization worsened the short-term vital prognosis for patients with connective tissue disease-associated interstitial pneumonia.	Mod.Rheumatol.	25(4)	609-614	2015
4	Yamazaki H, Sakai R, Koike R, Miyazaki Y, Tanaka M, Nanki T, Watanabe K, Yasuda S, Kurita T, Kaneko Y, Tanaka Y, Nishioka Y, Takasaki Y, Nagasaka K, Nagasawa H, Tohma S, Dohi M, Sugihara T, Sugiyama H, Kawaguchi Y, Inase N, Ochi S, Hagiwara H, Kohsaka H, Miyasaka N, Harigai M; PREVENT Study Group.	Assessment of risks of pulmonary infection during 12 months following immunosuppressive treatment for active connective tissue diseases; a large-scale prospective cohort study.	J.Rheumatol.	42(4)	614-622	2015
5	Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, Kaneko Y, Kawahito Y, Kishimoto M, Seto Y, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamanaka H.	Postoperative complications in patients with rheumatoid arthritis using a biological agent-A systematic review and meta-analysis.	Mod.Rheumatol.	25(5)	672-678	2015

	Kojima M, Nakayama T, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Hasegawa M, Miyasaka N, Yamanaka H.	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach.	Mod. Rheumatol.	26(2)	175-179	2016	
6	Sakai R, Hirano F, Kihara M, Yokoyama W, Yamazaki H, Harada S, Nanki T, Koike R, Miyasaka N, Harigai M.	High prevalence of cardiovascular comorbidities in patients with rheumatoid arthritis from a population based cross-sectional study of a Japanese health insurance database.	Mod. Rheumatol.	26(4)	522-528	2016	
7	Horigai M, Nanki T, Koike R, Tanaka M, Watanabe-Imai K, Komano Y, Sakai R, Yamazaki H, Koike T, Miyasaka N.	Risk for malignancy in rheumatoid arthritis patients treated with biological disease-modifying antirheumatic drugs compared to the general population: A nationwide cohort study in Japan.	Mod. Rheumatol.	26(5)	642-650	2016	
8	Yamazaki H, Hirano F, Takeuchi T, Amano K, Kikuchi J, Kihara M, Yokoyama W, Sugihara T, Nagasaka K, Hagiya H, Nonomura Y, Sakai R, Tanaka M, Koike R, Nanki T, Kohsaka H, Miyasaka N, Harigai M.	Simplified disease activity index remission at month 6 is an independent predictor of functional and structural remissions at month 12 during abatacept treatment in patients with rheumatoid arthritis: A multi-center, prospective cohort study in Japan.	Mod. Rheumatol.	15	1-8	2016	
9	Hirano F, Yokoyama W, Yamazaki H, Amano K, Hayashi T, Tamura N, Yasuda S, Dobashi H, Fujii T, Ito S, Kaneko Y, Matsui T, Okuda Y, Saito K, Suzuki F, Yoshimi R, Sakai R, Koike R, Kohsaka H, Miyasaka N, Harigai M; T2T Epidemiological Study Group.	Achieving simplified disease activity index remission in patients with active rheumatoid arthritis is associated with subsequent good functional and structural outcomes in a real-world clinical setting under a treat-to-target strategy.	Mod. Rheumatol.	21	1-9	2016	
10	Kojima M, Nakayama T, Otani T, Hasegawa M, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Miyasaka N, Yamanaka H.	Integrating patients' perceptions into clinical practice guidelines for the management of rheumatoid arthritis in Japan. Mod. Rheumatol.	Mod. Rheumatol.	2017 Jan 25:1-6 [Epub ahead of print]			
11							

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 山 中 寿

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1 Harigai M, Ishiguro N, Inokuma S, Mimori T, Ryu J, Takei S, Takeuchi T, Tanaka Y, Takasaki Y, <u>Yamanaka H</u> , Watanabe M, Tamada H, Koike T.	Postmarketing surveillance of the safety and effectiveness of abatacept in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	Jul;26(4):	491-8.	2016
2 Hoshi D, Tanaka E, Igarashi A, Inoue E, Kobayashi A, Sugimoto N, Shidara K, Sato E, Seto Y, Nakajima A, Momohara S, Taniguchi A, Tsutani K, <u>Yamanaka H</u> .	Profiles of EQ-5D utility scores in the daily practice of Japanese patients with rheumatoid arthritis; Analysis of the IORRA database.	Mod Rheumatol.	Jan;26(1)	40-5	2016
3 Kojima M, Nakayama T, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Hasegawa M, Miyasaka N, <u>Yamanaka H</u> .	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach.	Mod Rheumatol.	Mar;26(2)	175-9	2016
4 Yano K, Ikari K, Takatsuki Y, Taniguchi A, <u>Yamanaka H</u> , Momohara S.	Longer operative time is the risk for delayed wound healing after forefoot surgery in patients with rheumatoid arthritis.	Mod Rheumatol.	Mar;26(2)	211-5.	2016
5 Verstappen SM, Asklung J, Berglind N, Franzen S, Frisell T, Garwood C, Greenberg JD, Holmqvist M, Horne L, Lampl K, Michaud K, Nyberg F, Pappas DA, Reed G, Symmons DP, Tanaka E, Tran TN, <u>Yamanaka H</u> , Ho M	Methodological Challenges When Comparing Demographic and Clinical Characteristics of International Observational Registries.	Arthritis Care Res	Dec;67(12)	1637-45.	Hoboken.2015
6 Kojima M, Nakayama T, Otani T, Hasegawa M, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Miyasaka N, <u>Yamanaka H</u> .	Integrating patients' perceptions into clinical practice guidelines for the management of rheumatoid arthritis in Japan.	Mod Rheumatol.	25-Jan	1-6.	2017
7 Tanaka E, Inoue E, Yamaguchi R, Shimizu Y, Kobayashi A, Sugimoto N, Hoshi D, Shidara K, Sato E, Seto Y, Nakajima A, Momohara S,	Pharmacoeconomic analysis of biological disease modifying antirheumatic drugs in patients with rheumatoid arthritis based on real-world data from the IORRA observational cohort study in Japan.	Mod Rheumatol.	29-Jul	1-10.	2016

	Taniguchi A, <u>Yamanaka H</u>					
8	Shidara K, Nakajima A, Inoue E, Hoshi D, Sugimoto N, Seto Y, Tanaka E, Momohara S, Taniguchi A, <u>Yamanaka H.</u>	Continual Maintenance of Remission Defined by the ACR/EULAR Criteria in Daily Practice Leads to Better Functional Outcomes in Patients with Rheumatoid Arthritis.	J Rheumatol.	Feb;44(2)	147-153	2017
9	Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, Kaneko Y, Kawahito Y, Kishimoto M, Seto Y, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, <u>Yamanaka H.</u>	Postoperative complications in patients with rheumatoid arthritis using a biological agent - a systematic review and meta-analysis -	Mod Rheumatol.	Sep;25(5):	672-8	2015
10	Nakajima A, Urano W, Inoue E, Taniguchi A, Momohara S, <u>Yamanaka H.</u>	Incidence of herpes zoster in Japanese patients with rheumatoid arthritis from 2005 to 2010.	Mod Rheumatol.	25(4):	558-561	2015
11	Sato E, Tanaka E, Ochiai M, Shimizu Y, Kobayashi A, Shidara K, Hoshi D, Sugimoto N, Inoue E, Seto Y, Nakajima A, Taniguchi A, Momohara S, <u>Yamanaka H.</u>	Chronological changes in baseline disease activity of patients with rheumatoid arthritis who received biologic DMARDs between 2003 and 2012.	Mod Rheumatol.	May;25(3)	350-7	2015
12	Shidara K, Sato E, Seto Y, Nakajima A, Momohara S, Taniguchi A, <u>Yamanaka H.</u>	Cost-effectiveness of tocilizumab, a humanized anti-interleukin-6 receptor monoclonal antibody, versus methotrexate in patients with rheumatoid arthritis using real-world data from the IORRA observational cohort study.	Mod Rheumatol.	25(4):	503-513	2015
13	Ishida O, Furuya T, Inoue E, Ochi K, Ikari K, Taniguchi A, <u>Yamanaka H</u> , Momohara S.	Risk factors for established vertebral fractures in Japanese patients with rheumatoid arthritis: Results from a large prospective observational cohort study.	Mod Rheumatol.	May;25(3):	373-8	2015
14	Inoue Y, Nakajima A, Tanaka E, Inoue E, Kobayashi A, Hoshi D, Sugimoto N, Seto Y, Taniguchi A, Momohara S, <u>Yamanaka H.</u>	Effect of Smoking on Remission Proportions Differs Between Male and Female Patients with Rheumatoid Arthritis: A Study Based on the IORRA Survey.	J Rheumatol.	Jul;42(7):	1083-9.	2015
15	<u>Yamanaka H.</u>	TNF as a Target of Inflammation in Rheumatoid Arthritis.	Endocr Metab Immune Disord Drug Targets.	15(2)	129-34	2015
16	Askling J, Berglind N, Franzen S, Frisell T, Garwood C, Greenberg JD, Ho M, Holmqvist M, Horne L, Inoue E, Michaud K, Nyberg F, Pappas DA, Reed G, Tanaka E, Tran TN,	How comparable are rates of malignancies in patients with rheumatoid arthritis across the world? A comparison of cancer rates, and means to optimise their comparability, in five RA registries.	Ann Rheum Dis	Oct;75(10):	1789-96	2016

Verstappen SM, Yamanaka H, Wesby-van Swaay E, Symmons D.					
---	--	--	--	--	--

研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 針 谷 正 祥

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Yamazaki H, Sakai R, Koike R, Miyazaki Y, Tanaka M, Nanki T, Watanabe K, Yasuda S, Kurita T, Kaneko Y, Tanaka Y, Nishioka Y, Takasaki Y, Nagasaka K, Nagasawa H, Tohma H, Dohi T, Sugihara T, Sugiyama H, Kawaguchi Y, Inase N, Ochi S, Hagiya H, Kohsaka H, Miyasaka N, Harigai M.	Assessment of risks for pulmonary infection during 12 months after commencing or intensifying immunosuppressive treatment for active connective tissue diseases: A report from a large-scale prospective cohort study	J Rheumatology	in press	in press	2014
2	Sakai R, Cho SK, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, Amano K, Tanaka Y, Sumida T, Ihata A, Yasuda S, Nakajima A, Sugihara T, Tamura N, Fujii T, Dobashi H, Miura Y, Miyasaka N, Harigai M; For the REAL study group.	The risk of serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors decreased over time: a report from the registry of Japanese rheumatoid arthritis patients on biologics for long-term safety (REAL) database.	Rheumatol Int.	34(12)	1729-36	2014
3	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Takei S, Tanaka Y, Sano Y, Yaguramaki H, Yamanaka H.	Effectiveness and Safety of Tocilizumab: Postmarketing Surveillance of 7901 Patients with Rheumatoid Arthritis in Japan.	J Rheumatol. 2014 Jan;	41(1)	15-23	2014
4	Tanaka M, Koike R, Sakai R, Saito K, Hirata S, Nagasawa H, Kameda H, Hara M, Kawaguchi Y, Tohma S, Takasaki Y, Dohi M, Nishioka Y, Yasuda S, Miyazaki Y, Kaneko Y, Nanki T, Watanabe K, Yamazaki H, Miyasaka N, Harigai M.	Pulmonary infections following immunosuppressive treatments during hospitalization worsen the short-term vital prognosis for patients with connective tissue disease-associated interstitial pneumonia.	Mod Rheumatol.	[Epub ahead of print]	[Epub ahead of print]	2014
5	Yamanaka H, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Tanaka Y, Suzuki H, Shinmura Y, Koike T	Trend of patient characteristics and its impact on the response to adalimumab in patients with rheumatoid arthritis: post hoc time-course analysis of an all-case PMS in Japan	Mod Rheumatol	[Epub ahead of print]	[Epub ahead of print]	2014

6	Sugihara T, Ishizaki T, Hosoya T, Iga S, Yokoyama W, Hirano F, Miyasaka N, <u>Harigai M.</u>	Structural and functional outcomes of a therapeutic strategy targeting low disease activity in patients with elderly-onset rheumatoid arthritis: a prospective cohort study (CRANE).	Rheumatology (Oxford)	[Epub ahead of print]	[Epub ahead of print]	2014
7	Kaneko Y, Koike T, Oda H, Yamamoto K, Miyasaka N, <u>Harigai M.</u> , Yamanaka H, Ishiguro N, Tanaka Y, Takeuchi T.	Obstacles to the implementation of the treat-to-target strategy for rheumatoid arthritis in clinical practice in Japan.	Mod Rheumatol.	[Epub ahead of print]	[Epub ahead of print]	2014
8	Fukuda S, Kohsaka H, Takayasu A, Yokoyama W, Miyabe C, Miyabe Y, <u>Harigai M.</u> , Miyasaka N, Nanki T.	Cannabinoid receptor 2 as a potential therapeutic target in rheumatoid arthritis.	BMC Musculoskelet Disord. 2014 Aug 12;	15(1)	275	2014
9	Miyabe Y, Miyabe C, Iwai Y, Yokoyama W, Sekine C, Sugimoto K, <u>Harigai M.</u> , Miyasaka M, Miyasaka N, Nanki T.	Activation of fibroblast-like synoviocytes derived from rheumatoid arthritis via lysophosphatidic acid - lysophosphatidic acid receptor 1 cascade.	Arthritis Res Ther.	16(5)	461	2014
10	Yokoyama W, Kohsaka H, Kaneko K, Walters M, Takayasu A, Fukuda S, Miyabe C, Miyabe Y, Love PE, Nakamoto N, Kanai T, Watanabe-Imai K, Charvat TT, Penfold ME, Jaen J, Schall TJ, <u>Harigai</u> M, Miyasaka N, Nanki T.	Abrogation of CC chemokine receptor 9 ameliorates collagen-induced arthritis of mice.	Arthritis Res Ther.	16(5)	445	2014
11	Sakai R, Hirano F, Kihara M, Yokoyama W, Yamazaki H, Harada S, Nanki T, Koike R, Miyasaka N, <u>Harigai M.</u>	High prevalence of cardiovascular comorbidities in patients with rheumatoid arthritis from a population-based cross-sectional study of a Japanese health insurance database.	Mod Rheumatol.		[Epub ahead of print] PubMed PMID: 26666766.	2015
12	<u>Harigai M.</u> , Ishiguro N, Inokuma S, Mimori T, Ryu J, Takei S, Takeuchi T, Tanaka Y, Takasaki Y, Yamanaka H, Watanabe M, Tamada H, Koike T.	Postmarketing surveillance of the safety and effectiveness of abatacept in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.		[Epub ahead of print] PubMed PMID: 26635183.	2016
13	Tanaka Y, <u>Harigai</u> M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Baker D, Ishii Y, Yoshinari T, GO-FORTH study group.	Clinical efficacy, radiographic progression, and safety through 156 weeks of therapy with subcutaneous golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis despite prior methotrexate therapy: final results of the randomized GO-FORTH trial.	Mod Rheumatol.		[Epub ahead of print] PubMed PMID: 26474192.	2015
14	Tanaka Y, <u>Harigai</u> M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Ishii Y, Nakajima H,	Prevention of joint destruction in patients with high disease activity or high C-reactive protein levels: Post hoc analysis of the GO-FORTH study.	Mod Rheumatol.		[Epub ahead of print] PubMed PMID: 26471830.	2015

	Baker D, Miyasaka N, Koike T.				
15	Hirose W, Uchiyama T, Nemoto A, <u>Harigai M</u> , Itoh K, Ishizuka T, Matsumoto M, Yamaoka K, Nanki T.	Diagnostic performance of measuring antibodies to the glycopeptidolipid core antigen specific to <i>Mycobacterium avium</i> complex in patients with rheumatoid arthritis: results from a cross-sectional observational study.	Arthritis Res Ther.	17	273 2015
16	Tanaka M, Sakai R, Koike R, <u>Harigai M</u> .	Pneumocystis Jirovecii Pneumonia in Japanese Patients with Rheumatoid Arthritis Treated with Tumor Necrosis Factor Inhibitors: A Pooled Analysis of 3 Agents.	J Rheumatol.	42	1726-8 2015
17	Sakai R, Cho SK, Nanki T, Watanabe K, Yamazaki H, Tanaka M, Koike R, Tanaka Y, Saito K, Hirata S, Amano K, Nagasawa H, Sumida T, Hayashi T, Sugihara T, Dobashi H, Yasuda S, Sawada T, Ezawa K, Ueda A, Fujii T, Migita K, Miyasaka N, <u>Harigai M</u> ; REAL Study Group.	Head-to-head comparison of the safety of tocilizumab and tumor necrosis factor inhibitors in rheumatoid arthritis patients (RA) in clinical practice: results from the registry of Japanese RA patients on biologics for long-term safety (REAL) registry.	Arthritis Res Ther.	17	74 2015
18	Utsunomiya M, Dobashi H, Odani T, Saito K, Yokogawa N, Nagasaka K, Takenaka K, Soejima M, Sugihara T, Hagiwara H, Hirata S, Matsui K, Nonomura Y, Kondo M, Suzuki F, Tomita M, Kihara M, Yokoyama W, Hirano F, Yamazaki H, Sakai R, Nanki T, Koike R, Kohsaka H, Miyasaka N, <u>Harigai M</u> .	Optimal regimens of sulfamethoxazole-trimethoprim for chemoprophylaxis of <i>Pneumocystis pneumonia</i> in patients with systemic rheumatic diseases: results from a non-blinded, randomized controlled trial.	Arthritis Res Ther	19(1)	7 2017
19	Mimori T, <u>Harigai M</u> , Atsumi T, Fujii T, Kuwana M, Matsuno H, Momohara S, Takei S, Tamura N, Takasaki Y, Ikeuchi S, Kushimoto S, Koike T.	Safety and effectiveness of 24-week treatment with iguratimod, a new oral disease-modifying antirheumatic drug, for patients with rheumatoid arthritis: interim analysis of a post-marketing surveillance study of 2679 patients in Japan.	Mod Rheumatol	doi: 10.1080/14397595.2016.1265695. [Epub ahead of print] PubMed PMID: 27919207.	doi: 10.1080/14397595.2016.1265695. [Epub ahead of print] PubMed PMID: 27919207. 2016
20	Hirano F, Yokoyama W, Yamazaki H, Amano K, Kawakami A, Hayashi T, Tamura N, Yasuda S, Dobashi H, Fujii T, Ito S, Kaneko Y, Matsui T, Okuda Y, Saito K, Suzuki F, Yoshimi R, Sakai R, Koike R, Kohsaka H, Miyasaka N,	Achieving simplified disease activity index remission in patients with active rheumatoid arthritis is associated with subsequent good functional and structural outcomes in a real-world clinical setting under a treat-to-target strategy.	Mod Rheumatol	doi:10.1080/14397595.2016.1265726. [Epub ahead of print] PubMed PMID: 27919205.	doi:10.1080/14397595.2016.1265726. [Epub ahead of print] PubMed PMID: 27919205. 2016

	Harigai M; T2T Epidemiological Study Group..					
21	Yamazaki H, Hirano F, Takeuchi T, Amano K, Kikuchi J, Kihara M, Yokoyama W, Sugihara T, Nagasaka K, Hagiya H, Nonomura Y, Sakai R, Tanaka M, Koike R, Nanki T, Kohsaka H, Miyasaka N, Harigai M.	Simplified Disease Activity Index remission at month 6 is an independent predictor of functional and structural remissions at month 12 during abatacept treatment in patients with rheumatoid arthritis: A multi-center, prospective cohort study in Japan.	Mod Rheumatol	[Epub ahead of print] PubMed PMID: 27846756.	[Epub ahead of print] PubMed PMID: 27846756.	2016
22	Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Takasaki Y, Mimori T, Hiramatsu K, Komatsu S, Tanaka Y.	Effect of Methotrexate Plus Adalimumab on the Achievement of Rheumatoid Arthritis Therapeutic Goals: Post Hoc Analysis of Japanese Patients (MELODY Study).	Rheumatol Ther	3(1)	129-141	2016
23	Ishiguro N, Atsumi T, Harigai M, Mimori T, Nishimoto N, Sumida T, Takeuchi T, Tanaka Y, Nakasone A, Takagi N, Yamanaka H.	Effectiveness and safety of tocilizumab in achieving clinical and functional remission, and sustaining efficacy in biologics-naïve patients with rheumatoid arthritis: The FIRST Bio study.	Mod Rheumatol.	[Epub ahead of print] PubMed PMID: 27414105.	[Epub ahead of print] PubMed PMID: 27414105.	2016
24	Harigai M, Nanki T, Koike R, Tanaka M, Watanabe-Imai K, Komano Y, Sakai R, Yamazaki H, Koike T, Miyasaka N.	Risk for malignancy in rheumatoid arthritis patients treated with biological disease-modifying antirheumatic drugs compared to the general population: A nationwide cohort study in Japan.	Mod Rheumatol.	26(5)	642-50	2016
25	Harigai M, Ishiguro N, Inokuma S, Mimori T, Ryu J, Takei S, Takeuchi T, Tanaka Y, Takasaki Y, Yamanaka H, Watanabe M, Tamada H, Koike T.	Postmarketing surveillance of the safety and effectiveness of abatacept in Japanese patients with rheumatoid arthritis	. Mod Rheumatol	26(4)	491-8	2016

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 針 谷 正 祥

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 針谷正祥	抗リウマチ薬・生物学的製剤の副作用と対策	監修 山口徹、北原光夫、総編集 福井次矢、高木 誠、小室一成	医学書院	2014
		今日の治療指針(私はこう治療している)	東京	819-820
2 針谷正祥	寛解導入療法、グローバルな現状	槇野博史、松尾清一	難治性血管炎に関する調査研究班・進行性腎障害に関する調査研究班	2014
		ANCA 関連血管炎の診療ガイドライン(2014 改訂版)	東京・名古屋	65
3 針谷正祥	生物学的製剤概論	日本呼吸器学会生物学的製剤と呼吸	一般社団法人日本呼吸器学会	2014

		器疾患・診療の手引き作成委員会		
		生物学的製剤と呼吸器疾患 診療の手引き	東京	2-12
4 <u>針谷正祥</u>	関節リウマチ、骨粗鬆症の副作用とその管理	田中良哉	医薬ジャーナル社	2015
		関節リウマチと骨粗鬆症 内科医が実践すべき診断と治療	大阪	138-144

### 研究成果の刊行に関する一覧表(平成26~28年度)

研究分担者氏名: 小池 隆夫

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Koike T.	My contribution, my dream - a look at the future of APS.	Lupus.	23(12)	1332-1334	2014
2	Fukae J, Tanimura K, Atsumi T, Koike T.	Sonographic synovial vascularity of synovitis in rheumatoid arthritis.	Rheumatology, (Oxford)	53(4)	586-91	2014
3	Fukae J, Isobe M, Kitano A, Henmi M, Sakamoto F, Narita A, Ito T, Mitsuhashi A, Shimizu M, Tanimura K, Matsuhashi M, Kamishima T, Atsumi T, Koike T.	Structural deterioration of finger joints with ultrasonographic synovitis in rheumatoid arthritis patients with clinical low disease activity.	Rheumatology, (Oxford)	53(9)	1608-12	2014
4	Kasahara H, Nakamura H, Shinohara M, Koike T.	AP-VAS 2012 case report: an atypical case of microscopic polyangiitis presenting with acute tubulointerstitial nephritis without glomerular change.	CEN Case Rep.	3	1-4	2014
5	Ikeda K, Koike T., Wakefield R, Emery P.	Is the glass half full or half empty? Comment on the article by Gartner et Al.	Arthritis Rheumatol.	66(4)	1055-6	2014
6	Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Iwai K, Sakamaki Y, van der Heijde D, Miyasaka N, Koike T.	Efficacy and safety of certolizumab pegol without methotrexate co-administration in Japanese patients with active rheumatoid arthritis: The HIKARI randomized, placebo-controlled trial.	Mod Rheumatol.	24(4)	552-60	2014
7	Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Shoji T, Sakamaki Y, Desiree van der Heijde, Miyasaka N, Koike T.	Efficacy and safety of certolizumab pegol plus methotrexate in Japanese rheumatoid arthritis patients with an inadequate response to methotrexate: the J-RAPID randomized, placebo-controlled trial.	Mod Rheumatol.	24(5)	715-724	2014
8	D'Ippolito S, Meroni PL, Koike T, Veglia M, Scambia G, Di Simone N.	Obstetric antiphospholipid syndrome: a recent classification for an old defined disorder.	Autoimmun Rev.	13(9)	901-8	2014
9	Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watanabe A, Origasa H, Shoji T, Miyasaka N, Koike	Long-term efficacy and safety of certolizumab pegol in Japanese rheumatoid arthritis patients who could not receive methotrexate: 52-week results from an open-label extension of the HIKARI study.	Mod Rheumatol.	24(5)	725-733	2014

	I.					
10	Tanaka Y, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Eguchi K, Watanabe A, Origasa H, Shoji T, Miyasaka N, <u>Koike T.</u>	Long-term efficacy and safety of certolizumab pegol in Japanese rheumatoid arthritis patients with an inadequate response to methotrexate: 52-week results from an open-label extension of the J-RAPID study.	Mod Rheumatol.	24(5)	734-743	2014
11	Harigai M, Mochida S, Mimura T, <u>Koike T</u> , Miyasaka N.	A proposal for management of rheumatic disease patients with hepatitis B virus infection receiving immunosuppressive therapy.	Mod Rheumatol.	24(1)	1-7	2014
12	Takeuchi T, Yamanaka H, Haruna S, Ushida N, Kawana K, and Tanaka Y.	Safety and effectiveness of adalimumab in Japanese rheumatoid arthritis patients: Postmarketing surveillance report of 7740 patients.	Mod Rheumatol.	24(3)	390-398	2014
13	Koike T, Harigai M, Inokuma S, Ishiguro N, Ryu J, Takeuchi T, Takei S, Tanaka Y, Sano Y, Yaguramaki H, Yamanaka H.	Effectiveness and Safety of Tocilizumab: Postmarketing Surveillance of 7901 Patients with Rheumatoid Arthritis in Japan.	J Rheumatol.	41(1)	15-23	2014
14	Ikeda K, Seto Y, Narita A, Kawakami A, Kawahito Y, Ito H, Matsushita I, Ohno S, Nishida K, Suzuki T, Kaneko A, Ogasawara M, Fukae J, Henmi M, Sumida T, Kamishima T, <u>Koike T.</u>	Ultrasound assessment of synovial pathologic features in rheumatoid arthritis using comprehensive multiplane images of the second metacarpophalangeal joint: identification of the components that are reliable and influential on the global assessment of the whole joint.	Arthritis Rheum.	66(3)	523-32	2014
15	Ikeda K, Seto Y, Sakamoto F, Henmi M, Fukae J, Narita A, Nakagomi D, Nakajima H, Tanimura K, <u>Koike T.</u>	Analysis of the factors which influence the measurement of synovial power Doppler signals with semi-quantitative and quantitative measures- a pilot multicenter exercise in Japan	Mod Rheumatol.	24(3)	419-425	2014
16	<u>Koike T.</u>	Antiphospholipid syndrome: 30 years and our contribution.	Int J Rheum Dis.	18(2)	233-41	2015
17	Yamanaka H, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Tanaka Y, Suzuki H, Shinmura Y, <u>Koike T.</u>	Trend of patient characteristics and its impact on the response to adalimumab in patients with rheumatoid arthritis: post hoc time-course analysis of an all-case PMS in Japan.	Mod Rheumatol.	25(4)	495-502	2015
18	Kaneko Y, <u>Koike T</u> , Oda H, Yamamoto K, Miyasaka N, Harigai M, Yamanaka H, Ishiguro N, Tanaka Y, Takeuchi T.	Obstacles to the implementation of the treat-to-target strategy for rheumatoid arthritis in clinical practice in Japan.	Mod Rheumatol.	25(1)	43-49	2015
19	Takeuchi T, Yamamoto K, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Shoji T, Miyasaka N and <u>Koike T.</u>	Early response to certolizumab pegol predicts long-term outcomes in patients with active rheumatoid arthritis: results from the Japanese studies.	Mod Rheumatol.	25(1)	11-20	2015

20	Kataoka H, Yasuda S, Fukaya S, Oku K, Horita T, Atsumi T, Koike T.	Decreased expression of Runx1 and lowered proportion of Foxp3 + CD25+CD4+ regulatory T cells in systemic sclerosis.	Mod Rheumatol.	25(1)	90-95	2015
21	Takeuchi T, Miyasaka N, Inui T, Yano T, Yoshinari T, Abe T, <u>Koike T.</u>	Prediction of clinical response after 1 year of infliximab therapy in rheumatoid arthritis based on disease activity at 3 months: posthoc analysis of the RISING study.	J Rheumatol.	42(4)	599-607	2015
22	Kono M, Yasuda S, Stevens RL, Koide H, Kurita T, Shimizu Y, Kanetsuka Y, Oku K, Bohgaki T, Amengual O, Horita T, Shimizu T, Majima T, <u>Koike T.</u> , Atsumi T	Ras guanine nucleotide-releasing protein 4 is aberrantly expressed in the fibroblast-like synoviocytes of patients with rheumatoid arthritis and controls their proliferation.	Arthritis Rheumatol.	67(2)	396-407	2015
23	Moutsopoulos HM, Sugai S, Sawada S, <u>Koike T.</u> , Miyasaka N, Kobayashi S, Takei M, Ogawa N.	Professor Norman Talal 1934-2015.	Mod Rheumatol.	25(4)	664	2015
24	Koike T, Harigai M, Ishiguro N, Inokuma S, Takei S, Takeuchi T, Yamanaka H, Takasaki Y, Mimori T, Hisamatsu K, Komatsu S, Tanaka Y.	Effect of methotrexate plus adalimumab on the achievement of rheumatoid arthritis therapeutic goals: Post Hoc analysis of Japanese patients (MELODY study).	Rheumatol Ther.	3(1)	129-141	2016
25	Tsuru T, Tanaka Y, Kishimoto M, Saito K, Yoshizawa S, Takasaki Y, Miyamura T, Niiro H, Morimoto S, Yamamoto J, Lledo-Garcia R, Shao J, Tatematsu S, Togo O, <u>Koike T.</u>	Safety, pharmacokinetics, and pharmacodynamics of epratuzumab in Japanese patients with moderate-to-severe systemic lupus erythematosus: results from a phase 1/2 randomized study.	Mod Rheumatol.	26(1)	87-93	2016
26	Ikeda K, Narita A, Ogasawara M, Ohno S, Kawahito Y, Kawakami A, Ito H, Matsushita I, Suzuki T, Misaki K, Ogura T, Kamishima T, Seto Y, Nakahara R, Kaneko A, Nakamura T, Henni M, Fukae J, Nishida K, Sumida T, <u>Koike T.</u>	Consensus-based identification of factors related to false-positives in ultrasound scanning of synovitis and tenosynovitis.	Mod Rheumatol.	26(1)	9-14	2016
27	Tanaka Y, Takeuchi T, Miyasaka N, Sumida T, Mimori T, <u>Koike T.</u> , Endo K, Mashino N, Yamamoto K.	Efficacy and safety of rituximab in Japanese patients with systemic lupus erythematosus and lupus nephritis who are refractory to conventional therapy.	Mod Rheumatol.	26(1)	80-86	2016
28	Ono Y, Kashihara R, Yasojima N, Kasahara H, Shimizu Y, Tamura K, Tsutsumi K, Sutherland K, <u>Koike T.</u> , Kamishima T.	Tomosynthesis can facilitate accurate measurement of joint space width under the condition of the oblique incidence of X-rays in patients with rheumatoid arthritis.	Br J Radiol.	89(1062)		2016
29	Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N,	Prevention of joint destruction in patients with high disease activity or high C-reactive protein levels: Post hoc	Mod Rheumatol.	26(3)	323-330	2016

	Yamamoto K, Ishii Y, Nakajima H, Baker D, Miyasaka N, Koike T.	analysis of the GO-FORTH study.				
30	Takeuchi T, Yamamoto K, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Kobayashi M, Shoji T, Togo O, Miyasaka N, Koike T.	Post-hoc analysis showing better clinical response with the loading dose of certolizumab pegol in Japanese patients with active rheumatoid arthritis.	Mod Rheumatol.	26(4)	473-480	2016
31	Tanaka Y, Harigai M, Takeuchi T, Yamanaka H, Ishiguro N, Yamamoto K, Miyasaka N, Koike T, Baker D, Ishii Y, Yoshinari T.	Clinical efficacy, radiographic progression, and safety through 156 weeks of therapy with subcutaneous golimumab in combination with methotrexate in Japanese patients with active rheumatoid arthritis despite prior methotrexate therapy: Final results of the randomized GO-FORTH trial.	Mod Rheumatol.	26(4)	481-490	2016
32	Harigai M, Ishiguro N, Inokuma S, Mimori T, Ryu J, Takei S, Takeuchi T, Tanaka Y, Takasaki Y, Yamanaka H, Watanabe M, Tamada H, Koike T	Postmarketing surveillance of the safety and effectiveness of abatacept in Japanese patients with rheumatoid arthritis.	Mod Rheumatol.	26(4)	491-498	2016
33	Otomo K, Amengual O, Fujieda Y, Nakagawa H, Kato M, Oku K, Horita T, Yasuda S, Matsumoto M, Nakayama KI, Hatakeyama S, Koike T, Atsumi T	Role of apolipoprotein B100 and oxidized low-density lipoprotein in the monocyte tissue factor induction mediated by anti-2 glycoprotein I antibodies.	Lupus.	25(12)	1288-1298	2016
34	Harigai M, Nanki T, Koike R, Tanaka M, Watanabe-Imai K, Komano Y, Sakai R, Yamazaki H, Koike T, Miyasaka N	Risk for malignancy in rheumatoid arthritis patients treated with biological disease-modifying antirheumatic drugs compared to the general population: A nationwide cohort study in Japan.	Mod Rheumatol.	26(5)	642-650	2016
35	Atsumi T, Yamamoto K, Takeuchi T, Yamanaka H, Ishiguro N, Tanaka Y, Eguchi K, Watanabe A, Origasa H, Yasuda S, Yamanishi Y, Kita Y, Matsubara T, Iwamoto M, Shoji T, Okada T, Desiree van der Heijde, Miyasaka N, Koike T.	The first double-blind, randomized, parallel-group certolizumab pegol study in methotrexate-naïve early rheumatoid arthritis patients with poor prognostic factors, C-OPERA, shows inhibition of radiographic progression.	Ann Rheum Dis.	75	75-83	2016
36	Mimori T, Harigai M, Atsumi T, Fujii T, Kuwana M, Matsuno H, Momohara S, Takei S, Tamura N, Takasaki Y, Ikeuchi S, Kushimoto S, Koike T.	Safety and effectiveness of 24-week treatment with iguratimod, a new oral disease-modifying antirheumatic drug, for patients with rheumatoid arthritis: interim analysis of a post-marketing surveillance study of 2679 patients in Japan.	Mod Rheumatol.	Dec 21	1-11	2016

37	Ichikawa S, Kamishima T, Sutherland K, Kasahara H, Shimizu Y, Fujimori M, Yasojima N, Ono Y, Kaneda T, <u>Koike T.</u>	Semi-Automated Quantification of Finger Joint Space Narrowing Using Tomosynthesis in Patients with Rheumatoid Arthritis.	J Digit Imagin.	in press	
----	---	---	-----------------	----------	--

研究成果の刊行に関する一覧表(平成26~28年度)

研究分担者氏名: 天野宏一

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Kaneko Y, Atsumi T, Tanaka Y, Inoo M, Kobayashi-Haraoka H, <u>Amano K</u> , Miyata M, Murakawa Y, Yasuoka H, Hirata S, Nagasawa H, Tanaka E, Miyasaka N, Yamanaka H, Yamamoto K, Takeuchi T.	Comparison of adding tocilizumab to methotrexate with switching to tocilizumab in patients with rheumatoid arthritis with inadequate response to methotrexate: 52-week results from a prospective, randomised, controlled study (SURPRISE study)	Ann Rheum Dis	75(11)	1917-1923	2016
2	Nakamura S, Suzuki K, Iijima H, Hata Y, Lim CR, Ishizawa Y, Kameda H, <u>Amano K</u> , Matsubara K, Matoba R, Takeuchi T	Identification of baseline gene expression signatures predicting therapeutic responses to three biologic agents in rheumatoid arthritis: a retrospective observational study	Arthritis Res Ther	18	159	2016
3	Takeuchi T, Matsubara T, Ohta S, Mukai M, <u>Amano K</u> , Tohma S, Tanaka Y, Yamanaka H, Miyasaka N	Biologic-free remission of established rheumatoid arthritis after discontinuation of abatacept: a prospective, multicenter, observational study in Japan	Rheumatology	54(4)	683-691	2015
4	<u>Amano K</u> , Matsubara T, Tanaka T, Inoue H, Iwashashi M, Kanamono T, Nakano T, Uchimura S, Izumihiara T, Yamazaki A, Karyekar CS, Takeuchi T; Japan Abatacept Study Group	Long-term safety and efficacy of treatment with subcutaneous abatacept in Japanese patients with rheumatoid arthritis who are methotrexate inadequate responders	Mod Rheumatol	25(5)	665-671	2015
5	Ogata A, <u>Amano K</u> , Dobashi H, Inoo M, Ishii T, Kasama T, Kawai S, Kawakami A, Koike T, Miyahara H, Miyamoto T, Munakata Y, Murasawa A, Nishimoto N, Ogawa N, Ojima T, Sano H, Shi K, Shono E, Suematsu E, Takahashi H, Tanaka Y, Tsukamoto H, Nomura A	Longterm safety and efficacy of subcutaneous tocilizumab monotherapy: Results from the 2-year open-label extension of the MUSASHI study	J Rheumatol	42(5)	799-809	2015
6	Sakai R, Cho SK, Nanki T, Watanabe K, Yamazaki H, Tanaka M, Koike R, Tanaka Y, Saito K, Hirata S, <u>Amano K</u> , Nagasawa H, Sumida T, Hayashi T,	Head-to head comparison of the safety of tocilizumab and tumor necrosis factor inhibitors in rheumatoid arthritis patients (RA) in clinical practice: results from the registry of Japanese RA patients on biologics for long-term safety	Arthritis Res Ther	17	74	2015

	Sugihara T, Dobashi H, Yasuda S, Sawada T, Ezzawa K, Ueda A, Fujii T, Migita K, Miyasaka N, Harigai M; REAL Study Group	(REAL) registry				
7	Takeshita M, Suzuki K, Kikuchi J, Izumi K, Kurasawa T, Yoshimoto K, <u>Amano</u> <u>K</u> , Takeuchi T	Infliximab and etanercept have distinct actions but similar effects on cytokine profiles in rheumatoid arthritis.	Cytokine	75(2)	222-227	2015
8	Sakai R, Cho SK, Nanki T, Koike R, Watanabe K, Yamazaki H, Nagasawa H, <u>Amano</u> <u>K</u> , Tanaka Y, Sumida T, Ihata A, Yasuda S, Nakajima A, Sugihara T, Tamura N, Fujii T, Dobashi H, Miura Y, Miyasaka N, Harigai M; For the REAL study group	The risk of serious infection in patients with rheumatoid arthritis treated with tumor necrosis factor inhibitors decreased over time: a report from the registry of Japanese rheumatoid arthritis patients on biologics for long-term safety (REAL) database	Rheumatol Int	34(12)	1729-1736	2014
9	Tanaka Y, Kubo S, Yamanaka H, <u>Amano</u> <u>K</u> , Hirata S, Tanaka E, Nagasawa H, Yasuoka H, Takeuchi T	Efficacy and safety of abatacept in routine care of patients with rheumatoid arthritis: Orencia® as Biological Intensive Treatment for RA (ORBIT) study	Mod Rheumatol	24(5)	754-762	2014
10	Kurasawa T, Nagasawa H, <u>Kishimoto</u> M, <u>Amano</u> <u>K</u> , Takeuchi T, Kameda H	Addition of another disease-modifying anti-rheumatic drug to methotrexate reduces the flare rate within 2 years after infliximab discontinuation in patients with rheumatoid arthritis: An open, randomized, controlled trial	Mod Rheumatol	24(4)	561-566	2014
11	Tanaka Y, Takeuchi T, <u>Amano</u> K, Saito K, Hanami K, Nawata M, Fukuyo S, Kameda H, Kaneko Y, Kurasawa T, Nagasawa H, Hoshi D, Sato E, Yamanaka H	Effect of interleukin-6 receptor inhibitor, tocilizumab, in preventing joint destruction in patients with rheumatoid arthritis showing inadequate response to TNF inhibitors	Mod Rheumatol	24(3)	399-404	2014

研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 池田 啓

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Kobayashi Y, <u>Ikeda</u> <u>K</u> , Nakamura T, Yamagata M, Nakazawa T, Tanaka S, Furuta S, Umibe T, Nakajima H	Severity and Diurnal Improvement of Morning Stiffness Independently Associate with Tenosynovitis in Patients with Rheumatoid Arthritis	PLoS One	11	e0166616	2016
2	<u>Ikeda</u> K, Narita A, Ogasawara M, Ohno S, Kawahito Y, Kawakami A, Ito H, Matsushita I, Suzuki T, Misaki K, Ogura T, Kamishima T, Seto Y, Nakahara R, Kaneko A, Nakamura T, Henmi M, Fukae J, Nishida	Consensus-based identification of factors related to false-positives in ultrasound scanning of synovitis and tenosynovitis	Mod Rheumatol	26	9-14	2016

	K, Sumida T, Koike T				
3	Hiraga M, <u>Ikeda K</u> , Shigeta K, Sato A, Yoshitama T, Hara R, Tanaka Y	Sonographic measurements of low-echoic synovial area in the dorsal aspect of metatarsophalangeal joints in healthy subjects	Mod Rheumatol	25	386-392 2015
4	Bruyn GA, Naredo E, Iagnocco A, Balint PV, Backhaus M, Gandjbakhch F, Gutierrez M, Filer A, Finzel S, <u>Ikeda K</u> , Kaeley GS, Manzoni SM, Ohrndorf S, Pineda C, Richards B, Roth J, Schmidt WA, Terslev L, D'Agostino MA	The OMERACT Ultrasound Working Group 10 Years On: Update at OMERACT 12	J Rheumatol	42	2172-2176 2015
5	<u>Ikeda K</u> , Yamagata M, Tanaka S, Yokota M, Furuta S, Nakajima H	Synovitis and osteitis in the left sternoclavicular joint in a 60-year-old woman	J Med Ultrasonic	42	133 2015
6	Hiraga M, <u>Ikeda K</u> , Shigeta K, Sato A, Yoshitama T, Hara R, Tanaka Y	Sonographic measurements of low-echoic synovial area in the dorsal aspect of metatarsophalangeal joints in healthy subjects	Mod Rheumatol	25	386-392 2015
7	Iwamoto T, <u>Ikeda K</u> , Hosokawa J, Yamagata M, Tanaka S, Norimoto A, Sanayama Y, Nakagomi D, Takahashi K, Hirose K, Sugiyama T, Sueishi M, Nakajima H	Prediction of relapse after discontinuation of biologic agents by ultrasonographic assessment in patients with rheumatoid arthritis in clinical remission: high predictive values of total gray-scale and power Doppler scores that represent residual synovial inflammation before discontinuation	Arthritis Care Res (Hoboken)	66	1576-1581 2014
8	<u>Ikeda K</u> , Seto Y, Ohno S, Sakamoto F, Henmi M, Fukae J, Narita A, Nakagomi D, Nakajima H, Tanimura K, Koike T	Analysis of the factors which influence the measurement of synovial power Doppler signals with semi-quantitative and quantitative measures - a pilot multicenter exercise in Japan	Mod Rheumatol	24	419-425 2014
9	<u>Ikeda K</u> , Seto Y, Narita A, Kawakami A, Kawahito Y, Ito H, Matsushita I, Ohno S, Nishida K, Suzuki T, Kaneko A, Ogasawara M, Fukae J, Henmi M, Sumida T, Kamishima T, Koike T	Ultrasound assessment of synovial pathologic features in rheumatoid arthritis using comprehensive multiplane images of the second metacarpophalangeal joint: identification of the components that are reliable and influential on the global assessment of the whole joint	Arthritis Rheumatol	66	523-532 2014
10	<u>Ikeda K</u> , Kambe N, Takei S, Nakano T, Inoue Y, Tomiita M, Oyake N, Satoh T, Yamatou T, Kubota T, Okafuji I, Kanazawa N, Nishikomori R, Shimojo N, Matsue H, Nakajima H	Ultrasonographic assessment reveals detailed distribution of synovial inflammation in Blau syndrome	Arthritis Res Ther	16	R89 2014
11	池田 啓	Preclinical rheumatoid arthritis	リウマチ科	57	107-12 2017
12	池田 啓	関節痛の鑑別における筋骨格超音波検査の活用	内科	119	297-9 2017

13	<u>池田 啓</u>	関節エコー評価の落とし穴とは？	Keynote RA	5	46-7	2017
14	<u>池田 啓</u>	骨関節疾患の診療における関節エコーの有用性	Rheumatology Clinical Research	4	159-64	2015
15	<u>池田 啓</u> , 中島裕史	関節リウマチの画像診断の進歩	日本医事新報	4783	49	2015
16	<u>池田 啓</u> , 中島裕史	乾癬性関節炎の本態：付着部炎	日本医事新報	4777	51	2015
17	<u>池田 啓</u>	関節リウマチ診療における関節エコーの有用性	Current Therapy	33	827	2015
18	<u>池田 啓</u>	リウマチ性疾患の診療における関節エコーの有用性	臨床病理	63	580-9	2015
19	<u>池田 啓</u> , 中島裕史	関節エコーとバイオマーカーによる薬効評価と薬効予測	炎症と免疫	23	323-8	2015
20	<u>池田 啓</u>	関節エコーによる滑膜病変評価の最適化：示指中手指節関節における予備検討	リウマチ科	53	187-94	2015
21	<u>池田 啓</u>	関節リウマチ診療における高感度画像診断の意義	Pharma Medica	32	33-6	2014
22	<u>池田 啓</u>	関節リウマチの鑑別診断に有用な症状・身体所見	日本内科学会雑誌	103	2407-12	2014
23	<u>池田 啓</u>	関節リウマチの早期診断における高感度画像診断の意義	Keynote RA	2	21-5	2014
24	<u>池田 啓</u>	RA 診療における画像診断	Modern Physician	34	878-83	2014
25	<u>池田 啓</u>	リウマチ性多発筋痛症の診断における EULAR/ACR 予備分類基準ならびに関節エコーの有用性	臨床リウマチ	26	207-15	2014
26	<u>池田 啓</u> , 古田俊介	RACAT (Rheumatoid Arthritis: Comparison of Active Therapies) 試験	リウマチ科	52	37-44	2014
27	<u>池田 啓</u>	関節エコーは疾患活動性の指標としてどこまで役立つか	分子リウマチ治療	7	22-6	2014
28	<u>池田 啓</u>	超音波で診る関節リウマチ	Arthritis	11	164-9	2014
29	<u>池田 啓</u>	運動器疾患の超音波診断 関節リウマチ	JOURNAL OF CLINICAL REHABILITATION	23	582-7	2014
30	<u>池田 啓</u>	リウマチ診療のための関節エコーザ像法ガイドライン	日本臨床	72	710-3	2014
31	中込大樹, <u>池田 啓</u> , 中島裕史	関節超音波検査は ACR/EULAR 分類基準の正確度を向上させる	リウマチ科	51	112-7	2014

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 伊 藤 宣

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, Kaneko Y, Kawahito Y, Kishimoto M, Seto Y, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N,	Postoperative complications in patients with rheumatoid arthritis using a biological agent - a systematic review and meta-analysis -	Mod Rheumatol	25(2)	672-8	2015

## 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名：遠藤平仁

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	遠藤平仁	自己免疫疾患における帯状疱疹に対する免疫能	リウマチ科	54(4)	440-445	2015
2	遠藤平仁	膠原病に伴う心外膜炎・心嚢液貯留	呼吸と循環	63	1037-1041	2015
3	遠藤平仁	関節リウマチ診療全体像	内科	117	1105-1109	2016
4	Hamaguchi Y, Sumida T, Kawaguchi Y, Ihn H, Tanaka S, Asano Y, Motegi S, Kuwana M, Endo H, Takehara K.	Safety and tolerability of bosentann for digital ulcers in Japanese patients with systemic sclerosis: Prospective, multicenter, open-label study	Journal of Dermatology	44	13-17	2017

## 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名：遠藤平仁

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 遠藤平仁	強皮症腎クリーゼの治療方針	分子標的/Bio 時代のリウマチ・膠原病治療ストラテジー	文光堂 東京	2015 245-252

## 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名：大野滋

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Yoshimi R, Ihata A, Kunishita Y, Kishimoto D, Kamiyama R, Minegishi K, Hama M, Kirino Y, Asami Y, Ohno S, Ueda A, Takeno M, Ishigatubo Y	A novel 8-joint ultrasound score is useful in daily practice for rheumatoid arthritis.	Mod Rheumatol.	25	379-85	2015
2	Yoshimi R, Asami Y, Ihata A, Oba MS, Tsunoda S, Ohno S, Ueda A, Takeno M, Ishigatubo Y.	Predicting joint destruction in rheumatoid arthritis with power Doppler, anti-citrullinated peptide antibody, and joint swelling.	Mod Rheumatol.	25	842-8	2015
3	Ikeda K, Narita A, Ogasawara M, Ohno S, Kawahito Y, Kawakami A, Ito H, Matsushita I, Suzuki T, Misaki K, Ogura T, Kamishima T, Seto Y, Nakahara R, Kaneko A,	Consensus-based identification of factors related to false-positives in ultrasound scanning of synovitis and tenosynovitis.	Mod Rheumatol.	26	9-14	2016

	Nakamura T, Henmi M, Fukae J, Nishida K, Sumida T, Koike T					
4	Watanabe T, Takase-Minegishi K, Ihata A, Kunishita Y, Kishimoto D, Kamiyama R, Hama M, Yoshimi R, Kirino Y, Asami Y, Suda A, Ohno S, Tateishi U, Ueda A, Takeno M, Ishigatubo Y	(18)F-FDG and (18)F-NaF PET/CT demonstrate coupling of inflammation and accelerated bone turnover in rheumatoid arthritis.	Mod Rheumatol.	26	180-7	2016

研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 大 野 滋

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 大野滋, 鈴木毅, 小笠原倫大	リウマチ診療レベルアップ 関節エコービジュアルレシピ	リウマチ診療レベルアップ 関節エコービジュアルレシピ	南江堂 東京	2016

研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 小 笠 原 倫 大

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Yamada Y, Ogasawara M, Gorai M, Matsuki Y, Murayama G, Sugisaki N, Nemoto T, Ando S, Minowa K, Nakano S, Kon T, Tada K, Matsushita M, Yamaji K, Tamura N, Takasaki Y.	The synovial grade corresponding to clinically involved joints and a feasible ultrasound-adjusted simple disease activity index for monitoring rheumatoid arthritis.	Mod Rheumatol.	26	1-6	2016
2	Ikeda K, Narita A, Ogasawara M, Ohno S, Kawahito Y, Kawakami A, Ito H, Matsushita I, Suzuki T, Misaki K, Ogura T, Kamishima T, Seto Y, Nakahara R, Kaneko A, Nakamura T, Henmi M, Fukae J, Nishida K, Sumida T, Koike T.	Consensus-based identification of factors related to false-positives in ultrasound scanning of synovitis and tenosynovitis.	Mod Rheumatol.	26(1)	9-14	2016
3	Minowa K, Ogasawara M, Murayama G, Gorai M, Yamada Y, Nemoto T, Matsuki Y, Sugisaki N, Ando S, Kon T, Tada K, Matsushita M, Yamaji K, Tamura N, Takasaki Y.	Predictive grade of ultrasound synovitis for diagnosing rheumatoid arthritis in clinical practice and the possible difference between patients with and without seropositivity.	Mod Rheumatol.	26(2)	188-93	2016
4	Tokai N, Ogasawara M, Gorai M, Matsuki Y, Yamada Y, Murayama G,	Predictive value of bone destruction and duration of clinical remission for subclinical synovitis in	Mod Rheumatol.	25(4)	540-5	2015

	Sugisaki N, Nemoto T, Ando S, Minowa K, Kon T, Tada K, Matsushita M, Yamaji K, Tamura N, Makino S, Takasaki Y.	rheumatoid arthritis patients.				
5	Gorai M, <u>Ogasawara M</u> , Matsuki Y, Yamada Y, Murayama G, Sugisaki N, Nemoto T, Ando S, Minowa K, Kon T, Tada K, Matsushita M, Yamaji K, Tamura N, Takasaki Y.	Weighting with the Lansbury articular index improves the correlation of ultrasound score with serum matrix metalloproteinase-3 level in rheumatoid arthritis patients.	Mod Rheumatol.	24(6)	915-9	2014
6	Ikeda K, Seto Y, Narita A, Kawakami A, Kawahito Y, Ito H, Matsushita I, Ohno S, Nishida K, Suzuki T, Kaneko A, <u>Ogasawara M</u> , Fukae J, Henmi M, Sumida T, Kamishima T, Koike T; Japan College of Rheumatology Committee for the Standardization of Musculoskeletal Ultrasonography..	Ultrasound assessment of synovial pathologic features in rheumatoid arthritis using comprehensive multiplane images of the second metacarpophalangeal joint: identification of the components that are reliable and influential on the global assessment of the whole joint.	Arthritis Rheumatol.	66(3)	523-532	2014
7	Nemoto T, <u>Ogasawara M</u> , Matsuki Y, Murayama G, Yamada Y, Sugisaki N, Ando S, Minowa K, Kon T, Tada K, Matsushita M, Yamaji K, Tamura N, Takasaki Y.	Can routine clinical measures predict ultrasound-determined synovitis and remission in rheumatoid arthritis patients?	Clin Exp Rheumatol.	32(1)	54-60	2014

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 金子祐子

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yamazaki H, Sakai R, Koike R, Miyazaki Y, Tanaka M, Nanki T, Watanabe K, Yasuda S, Kurita T, <u>Kaneko Y</u> , Tanaka Y, Nishioka Y, Takasaki Y, Nagasaka K, Nagasawa H, Tohma S, Dohi M, Sugihara T, Sugiyama H, Kawaguchi Y, Inase N, Ochi S, Hagiwara H, Kohsaka H, Miyasaka N, Harigai M; for the PREVENT Study Group.	Assessment of Risks of Pulmonary Infection During 12 Months Following Immunosuppressive Treatment for Active Connective Tissue Diseases: A Large-scale Prospective Cohort Study.	J Rheumatol.	42(4)	614-22	2015
Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, <u>Kaneko Y</u> , Kawahito Y,	Postoperative complications in patients with rheumatoid arthritis using a biological agent - a systematic review and meta-analysis -	Mod Rheumatol.	25(5)	672-8	2015

	Kishimoto M, Seto Y, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamanaka H.					
3	Akiyama M, <u>Kaneko Y</u> , Hanaoka H, Kuwana M, Takeuchi T.	Acute kidney injury due to renal sarcoidosis during etanercept therapy: a case report and a literature review.	Intenal Med	54(9)	1131-4	2015
4	Kojima M, Nakayama T, Kawahito Y, <u>Kaneko Y</u> , Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Hasegawa M, Miyasaka N, Yamanaka H.	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach.	Mod Rheumatol.	26(2)	175-9	2016
5	Kaneko Y, Atsumi T, Tanaka Y, Inoo M, Kobayashi-Haraoka H, Amano K, Miyata M, Murakawa Y, Yasuoka H, Hirata S, Nagasawa H, Tanaka E, Miyasaka N, Yamanaka H, Yamamoto K, Takeuchi T.	Comparison of adding tocilizumab to methotrexate with switching to tocilizumab in patients with rheumatoid arthritis with inadequate response to methotrexate: 52-week results from a prospective, randomised, controlled study (SURPRISE study).	Ann Rheum Dis.	75(11)	1917-23	2016
6	Akiyama M, <u>Kaneko Y</u> , Kondo H, Takeuchi T.	Comparison of the clinical effectiveness of tumour necrosis factor inhibitors and abatacept after insufficient response to tocilizumab in patients with rheumatoid arthritis.	Clin Rheumatol.	35(11)	2829-34	2016
7	Akiyama M, <u>Kaneko Y</u> , Yamaoka K, Kondo H, Takeuchi T.	Association of disease activity with acute exacerbation of interstitial lung disease during tocilizumab treatment in patients with rheumatoid arthritis: a retrospective, case-control study.	Rheumatol Int.	36(6)	881-9	2016
8	Kikuchi J, <u>Kaneko Y</u> , Kasahara H, Emoto K, Kubo A, Okamoto S, Takeuchi T.	Methotrexate-associated Intravascular Large B-cell Lymphoma in a Patient with Rheumatoid Arthritis.	Intern Med.	55(12)	1661-5	2016
9	Hasegawa T, <u>Kaneko Y</u> , Izumi K, Takeuchi T.	Efficacy of denosumab combined with bDMARDs on radiographic progression in rheumatoid arthritis.	Joint Bone Spine	in press		2016
10	Murota A, <u>Kaneko Y</u> , Yamaoka K, Takeuchi T.	Safety of Biologic Agents in Elderly Patients with Rheumatoid Arthritis.	J Rheumatol.	43(11)	1984-88	2016

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 金子祐子

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 金子祐子, 竹内勤	Biologic DMARD	田中良哉	医薬ジャーナル社	2015
		関節リウマチと骨粗鬆症	大阪	103-108

研究成果の刊行に関する一覧表(平成26~28年度)

研究分担者氏名： 川上 純

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Kawashiri SY, Nishino A, Shimizu T, Umeda M, Fukui S, Nakashima Y, Suzuki T, Koga T, Iwamoto N, Ichinose K, Tamai M, Nakamura H, Origuchi T, Aoyagi K, Kawakami A.	Ultrasound disease activity of bilateral wrist and finger joints at three months reflects the clinical response at six months of patients with rheumatoid arthritis treated with biologic disease-modifying anti-rheumatic drugs.	Modern Rheumatology.	1	1-5	2016
2	Nakashima Y, Tamai M, Kita J, Michitsuji T, Shimizu T, Fukui S, Umeda M, Nishino A, Suzuki T, Horai Y, Okada A, Nishimura T, Koga T, Kawashiri SY, Iwamoto N, Ichinose K, Hirai Y, Arima K, Yamasaki S, Nakamura H, Origuchi T, Takao S, Uetani M, Aoyagi K, Eguchi K, Kawakami A.	Magnetic Resonance Imaging Bone Edema at Enrollment Predicts Rapid Radiographic Progression in Patients with Early RA: Results from the Nagasaki University Early Arthritis Cohort.	J Rheumatol.	43(7)	1278-84	2016
3	Kawashiri SY, Suzuki T, Nakashima Y, Horai Y, Okada A, Nishino A, Iwamoto N, Ichinose K, Arima K, Tamai M, Nakamura H, Origuchi T, Uetani M, Aoyagi K, Eguchi K, Kawakami A.	Synovial inflammation assessed by ultrasonography correlates with MRI-proven osteitis in patients with rheumatoid arthritis.	Rheumatology (Oxford).	53(8)	1452-6	2014
4	Nishino A, Kawashiri S, Shimizu T, Umeda M, Fukui S, Koga T, Iwamoto N, Ichinose K, Tamai M, Nakamura H, Origuchi T, Nagata Y, Maeda T, Aoyagi K, Kawakami A.	Assessment of both articular synovitis and tenosynovitis by ultrasound is useful for evaluations of hand dysfunction in early rheumatoid arthritis patients.	Modern Rheumatology.	15	1-4	2016

研究成果の刊行に関する一覧表(平成26~28年度)

研究分担者氏名： 川人 豊

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, Kaneko Y, Kawahito Y, Kishimoto M, Seto Y, Kamatani N, Tsutani K, Igarashi A,	Postoperative complications in patients with rheumatoid arthritis using a biological agent - A systematic review and meta-analysis.	Mod Rheumatol.	25(5)	672-8	2016

	Hasegawa M, Miyasaka N, Yamanaka H.					
2	Kojima M, Nakayama T, <u>Kawahito Y</u> , Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Hasegawa M, Miyasaka N, Yamanaka H. .	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach.	Mod Rheumatol.	26(2)	175-9	2016
3	Sugiyama N, <u>Kawahito Y</u> , Fujii T, Atsumi T, Murata T, Morishima Y, Fukuma Y.	Treatment Patterns, Direct Cost of Biologics, and Direct Medical Costs for Rheumatoid Arthritis Patients: A Real-World Analysis of Nationwide Japanese Claims Data.	Clin Ther 2016	38(6)	1359-1375	2016

研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 川人 豊

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 川人 豊	病態・予後不良因子および疾患活動性評価に基づく治療アプローチ	松本功、保田晋助、三森経世、桑名正隆	文光堂	2015
		リウマチ・膠原病・診療ハイグレード	東京	2-15
2 川人 豊	診療ガイドライン 2014 からみた従来型低分子抗リウマチ薬の使用方法	田中基博	ライフメディコム	2015
		Current Therapy33 (8)	東京	755-759
3 川人 豊	関節リウマチ診療ガイドラインにおける MTX 治療の意義とその位置づけ。	竹内 勤	先端医学社	2015
		Rheumatology Clinical Research 4(2)	東京	12-16
4 川人 豊	生物学的製剤が推奨される関節リウマチ患者・病態とその診方	村井 恵美	南山堂	2015
		Rp レシピ.14 (4)	東京	16-18
5 川人 豊	関節リウマチ update 関節リウマチ診療ガイドライン		診断と治療社	2016
		日本臨床 74 (6)	東京	939-943
6 川人 豊	従来型抗リウマチ薬の使い方		文光堂	2016
		Medical Practice 33 (10)	東京	1597-1602
7 川人 豊	Treat to Target の考え方と実地診療における活用	(編集委員)今井 靖、鈴木則宏、鈴木亮、穂苅量太(編集協力)竹内勤	診断と治療社	2016
		診断と治療 104 (12)	東京	1537-1541
8 川人 豊	ステロイドと csDMARD の上手な使い方とピットホール	久保俊一、西田圭一郎、小田良	文光堂	2016
		知っておくべき！整形外科医の関節リウマチ.ABC.	東京	110-115
9 川人 豊	抗リウマチ薬	上阪等、渥美達也、亀田秀人、中島裕史、藤本学、山口正雄	診断と治療社	2016
		膠原病・リウマチ・アレルギー研修ノ	東京	247-249

		ート		
10 妹尾高宏、川人 豊	ステロイドと NSAIDs の使用および注意点	金城光代	日本医事新報社	2016
		jmed44 外来で診る リウマチ・膠原病 Q&A	東京	89-93

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 岸 本 暢 将

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, Kaneko Y, Kawahito Y, <u>Kishimoto M</u> , et al.	Postoperative complications in patients with rheumatoid arthritis using a biological agent—A systematic review and meta-analysis.	Mod Rheumatol	25(5) doi: 10.3109/14397595.2015.1014302	672-678	2015
Lau CS, Chia F, Harrison A, Hsieh TY, Jain R, Jung SM, <u>Kishimoto M</u> , et al.	APLAR rheumatoid arthritis treatment recommendations.	Int J Rheum Dis	18(7)	685-713	2015
Yoshida K, Radner H, Mjaavatten MD, Greenberg JD, Kavanaugh A, <u>Kishimoto M</u> , et al.	Incidence and Predictors of Biological Antirheumatic Drug Discontinuation Attempts among Patients with Rheumatoid Arthritis in Remission: A CORRONA and Ninja Collaborative Cohort Study.	J Rheumatol	42(12) doi:10.3899/jrheum.150240	2238-2246	2015
Kojima M, Nakayama T, Kawahito Y, Kaneko Y, <u>Kishimoto M</u> , et al.	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach.	Mod Rheumatol	26(2) doi:10.3109/14397595.2015.1069474	175-179	2016
Yoshida K, <u>Kishimoto M</u> , Radner H, et al.	Low Rates of Biological-free CDAI Remission Maintenance after Biological DMARD Discontinuation while in Remission in a Japanese Multi-center RA Registry.	Rheumatology	55(2) doi:10.1093/rheumatology/kev329	286-290	2016
Yoshida K, <u>Kishimoto M</u> , Solomon D.	Dr. Yoshida, et al reply.	J Rheumatol	43(6) doi:10.3899/jrheum.160194	1253	2016
平田信太郎、岸本暢将	関節リウマチ診療ガイドライン 2014 における bDMARD 治療の意義とその位置づけ	Rheumatology Clinical Research	4巻 2号	97-102	2015
岸本暢将	関節リウマチ（欧米のガイドライン）	リウマチ科	54巻 3号	243-249	2015
岸本暢将	リウマチ性疾患の分類基準と治療ガイドライン：エキスパートにおける必要性とその使い方／関節リウマチ	炎症と免疫	vol. 24 No. 3	28-36	2016
岸本暢将	関節リウマチの新しい診断基準、新しい薬	レジデントノート 増刊	vol. 18 No. 8	298-303	2016

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 岸 本 暢 将

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名		
岸本暢将		岸本暢将	羊土社	2015

		すぐに使えるリウマチ・膠原病診療マニュアル改訂版	東京		
2	岸本暢将	高齢発症の関節リウマチ	土屋弘之/紺野慎一/田中康仁/田中栄/松田秀一	医学書院	2016
			今日の整形外科治療指針(第7版)	東京	157-158
3	岸本暢将	悪性関節リウマチ	土屋弘之/紺野慎一/田中康仁/田中栄/松田秀一	医学書院	2016
			今日の整形外科治療指針(第7版)	東京	158-159

### 研究成果の刊行に関する一覧表(平成26~28年度)

研究分担者氏名 : 小嶋俊久

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Kojima M, Kojima T, Suzuki S, Takahashi N, Funahashi K, Kato D, Hanabayashi M, Hirabara S, Asai S, Ishiguro N.	Alexithymia, depression, inflammation, and pain in patients with rheumatoid arthritis.	Arthritis Care & Research (Hoboken)	66 ( 5 )	679 - 686	2014
2	Matsubara H, Kojima T, Kaneko A, Hirano Y, Ishikawa H, Hattori Y, Miyake H, Oguchi T, Takagi H, Yabe Y, Kato T, Ito T, Fukaya N, Kanayama Y, Shioura T, Hayashi M, Fujibayashi T, Takahashi N, Funahashi K, Kato D, Hanabayashi M, Terabe K, Ishiguro N.	Longterm retention rate and risk factor for discontinuation due to insufficient efficacy and adverse events in Japanese patients with rheumatoid arthritis receiving etanercept therapy.	The Journal of Rheumatology	41 ( 8 )	1583 - 1589	2014
3	Hirabara S, Takahashi N, Fukaya N, Miyake H, Yabe Y, Kaneko A, Ito T, Oguchi T, Kida D, Hirano Y, Fujibayashi T, Sugiura F, Hayashi M, Funahashi K, Hanabayashi M, Asai S, Ishiguro N, Kojima T.	Clinical efficacy of abatacept, tocilizumab, and etanercept in Japanese rheumatoid arthritis patients with inadequate response to anti-TNF monoclonal antibodies.	Clinical Rheumatology	33 ( 9 )	1247 - 1254	2014
4	Kojima T, Yabe Y, Kaneko A, Takahashi N, Funahashi K, Kato D, Hanabayashi M, Asai S, Hirabara S, Asai N, Hirano Y, Hayashi M, Miyake H, Kojima M, Ishiguro N.	Importance of methotrexate therapy concomitant with tocilizumab treatment in achieving better clinical outcomes for rheumatoid arthritis patients with high disease activity: an observational cohort study.	Rheumatology (Oxford)	54 ( 1 )	113 - 120	2015
5	Kobayakawa T, Kojima T, Takahashi N, Hayashi M, Yabe Y, Kaneko A, Shioura T, Saito K, Hirano Y, Kanayama Y,	Drug retention rates of second biologic agents after switching from tumor necrosis factor inhibitors for rheumatoid arthritis in Japanese patients on low-dose methotrexate or without methotrexate.	Modern Rheumatology	25 ( 2 )	251 - 256	2015

	Miyake H, Asai N, Funahashi K, Hirabara S, Hanabayashi M, Asai S, Ishiguro N.					
6	<u>小嶋俊久</u>	生物学的製剤が教えてくれたこと - 現状と今後 -	福井県臨床整形外科医会だより 福井県臨床整形外科医会	19号	24	2015
7	Takahashi N, <u>Kojima T</u> , Kaneko A, Kida D, Hirano Y, Fujibayashi T, Yabe Y, Takagi H, Oguchi T, Miyake H, Kato T, Fukaya N, Hayashi M, Tsuboi S, Kanayama Y, Funahashi K, Hanabayashi M, Hirabara S, Asai S, Yoshioka Y, Ishiguro N	Use of a 12-week observational period for predicting low disease activity at 52 weeks in RA patients treated with abatacept: a retrospective observational study based on data from a Japanese multicentre registry study.	Rheumatology (Oxford)	54 ( 5 )	854 - 859	2015
8	<u>小嶋俊久</u>	【日本リウマチ学会関節リウマチ診療ガイドライン 2014】 関節リウマチ診療ガイドライン 2014 におけるリハビリテーションの意義とその位置づけ	Rheumatology Clinical Research	4巻 2号	107-110	2015
9	<u>小嶋俊久</u>	【最新 整形外科医が知っておきたい薬の使い方】 関節リウマチ JA K阻害薬(トファシチニブ)	関節外科	34巻	95-98	2015
10	Asai S, <u>Kojima T</u> , Oguchi T, Kaneko A, Hirano Y, Yabe Y, Kanayama Y, Takahashi N, Funahashi K, Hanabayashi M, Hirabara S, Yoshioka Y, Takemoto T, Terabe K, Asai N, Ishiguro N	Effects of Concomitant Methotrexate on Large Joint Replacement in Patients With Rheumatoid Arthritis Treated With Tumor Necrosis Factor Inhibitors: A Multicenter Retrospective Cohort Study in Japan.	Arthritis Care & Research (Hoboken)	67 ( 10 )	1363 - 1370	2015
11	Takahashi N, Fujibayashi T, Kida D, Hirano Y, Kato T, Kato D, Saito K, Kaneko A, Yabe Y, Takagi H, Oguchi T, Miyake H, Watanabe T, Hayashi M, Kanayama Y, Funahashi K, Hanabayashi M, Hirabara S, Asai S, Takemoto T, Terabe K, Asai N, Yoshioka Y, Ishiguro N, Kojima T.	Concomitant methotrexate and tacrolimus augment the clinical response to abatacept in patients with rheumatoid arthritis with a prior history of biological DMARD use.	Rheumatology International	35 ( 10 )	1707 - 1716	2015
12	Takahashi N, <u>Kojima T</u> , Kaneko A, Kida D, Hirano Y, Fujibayashi T, Yabe Y, Takagi H, Oguchi T, Miyake H, Kato T, Watanabe T, Hayashi M, Kanayama Y, Funahashi K, Asai S, Yoshioka Y, Takemoto T, Terabe K, Asai N, Ishiguro	Longterm efficacy and safety of abatacept in patients with rheumatoid arthritis treated in routine clinical practice: effect of concomitant methotrexate after 24 weeks.	The Journal of Rheumatology	42 ( 5 )	786 - 793	2015

13	Asai S, Takahashi N, Funahashi K, Yoshioka Y, Takemoto T, Terabe K, Asai N, Ishiguro N, <u>Kojima T.</u>	Concomitant Methotrexate Protects Against Total Knee Arthroplasty in Patients with Rheumatoid Arthritis Treated with Tumor Necrosis Factor Inhibitors.	The Journal of Rheumatology	42 ( 12 )	2255 - 2260 2015
14	Kojima M, <u>Kojima T</u> , Suzuki S, Takahashi N, Funahashi K, Asai S, Yoshioka Y, Terabe K, Asai N, Takemoto T, Ishiguro N	Patient-reported outcomes as assessment tools and predictors of long-term prognosis: a 7-year follow-up study of patients with rheumatoid arthritis.	International journal of Rheumatic diseases		DOI:10.1111/1756-185X.12789. 2015
15	Yoshioka Y, Takahashi N, Kaneko A, Hirano Y, Kanayama Y, Kanda H, Takagi H, Ito T, Kato T, Saito K, Funahashi K, Asai S, Takemoto T, Terabe K, Asai N, Ishiguro N, <u>Kojima T.</u>	Disease activity early in treatment as a predictor of future low disease activity in RA patients treated with iguratimod.	Modern Rheumatology	3	1 - 6 2015
16	Fujibayashi T, Takahashi N, Kida D, Kaneko A, Hirano Y, Fukaya N, Yabe Y, Oguchi T, Tsuboi S, Miyake H, Takemoto T, Kawasaki M, Ishiguro N, <u>Kojima T.</u>	Comparison of efficacy and safety of tacrolimus and methotrexate in combination with abatacept in patients with rheumatoid arthritis; a retrospective observational study in the TBC Registry.	Modern Rheumatology	25 ( 6 )	825 - 830 2015
17	<u>Kojima T</u> , Takahashi N, Kaneko A, Kida D, Hirano Y, Fujibayashi T, Yabe Y, Takagi H, Oguchi T, Miyake H, Kato T, Watanabe T, Hayashi M, Shioura T, Kanayama Y, Funahashi K, Asai S, Yoshioka Y, Terabe K, Takemoto T, Asai N, Ishiguro N	Predictive factors for achieving low disease activity at 52 weeks after switching from tumor necrosis factor inhibitors to abatacept: results from a multicenter observational cohort study of Japanese patients.	Clinical Rheumatology	35 ( 1 )	219 - 225 2016
18	<u>Kojima T</u> , Takahashi N, Funahashi K, Asai S, Terabe K, Kaneko A, Hirano Y, Hayashi M, Miyake H, Oguchi T, Takagi H, Kanayama Y, Yabe Y, Watanabe T, Fujibayashi T, Shioura T, Ito T, Yoshioka Y, Ishikawa H, Asai N, Takemoto T, Kojima M, Ishiguro N.	Improved safety of biologic therapy for rheumatoid arthritis over the 8-year period since implementation in Japan: long-term results from a multicenter observational cohort study.	Clinical Rheumatology	35 ( 4 )	863 - 871 2016
19	小嶋俊久	特集プライマリケア医もできる！関節リウマチ診療<関節リウマチ治療各論 - エビデンスも踏まえて>進歩した薬物療法下における手術治療のタイミング	南江堂 臨床雑誌「内科」	第 117 卷 第 5 号	1177 - 1181 2016

	グ：四肢関節から頸椎病変も含めて				
20	<u>小嶋俊久</u> 高齢者RAにおいては、治療が困難であることと早期の関節破壊という前提をまず認識することが大事です。	メディカルレビュー社 Locomotive Pain Frontier	第5巻第1号 (通巻第9号)	8	2016
21	Komatsu D, Ikeuchi K, Kojima T, Takegami Y, Amano T, Tsuboi M, Ishiguro N, Hasegawa Y.	Laterality of radiographic osteoarthritis of the knee.	Laterality	27	1 - 14 2016
22	Hattori Y, Kojima T, Kaneko A, Kida D, Hirano Y, Fujibayashi T, Terabe K, Yabe Y, Miyake H, Kato T, Takagi H, Hayashi M, Ito T, Kanayama Y, Oguchi T, Takahashi N, Ishikawa H, Funahashi K, Ishiguro N.	Longterm Retention Rate and Risk Factors for Adalimumab Discontinuation Due To Efficacy and Safety in Japanese Patients with Rheumatoid Arthritis: An Observational Cohort Study.	The Journal of Rheumatology	43 ( 8 )	1475 - 1479 2016
23	Komatsu D, Hasegawa Y, Kojima T, Seki T, Ikeuchi K, Takegami Y, Amano T, Higuchi Y, Kasai T, Ishiguro N.	Validity of radiographic assessment of the knee joint space using automatic image analysis.	Modern Rheumatology	26 ( 5 )	761 - 766 2016
24	<u>小嶋俊久</u> 特集 × クイズで学んじゃおう！こんなに変わった関節リウマチ最新知識5「薬物治療の × クイズ5」	メディカ出版 整形外科看護	第21巻9号 (通巻267号)	28 - 32	2016
25	Komatsu D, Hasegawa Y, Kojima T, Seki T, Higuchi Y, Ishiguro N.	Absence of a relationship between joint space narrowing and osteophyte formation in early knee osteoarthritis among Japanese community-dwelling elderly individuals: A cross-sectional study.	Modern Rheumatology	14	1 - 8 2016

### 研究成果の刊行に関する一覧表（平成26～28年度）

研究分担者氏名： 小嶋俊久

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 小嶋俊久	A-5: 関節穿刺法・関節液検査	日本リウマチ財団 教育研修委員会 リウマチ学会生涯 教育委員会	診断と治療社	2016
		リウマチ病学テキ スト改訂第2版	東京	35

### 研究成果の刊行に関する一覧表（平成26～28年度）

研究分担者氏名： 小嶋雅代

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1 Kojima M, Kojima T, Suzuki S, Takahashi N, Funahashi K, Kato D, Hanabayashi M, Hirabara S, Asai S, Ishiguro N	Alexithymia, depression, inflammation, and pain in patients with rheumatoid arthritis.	Arthritis Care Res (Hoboken)	66	679-86	2014

	Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, Kaneko Y, Kawahito Y, Kishimoto M, Seto Y, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamanaka H.	Postoperative complications in patients with rheumatoid arthritis using a biological agent - A systematic review and meta-analysis.	Mod Rheumatol.	25	672-8	2015
2	Kojima M, Kojima T, Suzuki S, Takahashi N, Funahashi K, Asai S, Yoshioka Y, Terabe K, Asai N, Takemoto T, Ishiguro N.	Patient-reported outcomes as assessment tools and predictors of long-term prognosis: a 7-year follow-up study of patients with rheumatoid arthritis.	Int J Rheum Dis.	Published online	doi: 10.1111/1756-185X.12789.	2015
3	Kojima M, Nakayama T, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Hasegawa M, Miyasaka N, Yamanaka H.	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach.	Mod Rheumatol.	26	175-9	2015
4	Kojima T, Takahashi N, Funahashi K, Asai S, Terabe K, Kaneko A, Hirano Y, Hayashi M, Miyake H, Oguchi T, Takagi H, Kanayama Y, Yabe Y, Watanabe T, Fujibayashi T, Shioura T, Ito T, Yoshioka Y, Ishikawa H, Asai N, Takemoto T, Kojima M, Ishiguro N.	Improved safety of biologic therapy for rheumatoid arthritis over the 8-year period since implementation in Japan: long-term results from a multicenter observational cohort study.	Clin Rheumatol.	35	863-71	2016
5	Kojima M, Nakayama T, Otani T, Hasegawa M, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Miyasaka N, Yamanaka H.	Integrating patients' perceptions into clinical practice guidelines for the management of rheumatoid arthritis in Japan.	Mod Rheumatol.	Published online	doi: 10.1080/14397595.2016.1276511.	2017
6						

研究成果の刊行に関する一覧表（平成 26~28 年度）

研究分担者氏名： 酒井良子

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年

	Hirano F, Yokoyama W, Yamazaki H, Amano K, Kawakami A, Hayashi T, Tamura N, Yasuda S, Dobashi H, Fujii T, Ito S, Kaneko Y, Matsui T, Okuda Y, Saito K, Suzuki F, Yoshimi R, <u>Sakai R</u> , Koike R, Kohsaka H, Miyasaka N, Harigai M, T2T Epidemiological Study Group.	Achieving simplified disease activity index remission in patients with active rheumatoid arthritis is associated with subsequent good functional and structural outcomes in a real-world clinical setting under a treat-to-target strategy.	Mod Rheumatol.	Epub ahead of print	2016
2	<u>Sakai R</u> , Hirano F, Kihara M, Yokoyama W, Yamazaki H, Harada S, Nanki T, Koike R, Miyasaka N, Harigai M.	High prevalence of cardiovascular comorbidities in patients with rheumatoid arthritis from a population-based cross-sectional study of a Japanese health insurance database.	Mod Rheumatol.	26	522-8 2016
3	<u>Sakai R</u> , Cho SK, Nanki T, Watanabe K, Yamazaki H, Tanaka M, Koike R, Tanaka Y, Saito K, Hirata S, Amano K, Nagasawa H, Sumida T, Hayashi T, Sugihara T, Dobashi H, Yasuda S, Sawada T, Ezawa K, Ueda A, Fujii T, Migita K, Miyasaka N, Harigai M; REAL Study Group.	Head-to-head comparison of the safety of tocilizumab and tumor necrosis factor inhibitors in rheumatoid arthritis patients (RA) in clinical practice: results from the registry of Japanese RA patients on biologics for long-term safety (REAL) registry.	Arthritis Res Ther.	17	74 2015
4	Tanaka M, <u>Sakai R</u> , Koike R, Harigai M.	Pneumocystis Jirovecii Pneumonia in Japanese Patients with Rheumatoid Arthritis Treated with Tumor Necrosis Factor Inhibitors: A Pooled Analysis of 3 Agents.	J Rheumatol.	42	1726-8 2015

### 研究成果の刊行に関する一覧表(平成26~28年度)

研究分担者氏名： 鈴木 肇

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	Ikeda K, Narita A, Ogasawara M, Ohno S, Kawahito Y, Kawakami A, Ito H, Matsushita I, <u>Suzuki T</u> , Misaki K, Ogura T, Kamishima T, Seto Y, Nakahara R, Kaneko A, Nakamura T, Henmi M, Fukae J, Nishida K, Sumida T, Koike T.	Consensus-based identification of factors related to false-positives in ultrasound scanning of synovitis and tenosynovitis.	Mod Rheumatol.	26(1)	9-14	2016
2	Fukuda W, Hanyu T, Katayama M, Mizuki S, Okada A, Miyata M, Handa Y, Hayashi M, Koyama Y, Arii K, Kitaori T, Hagiyama H, Urushidani Y, Yamasaki T, Ikeda	Incidence of hepatitis B virus reactivation in patients with resolved infection on immunosuppressive therapy for rheumatic disease: a multicentre, prospective, observational study in Japan.	Ann Rheum Dis.	2016 Dec 1 [Epub ahead of print]	doi: 10.1136/annrheumdis-2016-209973.	2016

Y, Suzuki T, Omoto A, Sugitani T, Morita S, Inokuma S.				
3 R, Okamoto A, Seri Y.	Semi-quantitative evaluation of extra-synovial soft tissue inflammation in the shoulders of patients with polymyalgia rheumatica and elderly-onset rheumatoid arthritis by power Doppler ultrasound	BioMed Research International	in press	

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 鈴木 賀

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 鈴木 賀, 小笠原倫大	関節リウマチ（手首・手指）	石崎 一穂, 鈴木 賀, 藤原 憲太	メジカルビュー社	2015
		これから始める運動器・関節エコー	東京	190-238
2 鈴木 賀	手関節、肩関節	大野 滋, 鈴木 賀, 小笠原 優大	南江堂	2016
		リウマチ診療レベルアップ 関節エコービジュアルレシピ：解剖学的視点とプローブ走査もわかる！	東京	42-63, 78-91

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 中山 健夫

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kojima M, Nakayama I, Otani T, Hasegawa M, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Miyasaka N, Yamanaka H.	Integrating patients' perceptions into clinical practice guidelines for the management of rheumatoid arthritis in Japan.	Mod Rheumatol.	Jan 25	1-6	2017
Kojima M, Nakayama I, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Hasegawa M, Miyasaka N, Yamanaka H.	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach.	Mod Rheumatol.	26(2)	175-9	2016
Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama I, Endo H, Hirata S, Kaneko Y, Kawahito Y, Kishimoto M, Seto	Postoperative complications in patients with rheumatoid arthritis using a biological agent - A systematic review and meta-analysis.	Mod Rheumatol.	25(5)	67208	2015

Y, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamanaka H.					
--	--	--	--	--	--

研究成果の刊行に関する一覧表（平成 26~28 年度）

研究分担者氏名： 西田圭一郎

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	西田圭一郎	整形外科医による RA 診療の up to date.	大阪臨床整形外科 医会会報	40 号	52-54	2014
2	橋詰謙三、西田圭一郎	関節リウマチの診療 身体機能障害を来さないためのアプローチ RA 高度身体機能障害への対処.	Modern Physician	34(8)	967-971	2014
3	原田遼三、西田圭一郎	卒後研修講座 整形外科医のための RA 治療 早期診断とタイトコントロール	整形外科	65(9)	963-971	2014
4	原田遼三、西田圭一郎	リウマチ医が知るべき肘関節の知識	Keynote RA	2(3)	154-161	2014
5	町田崇博、西田圭一郎	関節リウマチ類似疾患	MB Orthopaedics	27(11)	119-128	2014
6	西田圭一郎	関節リウマチと Waddington の後成的遺伝風景	臨床リウマチ	26(1)	5-8	2014
7	棟田将光、山下美鈴、高杉幸司、山中龍太郎、江澤香代、江澤和彦、那須義久、山本涉、西田圭一郎	メトトレキサート(MTX)に認容性のない関節リウマチ患者へのアダリムマブ(ADA) + タクロリムス(TAC)併用の有用性の検討、	新薬と臨床	63	94-104	2014
8	小川節郎、西田圭一郎、服部政治、宮里勝政、古江増隆、小林洋一、浅野拓	変形性関節症患者に対するブレノルフィン経皮吸収型製剤における長期処方時の安全性と有効性	新薬と臨床	63(4)	551-567	2014
9	金澤智子、橋詰謙三、島村安則、中原龍一、斉藤太一、小澤正嗣、原田遼三、尾崎敏文、西田圭一郎	当科における人工肩関節置換術の治療成績の検討.	日本関節病学会誌	33(4)	497-485	2014
10	原田遼三、西田圭一郎、橋詰謙三、中原龍一、斉藤太一、金澤智子、小澤正嗣、尾崎敏文	関節リウマチ(RA)に対する Swanson と AVANTA による MP 人工指関節置換術の治療成績.	日本関節病学会誌	33(2)	175-182	2014
11	小澤正嗣、西田圭一郎	腱鞘炎、腱付着部炎、肩関節周囲炎、滑液包炎.	日本臨牀社	72 増刊号 3	339-343	2014
12	Nishida K, Nasu Y, Hashizume K, Nakahara R, Ozawa M, Harada R, Machida T, Ozaki T	Abatacept management during the perioperative period in patients with rheumatoid arthritis: report on eight orthopaedic procedures.	Mod Rheumatol	24	544-555	2014
13	Nishida K, Hashizume K, Nasu Y, Kishimoto M, Ozaki T, Inoue H	A 5-22-year follow-up study of stemmed alumina ceramic total elbow arthroplasties with cement fixation for patients with rheumatoid arthritis.	J Orthop Sci	19	55-63	2014
14	Maehara A, Nishida K, Furutani M, Matsumoto E, Ohtsuka A, Ninomiya Y, Oohashi T	Light and electron microscopic detection of inflammation-targeting liposomes encapsulating high-density colloidal gold in arthritic mice.	Inflamm Res	63	139-147	2014
15	Ikeda K, Seto Y, Narita A, Kawakami A, Kawahito Y, Ito H, Matsushita I, Ohno S, Nishida K	Ultrasound assessment of synovial pathologic features in rheumatoid arthritis using comprehensive multiplane images of the second	Arthritis Rheumatol	66	523-532	2014

	Suzuki T, Kaneko A, Ogasawara M, Fukae J, Henmi M, Sumida T, Kamishima T, Koike T	metacarpophalangeal joint: identification of the components that are reliable and influential on the global assessment of the whole joint.				
16	Nishida K, Hashizume K, Nakahara R, Ozawa M, Harada R, Machida T, Nasu Y, Ozaki T, Inoue H	Short-term results of the PROSNAP I linked elbow prosthesis with a snap-in structure and modular flange for the reconstruction of severely damaged rheumatoid elbows.	J Shoulder Elbow Surg	23	837-842	2014
17	Mukai T, Gallant R, Ishida S, Yoshitaka T, Kittaka M, <u>Nishida K</u> , Fox DA, Morita Y, Ueki Y.	SH3BP2 Gain-Of-Function Mutation Exacerbates Inflammation and Bone Loss in a Murine Collagen-Induced Arthritis Model.	PLoS One	21	9(8):e105518	2014
18	Hashizume M, Tan SL, Takano J, Ohsawa K, Hasada I, Hanasaki A, Ito I, Mihara M, <u>Nishida K</u> .	Tocilizumab, a humanized anti-IL-6R antibody, as an emerging therapeutic option for rheumatoid arthritis: Molecular and cellular mechanistic insights.	Int Rev Immunol.	43(3)	265-279	2014
19	井上 一, 西田圭一郎	リウマチ外科の歴史	臨整外	50(2)	142-146	2015
20	西田圭一郎	軟骨細胞	Keynote R.A	3(3)	113-116	2015
21	那須義久, 西田圭一郎	手術療法の適応と周術期対策	カレントテラピー	33(8)	785-790	2015
22	西田圭一郎, 小川節郎, 服部 政治, 宮里 勝政, 古江 増隆, 小林 洋一, 浅野 拓	変形性関節症に対するブレノルフィン経皮吸収型製剤の有効性と安全性-多施設共同, ブラセボ対照, 無作為化, 二重盲検群間比較試験-.	新薬と臨床	64(3)	243-259	2015
23	那須義久, 西田圭一郎	関節リウマチ IL-6/CTLA4 をターゲットとする生物学的製剤	関節外科	34	87-94	2015
24	Mukai T, Gallant R, Ishida S, Kittaka M, Yoshitaka T, Fox DA, Morita Y, <u>Nishida K</u> , Rotapril R, Ueki Y	Loss of SH3BP2 function suppresses bone destruction in TNF-driven and collagen-induced arthritis mouse models	Arthritis Rheumatol	67(3)	656-667	2015
25	Ozawa M, <u>Nishida K</u> , Yoshida A, Saito T, Harada R, Machida T, Ozaki T	Hyaluronan suppresses mechanical stress-induced expression of catabolic enzymes by human chondrocytes via inhibition of IL-1 production and subsequent NF-B activation	Inflammation Res	64(3-4)	243-252	2015
26	Nakahara R, <u>Nishida K</u> , Hashizume K, Harada R, Machida T, Horita M, Ohtsuka A, Ozaki T	MRI of Rheumatoid Arthritis: Comparing the Outcome Measures in Rheumatology Clinical Trials (OMERACT) Scoring and Volume of Synovitis for the Assessment of Biologic Therapy	Acta Med Okayama	69(1)	29-35	2015
27	Ito H, Kojima M, <u>Nishida K</u> , Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, Kaneko Y, Kawahito Y, Kishimoto M, Seto Y, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamanaka H	Postoperative complications in patients with rheumatoid arthritis using a biological agent - a systematic review and meta-analysis-	Modern Rheumatol	25(5)	672-678	2015
28	Kojima M, Nakayama T, Kawahito Y, Kaneko Y, Kishimoto M,	The process of collecting and evaluating evidences for the development of clinical practice guidelines to manage	Modern Rheumatol	26(2)	175-179	2016

	Hirata S, Seto Y, Endo H, Ito H, Kojima T, <u>Nishida K</u> , Matushita I, Tsutani K, Igarashi A, Kamatani N, Hasegawa M, Miyasaka M, Yamanaka H.	patients with rheumatoid arthritis in Japan: utilization of GRADE approach.				
29	Saito T, <u>Nishida K</u> , Hashizume K, Nakahara R, Harada R, Machida T, Horita M, Ozaki T.	Clinical and radiographic study of partial arthrodesis for rheumatoid wrists.	Modern Rheumatol	26(1)	57-61	2016
30	Kadota Y, <u>Nishida K</u> , Hashizume K, Nasu Y, Nakahara R, Kanazawa T, Ozawa M, Harada R, Machida T, Ozaki T.	Risk factors for surgical site infection and delayed wound healing after orthopaedic surgery in rheumatoid arthritis patients.	Modern Rheumatol	26(1)	68-74	2016
31	Ikeda K, Narita A, Ogasawara M, Ohno S, Kawahito Y, Kawakami A, Ito H, Matsushita I, Suzuki T, Misaki K, Ogura T, Kamishima T, Seto Y, Nakahara R, Kaneko A, Nakamura T, Henmi M, Fukae J, <u>Nishida K</u> , Sumida T, Koike T	Consensus-based identification of factors related to false-positives in ultrasound scanning of synovitis and tenosynovitis.	Modern Rheumatol	26(1)	9-14	2016
32	<u>Nishida K</u> , Natsumeda M, Nasu Y, Ezawa K.	Dramatic Effect of Tofacitinib on TNF-Inhibitor Resistant Synovitis: A Case Report.	Rheumatology (Sunnyvale)	6	doi:10.4172/2161-1149.1000185	2016
33	Tetsunaga T, Tanaka M, <u>Nishida K</u> , Takei Y, Ozaki T.	Effect of tramadol/acetaminophen on motivation in patients with chronic low back pain.	Pain Res Manag.	2016;2016:7458534. doi: 10.1155/2016/7458534. Epub 2016 Mar 2.		
34	<u>Nishida K</u> , Machida T, Horita T, Hashizume K, Nakahara R, Nasu Y, Ohashi H, Saiga K, Ozaki T.	Shortening oblique osteotomy with screw fixation for correction of the lesser metatarsophalangeal joints of rheumatoid forefoot.	Acta Med Okayama	70(6)	477-483	2016
35	Tetsunaga T, <u>Nishida K</u> , Tanaka M, Sugimoto Y, Takigawa T, Takei Y, Ozaki T.	Denosumab and alendronate treatment in patients with back pain due to fresh osteoporotic vertebral fractures.	J Orthop Sci.	in press		
36	<u>Nishida K</u> , Hashizume K, Ozawa M, Takeshita A, Kaneda D, Nakahara R, Nasu Y, Shimamura Y, Inoue H, Ozaki T.	Results of total elbow arthroplasty with cementless implantation of alumina ceramic elbow prosthesis for patients with rheumatoid arthritis	Acta Med Okayama	in press		
37	西田圭一郎	リウマチ上肢の外科的治療のupdate. 特集 関節リウマチupdate.	日本臨牀	74(6)	981-985	2016
38	堀田昌宏, 西田圭一郎	関節リウマチ頸椎病変の画像評価.	リウマチ科	55(3)	323-329	2016
39	宮澤慎一, 西田圭一郎	変形性関節症. 骨・関節・カルシウム代謝疾患. 2.免疫・炎症・アレルギーおよび骨・関節の病気とくすり.	病気とくすり 2016 基礎と実践 Expert's Guide. 薬局増刊号	67(4)	314-323	2016

研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 西田圭一郎

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 西田圭一郎	変形性関節症に関連した解剖学・組織学、第2章 変形性関節症とは？	千田益生 編	日本医事新報社	2014
		変形性関節症の運動療法ガイド		11-17
2 西田圭一郎	股関節の発生と発育	尾崎敏文、赤澤啓史 編	メジカルビュー社	2014
		先天性股関節脱臼の診療		10-15
3 橋詰謙三、西田圭一郎	滑膜切除術	今谷潤也	メジカルビュー社	2015
		肘関節手術のすべて	東京	328-35
4 西田圭一郎	上肢の痛みへのアプローチ	日本リウマチ財団 教育研修委員会	診断と治療社	2015
		リウマチ病学テキスト	東京	53-57
5 西田圭一郎	RA 診療で日常的に用いられる画像の使い方、CT 検査	リウマチ実地医会	メディカルレビュー社	2015
		リウマチクリニック Q&A 集成	東京	26
6 中原龍一、西田圭一郎	リウマチ性多発筋痛症	技術情報協会	技術情報協会	2015
		痛みのメカニズムとこれからの治療薬・治療法の開発	東京	387-388
7 西田圭一郎	手根管症候群、第6章 膠原病・リウマチ・アレルギー疾患有診療する、A. 膠原病・リウマチ、7 神経血管障害。	永井良三 監修、上阪 等他編	診断と治療社	2016
		膠原病・リウマチ・アレルギー研修ノート	東京	411-414
8 西田圭一郎	変形性関節症、V. 老年期、前期高齢者、後期高齢者、超高齢者	太田博明編	メディカルレビュー社	2016
		女性医療のすべて	東京	146-148
9 西田圭一郎	第二章 関節リウマチの特徴	伊藤 宣(著、監修)、西田圭一郎(著)、布留守敏(著)	ミネルヴァ書房	2016
		「流れる」病気、関節リウマチを知る(シリーズ・骨の話)、関節リウマチ	京都	64-91
10 西田圭一郎	コラム、スコットランドのワディントン	伊藤 宣(著、監修)、西田圭一郎(著)、布留守敏(著)	ミネルヴァ書房	2016
		「流れる」病気、関節リウマチを知る(シリーズ・骨の話)、関節リウマチ	京都	91-93
11 西田圭一郎	第三章 関節リウマチと似た病気	伊藤 宣(著、監修)、西田圭一郎(著)、布留守敏(著)	ミネルヴァ書房	2016
		「流れる」病気、関節リウマチを知る(シリーズ・骨の話)、関節リウマチ	京都	100-131
12 西田圭一郎	第四章 罹患しやすい関節との特徴	伊藤 宣(著、監修)、西田圭一郎(著)、布留守敏(著)	ミネルヴァ書房	2016
		「流れる」病気、関節リウマチを知る(シリーズ・骨の話)、関節リウマチ	京都	134-173
13 西田圭一郎	コラム、内科と外科の相違	伊藤 宣(著、監修)、西田圭一郎(著)、布留守敏(著)	ミネルヴァ書房	2016

		「流れる」病気、関節リウマチを知る（シリーズ・骨の話）. 関節リウマチ	京都	170-172
14 西田圭一郎	コラム.アメリカの医療状況	伊藤 宣（著、監修）、西田圭一郎（著）、布留守敏（著）	ミネルヴァ書房	2016
		「流れる」病気、関節リウマチを知る（シリーズ・骨の話）. 関節リウマチ	京都	255-257
15 西田圭一郎	コラム.上肢人工関節の歴史と種類	伊藤 宣（著、監修）、西田圭一郎（著）、布留守敏（著）	ミネルヴァ書房	2016
		「流れる」病気、関節リウマチを知る（シリーズ・骨の話）. 関節リウマチ	京都	332-335
16 西田圭一郎	コラム. 終章 エディンバラ再訪、リウマチはどこから来たのか	伊藤 宣（著、監修）、西田圭一郎（著）、布留守敏（著）	ミネルヴァ書房	2016
		「流れる」病気、関節リウマチを知る（シリーズ・骨の話）. 関節リウマチ	京都	339-343
17 西田圭一郎	5. 画像所見の見方とピットフォール. 7) 治療方針決定までのプロセス. 第1章. 知っておくべき診断と評価のエッセンス.	久保俊一、西田圭一郎、小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療ABC	東京	90-93
18 西田圭一郎	分子標的型 DMARD. 第2章. 知っておくべき薬物治療のエッセンス.	久保俊一、西田圭一郎、小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療ABC	東京	116-117
19 西田圭一郎	私のヒヤリハット. 生物学的製剤導入時のスクリーニング.	久保俊一、西田圭一郎、小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療ABC	東京	108
20 那須義久、西田圭一郎	3. 診察方法. 2) 身につけたい部位別身体所見の取り方(1)上肢. 第1章. 知っておくべき診断と評価のエッセンス.	久保俊一、西田圭一郎、小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療ABC	東京	38-43
21 那須義久、西田圭一郎	5. 画像所見の見方とピットフォール. 6) 疾患活動性の評価(DAS, SDAI, CDAI, ACR, VAS). 第1章. 知っておくべき診断と評価のエッセンス.	久保俊一、西田圭一郎、小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療ABC	東京	84-89
22 鉄永倫子、西田圭一郎	3. リウマチ患者の痛みの管理. 1) RAの痛みの考え方と評価法. 第2章. 知っておくべき薬物治療のエッセンス.	久保俊一、西田圭一郎、小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療ABC	東京	146-152
23 鉄永智紀、西田圭一郎	3. リウマチ患者の痛みの管理. 2) 痛みの治療薬と使い方のコツ. 第2章. 知っておくべき薬物治療のエッセンス.	久保俊一、西田圭一郎、小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療ABC	東京	153-157
24 橋詰謙三、西田圭一郎	1. 最新の外科的治療-身体部位別の手術適応と手術のバリエーション. 1) 上肢の手術 (1) 肩関節・肘関節. 第3章. 知っておくべき外科的治療・リハビリテーションのエッセンス.	久保俊一、西田圭一郎、小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療ABC	東京	160-164
25 町田崇博、西田圭一郎	1. 最新の外科的治療-身体部位別の手術適応と手術のバリエーション. 1) 上肢の手術 (2) 手関節. 第3章. 知っておくべき外科的治療・リハビリテーションのエッセンス.	久保俊一、西田圭一郎、小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療ABC	東京	165-170

26	原田遼三, 西田圭一郎	1. 最新の外科的治療-身体部位別の手術適応と手術のバリエーション. 1) 上肢の手術 (2) 手指. 第3章. 知っておくべき外科的治療・リハビリテーションのエッセンス.	久保俊一, 西田圭一郎, 小田良編	文光堂	2016
		知っておくべき整形外科医の関節リウマチ診療 ABC	東京	171-175	

### 研究成果の刊行に関する一覧表 (平成 26~28 年度)

研究分担者氏名： 平田信太郎

雑誌

	発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1	平田信太郎, 田中良哉	【関節リウマチに対する生物学的製剤に関する最近の知見】 BeSt 試験	リウマチ科	52巻1号	1-5	2014
2	平田信太郎, 田中良哉	【関節リウマチの疾患活動性評価を概説する】マルチバイオマーカーの臨床応用とその可能性	分子リウマチ治療	7巻3号	85-89	2014
3	平田信太郎, 田中良哉	【関節リウマチの疾患活動性を見極める】MBDAスコア	Rheumatology Clinical Research	3巻3号	160-164	2014
4	平田信太郎, 佐藤友梨恵, 田中良哉	Rheumatology Q&A 画像が明かす診断と治療のポイント(第7回) 関節リウマチ治療中に出現した多発性肺結節をどのように鑑別するか?	Rheumatology Clinical Research	3巻3号	207-211	2014
5	Hirata S, Li W, Defranoux N, Cavet G, Bolce R, Yamaoka K, Saito K, Tanaka Y.	A multi-biomarker disease activity score tracks clinical response consistently in patients with rheumatoid arthritis treated with different anti-tumor necrosis factor therapies: A retrospective observational study.	Mod Rheumatol.	25(3)	344-9	2015
6	Hirata S, Tanaka Y.	Combination therapy for early rheumatoid arthritis: a treatment holiday perspective.	Expert Rev Clin Pharmacol.	8(1)	115-22	2015
7	Hirata S, Marotta A, Gui Y, Hanami K, Tanaka Y.	Serum 14-3-3 level is associated with severity and clinical outcomes of rheumatoid arthritis, and its pretreatment level is predictive of DAS28 remission with tocilizumab.	Arthritis Res Ther.	17	280	2015
8	平田信太郎, 田中良哉	【高齢者のリウマチ・膠原病はこう診る】 高齢者で注意が必要な合併症対策 高齢者での生物学的製剤使用時の注意点	内科	115巻3号	433-437	2015
9	平田信太郎, 岸本暢将	【日本リウマチ学会関節リウマチ診療ガイドライン 2014】 関節リウマチ診療ガイドライン 2014 における bDMARD(生物学的製剤) 治療の意義とその位置づけ	Rheumatology Clinical Research	4巻2号	97-102	2015
10	平田信太郎, 田中良哉	【関節リウマチの日常診療上の留意点】 生物学的製剤開始時期と種類をどう決定するか	リウマチ科	54巻5号	497-502	2015
11	平田信太郎, 田中良哉	【関節リウマチの骨・軟骨病変】 関節リウマチの骨・軟骨病変の画像評価	Clinical Calcium	25巻12号	1777-1785	2015
12	平田信太郎, 田中良哉	Multi-biomarker disease activity(MBDA)score による関節リウマチの活動性評価	日本臨床免疫学会会誌	39巻1号	37-41	2016
13	平田信太郎, 田中良哉	【関節リウマチ update-基礎・臨床の最新情報-】 関節リウマチ画像診断と評価 関節リウマチの新しい評価法 MBDAスコアによる RA の活動性評価	日本臨床	74巻6号	931-937	2016
14	平田信太郎, 田中宏明, 中野和久, 田中良哉	Rheumatology Q&A 画像が明かす診断と治療のポイント(第11回) 鑑別すべき肺疾患について	Rheumatology Clinical Research	5巻1号	63-68	2016
15	平田信太郎, 田中良哉	【関節リウマチ診療における新たな課題】 バイオフリー寛解・ドラッグフリー寛解の現状	リウマチ科	55巻5号	488-495	2016

16	Hirata S, Li W, Kubo S, Fukuyo S, Mizuno Y, Hanami K, Sawamukai N, Yamaoka K, Saito K, Defranoux NA, Tanaka Y.	Association of the multi-biomarker disease activity score with joint destruction in patients with rheumatoid arthritis receiving tumor necrosis factor-alpha inhibitor treatment in clinical practice.	Mod Rheumatol.	in press
----	--	--	----------------	----------

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 松井利浩

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1 Hirata A, Suenaga Y, Miyamura T, Matsui T, Tohma S, Suematsu E, Ohnaka K, Takayanagi R.	Effect of early treatment on physical function in daily management of rheumatoid arthritis: a 5-year longitudinal study of rheumatoid arthritis patients in the National Database of Rheumatic Diseases in Japan.	Int J Rheum Dis.		in press	

### 研究成果の刊行に関する一覧表（平成 26～28 年度）

研究分担者氏名： 松下功

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
1 Matsushita I, Motomura H, Seki E, Kimura T.	Radiographic changes and factors associated with subsequent progression of damage in weight-bearing joints of patients with rheumatoid arthritis under TNF-blocking therapies-three-year observational study.	Mod Rheumatol.	26	1-6. [Epub ahead of print]	2016
2 Ikeda K, Narita A, Ogasawara M, Ohno S, Kawahito Y, Kawakami A, Ito H, Matsushita I, Suzuki T, Misaki K, Ogura T, Kamishima T, Seto Y, Nakahara R, Kaneko A, Nakamura T, Henmi M, Fukae J, Nishida K, Sumida T, Koike T	Consensus-based identification of factors related to false-positives in ultrasound scanning of synovitis and tenosynovitis.	Mod Rheumatol.	26(1)	9-14	2016
3 Kojima M, Nakayama T, Kawahito Y, Kaneko Y, Kishimoto M, Hirata S, Seto Y, Endo H, Ito H, Kojima T, Nishida K, Matsushita I, Tsutani K, Igarashi A, Kamatani N, Hasegawa M, Miyasaka N, Yamanaka H	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach.	Mod Rheumatol.	26(2)	175-179	2016
4 松下功	RA早期診断のための画像診断の重要性 - 関節エコー	MB Orthop.	29	35-41	2016
5 松下功	関節リウマチの股関節・膝関節病変	リウマチ科	56	562-568	2016
6 松下功	こんなに変わった関節リウマチ 最新知識 治療の考え方	整形外科看護	21(9)	22-27	2016

	Ito H, Kojima M, Nishida K, Matsushita I, Kojima T, Nakayama T, Endo H, Hirata S, Kaneko Y, Kawahito Y, Kishimoto M, Seto Y, Kamatani N, Tsutani K, Igarashi A, Hasegawa M, Miyasaka N, Yamanaka H	Postoperative complications in patients with rheumatoid arthritis using a biological agent - A systematic review and meta-analysis.	Mod Rheumatol.	25(5)	672-678	2015
7	元村 拓、松下 功、下条竜一、木村友厚	滑膜組織における病理学的所見と超音波パワードップラー信号 .	臨床リウマチ	27	40-50	2015
8	松下 功、元村 拓、今西理恵子、木村友厚	Short taper wedge 型システムを用いたセメントレス人工股関節置換術の臨床成績と X 線学的評価 - RA と OA の比較検討 -	日本人工関節学会誌	45	833-834	2015
9	松下 功	今後の新薬・新たに期待される薬剤	関節外科	34	108-114	2015
10	Isao Matsushita, Yuji Morita, Yoshiaki Ito, Hiraku Motomura and Tomoatsu Kimura	Long-term clinical and radiographic results of cementless total hip arthroplasty for patients with rheumatoid arthritis: minimal 10-year follow-up.	Mod Rheumatol.	24	281-284	2014
11	Hiraku motomura, Isao Matsushita, Eiko Seki, Hayato Mine, and Tomoatsu Kimura	Inhibitory effect of tacrolimus on progression of joint damage in patients with rheumatoid arthritis.	Int J Rheumatic disease	17	747-752	2014
12	Ikeda K, Seto Y, Narita A, Kawakami A, Kawahito Y, Ito H, Matsushita I, Ohno S, Nishida K, Suzuki T, Kaneko A, Ogasawara M, Fukae J, Henmi M, Sumida T, Kamishima T, Koike T	The Japan College of Rheumatology Committee for the Standardization of Musculoskeletal Ultrasonography (JCR-CoSMUS). Ultrasound assessment of synovial pathologies in rheumatoid arthritis using comprehensive multi-plane images of the 2nd metacarpophalangeal joint - Identification of the components which are reliable and influential on the global assessment of the whole joint.	Arthritis Rheumatol	66	523-532	2014
13	松下 功	軟部組織と脱臼 - 梨状筋温存からみた股関節安定性について - .	関節外科	33	705-708	2014
14	松下 功、元村 拓、伊藤芳章	梨状筋は股関節の安定性に寄与しているか? - 術中テンサーを用いた評価 - .	Hip Joint	40	129-131	2014
15	松下 功、元村 拓、関 英子、木村友厚	ARASHI スコアリングシステムを用いた関節リウマチ患者の大関節評価 .	臨床リウマチ	26	88-93	2014
16	松下 功	関節破壊抑制医療の向上と限界 .	分子リウマチ	7	61-64	2014

### 研究成果の刊行に関する一覧表 (平成 26~28 年度)

研究分担者氏名： 松 下 功

書籍

著者氏名	論文タイトル名	書籍全体の編集者名	出版社名	出版年
		書籍名	出版地	ページ
1 松下 功	骨びらん・軟骨障害	川上 純	診断と治療社	2015
		リウマチ診療のための関節エコー活用ガイド	東京	52-56

2	<u>松下 功</u>	運動器の外科的療法	日本リウマチ学会 生涯教育委員会 リウマチ病学テキスト改訂第2版	診断と治療社	2015
3	<u>松下 功</u>	骨破壊のメカニズム（関節リウマチ）	なし 骨・関節・軟骨治療のための新製品開発と臨床ニーズ	技術情報協会 東京	2015 41-44
4	<u>松下 功</u>	手術	日本リウマチ学会 関節リウマチ診療ガイドライン 2014	メディカルレビュー社 大阪	2014 75-89
5	<u>松下 功</u>	(書籍の性質上、タイトルは特にありません)	日本リウマチ学会 関節リウマチ超音波標準化小委員会 関節エコー評価ガイドライン - 滑膜病変アトラス -	羊土社 東京	2014