

研究成果の刊行に関する一覧表

雑誌

| 発表者氏名   | 論文タイトル名  | 発表誌名             | 巻号     | ページ       | 出版年  |
|---|--|------------------|--------|-----------|------|
| Yamasaki K, Tateyama M, Abiru S, Komori A, Nagaoka S, Saeki A, Hashimoto S, Sasaki R, Bekki S, Kugiyama Y, Miyazoe Y, Kuno A, Korenaga M, Togayachi A, Ocho M, Mizokami M, Narimatsu H, Yatsuhashi H.   | Elevated serum levels of WFA+ -M2BP predict the development of hepatocellular carcinoma in hepatitis C patients.   | Hepatology.      | 60(5)  | 1563-1570 | 2014 |
| Ohishi Y, Nakamuta M, Ishikawa N, Saitoh O, Nakamura H, Aiba Y, Komori A, Migita K, Yatsuhashi H, Fukushima N, Kohjima M, Yoshimoto T, Fukuizumi K, Ishibashi M, Nishino T, Shirabe K, Taketomi A, Maehara Y, Ishibashi H, Nakamura M; PBC Study Group of NHOSLJ. | Genetic polymorphisms of OCT-1 confer susceptibility to severe progression of primary biliary cirrhosis in Japanese patients.                                      | J Gastroenterol. | 49(2)  | 332-342   | 2014 |
| Izumi N, Hayashi N, Kumada H, Okanoue T, Tsubouchi H, Yatsuhashi H, Kato M, Ki R, Komada Y, Seto C, Goto S.   | Once-daily simeprevir with peginterferon and ribavirin for treatment-experienced HCV genotype 1-infected patients in Japan: the CONCERTO-2 and CONCERTO-3 studies. | J Gastroenterol. | 49(5)  | 941-953   | 2014 |
| Nakamura T, Sata M, Hiroishi K, Masaki N, Moriwaki H, Murawaki Y, Yatsuhashi H, Fujiyama S, Imawari M.  | Contribution of diuretic therapy with human serum albumin to the management of ascites in patients with advanced liver cirrhosis: A prospective cohort study.      | Mol Clin Oncol.  | 2(3)   | 349-355   | 2014 |
| Hayashi N, Izumi N, Kumada H, Okanoue T, Tsubouchi H, Yatsuhashi H, Kato M, Ki R, Komada Y, Seto C, Goto S.   | Simeprevir with Peginterferon/Ribavirin for Treatment-Naïve Hepatitis C Genotype 1 Patients in Japan: CONCERTO-1, a Phase III Trial.                               | J Hepatol.       | 61(2)  | 219-227   | 2014 |
| Bae SK, Yatsuhashi H, Takahara I, Tamada Y, Hashimoto S, Motoyoshi Y, Ozawa E, Nagaoka S, Yanagi K, Abiru S, Komori A, Ishibashi H.   | Sequential occurrence of acute hepatitis B among members of a high school Sumo wrestling club.   | Hepatol Res.     | 44(10) | E267-272  | 2014 |

|  |  |                          |        |          |      |
|--|--|--------------------------|--------|----------|------|
| Omata M, Nishiguchi S, Ueno Y, Mochizuki H, Izumi N, Ikeda F, Toyoda H, Yokosuka O, Nirei K, Genda T, Umemura T, Takehara T, Sakamoto N, Nishigaki Y, Nakane K, Toda N, Ide T, Yanase M, Hino K, Gao B, Garrison KL, Dvory-Sobol H, Ishizaki A, Omote M, Brainard D, Knox S, Symonds WT, McHutchison JG, Yatsuhashi H, Mizokami M. | Sofosbuvir plus ribavirin in Japanese patients with chronic genotype 2 HCV infection: an open-label, phase 3 trial.  | J Viral Hepat.           | 21(11) | 762-768  | 2014 |
| Kumada H, Hayashi N, Izumi N, Okanoue T, Tsubouchi H, Yatsuhashi H, Kato M, Rito K, Komada Y, Seto C, Goto S.  | Simeprevir (TMC435) once daily with peginterferon- $\alpha$ -2b and ribavirin in patients with genotype 1 hepatitis C virus infection: The CONCERTO-4 study. | Hepatol Res.             | 45(5)  | 501-513  | 2015 |
| Yokoyama S, Kawakami Y, Imamura M, Hayes CN, Kohno H, Kohno H, Tsuji K, Aisaka Y, Kira S, Yamashina K, Nonaka M, Takahashi S, Moriya T, Kitamoto M, Aimitsu S, Nakanishi T, Kawakami H, Chayama K.   | Effect of prolonged administration of pegylated interferon/ribavirin therapy in genotypes 2a and 2b: Propensity score-matched analysis.                      | J Gastroenterol Hepatol. | 30(2)  | 337-344  | 2015 |
| Umemura T, Ota M, Katsuyama Y, Wada S, Mori H, Maruyama A, Shibata S, Nozawa Y, Kimura T, Morita S, Joshita S, Komatsu M, Matsumoto A, Kamijo A, Kobayashi M, Takamatsu M, Yoshizawa K, Kiyosawa K, Tanaka E.  | KIR3DL1-HLA-Bw4 combination and IL28B polymorphism predict response to Peg-IFN and ribavirin with and without telaprevir in chronic hepatitis C.             | Hum Immunol              | 75     | 822-826  | 2014 |
| Nozawa Y, Umemura T, Katsuyama Y, Shibata S, Kimura T, Morita S, Joshita S, Komatsu M, Matsumoto A, Yoshizawa K, Ota M, Tanaka E.  | Genetic polymorphism in IFNL4 and response to pegylated interferon- $\alpha$ and ribavirin in Japanese chronic hepatitis C patients.                         | Tissue Antigens.         | 83(1)  | 45-48    | 2014 |
| Okuhara S, Umemura T, Joshita S, Shibata S, Kimura T, Morita S, Komatsu M, Matsumoto A, Yoshizawa K, Katsuyama Y, Ota M, Tanaka E.   | Serum Levels of Interleukin-22 and Hepatitis B Core-related Antigen Are Associated with Treatment Response to Entecavir Therapy in Chronic Hepatitis B.      | Hepatol Res.             | 44     | E172-180 | 2014 |

|   |  |                               |        |           |      |
|---|--|-------------------------------|--------|-----------|------|
| Morita S, Matsumoto A, Umemura T, Shibata S, Kamijo N, Ichikawa Y, Kimura T, Joshita S, Komatsu M, Yoshizawa K, Tanaka E.       | Characteristics and prediction of hepatitis B e-antigen negative hepatitis following seroconversion in patients with chronic hepatitis B.                              | Hepatol Res.                  | 44     | E45-53    | 2014 |
| Ogasawara S, Akiba J, Nakayama M, Nakashima O, Torimura T and Yano H.   | Epithelial cell adhesion molecule-positive human hepatic neoplastic cells can develop combined hepatocellular-cholangiocarcinoma in mice.                              | J Gastroenterol Hepatol.      | 30(2)  | 413-420   | 2015 |
| Nomura Y, Kage M, Ogata T, Kondo R, Kinoshita H, Ohshima K and Yano H.  | Influence of splenectomy in patients with liver cirrhosis and hypersplenism.   | Hepatol Res.                  | 44(10) | E100-109  | 2014 |
| Nakayama M, Ogasawara S, Akiba J, Ueda K, Koura K, Todoroki K, Kinoshita H and Yano H.  | Side population cell fractions from hepatocellular carcinoma cell lines increased with tumor dedifferentiation, but lack characteristic features of cancer stem cells. | J Gastroenterol Hepatol.      | 29(5)  | 1092-1101 | 2014 |
| Chung JE, Tan S, Gao SJ, Yongvongsoontorn N, Kim SH, Lee JH, Choi HS, Yano H, Zhuo L, Kurisawa M and Ying JY.                   | Self-assembled micellar nanocomplexes comprising green tea catechin derivatives and protein drugs for cancer therapy.  | Nat Nanotechnol.              | 9(11)  | 907-912   | 2014 |
| Kondo R, Kage M, Ogata T, Nakashima O, Akiba J, Nomura Y and Yano H.  | Therapeutic efficacy of splenectomy is attenuated by necroinflammation of the liver in patients with liver cirrhosis.  | J Hepatobiliary Pancreat Sci. | 22(3)  | 217-224   | 2015 |
| 近藤礼一郎, 矢野博久, 鹿毛政義   | 肝臓への血小板集積は肝硬変における脾摘の効果に関与するか   | 消化器内科                         | 59(2)  | 194-200   | 2014 |
| Yatsuhashi H, Kodani N, Ugai H, Omata M.  | Open-label phase 2 study of faldaprevir, deleobuvir and ribavirin in Japanese treatment-naive patients with chronic hepatitis C virus genotype 1 infection.            | Hepatol Res.                  | 46(3)  | E189-93   | 2016 |
| Nagaoka S, Abiru S, Komori A, Sasaki R, Bekki S, Hashimoto S, Saeki A, Yamasaki K, Migita K, Nakamura M, Ezaki H, Yatsuhashi H. | Hepatic flares promote rapid decline of serum hepatitis B surface antigen (HBsAg) in patients with HBsAg seroclearance: A long-term follow-up study.                   | Hepatol Res.                  | 46(3)  | E89-99    | 2016 |

|  |  |                          |        |           |      |
|--|--|--------------------------|--------|-----------|------|
| Iio E, Ocho M, Togayachi A, Nojima M, Kuno A, Ikehara Y, Hasegawa I, Yatsushashi H, Yamasaki K, Shimada N, Ide T, Shinkai N, Nojiri S, Fujiwara K, Joh T, Mizokami M, Narimatsu H, Tanaka Y.   | A novel glyco-biomarker, Wisteria floribunda agglutinin macrophage colony-stimulating factor receptor, for predicting carcinogenesis of liver cirrhosis. | Int J Cancer.            | 138(6) | 1462-1471 | 2016 |
| Maeda Y, Migita K, Higuchi O, Mukaino A, Furukawa H, Komori A, Nakamura M, Hashimoto S, Nagaoka S, Abiru S, Yatsushashi H, Matsuo H, Kawakami A, Yasunami M, Nakane S.   | Association between Anti-Ganglionic Nicotinic Acetylcholine Receptor (gAChR) Antibodies and HLA-DRB1 Alleles in the Japanese Population.                 | PLoS One.                | 11(1)  | e0146048  | 2016 |
| Ito K, Yotsuyanagi H, Sugiyama M, Yatsushashi H, Karino Y, Takikawa Y, Saito T, Arase Y, Imazeki F, Kurosaki M, Umemura T, Ichida T, Toyoda H, Yoneda M, Tanaka Y, Mita E, Yamamoto K, Michitaka K, Maeshiro T, Tanuma J, Korenaga M, Murata K, Masaki N, Koike K, Mizokami M; Japanese AHB and CHB Study Group.   | Geographic distribution and characteristics of genotype A hepatitis B virus infection in acute and chronic hepatitis B patients in Japan.                | J Gastroenterol Hepatol. | 31(1)  | 180-189   | 2016 |
| Migita K, Jiuchi Y, Furukawa H, Nakamura M, Komori A, Yasunami M, Kozuru H, Abiru S, Yamasaki K, Nagaoka S, Hashimoto S, Bekki S, Yoshizawa K, Shimada M, Kouno H, Kamitsukasa H, Komatsu T, Hijioka T, Nakamuta M, Naganuma A, Yamashita H, Nishimura H, Ohta H, Nakamura Y, Ario K, Oohara Y, Sugi K, Tomizawa M, Sato T, Takahashi H, Muro T, Makita F, Mita E, Sakai H, Yatsushashi H. | Lack of association between the CARD10 rs6000782 polymorphism and type 1 autoimmune hepatitis in a Japanese population.                                  | BMC Res Notes.           | 8(1)   | 777       | 2015 |

|   |  |                  |        |           |      |
|---|--|------------------|--------|-----------|------|
| Nishida N, Ohashi J, Sugiyama M, Tsuchiura T, Yamamoto K, Hino K, Honda M, Kaneko S, Yatsuhashi H, Koike K, Yokosuka O, Tanaka E, Taketomi A, Kurosaki M, Izumi N, Sakamoto N, Eguchi Y, Sasazuki T, Tokunaga K, Mizokami M.  | Effects of HLA-DPB1 genotypes on chronic hepatitis B infection in Japanese individuals.  | Tissue Antigens. | 86(6)  | 406-412   | 2015 |
| Matsumoto A, Yatsuhashi H, Nagaoka S, Suzuki Y, Hosaka T, Tsuge M, Chayama K, Kanda T, Yokosuka O, Nishiguchi S, Saito M, Miyase S, Kang JH, Shinkai N, Tanaka Y, Umemura T, Tanaka E.  | Factors associated with the effect of interferon- $\alpha$ sequential therapy in order to discontinue nucleoside/nucleotide analog treatment in patients with chronic hepatitis B. | Hepatol Res.     | 45(12) | 1195-1202 | 2015 |
| Migita K, Komori A, Kozuru H, Jiuchi Y, Nakamura M, Yasunami M, Furukawa H, Abiru S, Yamasaki K, Nagaoka S, Hashimoto S, Bekki S, Kamitsukasa H, Nakamura Y, Ohta H, Shimada M, Takahashi H, Mita E, Hijioka T, Yamashita H, Kouno H, Nakamuta M, Ario K, Muro T, Sakai H, Sugi K, Nishimura H, Yoshizawa K, Sato T, Naganuma A, Komatsu T, Oohara Y, Makita F, Tomizawa M, Yatsuhashi H. | Circulating microRNA Profiles in Patients with Type-1 Autoimmune Hepatitis.  | PLoS One.        | 10(11) | e0136908  | 2015 |
| Aoki Y, Sugiyama M, Murata K, Yoshio S, Kurosaki M, Hashimoto S, Yatsuhashi H, Nomura H, Kang JH, Takeda T, Naito S, Kimura T, Yamagiwa Y, Korenaga M, Imamura M, Masaki N, Izumi N, Kage M, Mizokami M, Kanto T.   | Association of serum IFN- $\lambda$ 3 with inflammatory and fibrosis markers in patients with chronic hepatitis C virus infection.   | J Gastroenterol. | 50(8)  | 894-902   | 2015 |
| Bae SK, Abiru S, Kamohara Y, Hashimoto S, Otani M, Saeki A, Nagaoka S, Yamasaki K, Komori A, Ito M, Fujioka H, Yatsuhashi H.  | Hepatic inflammatory pseudotumor associated with xanthogranulomatous cholangitis mimicking cholangiocarcinoma.   | Intern Med.      | 54(7)  | 771-775   | 2015 |

|  |   |                    |        |           |      |
|--|---|--------------------|--------|-----------|------|
| Kuwabara H, Westerhout K, Treur M, Cerri K, Mahlich J, Yatsuhashi H.   | Cost-effectiveness analysis of simeprevir in combination with peginterferon and ribavirin for treatment-naïve chronic hepatitis C genotype 1 patients in Japan.   | J Med Econ.        | 18(7)  | 502-511   | 2015 |
| Sasaki R, Yamasaki K, Abiru S, Komori A, Nagaoka S, Saeki A, Hashimoto S, Bekki S, Kugiyama Y, Kuno A, Korenaga M, Togayachi A, Ocho M, Mizokami M, Narimatsu H, Ichikawa T, Nakao K, Yatsuhashi H.  | Serum Wisteria Floribunda Agglutinin-Positive Mac-2 Binding Protein Values Predict the Development of Hepatocellular Carcinoma among Patients with Chronic Hepatitis C after Sustained Virological Response.                | PLoS One.          | 10(6)  | e0129053  | 2015 |
| Mizokami M, Yokosuka O, Takehara T, Sakamoto N, Korenaga M, Mochizuki H, Nakane K, Enomoto H, Ikeda F, Yanase M, Toyoda H, Genda T, Umemura T, Yatsuhashi H, Ide T, Toda N, Nirei K, Ueno Y, Nishigaki Y, Betular J, Gao B, Ishizaki A, Omote M, Mo H, Garrison K, Pang PS, Knox SJ, Symonds WT, McHutchison JG, Izumi N, Omata M.   | Ledipasvir and sofosbuvir fixed-dose combination with and without ribavirin for 12 weeks in treatment-naïve and previously treated Japanese patients with genotype 1 hepatitis C: an open-label, randomised, phase 3 trial. | Lancet Infect Dis. | 15(6)  | 645-653   | 2015 |
| Iio E, Matsuura K, Nishida N, Maekawa S, Enomoto N, Nakagawa M, Sakamoto N, Yatsuhashi H, Kurosaki M, Izumi N, Hiasa Y, Masaki N, Ide T, Hino K, Tamori A, Honda M, Kaneko S, Mochida S, Nomura H, Nishiguchi S, Okuse C, Itoh Y, Yoshiji H, Sakaida I, Yamamoto K, Watanabe H, Hige S, Matsumoto A, Tanaka E, Tokunaga K, Tanaka Y. | Genome-wide association study identifies a PSMD3 variant associated with neutropenia in interferon-based therapy for chronic hepatitis C.   | Hum Genet.         | 134(3) | 279-289   | 2015 |
| Kohjima M, Kurokawa M, Enjoji M, Yoshimoto T, Nakamura T, Ohashi T, Fukuizumi K, Harada N, Murata Y, Matsunaga K, Kato M, Kotoh K and Nakamuta M.  | Analysis of renal function during telaprevir - based triple therapy for chronic hepatitis C.  | Exp Ther Med.      | 11(5)  | 1781-1787 | 2016 |

|   |  |                        |        |           |      |
|---|--|------------------------|--------|-----------|------|
| Kuwayama M, Uchino K, Takayoshi K, Komoda M, Kohjima M, Nakamuta M, Momosaki S, Kusaba H, Akashi K, Baba E.   | Immunosuppressant therapy successfully improved regorafenib-induced severe hepatic injury in a patient with metastatic gastrointestinal stromal tumor: A case report.                    | Oncol Lett.            | 11(1)  | 85-88     | 2016 |
| Kohjima M, Yoshimoto T, Enjoji M, Fukushima N, Fukuizumi K, Nakamura T, Kurokawa M, Fujimori N, Sasaki Y, Shimonaka Y, Murata Y, Koyama S, Kawabe K, Haraguchi K, Sumida Y, Harada N, Kato M, Kotoh K, Nakamuta M.  | Hepcidin/ferroportin expression levels involve efficacy of pegylated-interferon plus ribavirin in hepatitis C virus-infected liver.  | World J Gastroenterol. | 21(11) | 3291-3299 | 2015 |
| Kohjima M, Enjoji M, Yada R, Yoshimoto T, Nakamura T, Fukuizumi K, Fukushima N, Murata Y, Nakashima M, Kato M, Kotoh K, Shirabe K, Maehara Y, Nakajima A, Nozaki Y, Honda A, Matsuzaki Y, Nakamuta M.   | Pathophysiological analysis of primary biliary cirrhosis focusing on choline/phospholipid metabolism.  | Liver Int.             | 35(3)  | 1095-1102 | 2015 |
| Imanaka K, Ohkawa K, Tatsumi T, Katayama K, Inoue A, Imai Y, Oshita M, Iio S, Mita E, Fukui H, Yamada A, Hijioka T, Inada M, Doi Y, Suzuki K, Kaneko A, Marubashi S, Fukui YI, Sakamori R, Yakushijin T, Hiramatsu N, Hayashi N, Takehara T, Forum OL.  | Impact of branched-chain amino acid supplementation on the survival in patients with advanced hepatocellular carcinoma treated with sorafenib; a multicenter retrospective cohort study. | Hepatol Res.           | 46(10) | 1002-1010 | 2016 |
| Tahata Y, Hiramatsu N, Oze T, Morishita N, Harada N, Yamada R, Yakushijin T, Mita E, Hagiwara H, Yamada Y, Ito T, Hijioka T, Inada M, Katayama K, Tamura S, Yoshihara H, Inoue A, Imai Y, Irishio K, Kato M, Hikita H, Sakamori R, Miyagi T, Yoshida Y, Tatsumi T, Hamasaki T, Hayashi N, Takehara T. | The impact of an inosine triphosphate pyrophosphatase genotype on bilirubin increase in chronic hepatitis C patients treated with simeprevir, pegylated interferon plus ribavirin.       | J Gastroenterol.       | 51(3)  | 252-259   | 2016 |

|   |  |                              |        |          |      |
|---|--|------------------------------|--------|----------|------|
| Okanoue T, Shima T, Hasebe C, Karino Y, Imazeki F, Kumada T, Minami M, Imai Y, Yoshihara H, Mita E, Morikawa T, Nishiguchi S, Kawakami Y, Nomura H, Sakisaka S, Kurosaki M, Yatsushiro H, Oketani M, Kohno H, Masumoto A, Ikeda K, Kumada H.  | Long-term follow-up of peginterferon- $\alpha$ -2a treatment of HBeAg-positive and HBeAg-negative chronic hepatitis B patients in phase II and III studies.                            | Hepatol Res.                 | 46(10) | 992-1001 | 2016 |
| Yoshio S, Sugiyama M, Shoji H, Mano Y, Mita E, Okamoto T, Matsuura Y, Okuno A, Takikawa O, Mizokami M, Kanto T.   | Indoleamine-2,3-dioxygenase as an effector and an indicator of protective immune responses in patients with acute hepatitis B.   | Hepatology.                  | 63(1)  | 83-94    | 2016 |
| Sakakibara Y, Nakazuru S, Yamada T, Iwasaki T, Iwasaki R, Ishihara A, Nishio K, Ishida H, Kodama Y, Mita E.   | Anaplastic lymphoma kinase-negative anaplastic large cell lymphoma with colon involvement.   | Can J Gastroenterol Hepatol. | 29(7)  | 345-346  | 2015 |
| Yamada R, Hiramatsu N, Oze T, Morishita N, Harada N, Yakushijin T, Iio S, Doi Y, Yamada A, Kaneko A, Hagiwara H, Mita E, Oshita M, Itoh T, Fukui H, Hijioka T, Katayama K, Tamura S, Yoshihara H, Imai Y, Kato M, Miyagi T, Yoshida Y, Tatsumi T, Kasahara A, Hamasaki T, Hayashi N, Takehara T; Osaka Liver Forum. | Impact of alpha-fetoprotein on hepatocellular carcinoma development during entecavir treatment of chronic hepatitis B virus infection.   | J Gastroenterol.             | 50(7)  | 785-794  | 2015 |
| Oze T, Hiramatsu N, Yakushijin T, Yamada R, Harada N, Morishita N, Oshita M, Mita E, Ito T, Inui Y, Inada M, Tamura S, Yoshihara H, Imai Y, Kato M, Miyagi T, Yoshida Y, Tatsumi T, Kasahara A, Hayashi N, Takehara T.  | The real impact of telaprevir dosage on the antiviral and side effects of telaprevir, pegylated interferon and ribavirin therapy for chronic hepatitis C patients with HCV genotype 1. | J Viral Hepat.               | 22(3)  | 254-262  | 2015 |
| Asazawa H, Kamada Y, Takeda Y, Takamatsu S, Shinzaki S, Kim Y, Nezu R, Kuzushita N, Mita E, Kato M, Miyoshi E.  | Serum fucosylated haptoglobin in chronic liver diseases as a potential biomarker of hepatocellular carcinoma development.  | Clin Chem Lab Med.           | 53(1)  | 95-102   | 2015 |



|  |  |              |         |           |      |
|--|--|--------------|---------|-----------|------|
| Kamitsukasa H, Iri M, Tanaka A, Nagashima S, Takahashi M, Nishizawa T, Okamoto H.  | Spontaneous reactivation of hepatitis B virus (HBV) infection in patients with resolved or occult HBV infection.   | J Med Virol. | 87(4)   | 589-600   | 2015 |
| Kawaoka T, Aikata H, Hyogo H, Morio R, Morio K, Hatooka M, Fukuhara T, Kobayashi T, Naeshiro N, Miyaki D, Hiramatsu A, Imamura M, Kawakami Y, Takahashi S, Waki K, Tsuji K, Kohno H, Kohno H, Moriya T, Chayama K. | Comparison of hepatic arterial infusion chemotherapy versus sorafenib monotherapy in patients with advanced hepatocellular carcinoma.  | J Dig Dis.   | 16(9)   | 505-512   | 2015 |
| 正木尚彦   | 各論 B型肝炎, B型慢性肝炎の動向: 概論   | 日本臨牀         | 73 (増9) | 336-342   | 2015 |
| Hirashima N, Iwase H, Shimada M, Imamura J, Sugiura W, Yokomaku Y, Watanabe T.   | An Hepatitis C Virus (HCV)/HIV Co-Infected Patient who Developed Severe Hepatitis during Chronic HCV Infection: Sustained Viral Response with Simeprevir Plus Peginterferon-Alpha and Ribavirin. | Intern Med.  | 54(17)  | 2173-2177 | 2015 |
| 平嶋 昇, 岩瀬弘明, 島田昌明, 田中優作, 宇仁田 慧, 水田りな子, 後藤百子, 浦田 登, 加藤文一郎, 江崎正哉, 喜田裕一, 久野剛史, 龍華庸光, 桶屋将之  | 肝細胞癌に対する加温ミリプラチンとゼラチンスポンジによる経カテーテル的化学塞栓療法の治療成績   | 医療           | 69(4)   | 181-186   | 2015 |
| 森田 進, 吉澤 要, 内山夏紀, 藤森一也, 滋野俊, 岡本宏明  | 同一地区内で発症した遺伝子配列の異なるE型肝炎ウイルス株による急性肝炎の2例   | 肝臓           | 56(11)  | 625-627   | 2015 |
| Senoo T, Ichikawa T, Taura N, Miyaaki H, Miuma S, Shibata H, Honda T, Takatsuki M, Hidaka M, Soyama A, Eguchi S, Nakao K.  | Incidence of and risk factors for bile duct stones after living donor liver transplantation: an analysis of 100 patients.  | Hepatol Res  | 45(9)   | 969-975   | 2015 |
| Miyaaki H, Nakamura Y, Ichikawa T, Taura N, Miuma S, Shibata H, Honda T, Nakao K.  | Predictive value of the efficacy of tolvaptan in liver cirrhosis patients using free water clearance.  | Biomed Rep   | 3(6)    | 884-886   | 2015 |
| Kamo Y, Ichikawa T, Miyaaki H, Uchida S, Yamaguchi T, Shibata H, Honda T, Taura N, Isomoto H, Takeshima F, Nakao K.  | Significance of miRNA-122 in chronic hepatitis C patients with serotype 1 on interferon therapy.   | Hepatol Res. | 45(1)   | 88-96     | 2015 |

|  |  |                  |         |           |          |
|--|--|------------------|---------|-----------|----------|
| Kawaguchi T, Kohjima M, Ichikawa T, Seike M, Ide Y, Mizuta T, Honda K, Nakao K, Nakamuta M, Sata M.  | The morbidity and associated risk factors of cancer in chronic liver disease patients with diabetes mellitus: a multicenter field survey.          | J Gastroenterol  | 50(3)   | 333-341   | 2015     |
| 中尾一彦   | トロトラスト肝障害と発癌   | 日本臨床             | 73 (増1) | 139-141   | 2015     |
| 山下万平, 曾山明彦, 高槻光寿, 日高匡章, 宮明寿光, 黒木 保, 中尾一彦, 江口 晋   | インターフェロン・リバビリン併用療法中に脾摘後劇症型感染症を発症し、救命し得た生体肝移植後患者の1例   | 日本消化器病学会雑誌       | 112(2)  | 325-331   | 2015     |
| 徳満純一、原口雅史、市川辰樹、田浦直太、宮明寿光、柴田英貴、三馬聡、日高匡章、高槻光寿、江口 晋、中尾一彦  | 特発性血小板減少性紫斑病を急性発症したC型肝炎例に対し集学的加療を行うことで生体肝移植を施行し得た1例  | 肝臓               | 56(6)   | 296-302   | 2015     |
| 柴田英貴、中尾一彦  | 原発性胆汁性肝硬変と骨合併症   | CLINICAL CALCIUM | 25(11)  | 35-40     | 2015     |
| 三馬 聡, 中尾一彦   | 肝移植後の抗ウイルス療法   | 肝胆膵              | 71(6)   | 1247-1252 | 2015     |
| 高嶋智之, 飯島尋子, 青木智子, 中野智景, 會澤信弘, 岸野恭平, 霜野良弘, 長谷川国大, 高田亮, 楊和典, 石井昭生, 坂井良行, 西村貴士, 西川浩樹, 岩田恵典, 池田直人, 榎本平之, 廣田誠一, 藤元治朗, 矢野博久, 中島収, 鹿毛政義, 西口修平   | <速報>慢性肝炎における肝線維化マーカーELFスコアの有用性   | 肝臓               | 56(10)  | 543-545   | 2015     |
| Kawashima M, Hitomi Y, Aiba Y, Nishida N, Kojima K, Kawai Y, Nakamura H, Tanaka A, Zeniya M, Hashimoto E, Ohira H, Yamamoto K, Abe M, Nakao K, Yamagiwa S, Kaneko S, Honda M, Umemura T, Ichida T, Seike M, Sakisaka S, Harada M, Yokosuka O, Ueno Y, Senju M, Kanda T, Shibata H, Himoto T, Murata K, Miyake Y, Ebinuma H, Tani ai M, Joshita S, Nikami T, Ota H, Kouno H, Kouno H, Nakamuta M, Fukushima N, Kohjima M, Komatsu T, Komeda T, Ohara Y, Muro T, Yamashita T, Yoshizawa K, Nakamura Y, Shimada M, Hirashima N, Sugi K, Ario K, Takesaki E, Naganuma A, Mano H, | Genome-wide association studies identify PRKCB as a novel genetic susceptibility locus for primary biliary cholangitis in the Japanese population. | Hum Mol Genet.   |         |           | in press |

|   |   |                  |       |         |              |
|---|---|------------------|-------|---------|--------------|
| Yamashita H, Matsushita K, Yamauchi K, Makita F, Nishimura H, Furuta K, Takahashi N, Kikuchi M, Masaki N, Tanaka T, Tamura S, Mori A, Yagi S, Shirabe K, Komori A, Migita K, Ito M, Nagaoka S, Abiru S, Yatsushashi H, Yasunami M, Shimoda S, Harada K, Egawa H, Maehara Y, Uemoto S, Kokudo N, Takikawa H, Ishibashi H, Chayama K, Mizokami M, Nagasaki M, Tokunaga K, Nakamura M. |   |                  |       |         |              |
| Higuchi T, Oka S, Furukawa H, Nakamura M, Komori A, Abiru S, Nagaoka S, Hashimoto S, Naganuma A, Naeshiro N, Yoshizawa K, Shimada M, Nishimura H, Tomizawa M, Kikuchi M, Makita F, Yamashita H, Ario K, Yatsushashi H, Tohma S, Kawasaki A, Ohira H, Tsuchiya N, Migita K.  | Association of a single nucleotide polymorphism upstream of ICOS with Japanese autoimmune hepatitis type 1.                               | J Hum Genet.     | 62(4) | 481-484 | 2017.<br>Apr |
| Maeda Y, Nakane S, Higuchi O, Nakamura H, Komori A, Migita K, Mukaino A, Umeda M, Ichinose K, Tamai M, Kawashiri SY, Sakai W, Yatsushashi H, Kawakami A, Matsuo H.  | Ganglionic acetylcholine receptor autoantibodies in patients with autoimmune diseases including primary biliary cirrhosis.                | Mod Rheumatol.   |       |         | in press     |
| Sako A, Bae SK, Gushima T, Motoshita J, Bekki S, Abiru S, Komori A, Shimoda S, Ito M, Yatsushashi H, Takahashi K.   | Drug-induced Liver Injury Associated with Mosapride Citrate: A Report of Two Cases.   | Intern Med.      | 56(1) | 41-45   | 2017         |
| Matsumoto A, Imaizumi M, Tanaka Y, Nishiguchi S, Yatsushashi H, Ishida T, Moriyama K, Aoyagi K, Tanaka E.   | Novel and highly sensitive immunoassay for total hepatitis B surface antigen, including that complexed with hepatitis B surface antibody. | J Gastroenterol. | 52(3) | 376-384 | 2017         |
| Taida T, Arai M, Kanda T, Hige S, Ueno Y, Imazeki F, Izumi N, Tanaka E, Shinkai N, Yoshioka K, Nakamoto Y, Nishiguchi S, Tsuge M, Abe M, Sata M, Yatsushashi H, Ido A, Kita K, Azemoto R, Kitsukawa Y, Goto N, Yokosuka O.  | The prognosis of hepatitis B inactive carriers in Japan: a multicenter prospective study.   | J Gastroenterol. | 52(1) | 113-122 | 2017         |

|   |  |   |        |           |      |
|---|--|---|--------|-----------|------|
| Yatsushashi H.  | Past, Present, and Future of Viral Hepatitis C in Japan.   | Euroasian J Hepato-Gastroenterol.                           | 6(1)   | 49-51     | 2016 |
| Hashimoto S, Yatsushashi H, Abiru S, Yamasaki K, Komori A, Nagaoka S, Saeki A, Uchida S, Bekki S, Kugiyama Y, Nagata K, Nakamura M, Migita K, Nakao K.  | Rapid Increase in Serum Low-Density Lipoprotein Cholesterol Concentration during Hepatitis C Interferon-Free Treatment.                        | PLoS One.   | 11(9)  | e0163644  | 2016 |
| Nagaoka S, Komori A, Yatsushashi H.   | <Letter> Re: Do hepatic flares really promote rapid decline of serum hepatitis B surface antigen (HBsAg) in patients with HBsAg seroclearance? | Hepatol Res.  | 46(7)  | 720       | 2016 |
| Nishida N, Ohashi J, Khor SS, Sugiyama M, Tsuchiura T, Sawai H, Hino K, Honda M, Kaneko S, Yatsushashi H, Yokosuka O, Koike K, Kurosaki M, Izumi N, Korenaga M, Kang JH, Tanaka E, Taketomi A, Eguchi Y, Sakamoto N, Yamamoto K, Tamori A, Sakaida I, Hige S, Itoh Y, Mochida S, Mita E, Takikawa Y, Ide T, Hiasa Y, Kojima H, Yamamoto K, Nakamura M, Saji H, Sasazuki T, Kanto T, Tokunaga K, Mizokami M. | Understanding of HLA-conferred susceptibility to chronic hepatitis B infection requires HLA genotyping-based association analysis.             | Sci Rep.  | 6      | 24767     | 2016 |
| 八橋 弘  | 【第6章 肝胆膵疾患の診療】急性肝炎（伝染性単核球症、サイトメガロウイルス感染症を含む）。  | 消化器研修ノート 改訂第2版<br>診断と治療社、シリーズ総監修：永井良三（監修）、中島淳（編集）、五十嵐良典（編集） | 改訂第2版  | 428-432   | 2016 |
| Tahata Y, Hiramatsu N, Oze T, Urabe A, Morishita N, Yamada R, Yakushijin T, Hosui A, Oshita M, Kaneko A, Hagiwara H, Mita E, Ito T, Yamada Y, Inada M, Katayama K, Tamura S, Imai Y, Hikita H, Sakamori R, Yoshida Y, Tatsumi T, Hayashi N, Takehara T.   | Impact of ribavirin dosage in chronic hepatitis C patients treated with simeprevir, pegylated interferon plus ribavirin combination therapy.   | J Med Virol.  | 88(10) | 1776-1784 | 2016 |

|  |   |                               |       |           |          |
|--|---|-------------------------------|-------|-----------|----------|
| Hatooka M, Kawaoka T, Aikata H, Morio K, Kobayashi T, Hiramatsu A, Imamura M, Kawakami Y, Murakami E, Waki K, Honda Y, Mori N, Takaki S, Tsuji K, Kohno H, Kohno H, Moriya T, Nonaka M, Hyogo H, Aisaka Y, Chayama K.  | Comparison of Outcome of Hepatic Arterial Infusion Chemotherapy and Sorafenib in Patients with Hepatocellular Carcinoma Refractory to Transcatheter Arterial Chemoembolization.     | Anticancer Res.               | 36(7) | 3523-9    | 2016     |
| Morio K, Imamura M, Kawakami Y, Nakahara T, Nagaoki Y, Kawaoka T, Tsuge M, Hiramatsu A, Aikata H, Hayes CN, Makokha GN, Ochi H, Amano H, Arataki K, Moriya T, Ito H, Tsuji K, Kohno H, Waki K, Tamura T, Nakamura T, Chayama K; Hiroshima Liver Study Group. | ITPA polymorphism effects on decrease of hemoglobin during sofosbuvir and ribavirin combination treatment for chronic hepatitis C.  | J Gastroenterol.              |       |           | in press |
| 小村卓也、太田肇、清島淳、荒井邦明、中井亮太郎、宮澤正樹、丸川洋平、加賀谷尚史、古河浩之、川島篤弘、鵜浦雅志   | びまん浸潤型の乳がん肝転移により亜急性型の病型を呈した昏睡型急性肝不全の1剖検例  | 日本肝臓学会雑誌                      | 57    | 320-326   | 2016     |
| Komura T, Ohta H, Nakai R, Seishima J, Yamato M, Miyazawa M, Kaji K, Marukawa Y, Kagaya T, Kitagawa K, Kawashima A, Kaneko S, Unoura M.  | Cytomegalovirus Reactivation Induced Acute Hepatitis and Gastric Erosions in a Patients with Rheumatoid Arthritis under Treatment with an Anti-IL-6 Receptor Antibody, Tocilizumab. | Internal Medicine.            | 55    | 1923-1927 | 2016     |
| Shimada M, Iwase H, Hirashima N, Ryuge N, Urata N.   | Nutritional status and long-term prognosis in patients with refractory hepatic ascites treated with tolvaptan.  | Gastroenterol Hepatol Endosc. | 2     | 1-5       | 2017     |
| Iio E, Shimada N, Abe H, Atsukawa M, Yoshizawa K, Takaguchi K, Eguchi Y, Nomura H, Kuramitsu T, Kang JH, Matsui T, Hirashima N, Tsubota A, Kusakabe A, Hasegawa I, Miyaki T, Shinkai N, Fujiwara K, Nojiri S, Tanaka Y.                                      | Efficacy of daclatasvir/asunaprevir according to resistance-associated variants in chronic hepatitis C with genotype 1.   | J Gastroenterol.              | 52    | 94-103    | 2017     |

|  |   |                       |        |           |          |
|--|---|-----------------------|--------|-----------|----------|
| Hirashima N, Iwase H, Shimada M, Ryuge N, Imamura J, Ikeda H, Tanaka Y, Matsumoto N, Okuse C, Itoh F, Yokomaku Y, Watanabe T.  | Successful treatment of three patients with human immunodeficiency virus and hepatitis C virus genotype 1b co-infection by daclatasvir plus asunaprevir.                | Clin Gastroenterol. J | 10(1)  | 41-46     | 2017     |
| 島田昌明, 岩瀬弘明, 平嶋 昇, 龍華庸光, 加藤文一郎, 浦田 登, 後藤百子, 宇仁田 慧, 近藤高, 田中大貴.   | 肝性腹水に対するトルバプタン投与例におけるCONUT法を用いた栄養学的評価の検討.   | 日本病態栄養学会誌             | 19     | 405-411   | 2016     |
| 島田昌明, 岩瀬弘明, 平嶋 昇, 龍華庸光.  | トルバプタン治療を導入した難治性腹水合併肝硬変症のCONUT法を用いた栄養学的評価と長期予後に関する検討.   | 日門亢会誌                 | 22     | 221-225   | 2016     |
| Yoshizawa K, Joshita S, Matsumoto A, Umemura T, Tanaka E, Morita S, Maejima T, Ota M.  | Incidence and prevalence of autoimmune hepatitis in the Ueda area, Japan.   | Hepatol Res.          | 46(9)  | 878-883   | 2016     |
| Umemura T, Joshita S, Yamazaki T, Komatsu M, Katsuyama Y, Yoshizawa K, Tanaka E, Ota M.  | Genetic Association of PTPN22 Polymorphisms with Autoimmune Hepatitis and Primary Biliary Cholangitis in Japan.   | Sci Rep.              | 6      | 29770     | 2016     |
| Takahashi A, Arinaga-Hino T, Ohira H, Torimura T, Zeniya M, Abe M, Yoshizawa K, Takaki A, Suzuki Y, Kang JH, Nakamoto N, Fujisawa T, Yonemoto K, Tanaka A, Takikawa H. | Autoimmune Hepatitis Study Group-Subgroup of the Intractable Hepato-Biliary Disease Study Group in Japan. Autoimmune hepatitis in Japan: trends in a nationwide survey. | J Gastroenterol.      |        |           | in press |
| Ito A, Yoshizawa K, Fujimori K, Morita S, Shigeno T, Maejima T.  | Autoimmune Hepatitis Associated with Immune Thrombocytopenic Purpura.   | Intern Med.           | 56(2)  | 143-147   | 2017     |
| Akazawa Y, Nakao K.  | Lipotoxicity pathways intersect in hepatocytes: endoplasmic reticulum stress, c-Jun N-terminal kinase-1, and death receptors.   | Hepatol Res.          | 46(10) | 977-984   | 2016     |
| Miyaaki H, Ichikawa T, Taura N, Miuma S, Honda T, Shibata H, Toriyama K, Nakao K.  | Significance of Hepatic Insulin Clearance in Patients with Chronic Hepatitis C and Non-alcoholic Fatty Liver Disease.   | Intern Med.           | 55(9)  | 1049-1054 | 2016     |

|  |  |                            |       |           |          |
|--|--|----------------------------|-------|-----------|----------|
| Miuma S, Ichikawa T, Miyaaki H, Haraguchi M, Tamada Y, Shibata H, Taura N, Soyama A, Hidaka M, Takatsuki M, Eguchi S, Nakao K. | Efficacy and Tolerability of Pegylated Interferon and Ribavirin in Combination with Simeprevir to Treat Hepatitis C Virus Infections After Living Donor Liver Transplantation. | J Interferon Cytokine Res. | 36(6) | 358-366   | 2016     |
| Yoshimura E, Ichikawa T, Miyaaki H, Taura N, Miuma S, Shibata H, Honda T, Takeshima F, Nakao K.                                | Screening for minimal hepatic encephalopathy in patients with cirrhosis by cirrhosis-related symptoms and a history of overt hepatic encephalopathy.                           | Biomed Rep.                | 5(2)  | 193-198   | 2016     |
| Haraguchi M, Miyaaki H, Ichikawa T, Shibata H, Honda T, Ozawa E, Miuma S, Taura N, Takeshima F, Nakao K.                       | Glucose fluctuations reduce quality of sleep and of life in patients with liver cirrhosis.   | Hepatol Int.               | 11(1) | 125-131   | 2017     |
| Uchida S, Miyaaki H, Ichikawa T, Taura N, Miuma S, Honda T, Shibata H, Haraguchi M, Senoo T, Nakao K.                          | Risk factors for osteoporosis in patients with end-stage liver disease.  | Biomed Rep.                | 5(5)  | 629-633   | 2016     |
| Katsura E, Ichikawa T, Taura N, Miyaaki H, Miuma S, Shibata H, Honda T, Hidaka M, Soyama A, Takeshima F, Eguchi S, Nakao K.    | Elevated Fasting Plasma Glucose before Liver Transplantation is Associated with Lower Post-Transplant Survival.  | Med Sci Monit.             | 22    | 4707-4715 | 2016     |
| 伊東亜由美, 森永芳智, 石原香織, 臼井哲也, 森智崇, 原口雅史, 中尾一彦, 柳原克紀   | 検査室の介入と患者指導によりカリウムの偽高値が改善した一例  | 医学検査                       | 65(3) | 310-316   | 2016     |
| 三馬 聡, 中尾一彦   | C型肝炎に対する新しい治療  | 長崎市医師会報                    | 50(7) | 18-22     | 2016     |
| Ogasawara S, Akiba J, Nakayama M, Kusano H and Yano H.   | Antiproliferative effect of ME3738, a derivative of soyasapogenol, on hepatocellular carcinoma cell lines in vitro and in vivo.  | Biomedical reports         | 5     | 731-736   | 2016     |
| Nomura Y, Nakashima O, Akiba J, Ogasawara S, Fukutomi S, Yamaguchi R, Kusano H, Kage M, Okuda K and Yano H.                    | Clinicopathological features of neoplasms with neuroendocrine differentiation occurring in the liver.  | J Clin Pathol.             |       |           | in press |
| Eto D, Hisaka T, Horiuchi H, Uchida S, Ishikawa H, Kawashima Y, Kinugasa T, Nakashima O, Yano H, Okuda K and Akagi Y.          | Expression of HSP27 in Hepatocellular Carcinoma.   | Anticancer research        | 36    | 3775-3779 | 2016     |

|  |  |                |        |         |      |
|--|--|----------------|--------|---------|------|
| Akiba J, Nakashima O, Hattori S, Naito Y, Kusano H, Kondo R, Nakayama M, Tanikawa K, Todoroki K, Umeno Y, Nakamura K, Sanada S, Yamaguchi R, Ogasawara S and Yano H. | The expression of arginase-1, keratin (K) 8 and K18 in combined hepatocellular-cholangiocarcinoma, subtypes with stem-cell features, intermediate-cell type. | J Clin Pathol. | 69(10) | 846-851 | 2016 |
|--|--|----------------|--------|---------|------|