

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
島村智子、伊藤裕才、久保勇人、柏木丈弘、石川洋哉、松井利郎、山崎壮、多田敦子、杉本直樹、穠山浩、受田浩之	既存添加物チャ抽出物中のカテキン類含量と抗酸化力価の関係	日本食品化学会会誌			印刷中
Akiyama H, Nose M, Ohtsuki N, Hisaka S, Takiguchi H, Tada A, Sugimoto N, Fuchino H, Inui T, Kawano N, Hayashi S, Hishida A, Kudo T, Sugiyama K, Abe Y, Mutsuga M, Kawahara N, Yoshimatsu K,	Evaluation of the safety and efficacy of extracts of <i>Glycyrrhiza uralensis</i> roots produced using artificial hydroponic and artificial hydroponic-field hybrid cultivation system,	<i>J. Nat. Med.</i>	71	265-271	2017
Enkhtuya E., Shimamura T, Kashiwagi T., Ukedate H.,	Antioxidative Constituents in the Leaves of <i>Paeonia anomala</i> Grown in Mongolia	<i>Food Science and Technology Research</i>	23	63-70	2017
Tanaka R., Inagaki R., Sugimoto N., Akiyama H., Nagatsu A.,	Application of a quantitative ¹ H-NMR (¹ H-qNMR) method for the determination of geniposidic acid and acteoside in <i>Plantaginis</i> semen	<i>Journal of Natural Medicines</i>	71(1)	315-320	2017
山内良子、石井佐弥、草場悠里、小林弘司、島村智子、受田浩之、穠山浩、石井洋哉	酸化防止剤力価評価を目的とした DPPH ラジカル消去能測定におよぼす反応溶媒の影響	日本食品保蔵学会誌	42(5)	189-196	2016
Nishizaki Y., Ishizuki, K., Akiyama, H., Tada, A., Sugimoto, N., Sato, K.	Preparation of a ammonia- treated lactide and structure elucidation of its main component	Journal of the Food Hygienic Society of Japan (Shokuhin Eiseigaku Zasshi)	57 (6)	193-200	2016
Amakura Y., Yoshimura M., Morimoto S., Yoshida T., Tada A., Ito Y., Yamazaki T., Sugimoto N., Akiyama H.,	Chromatographic evaluation and Characterization of Components of Gentian Root Extract Used as Food Additives	<i>Chem. Pharm. Bull.</i>	64(1)	78-82	2016

Tanaka R., Shibata H., Sugimoto N., Akiyama H., Nagatsu A.,	Application of a quantitative ¹ H-NMR method for the determination of paeonol in Moutan cortex, Hachimijiogan and Keishibukuryogan	<i>Journal of Natural Medicines</i>	70(4)	797-802	2016
Ueda T., Okumura T., Tanaka Y., Shimamura T., Ukeda H.,	Development of a new electrochemical evaluation method for antioxidant activity based on the redox properties of polyoxometalates and its application to the evaluation of antioxidant capacity of beverages	Analytical Sciences	32	825-830	2016
Takahashi, M., Nishizaki, Y., Sugimoto, N., Takeuchi, H., Nakagawa, K., Akiyama, H., Sato, K., Inoue, K.	Determination and purification of sesamin and sesamolin in sesame seed oil unsaponified matter using reversed-phase liquid chromatography coupled with photodiode array and tandem mass spectrometry and high-speed countercurrent chromatography.	J. Sep. Sci.	39	3898-3905	2016
Todoroki, K., Nakamura, M., Sato, Y., Goto, K., Nakano, T., Ishii, Y., Min, J.Z., Inoue, K., Toyo'oka, T.	4-(4,6-Dimethoxy-1,3,5-triazin-2-yl)-4-methylmorpholinium Chloride as an Enantioseparation Enhancer for Chiral Derivatization-LC Analysis of D- and L-Amino acids.	Chromatography	37	23-28	2016
Inoue, K., Tanada, C., Hosoya, T., Yoshida, S., Akiba, T., Min, J.Z., Todoroki, K., Yamano, Y., Kumazawa, S., Toyo'oka, T.	Principal component analysis of molecularly-based signals from infant formula contaminations using LC-MS and NMR in foodomics.	J. Sci. Food Agric.	96	3876-3881	2016

Inoue, K., Miyazaki, Y., Unno, K., Min, J.Z., Todoroki, K., Toyo'oka, T.	Stable isotope dilution HILIC-MS/MS method for accurate quantification of glutamic acid, glutamine, pyroglutamic acid, GABA and theanine in mouse brain tissues.	Biomed. Chromatogr.	30	55-61	2016
Amakura Y, Yoshimura M, Yoshida T, Tada A, Ito Y, Yamazaki T, Sugimoto N, Akiyama H	Chromatographic evaluation of the components of grape skin extract used as food additives	Jpn. J. Food Chem. Safety	22	108-114	2015
Kawasaki H, Akiyama T, Tada A, Sekiguchi W, Nishizaki Y, Ito Y, Sugimoto N, Akiyama, H.	Development of HILIC-MS method for direct quantitation of 2-acetyl-4-tetrahydroxybutylimidazole in caramel III with the qNMR certified standard.	Jpn. J. Food Chem. Safety	22(2)	115-122	2015
多田敦子, 石附京子, 杉本直樹, 吉松嘉代, 川原信夫, 末松孝子, 有福利紀, 深井俊夫, 田村幸吉, 大槻崇, 田原麻衣子, 山崎壮, 穠山浩	既存添加物カンゾウ油性抽出物の成分組成の多変量解析に基づく基原植物種の検討	日本食品衛生学雑誌	56	217-227	2015
多田敦子, 杉本直樹, 小林義和, 濱田ひかり, 石附京子, 秋山卓美, 伊藤裕才, 川原信夫, 山崎壮, 穠山浩	味認識装置による既存添加物苦味料及び関連苦味化合物の品質評価	日本食品化学学会誌	22	25-31	2015
西崎雄三, 多田敦子, 石附京子, 伊藤裕才, 小野田絢, 杉本直樹, 穠山浩	モル吸光係数比を利用したジャマイカカッシア抽出物中のクアシン及びネオクアシンの新規定量法の開発	日本食品衛生学雑誌	56	185-193	2015
Todoroki K, Nakano T, Ishii Y, Goto K, Tomita R, Fujioka T, Min JZ, Inoue K, Toyo'oka T	Automatic analyzer for highly polar carboxylic acids based on fluorescence derivatization-liquid chromatography	Biomed Chromatogr	29	445-451	2015

Takayama T, Kuwabara T, Maeda T, Noge I, Kitagawa Y, Inoue K, Todoroki K, Min JZ, Toyo'oka T	Profiling of chiral and achiral carboxylic acid metabolomics: synthesis and evaluation of triazine-type chiral derivatization reagents for carboxylic acids by LC-ESI-MS/MS and the application to saliva of healthy volunteers and diabetic patients	Anal Bioanal Chem	407	1003-1014	2015
Inoue K, Tsuchiya H, Takayama T, Akatsu H, Hashizume Y, Yamamoto T, Matsukawa N, Toyo'oka T	Blood-based diagnosis of Alzheimer's disease using fingerprinting metabolomics based on hydrophilic interaction liquid chromatography with mass spectrometry and multivariate statistical analysis.	J Chromatogr B	974	24-34	2015
Min JZ, Tomiyasu Y, Morotomi T, Jiang YZ, Li G, Shi Q, Yu HF, Inoue K, Todoroki K, Toyo'oka T	First observation of N-acetyl leucine and N-acetyl isoleucine in diabetic patient hair and quantitative analysis by UPLC-ESI-MS/MS.	Clin Chim Acta	444	143-148	2015
Mochizuki T, Takayama T, Todoroki K, Inoue K, Min JZ, Toyo'oka T	Towards the chiral metabolomics: Liquid chromatography-mass spectrometry based D/L-amino acid analysis after labeling with a new chiral reagent, (S)-2,5-dioxopyrrolidine-1-yl-1-(4,6-dimethoxy-1,3,5-triazin-2-yl)pyrrolidine-2-carboxylate, and the application to saliva of healthy volunteers.	Anal Chim Acta	22	73-82	2015
Inoue K, Tanada C, Sakamoto T, Tsutsui H, Akiba T, Min JZ, Todoroki K, Yamano Y, Toyo'oka T	Metabolomics approach of infant formula for the evaluation of contamination and degradation using hydrophilic interaction liquid chromatography coupled with mass spectrometry.	Food Chem	181	318-324	2015

Min JZ, Morota Y, Jiang YZ, Li G, Kang D, Yu HF, Inoue K, Todoroki K, Toyo'oka T	Rapid and sensitive determination of diacetyl polyamines in human fingernail by ultra-performance liquid chromatography coupled with electrospray ionization tandem mass spectrometry.	Eur J Mass Spectrom	20	477-486	2015
Todoroki K, Ishii Y, Ide T, Min JZ, Inoue K, Huang X, Zhang W, Hamashima Y, Toyo'oka T	Advanced dress-up chiral columns: New removable chiral stationary phases for enantioseparation of chiral carboxylic acids.	Anal Chim Acta	882	101-111	2015
Nakano T, Todoroki K, Ishii Y, Miyauchi C, Palee A, Min JZ, Inoue K, Suzuki K, Toyo'oka T.	An easy-to-use excimer fluorescence derivatization reagent, 2-chloro-4-methoxy-6-(4-(pyren-4-yl)butoxy)-1,3,5-triazine, for use in the highly sensitive and selective liquid chromatography analysis of histamine in Japanese soy sauces.	Anal Chim Acta	880	145-151	2015
Li XL, Li G, Jiang YZ, Kang D, Jin CH, Shi Q, Jin T, Inoue K, Todoroki K, Toyo'oka T, Min JZ	Human nails metabolite analysis: A rapid and simple method for quantification of uric acid in human fingernail by high-performance liquid chromatography with UV-detection.	J Chromatogr B	1002	394-398	2015
Takayama T, Mochizuki T, Todoroki K, Min JZ, Mizuno H, Inoue K, Akatsu H, Noge I, Toyo'oka T	A novel approach for LC-MS/MS-based chiral metabolomics fingerprinting and chiral metabolomics extraction using a pair of enantiomers of chiral derivatization reagents.	Anal Chim Acta	898	73-84	2015
Inoue K, Ozawa Y, Toyo'oka T	Application of liquid chromatography coupled with electrospray ionization tandem mass spectrometry for therapeutic drug monitoring of sedative medicine in clinical stage	Chromatography	36	81-92	2015

Uno K, Takayama T, Todoroki K, Inoue K, Min JZ, Mizuno H, Toyo'oka T	Evaluation of a Novel Positively-charged Pyrrolidine-based Chiral Derivatization Reagent for the Enantioseparation of Carboxylic Acids by LC-ESI-MS/MS	Chromatography	36	57-60	2015
Tomoko Shimamura, Yoshihiro Sumikura, Takeshi Yamazaki, Atsuko Tada, Takehiro Kashiwagi, Hiroya Ishikawa, Toshiro Matsui, Naoki Sugimoto, Hiroshi Akiyama, and Hiroyuki Ukeda,	Applicability of DPPH Assay for Evaluation of Antioxidant Capacity of Food Additives -Inter-laboratory Evaluation Study-	Analytical Sciences	30	717-721	2014
Kraingkrai Ponghong, Tomoko Shimamura, Keiro Higuchi, Takehiro Kashiwagi, Kate Grudpan, Shoji Motomizu, Hiroyuki Ukeda,	Spectrophotometric Sequential Injection Analysis System for Estimating the Concentration of Lipid Hydroperoxides in Edible Oils	<i>Journal of Flow Injection Analysis</i>	31	33-37	2014
Tanaka, Rie; Nitta, Akanoe; Nagatsu, Akito	Application of a quantitative ¹ H-NMR method for the determination of amygdalin in Persica semen, Armeniaca semen and Mume fructus	<i>Journal of Natural Medicines</i>	68(1)	225-230	2014
Tanaka, Rie; Hasebe, Yuko; Nagatsu, Akito	Application of a quantitative ¹ H-NMR method for the determination of gentiopicroside in Gentianae radix and Gentianae scabrae radix	<i>Journal of Natural Medicines</i>	68(3)	630-635	2014
Atsuko Tada, Kyoko Ishizuki, Takeshi Yamazaki, Naoki Sugimoto, Hiroshi Akiyama	Method for the determination of natural ester-type gum bases used as food additives via direct analysis of their constituent wax esters using high-temperature GC/MS	<i>Food Science & Nutrition</i>	2(4)	417-425	2014