

・ 研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

発表者氏名	論文タイトル	発表誌名	巻号	ページ	出版年
Hara-Kudo, Y., Konishi, N., Otsuka, K., Iwabuchi, K., Kikuchi, R., Isobe, J., Yamazaki, T., Suzuki, F., Nagai, Y., Yamada, Y., Tanouchi, A., Mori, T., Nakagawa, H., Ueda, Y., and Terajima, J.	An interlaboratory study on efficient detection of Shiga toxin-producing <i>Escherichia coli</i> O26, O103, O111, O121, O145, and O157 in food using real-time PCR assay and chromogenic agar.	Int. J. Food Microbiol.	230	81-88	2016
Wang, L., Nakamura, H., Kage-Nakadai, E., Hara-Kudo, Y., and Nishikawa, Y.	Comparison by multi-locus variable-number tandem repeat analysis and antimicrobial resistance among atypical enteropathogenic <i>Escherichia coli</i> strains isolated from foods and human and animal faecal specimens.	J. Appl. Microbiol.	122 (1)	268-278	2017
Wang, L., Zhang, S., Zheng, D., Fujihara, S., Wakabayashi, A., Okahata, K., Suzuki, M., Saeki, A., Nakamura, H., Hara-Kudo, Y., Kage-Nakadai, E., and Nishikawa, Y.	Prevalence of diarrheagenic <i>Escherichia coli</i> in foods and fecal specimens obtained from cattle, pigs, chickens, asymptomatic carriers, and patients in Osaka and Hyogo, Japan.	Jpn.J. Infect. Dis.			In press

<p>Wang, L., Nakamura, H., Kage-Nakadai, E., Hara-Kudo, Y., and Nishikawa, Y.</p>	<p>Prevalence, antimicrobial resistance and multiple-locus variable-number tandem-repeat analysis profiles of diarrheagenic <i>Escherichia coli</i> isolated from different retail foods.</p>	<p>Int. J. Food Microbiol.</p>			<p>In press</p>
<p>Seo, D., Choi, S., Jeon, S., Jeong, S., Park, H., Lee, B., Kim, G., Yang, S., Nishikawa, Y., and Choi, C.</p>	<p>Comparative sequence analysis of enteroaggregative <i>Escherichia coli</i> heat-stable enterotoxin 1 identified in Korean and Japanese <i>Escherichia coli</i> strains.</p>	<p>Int. J. Food Microbiol.</p>	<p>243</p>	<p>1-8</p>	<p>2017</p>