

表1 2015年度検診受診者内訳

受診者区分及び年齢	計		男性		女性	
	n	%	n	%	n	%
総数	644	100.0	312	100.0	332	100.0
0 - 9 歳	2	0.3	1	0.3	1	0.3
10 - 19 歳	3	0.5	2	0.6	1	0.3
20 - 29 歳	6	0.9	3	1.0	3	0.9
30 - 39 歳	17	2.6	6	1.9	11	3.3
40 - 49 歳	59	9.2	33	10.6	26	7.8
50 - 59 歳	132	20.5	65	20.8	67	20.2
60 - 69 歳	188	29.2	84	26.9	104	31.3
70 - 79 歳	148	23.0	71	22.8	77	23.2
80 - 89 歳	81	12.6	41	13.1	40	12.0
90 歳以上	8	1.2	6	1.9	2	0.6
認定	527	100.0	261	100.0	266	100.0
0 - 9 歳	-	-	-	-	-	-
10 - 19 歳	-	-	-	-	-	-
20 - 29 歳	-	-	-	-	-	-
30 - 39 歳	1	0.2	1	0.4	-	-
40 - 49 歳	36	6.8	22	8.4	14	5.3
50 - 59 歳	120	22.8	61	23.4	59	22.2
60 - 69 歳	162	30.7	71	27.2	91	34.2
70 - 79 歳	126	23.9	61	23.4	65	24.4
80 - 89 歳	75	14.2	40	15.3	35	13.2
90 歳以上	7	1.3	5	1.9	2	0.8
未認定	117	100.0	51	100.0	66	100.0
0 - 9 歳	2	1.7	1	2.0	1	1.5
10 - 19 歳	3	2.6	2	3.9	1	1.5
20 - 29 歳	6	5.1	3	5.9	3	4.5
30 - 39 歳	16	13.7	5	9.8	11	16.7
40 - 49 歳	23	19.7	11	21.6	12	18.2
50 - 59 歳	12	10.3	4	7.8	8	12.1
60 - 69 歳	26	22.2	13	25.5	13	19.7
70 - 79 歳	22	18.8	10	19.6	12	18.2
80 - 89 歳	6	5.1	1	2.0	5	7.6
90 歳以上	1	0.9	1	2.0	-	-

表2 2015年度内科検診の自覚症状集計結果

自覚症状	総数						認定						未認定						
	計		男性		女性		計		男性		女性		計		男性		女性		
	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	
全身倦怠感	計	638	100.0	310	100.0	328	100.0	524	100.0	261	100.0	263	100.0	114	100.0	49	100.0	65	100.0
	無	170	26.6	93	30.0	77	23.5	129	24.6	71	27.2	58	22.1	41	36.0	22	44.9	19	29.2
	有	468	73.4	217	70.0	251	76.5	395	75.4	190	72.8	205	77.9	73	64.0	27	55.1	46	70.8
頭重・頭痛	計	638	100.0	310	100.0	328	100.0	524	100.0	261	100.0	263	100.0	114	100.0	49	100.0	65	100.0
	無	263	41.2	169	54.5	94	28.7	216	41.2	144	55.2	72	27.4	47	41.2	25	51.0	22	33.8
	有	375	58.8	141	45.5	234	71.3	308	58.8	117	44.8	191	72.6	67	58.8	24	49.0	43	66.2
咳嗽	計	637	100.0	309	100.0	328	100.0	524	100.0	261	100.0	263	100.0	113	100.0	48	100.0	65	100.0
	無	310	48.7	148	47.9	162	49.4	249	47.5	123	47.1	126	47.9	61	54.0	25	52.1	36	55.4
	有	327	51.3	161	52.1	166	50.6	275	52.5	138	52.9	137	52.1	52	46.0	23	47.9	29	44.6
喀痰	計	638	100.0	310	100.0	328	100.0	524	100.0	261	100.0	263	100.0	114	100.0	49	100.0	65	100.0
	無	316	49.5	140	45.2	176	53.7	251	47.9	113	43.3	138	52.5	65	57.0	27	55.1	38	58.5
	有	322	50.5	170	54.8	152	46.3	273	52.1	148	56.7	125	47.5	49	43.0	22	44.9	27	41.5
腹痛	計	638	100.0	310	100.0	328	100.0	524	100.0	261	100.0	263	100.0	114	100.0	49	100.0	65	100.0
	無	411	64.4	215	69.4	196	59.8	332	63.4	173	66.3	159	60.5	79	69.3	42	85.7	37	56.9
	有	227	35.6	95	30.6	132	40.2	192	36.6	88	33.7	104	39.5	35	30.7	7	14.3	28	43.1
下痢	計	638	100.0	310	100.0	328	100.0	524	100.0	261	100.0	263	100.0	114	100.0	49	100.0	65	100.0
	無	392	61.4	177	57.1	215	65.5	318	60.7	144	55.2	174	66.2	74	64.9	33	67.3	41	63.1
	有	246	38.6	133	42.9	113	34.5	206	39.3	117	44.8	89	33.8	40	35.1	16	32.7	24	36.9
便秘	計	637	100.0	309	100.0	328	100.0	523	100.0	260	100.0	263	100.0	114	100.0	49	100.0	65	100.0
	無	348	54.6	185	59.9	163	49.7	279	53.3	151	58.1	128	48.7	69	60.5	34	69.4	35	53.8
	有	289	45.4	124	40.1	165	50.3	244	46.7	109	41.9	135	51.3	45	39.5	15	30.6	30	46.2
しびれ感	計	638	100.0	310	100.0	328	100.0	524	100.0	261	100.0	263	100.0	114	100.0	49	100.0	65	100.0
	無	235	36.8	122	39.4	113	34.5	182	34.7	94	36.0	88	33.5	53	46.5	28	57.1	25	38.5
	有	403	63.2	188	60.6	215	65.5	342	65.3	167	64.0	175	66.5	61	53.5	21	42.9	40	61.5
関節痛	計	638	100.0	310	100.0	328	100.0	524	100.0	261	100.0	263	100.0	114	100.0	49	100.0	65	100.0
	無	220	34.5	125	40.3	95	29.0	169	32.3	96	36.8	73	27.8	51	44.7	29	59.2	22	33.8
	有	418	65.5	185	59.7	233	71.0	355	67.7	165	63.2	190	72.2	63	55.3	20	40.8	43	66.2
月経異常	計	210	100.0	-	-	210	100.0	166	100.0	-	-	166	100.0	44	100.0	-	-	44	100.0
	無	172	81.9	-	-	172	81.9	141	84.9	-	-	141	84.9	31	70.5	-	-	31	70.5
	有	38	18.1	-	-	38	18.1	25	15.1	-	-	25	15.1	13	29.5	-	-	13	29.5
その他	計	302	100.0	144	100.0	158	100.0	242	100.0	118	100.0	124	100.0	60	100.0	26	100.0	34	100.0
	無	226	74.8	115	79.9	111	70.3	190	78.5	101	85.6	89	71.8	36	60.0	14	53.8	22	64.7
	有	76	25.2	29	20.1	47	29.7	52	21.5	17	14.4	35	28.2	24	40.0	12	46.2	12	35.3

表3 2015年度内科検診の他覚所見集計結果

自覚症状		総数						認定						未認定					
		計		男性		女性		計		男性		女性		計		男性		女性	
		n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%
栄養	計	627	100.0	307	100.0	320	100.0	516	100.0	258	100.0	258	100.0	111	100.0	49	100.0	62	100.0
	無	509	81.2	254	82.7	255	79.7	422	81.8	212	82.2	210	81.4	87	78.4	42	85.7	45	72.6
	有	118	18.8	53	17.3	65	20.3	94	18.2	46	17.8	48	18.6	24	21.6	7	14.3	17	27.4
心音	計	626	100.0	308	100.0	318	100.0	515	100.0	259	100.0	256	100.0	111	100.0	49	100.0	62	100.0
	無	605	96.6	301	97.7	304	95.6	498	96.7	253	97.7	245	95.7	107	96.4	48	98.0	59	95.2
	有	21	3.4	7	2.3	14	4.4	17	3.3	6	2.3	11	4.3	4	3.6	1	2.0	3	4.8
呼吸音	計	626	100.0	307	100.0	319	100.0	516	100.0	258	100.0	258	100.0	110	100.0	49	100.0	61	100.0
	無	617	98.6	301	98.0	316	99.1	508	98.4	253	98.1	255	98.8	109	99.1	48	98.0	61	100.0
	有	9	1.4	6	2.0	3	0.9	8	1.6	5	1.9	3	1.2	1	0.9	1	2.0	-	-
肝腫	計	620	100.0	306	100.0	314	100.0	512	100.0	258	100.0	254	100.0	108	100.0	48	100.0	60	100.0
	無	615	99.2	303	99.0	312	99.4	508	99.2	255	98.8	253	99.6	107	99.1	48	100.0	59	98.3
	有	5	0.8	3	1.0	2	0.6	4	0.8	3	1.2	1	0.4	1	0.9	-	-	1	1.7
脾腫	計	618	100.0	304	100.0	314	100.0	510	100.0	256	100.0	254	100.0	108	100.0	48	100.0	60	100.0
	無	618	100.0	304	100.0	314	100.0	510	100.0	256	100.0	254	100.0	108	100.0	48	100.0	60	100.0
	有	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
浮腫	計	625	100.0	306	100.0	319	100.0	515	100.0	258	100.0	257	100.0	110	100.0	48	100.0	62	100.0
	無	590	94.4	296	96.7	294	92.2	485	94.2	249	96.5	236	91.8	105	95.5	47	97.9	58	93.5
	有	35	5.6	10	3.3	25	7.8	30	5.8	9	3.5	21	8.2	5	4.5	1	2.1	4	6.5
リンパ節肥大	計	627	100.0	308	100.0	319	100.0	516	100.0	259	100.0	257	100.0	111	100.0	49	100.0	62	100.0
	無	624	99.5	307	99.7	317	99.4	514	99.6	259	100.0	255	99.2	110	99.1	48	98.0	62	100.0
	有	3	0.5	1	0.3	2	0.6	2	0.4	-	-	2	0.8	1	0.9	1	2.0	-	-
四肢けん反射	計	623	100.0	305	100.0	318	100.0	513	100.0	257	100.0	256	100.0	110	100.0	48	100.0	62	100.0
	無	471	75.6	219	71.8	252	79.2	387	75.4	185	72.0	202	78.9	84	76.4	34	70.8	50	80.6
	有	152	24.4	86	28.2	66	20.8	126	24.6	72	28.0	54	21.1	26	23.6	14	29.2	12	19.4
感覚障害	計	610	100.0	299	100.0	311	100.0	504	100.0	254	100.0	250	100.0	106	100.0	45	100.0	61	100.0
	無	517	84.8	254	84.9	263	84.6	425	84.3	213	83.9	212	84.8	92	86.8	41	91.1	51	83.6
	有	93	15.2	45	15.1	48	15.4	79	15.7	41	16.1	38	15.2	14	13.2	4	8.9	10	16.4
胸部し線	計	604	100.0	291	100.0	313	100.0	500	100.0	249	100.0	251	100.0	104	100.0	42	100.0	62	100.0
	無	460	76.2	218	74.9	242	77.3	370	74.0	180	72.3	190	75.7	90	86.5	38	90.5	52	83.9
	有	144	23.8	73	25.1	71	22.7	130	26.0	69	27.7	61	24.3	14	13.5	4	9.5	10	16.1
心電図	計	619	100.0	298	100.0	321	100.0	513	100.0	256	100.0	257	100.0	106	100.0	42	100.0	64	100.0
	無	395	63.8	168	56.4	227	70.7	316	61.6	137	53.5	179	69.6	79	74.5	31	73.8	48	75.0
	有	224	36.2	130	43.6	94	29.3	197	38.4	119	46.5	78	30.4	27	25.5	11	26.2	16	25.0
肝・胆・脾工 コー	計	209	100.0	98	100.0	111	100.0	164	100.0	78	100.0	86	100.0	45	100.0	20	100.0	25	100.0
	無	53	25.4	20	20.4	33	29.7	41	25.0	15	19.2	26	30.2	12	26.7	5	25.0	7	28.0
	有	156	74.6	78	79.6	78	70.3	123	75.0	63	80.8	60	69.8	33	73.3	15	75.0	18	72.0

表4 2015年度皮膚科検診集計結果

自覚症状	総数						認定						未認定						
	計		男性		女性		計		男性		女性		計		男性		女性		
	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	
問診																			
最近の化膿傾向	計	627	100.0	307	100.0	320	100.0	514	100.0	257	100.0	257	100.0	113	100.0	50	100.0	63	100.0
	無	538	85.8	262	85.3	276	86.3	437	85.0	217	84.4	220	85.6	101	89.4	45	90.0	56	88.9
	有	89	14.2	45	14.7	44	13.8	77	15.0	40	15.6	37	14.4	12	10.6	5	10.0	7	11.1
最近の粉りゅう再発傾向	計	624	100.0	306	100.0	318	100.0	511	100.0	256	100.0	255	100.0	113	100.0	50	100.0	63	100.0
	無	523	83.8	248	81.0	275	86.5	422	82.6	205	80.1	217	85.1	101	89.4	43	86.0	58	92.1
	有	101	16.2	58	19.0	43	13.5	89	17.4	51	19.9	38	14.9	12	10.6	7	14.0	5	7.9
かつてのさ瘡様皮疹	計	626	100.0	307	100.0	319	100.0	513	100.0	257	100.0	256	100.0	113	100.0	50	100.0	63	100.0
	無	323	51.6	166	54.1	157	49.2	253	49.3	133	51.8	120	46.9	70	61.9	33	66.0	37	58.7
	有	303	48.4	141	45.9	162	50.8	260	50.7	124	48.2	136	53.1	43	38.1	17	34.0	26	41.3
かつての色素沈着	計	620	100.0	306	100.0	314	100.0	508	100.0	256	100.0	252	100.0	112	100.0	50	100.0	62	100.0
	無	460	74.2	231	75.5	229	72.9	366	72.0	190	74.2	176	69.8	94	83.9	41	82.0	53	85.5
	有	160	25.8	75	24.5	85	27.1	142	28.0	66	25.8	76	30.2	18	16.1	9	18.0	9	14.5
他覚所見																			
黒色面皰	計	629	100.0	308	100.0	321	100.0	515	100.0	258	100.0	257	100.0	114	100.0	50	100.0	64	100.0
	無	548	87.1	256	83.1	292	91.0	447	86.8	217	84.1	230	89.5	101	88.6	39	78.0	62	96.9
	有	81	12.9	52	16.9	29	9.0	68	13.2	41	15.9	27	10.5	13	11.4	11	22.0	2	3.1
さ瘡様皮疹	計	629	100.0	308	100.0	321	100.0	515	100.0	258	100.0	257	100.0	114	100.0	50	100.0	64	100.0
	無	587	93.3	288	93.5	299	93.1	482	93.6	241	93.4	241	93.8	105	92.1	47	94.0	58	90.6
	有	42	6.7	20	6.5	22	6.9	33	6.4	17	6.6	16	6.2	9	7.9	3	6.0	6	9.4
癬痕化	計	628	100.0	308	100.0	320	100.0	515	100.0	258	100.0	257	100.0	113	100.0	50	100.0	63	100.0
	無	587	93.5	283	91.9	304	95.0	479	93.0	237	91.9	242	94.2	108	95.6	46	92.0	62	98.4
	有	41	6.5	25	8.1	16	5.0	36	7.0	21	8.1	15	5.8	5	4.4	4	8.0	1	1.6
色素沈着	計	629	100.0	308	100.0	321	100.0	515	100.0	258	100.0	257	100.0	114	100.0	50	100.0	64	100.0
	無	603	95.9	301	97.7	302	94.1	491	95.3	251	97.3	240	93.4	112	98.2	50	100.0	62	96.9
	有	26	4.1	7	2.3	19	5.9	24	4.7	7	2.7	17	6.6	2	1.8	-	-	2	3.1
爪変形	計	629	100.0	308	100.0	321	100.0	515	100.0	258	100.0	257	100.0	114	100.0	50	100.0	64	100.0
	無	607	96.5	295	95.8	312	97.2	494	95.9	245	95.0	249	96.9	113	99.1	50	100.0	63	98.4
	有	22	3.5	13	4.2	9	2.8	21	4.1	13	5.0	8	3.1	1	0.9	-	-	1	1.6

表5 2015年度眼科検診集計結果

主訴及び他覚所見	総数						認定						未認定						
	計		男性		女性		計		男性		女性		計		男性		女性		
	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	
主訴																			
眼脂過多	計	627	100.0	308	100.0	319	100.0	514	100.0	258	100.0	256	100.0	113	100.0	50	100.0	63	100.0
	無	514	82.0	249	80.8	265	83.1	422	82.1	205	79.5	217	84.8	92	81.4	44	88.0	48	76.2
	有	113	18.0	59	19.2	54	16.9	92	17.9	53	20.5	39	15.2	21	18.6	6	12.0	15	23.8
他覚所見																			
眼瞼浮腫	計	628	100.0	308	100.0	320	100.0	515	100.0	258	100.0	257	100.0	113	100.0	50	100.0	63	100.0
	無	627	99.8	308	100.0	319	99.7	514	99.8	258	100.0	256	99.6	113	100.0	50	100.0	63	100.0
	有	1	0.2	-	-	1	0.3	1	0.2	-	-	1	0.4	-	-	-	-	-	-
眼瞼結膜色素沈着	計	622	100.0	305	100.0	317	100.0	509	100.0	255	100.0	254	100.0	113	100.0	50	100.0	63	100.0
	無	602	96.8	295	96.7	307	96.8	492	96.7	246	96.5	246	96.9	110	97.3	49	98.0	61	96.8
	有	20	3.2	10	3.3	10	3.2	17	3.3	9	3.5	8	3.1	3	2.7	1	2.0	2	3.2
瞼板腺嚢胞形成	計	623	100.0	305	100.0	318	100.0	510	100.0	255	100.0	255	100.0	113	100.0	50	100.0	63	100.0
	無	600	96.3	293	96.1	307	96.5	491	96.3	243	95.3	248	97.3	109	96.5	50	100.0	59	93.7
	有	23	3.7	12	3.9	11	3.5	19	3.7	12	4.7	7	2.7	4	3.5	-	-	4	6.3
瞼板腺千一様分泌物圧出	計	622	100.0	305	100.0	317	100.0	509	100.0	255	100.0	254	100.0	113	100.0	50	100.0	63	100.0
	無	618	99.4	302	99.0	316	99.7	505	99.2	252	98.8	253	99.6	113	100.0	50	100.0	63	100.0
	有	4	0.6	3	1.0	1	0.3	4	0.8	3	1.2	1	0.4	-	-	-	-	-	-

表6 2015年度歯科検診集計結果

主訴及び他覚症状	総数						認定						未認定						
	計		男性		女性		計		男性		女性		計		男性		女性		
	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	n	%	
主訴	計	350	100.0	179	100.0	171	100.0	285	100.0	144	100.0	141	100.0	65	100.0	35	100.0	30	100.0
	無	251	71.7	141	78.8	110	64.3	206	72.3	114	79.2	92	65.2	45	69.2	27	77.1	18	60.0
	有	99	28.3	38	21.2	61	35.7	79	27.7	30	20.8	49	34.8	20	30.8	8	22.9	12	40.0
口腔所見																			
歯肉炎	計	359	100.0	186	100.0	173	100.0	294	100.0	151	100.0	143	100.0	65	100.0	35	100.0	30	100.0
	無	257	71.6	130	69.9	127	73.4	211	71.8	107	70.9	104	72.7	46	70.8	23	65.7	23	76.7
	有	102	28.4	56	30.1	46	26.6	83	28.2	44	29.1	39	27.3	19	29.2	12	34.3	7	23.3
近縁性歯周炎	計	359	100.0	186	100.0	173	100.0	294	100.0	151	100.0	143	100.0	65	100.0	35	100.0	30	100.0
	無	206	57.4	91	48.9	115	66.5	159	54.1	68	45.0	91	63.6	47	72.3	23	65.7	24	80.0
	有	153	42.6	95	51.1	58	33.5	135	45.9	83	55.0	52	36.4	18	27.7	12	34.3	6	20.0
歯牙萌出異常	計	359	100.0	186	100.0	173	100.0	294	100.0	151	100.0	143	100.0	65	100.0	35	100.0	30	100.0
	無	357	99.4	185	99.5	172	99.4	292	99.3	150	99.3	142	99.3	65	100.0	35	100.0	30	100.0
	有	2	0.6	1	0.5	1	0.6	2	0.7	1	0.7	1	0.7	-	-	-	-	-	-
歯牙着色	計	359	100.0	186	100.0	173	100.0	294	100.0	151	100.0	143	100.0	65	100.0	35	100.0	30	100.0
	無	347	96.7	179	96.2	168	97.1	286	97.3	146	96.7	140	97.9	61	93.8	33	94.3	28	93.3
	有	12	3.3	7	3.8	5	2.9	8	2.7	5	3.3	3	2.1	4	6.2	2	5.7	2	6.7
歯牙形成不全	計	359	100.0	186	100.0	173	100.0	294	100.0	151	100.0	143	100.0	65	100.0	35	100.0	30	100.0
	無	355	98.9	185	99.5	170	98.3	292	99.3	150	99.3	142	99.3	63	96.9	35	100.0	28	93.3
	有	4	1.1	1	0.5	3	1.7	2	0.7	1	0.7	1	0.7	2	3.1	-	-	2	6.7
咬合異常	計	347	100.0	178	100.0	169	100.0	283	100.0	144	100.0	139	100.0	64	100.0	34	100.0	30	100.0
	無	334	96.3	172	96.6	162	95.9	274	96.8	139	96.5	135	97.1	60	93.8	33	97.1	27	90.0
	有	13	3.7	6	3.4	7	4.1	9	3.2	5	3.5	4	2.9	4	6.3	1	2.9	3	10.0
その他	計	348	100.0	178	100.0	170	100.0	284	100.0	144	100.0	140	100.0	64	100.0	34	100.0	30	100.0
	無	329	94.5	168	94.4	161	94.7	271	95.4	138	95.8	133	95.0	58	90.6	30	88.2	28	93.3
	有	19	5.5	10	5.6	9	5.3	13	4.6	6	4.2	7	5.0	6	9.4	4	11.8	2	6.7
色素沈着所見																			
歯肉	計	362	100.0	187	100.0	175	100.0	296	100.0	152	100.0	144	100.0	66	100.0	35	100.0	31	100.0
	無	272	75.1	141	75.4	131	74.9	223	75.3	117	77.0	106	73.6	49	74.2	24	68.6	25	80.6
	有	90	24.9	46	24.6	44	25.1	73	24.7	35	23.0	38	26.4	17	25.8	11	31.4	6	19.4
頬粘膜	計	362	100.0	187	100.0	175	100.0	296	100.0	152	100.0	144	100.0	66	100.0	35	100.0	31	100.0
	無	341	94.2	169	90.4	172	98.3	277	93.6	136	89.5	141	97.9	64	97.0	33	94.3	31	100.0
	有	21	5.8	18	9.6	3	1.7	19	6.4	16	10.5	3	2.1	2	3.0	2	5.7	-	-
口蓋粘膜	計	362	100.0	187	100.0	175	100.0	296	100.0	152	100.0	144	100.0	66	100.0	35	100.0	31	100.0
	無	355	98.1	183	97.9	172	98.3	289	97.6	148	97.4	141	97.9	66	100.0	35	100.0	31	100.0
	有	7	1.9	4	2.1	3	1.7	7	2.4	4	2.6	3	2.1	-	-	-	-	-	-
口唇粘膜	計	362	100.0	187	100.0	175	100.0	296	100.0	152	100.0	144	100.0	66	100.0	35	100.0	31	100.0
	無	337	93.1	174	93.0	163	93.1	273	92.2	141	92.8	132	91.7	64	97.0	33	94.3	31	100.0
	有	25	6.9	13	7.0	12	6.9	23	7.8	11	7.2	12	8.3	2	3.0	2	5.7	-	-

図1 油症検診受診者の年度別推移

