

研究成果の刊行に関する一覧表

書籍

| | 著者氏名 | 編著者 | 書籍名 | 出版社 | 出版地 | 執筆担当章 | ページ | 出版年 |
|----|--------|----------------|--------------------------------------|-------------|-----|---|---|---------|
| 1. | 岸-金堂玲子 | 岸-金堂玲子 森岡孝二 | 健康・安全で働き甲斐のある職場をつくる-日本学会議の提言を実効あるものに | 株式会社ミネルヴァ書房 | 京都府 | 序章 労働雇用問題がなぜ現代日本で最重要課題なのか？過去100年の歴史を遡り考える 第 部 労働と関係する病気の予防と働く人の健康増進 第1章 労働関連疾患としての循環器疾患、糖尿病、不眠症などの実態、予防対策 第5章 女性労働者の健康と安全 終章 日本学会議提言が実効あるものになるために-生活に根ざした改革のグランドデザインを | 1-10 102-110 134-142 269-278 | 2016年3月 |

論文発表（原著・総説 査読有）

| | 発表者氏名 | 論文タイトル名 | 発表誌名 | 巻号 | ページ | 出版年 |
|---|--|---|----------------------------------|---------|---------|----------|
| 1 | Sasaki S., Limpar M., Sata F., Kobayashi S., Kishi R. | Interaction of maternal caffeine intake during pregnancy and CYP1A2 C164A polymorphism affects infant birth size in the Hokkaido Study | Pediatric Research | - | - | In press |
| 2 | Minatoya M, Sasaki S, Araki A, Miyashita C, Itoh S, Yamamoto J, Matsumura T, Mitsui T, Moriya K, Cho K, Morioka K, Minakam H, Shinohara N, Kishi R. | Cord blood bisphenol A levels and reproductive and thyroid hormone levels of neonates: The Hokkaido Study on Environment and Children 's Health | Epidemiology | - | - | In press |
| 3 | Araki A., Mitsui T., Goudarzi H., Nakajima T., Miyashita C., Itoh S., Sasaki S., Cho K., Moriya K., Shinohara N., Nonomura K., Kishi R. | Prenatal di(2-ethylhexyl) phthalate exposure and disruption of adrenal androgens and glucocorticoids levels in cord blood: The Hokkaido Study | Science of the Total Environment | 581-582 | 297-304 | 2017 |
| 4 | Kishi R., Zhang J. J. , Ha E. H., Chen P. C., Tian Y., Xia Y., Tsuchiya K. J., Nakai K., Kim S., Hong S. J., Hong Y. C., Lee J. R., Mohamed H. J. B. J., Parajuli R. P., Adair L. S., Chong Y. S., Guo Y. L., Wang S. L., Nishiyo M., Kido T., Tai P. T., Nandasena S. | Birth Cohort Consortium of Asia (BiCCA) - Current and Future Perspectives | Epidemiology | - | - | In press |

| | | | | | | |
|---|---|---|--|-----|---------|----------|
| 5 | Goudarzi H., Miyashita C, Okada E., Kashino I., Chen C.-J., Ito S., Araki A., Kobayashi S., Matsuura H., Kishi R. | Prenatal Exposure to Perfluoroalkyl Acids and Prevalence of Infectious Diseases up to 4 Years of Age | Environment International | - | - | In press |
| 6 | Kobayashi S., Azumi K., Goudarzi H., Araki A., Miyashita C., Kobayashi S., Itoh S., Sasaki S., Ishizuka M., Nakazawa H., Ikeno T., Kishi R. | Effects of prenatal perfluoroalkyl acid exposure on cord blood IGF2/H19 methylation and ponderal index: the Hokkaido study | Journal of Exposure Science and Environmental Epidemiology | - | - | In press |
| 7 | Minatoya M., Itoh S., Araki A., Tamura N., Yamazaki K., Nishihara S., Miyashita C., Kishi R. | Associated factors of behavioural problems in children at preschool age: the Hokkaido study on environment and children's health | Child Care Health Dev. | - | - | In press |
| 8 | Minatoya M., Araki A., Miyashita C., Sasaki S., Goto Y., Nakajima T., Kishi R. | Prenatal di-2-ethylhexyl phthalate exposure and cord blood adipokine levels and birth size: The Hokkaido study on environment and children's health | Sci Total Environ. | 579 | 606-611 | 2017 |
| 9 | Kobayashi S., Sata F., Miyashita C., Sasaki S., Ban S., Araki A., Goudarzi H., Kajiwara J., Todaka T., Kishi R. | Dioxin-metabolizing genes in relation to effects of prenatal dioxin levels and reduced birth size: The Hokkaido Study | Reprod Toxicol. | 67 | 111-116 | 2017 |

| | | | | | | |
|----|---|---|-------------------------|----------|----------|------|
| 10 | Goudarzi H., Araki A., Itoh S., Sasaki S., Miyashita C., Mitsui T., Nakazawa H., Nonomura K., Kishi R. | The Association of Prenatal Exposure to Perfluorinated Chemicals with Glucocorticoid and Androgenic Hormones in Cord Blood Samples: The Hokkaido Study | Environ Health Perspect | 125 (1) | 111-118 | 2017 |
| 11 | Yila T. A., Araki A., Sasaki S., Miyashita C., Itoh K., Ikeno T., Yoshioka E., Kobayashi S., Goudarzi H., Baba T., Braimoh T., Minakami H., Endo T., Sengoku K., Kishi R. | Predictors of folate status among pregnant Japanese women: the Hokkaido Study on Environment and Children's Health, 2002-2012 | Br J Nutr. | 115 (12) | 2227-35 | 2016 |
| 12 | Yamamoto J., Minatoya M., Sasaki S., Araki A., Miyashita C., Matsumura T., Kishi R. | Quantifying bisphenol A in maternal and cord whole blood using isotope dilution liquid chromatography/tandem mass spectrometry and maternal characteristics associated with bisphenol A | Chemosphere | 164 | 25-31 | 2016 |
| 13 | Mitsui T., Araki A., Miyashita C., Ito S., Ikeno T., Sasaki S., Kitta T., Moriya K., Cho K., Morioka K., Kishi R., Shinohara N., Takeda M., Nonomura K. | The Relationship between the Second-to-Fourth Digit Ratio and Behavioral Sexual Dimorphism in School-Aged Children | PLoS One | 11 (1) | e0146849 | 2016 |

| | | | | | | |
|----|--|--|--------------------|--------|----------|------|
| 14 | Mitsui T., Araki A., Goudarzi H., Miyashita C., Ito S., Sasaki S., Kitta T., Moriya K., Cho K., Morioka K., Kishi R., Shinohara N., Takeda M., Nonomura K. | Effects of adrenal androgens during the prenatal period on the second to fourth digit ratio in school-aged children | Steroids | 113 | 46-51 | 2016 |
| 15 | Minatoya M., Nakajima S., Sasaki S., Araki A., Miyashita C., Ikeno T., Nakajima T., Goto Y., Kishi R. | Effects of prenatal phthalate exposure on thyroid hormone levels, mental and psychomotor development of infants: The Hokkaido Study on Environment and Children's Health | Sci Total Environ. | 565 | 1037-43 | 2016 |
| 16 | Kobayashi S., Sata F., Sasaki S., Braimoh T. S., Araki A., Miyashita C., Goudarzi H., Kobayashi S., Kishi R. | Combined effects of AHR, CYP1A1, and XRCC1 genotypes and prenatal maternal smoking on infant birth size: Biomarker assessment in the Hokkaido Study | Reprod Toxicol | 65 | 295-306 | 2016 |
| 17 | Kawanishi Y., Saijo Y., Yoshioka E., Nakagi Y., Yoshida T., Miyamoto T., Sengoku K., Ito Y., Miyashita C., Araki A., Kishi R. | The Association between Prenatal Yoga and the Administration of Ritodrine Hydrochloride during Pregnancy: An Adjunct Study of the Japan Environment and Children's Study | PLoS One | 11 (6) | e0158155 | 2016 |

| | | | | | | |
|----|--|---|-------------------------|-----|---------|------|
| 18 | Kato S., Itoh S., Yuasa M., Baba T., Miyashita C., Sasaki S., Nakajima S., Uno A., Nakazawa H., Iwasaki Y., Okada E., Kishi R. | Association of perfluorinated chemical exposure in utero with maternal and infant thyroid hormone levels in the Sapporo cohort of Hokkaido Study on the Environment and Children's Health | Environ Health Prev Med | 21 | 334-344 | 2016 |
| 19 | Itoh S., Araki A., Mitsui T., Miyashita C., Goudarzi H., Sasaki S., Cho K., Nakazawa H., Iwasaki Y., Shinohara N., Nonomura K., Kishi R. | Association of perfluoroalkyl substances exposure in utero with reproductive hormone levels in cord blood in the Hokkaido Study on Environment and Children's Health | Environ Int. | 94 | 51-59 | 2016 |
| 20 | Goudarzi H., Nakajima S., Ikeno T., Sasaki S., Kobayashi S., Miyashita C., Ito S., Araki A., Nakazawa H., Kishi R. | Prenatal exposure to perfluorinated chemicals and neurodevelopment in early infancy: The Hokkaido Study | Sci Total Environ. | 541 | 1002-10 | 2016 |
| 21 | Goudarzi H., Miyashita C., Okada E., Kashino I., Kobayashi S., Chen C. J., Ito S., Araki A., Matsuura H., Ito Y. M., Kishi R. | Effects of prenatal exposure to perfluoroalkyl acids on prevalence of allergic diseases among 4-year-old children | Environ Int. | 94 | 124-132 | 2016 |

| | | | | | | |
|----|---|---|-------------------------|---------|----------|------|
| 22 | Verner M. A., Loccisano A. E., Morken N. H., Yoon M., Wu H., McDougall R., Maisonet M., Marcus M., Kishi R., Miyashita C., Chen M. H., Hsieh W. S., Andersen M. E., Clewell H. J., Longnecker M. P. | Associations of Perfluoroalkyl Substances (PFAS) with Lower Birth Weight: An Evaluation of Potential Confounding by Glomerular Filtration Rate Using a Physiologically Based Pharmacokinetic Model (PBPK) | Environ Health Perspect | 123(12) | 1317-24 | 2015 |
| 23 | Miyashita C., Sasaki S., Saijo Y., Okada E., Kobayashi S., Baba T., Kajiwara J., Todaka T., Iwasaki Y., Nakazawa H., Hachiya N., Yasutake A., Murata K., Kishi R. | Demographic, behavioral, dietary, and socioeconomic characteristics related to persistent organic pollutants and mercury levels in pregnant women in Japan | Chemosphere | 133 | 13-21 | 2015 |
| 24 | Miyashita C., Sasaki S., Ikeno T., Araki A., Ito S., Kajiwara J., Todaka T., Hachiya N., Yasutake A., Murata K., Nakajima T., Kishi R. | Effects of in utero exposure to polychlorinated biphenyls, methylmercury, and polyunsaturated fatty acids on birth size | Sci Total Environ | 533 | 256-265 | 2015 |
| 25 | Mitsui T., Araki A., Imai A., Sato S., Miyashita C., Ito S., Sasaki S., Kitta T., Moriya K., Cho K., Morioka K., Kishi R., Nonomura K. | Effects of prenatal leydig cell function on the ratio of the second to fourth digit lengths in school-aged children | PLoS One | 10(3) | e0120636 | 2015 |

| | | | | | | |
|----|---|--|-------------------------|-----------|---------|------|
| 26 | Kishi R., Nakajima T., Goudarzi H., Kobayashi S., Sasaki S., Okada E., Miyashita C., Itoh S., Araki A., Ikeno T., Iwasaki Y., Nakazawa H. | The Association of Prenatal Exposure to Perfluorinated Chemicals with Maternal Essential and Long Chain Polyunsaturated Fatty Acids during Pregnancy and the Birth Weight of their Offspring: The Hokkaido Study | Environ Health Perspect | 123(10) | 1038-45 | 2015 |
| 27 | Jia X., Tagawa T., Yatsuya H., Naito H., Hayashi Y., Husna Y., Sasaki S., Araki A., Miyashita C., Ikeno T., Kishi R., Nakajima T. | Association of maternal whole blood fatty acid status during the prenatal period with term birth dimensions: a cross-sectional study | J Perinat Med | 43(5) | 565-75 | 2015 |
| 28 | Jia X., Harada Y., Tagawa M., Naito H., Hayashi Y., Yetti H., Kato M., Sasaki S., Araki A., Miyashita C., Ikeno T., Kishi R., Nakajima T. | Prenatal maternal blood triglyceride and fatty acid levels in relation to exposure to di(2-ethylhexyl)phthalate: a cross-sectional study | Environ Health Prev Med | 20(3) | 168-78 | 2015 |
| 29 | Hanley S. J., Yoshioka E., Ito Y., Kishi R. | HPV vaccination crisis in Japan | Lancet | 385(9987) | 2571 | 2015 |

| | | | | | | |
|----|--|---|-------------------------|-------|-----------|------|
| 30 | Otake Y., Nakajima S., Uno A., Kato S., Sasaki S., Yoshioka E., Ikeno T., Kishi R. | Association between maternal antenatal depression and infant development: a hospital-based prospective cohort study | Environ Health Prev Med | 19(1) | 30-45 | 2014 |
| 31 | Okada E., Sasaki S., Kashino I., Matsuura H., Miyashita C., Kobayashi S., Itoh K., Ikeno T., Tamakoshi A., Kishi R. | Prenatal exposure to perfluoroalkyl acids and allergic diseases in early childhood | Environ Int | 65 | 127-134 | 2014 |
| 32 | Hanley S. J., Yoshioka E., Ito Y., Konno R., Sasaki Y., Kishi R., Sakuragi N. | An exploratory study of Japanese fathers' knowledge of and attitudes towards HPV and HPV vaccination: does marital status matter? | Asian Pac J Cancer Prev | 15(4) | 1837-1843 | 2014 |
| 33 | Araki A., Mitsui T., Miyashita C., Nakajima T., Naito H., Ito S., Sasaki S., Cho K., Ikeno T., Nonomura K., Kishi R. | Association between maternal exposure to di(2-ethylhexyl) phthalate and reproductive hormone levels in fetal blood: The Hokkaido Study on Environment and Children's Health | PLOS ONE | 9(10) | e109039 | 2014 |

| | | | | | | |
|----|---|--|------------|-------|-------|------|
| 34 | 小林澄貴, 池野多美子, 荒木敦子, 山崎圭子, 西原進吉, 岸玲子 | 環境化学物質の胎児期暴露による児の神経発達への影響に関する疫学文献レビュー：注意欠如・多動性障害(AD/HD)・自閉症スペクトラム(ASD)を含めて | 北海道公衆衛生学雑誌 | 29(2) | 31-40 | 2016 |
| 35 | 小林澄貴, 荒木敦子, 佐々木成子, 池野多美子, 宮下ちひろ, 伊藤佐智子, 岸玲子 | 胎児期の母の受動喫煙と児の出生体重に関する最近の研究動向 | 北海道公衆衛生学雑誌 | 28(2) | 37-48 | 2015 |

論文発表(解説 査読無)

| | | | | | | |
|---|------------------------|--|------|--------|---------|------|
| 1 | 岸玲子, 湊屋街子, 荒木敦子, 宮下ちひろ | 【講座 子どもを取り巻く環境と健康】第24回 誰もが健康な人生のスタートを-世界で進むコーホート研究 | 公衆衛生 | 81(2) | 175-183 | 2017 |
| 2 | 喜多歳子, 岸玲子 | 【講座 子どもを取り巻く環境と健康】第23回 社会経済要因の影響(2)認知/行動発達 | 公衆衛生 | 81(1) | 79-84 | 2017 |
| 3 | 花岡知之, 田村菜穂美, 岸玲子 | 【講座 子どもを取り巻く環境と健康】第22回 社会経済要因の影響(1)死産, 早産, 出生体重 | 公衆衛生 | 80(12) | 943-948 | 2016 |

| | | | | | | |
|---|------------------------------|---|------|--------|---------|------|
| 4 | 宮下ちひろ, ホウマヌグウダルジ, 岸玲子 | 【講座 子どもを取り巻く環境と健康】第21回 環境化学物質曝露による先天異常への影響(2) 先天性疾患、口唇口蓋裂 | 公衆衛生 | 80(11) | 863-867 | 2016 |
| 5 | 佐田文宏, 佐々木成子, 岸玲子 | 【講座 子どもを取り巻く環境と健康】第19回 妊娠中のカフェイン摂取の母児への影響 | 公衆衛生 | 80(9) | 701-707 | 2016 |
| 6 | 宮下ちひろ, 伊藤久美子, 荒木敦子, 岸玲子 | 【講座 子どもを取り巻く環境と健康】第18回 葉酸摂取の胎児発育や先天異常、生後アレルギーへの影響 | 公衆衛生 | 80(8) | 615-621 | 2016 |
| 7 | 宮下ちひろ, 小林祥子, 岸玲子 | 【講座 子どもを取り巻く環境と健康】第17回 胎児期の化学物質曝露による後天的な遺伝子発現制御への影響 | 公衆衛生 | 80(7) | 531-537 | 2016 |
| 8 | 池野多美子, 小林澄貴, 山崎圭子, 西原進吉, 岸玲子 | 【講座 子どもを取り巻く環境と健康】第16回 ADHD(注意欠如・多動性障害)とASD(自閉スペクトラム症) | 公衆衛生 | 80(6) | 445-450 | 2016 |
| 9 | 中島そのみ, 岸玲子 | 【講座 子どもを取り巻く環境と健康】第15回 ダイオキシン類曝露と児の神経発達 | 公衆衛生 | 80(5) | 371-378 | 2016 |

| | | | | | | |
|----|------------------|--|-------------|-------|---------|------|
| 10 | 荒木敦子, 伊藤佐智子, 岸玲子 | 【講座 子どもを取り巻く環境と健康】第13回 環境化学物質曝露による内分泌系への影響(2) 性ホルモン | 公衆衛生 | 80(3) | 221-227 | 2016 |
| 11 | 伊藤佐智子, 岸玲子 | 講座 子どもを取り巻く環境と健康】第12回 環境化学物質曝露による内分泌系への影響(1) 甲状腺機能 | 公衆衛生 | 80(2) | 137-144 | 2016 |
| 12 | 岸玲子, 宮下ちひろ, 荒木敦子 | 環境化学物質の次世代影響に関する出生コホート研究: 環境と子どもの健康に関する北海道スタディの成果と課題 | アンチ・エイジング医学 | 12(2) | 067-076 | 2016 |
| | | | | | | |
| | | | | | | |
| | | | | | | |