

・ 研究成果の刊行に関する一覧表

書籍（外国語）

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ

書籍（日本語）

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
加藤雅志, 志真泰夫, 恒藤暁, 細川豊史, 宮下光令, 山崎章郎		木澤 義之	国の動向と担当者として考えていたこと 国の施策と行政の立場からの関わり.	青海社	東京	2018	pp2-5
加藤雅志.			がん・生殖医療ハンドブック 大須賀 穰 鈴木 直 編集 短時間のうちに多くの意思決定を迫られる患者にどう関わる? がん相談支援センターがん専門相談員の立場から.	メディカ出版	大阪	2017	pp313-pp318
加藤雅志			緩和ケアと精神保健. 第6版 精神保健福祉士養成セミナー 第2巻 精神保健学 精神保健の課題と支援.	へるす出版	東京	2017	pp164-179
加藤雅志			緩和ケアの魔法の言葉. 森田達也 責任編集 緩和ケア2016年6月増刊号	青海社	東京	2016	pp87-90
加藤雅志			総合病院での緩和ケアチーム. 山本賢司 編著 精神科領域のチーム医療実践マニュアル	新興医学出版社	東京	2016	pp97-113
森田達也, 木澤義之, 梅田恵, 久原幸 (編集).			3ステップ実践緩和ケア〔第2版〕.	青海社,		2018	
森田達也.			終末期の苦痛がなくなるしない時、何が選択できるのか? - 苦痛緩和のための鎮静〔セデーション〕.	医学書院.	東京	2017	
森田達也, 濱口恵子 (編集者)			苦い経験から学ぶ! 緩和医療ピットフォールファイル	南江堂	東京	2017	
森田達也.		José L. Pereira (著者), 丹波嘉一郎, 大中俊宏 (監訳)	Pallium Canada 緩和ケアポケットブック Pallium Palliative Pocketbook Second Edition.	メディカル・サイエンス・インターナショナル	東京	2017	
森田達也.		日本がんサポートケア学会 (編)	がん薬物療法に伴う抹消神経障害マネジメントの手引き	金原出版	東京	2017	

木澤義之他	小児緩和ケアの現状と展望	志真泰夫 恒藤 暁 細川豊史 宮下光令 山崎章郎	ホスピス緩和ケア白書2017	青海社	東京都	2017年	34-37
井上順一朗, 木澤義之他	緩和医療の実践	井上順一朗 神津 玲	理学療法 M00K21 がんの理学療法	三輪書店	東京都	2017年	93-98
木澤義之他	緩和医療ピットフォールファイル	森田達也 濱口恵子	緩和医療ピットフォールファイル	南江堂	東京都	2017年	6-78
木澤義之他	緩和医療と終末期(エンド・オブ・ライフ)ケア	矢崎義雄他	内科学	朝倉書店	東京都	2017年	186-188
木澤義之他	人生の最終段階を見据えたアドバンス・ケア・プランニング	長江弘子	「生きる」を考える	日本看護協会出版会	東京都	2017年	186-196
木澤義之他	わが国の政策と診療報酬の動向	木澤義之 矢野和美	心疾患COPD神経疾患の緩和ケア	青海社	東京都	2017年	8-11
木澤義之他	エンド・オブ・ライフケア	小川朝生 木澤義之 山本 亮	新版 がん緩和ケアガイドブック	青海社	東京都	2017年	95-105
木澤義之他	患者と家族の意向が異なるとき	木澤義之 山本 亮 浜野 淳	いのちの終わりにどうかかわるか	医学書院	東京都	2017年	68-73
木澤義之他		木澤義之 山本 亮 浜野 淳	いのちの終わりにどうかかわるか	医学書院	東京都	2017年	全項
川越正平、編著			「在宅医療バイブル第2版」	日本医事新報社		2018	
川越正平、編著			介護職のための医療とのつきあいかた	メディカ出版	大阪府	2016	
川越正平、編著			介護支援専門員現任研修テキスト専門研修課程	中央法規出版	東京	2016	
福井小紀子、			在宅看護論、第5章、訪問看護の役割と機能	放送大学教育振興会	東京	2017	P66-87
福井小紀子、			在宅看護論、第12章、在宅看護における終末期ケア、	放送大学教育振興会	東京	2017	P204-221
苛原 実, 太田秀樹, 鷲見よしみ, 福井小紀子	編集委員		「私たちの街で最期まで 求められる在宅医療の姿」公益財団法人在宅医療助成勇美記念財団	日本在宅ケアアライアンス	東京	2017	

雑誌（外国語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Takeuchi E, <u>Kato M</u> , Miyata K, Suzuki N, Shimizu C, Okada H, Matsunaga N, Shimizu M, Moroi N, Fujisawa D, Mimura M, Miyoshi Y.	The effects of an educational program for non-physician health care providers regarding fertility preservation.	Supportive Care in Cancer	1-6.		2018
Nakazawa Y, Yamamoto R, <u>Kato M</u> , Miyashita M, Kizawa Y, Morita T.	Improved Knowledge of and Difficulties in Palliative care among physicians during 2008 and 2015 in Japan: association With a nation-wide palliative care education program.	Cancer.			2017
Nakazawa Y, <u>Kato M</u> , Miyashita M, Morita T, Kizawa Y.	Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015.	J Pain Symptom Manag		(Epub ahead of print)	2017
Miyoshi Y, Yorifuji T, Horikawa R, Takahashi I, Nagasaki K, Ishiguro H, Fujiwara I, Ito J, Oba M, Fujisaki H, <u>Kato M</u> , Shimizu C, Kato T, Yamamoto K, Sago H, Takimoto T, Okada H, Suzuki N, Yokoyama S, Ogata T, Ozono K.	Childbirth and fertility preservation in childhood and adolescent cancer patients: a second national survey of Japanese pediatric endocrinologists.	Clin Pediatr Endocrinol,	26(2)	81-88.	2017
Nakazato K, Shiozaki M, Hirai K, <u>Morita T</u> , Tatara R, Ichihara K, Sato S, Shimizu M, Tsuneto S, Shima Y, Miyashita M.	Verbal communication of families with cancer patients at end of life: A questionnaire survey with bereaved family members.	Psycho-Oncology	27	155-162	2018
Mori M, Fujimori M, Hamano J, Naito AS, <u>Morita T</u> .	Which physicians' behaviors on death pronouncement affect family-perceived physician compassion? A randomized, scripted, video-vignette study.	J Pain Symptom Manag	55(2)	189-197	2018
Sakashita A, <u>Morita T</u> , Kishino M, Aoyama M, Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	Which research questions are important for the bereaved families of palliative care cancer patients? A nationwide survey.	J Pain Symptom Manag	55(2)	379-386	2018
Nakazawa Y, Kato M, Miyashita M, <u>Morita T</u> , Kizawa Y.	Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: An analysis of two nationwide representative surveys in 2008 and 2015.	J Pain Symptom Manag	55(2)	402-412	2018

Minoura T, Takeuchi M, <u>Morita T</u> , Kawakami K.	Practice patterns of medications for patients with malignant bowel obstruction using a nationwide claims database and the association between treatment outcomes and concomitant use of H ₂ -blockers/Proton pump inhibitors and corticosteroids with octreotide.	J Pain Symptom Manag	55(2)	413-419	2018
Hamano J, <u>Morita T</u> , Ikenaga M Abo H, Kizawa Y, Tsuneto S.	A nationwide survey about palliative sedation involving Japanese palliative care specialists: Intentions and key factors used to determine sedation as proportionally appropriate.	J Pain Symptom Manag	55(3)	785-791	2018
Hanada R, Yokomichi N, Kato C, Miki K, Oyama S, <u>Morita T</u> , Kawahara R.	Efficacy and safety of reinfusion of concentrated ascetic fluid for malignant ascites: a concept-proof study.	Support Care Cancer	26(5)	1489-1497	2018
<u>Morita T</u> , Imai K, Yokomichi N, Mori M, Kizawa Y, Tsuneto S.	Continuous deep sedation: A proposal for performing more rigorous empirical research.	J Pain Symptom Manag	53(1)	146-152	2017
Matsuo N, <u>Morita T</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katayama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramoto S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S.	Predictors of responses to corticosteroids for anorexia in advanced cancer patients: a multicenter prospective observational study.	Support Care Cancer	25(1)	41-50	2017
Miyashita M, Aoyama M, Nakahata M, Yamada Y, Abe M, Yanagihara K, Shirado A, Shutoh M, Okamoto Y, Hamano J, Miyamoto A, Yoshida S, Saito K, Hirai K, <u>Morita T</u> .	Development the care evaluation scale version 2.0: a modified version of a measure for bereaved family members to evaluate the structure and process of palliative care for cancer patient.	BMC Palliative Care	16(1)	8	2017
Fujii A, Yamada Y, Takayama K, Nakano T, Kishimoto J, <u>Morita T</u> , Nakanishi Y.	Longitudinal assessment of pain management with the pain management index in cancer outpatients receiving chemotherapy.	Support Care Cancer	25(3)	925-932	2017
Yamaguchi T, Kuriya M, <u>Morita T</u> , Agar M, Choi YS, Goh C, Lingegowda KB, Lim R, Liu RK, MacLeod R, Ocampo R, Cheng SY, Phungrassami T, Nguyen YP, Tsuneto S.	Palliative care development in the Asia-Pacific region: an international survey from the Asia Pacific Hospice Palliative Care Network (APHN).	BMJ Support Palliat Care	7(1)	23-31	2017

Hamano J, Tokuda Y, Kawagoe S, Shinjo T, Shirayama H, Ozawa T, Shishido H, Otomo S, Nagayama J, Baba M, Tei Y, Hiramoto S, Suga A, Hisanaga T, Ishihara T, Iwashita T, Kaneishi K, Kuriyama T, Maeda T, <u>Morita T.</u>	Adding items that assess changes in activities of daily living does not improve the predictive accuracy of the palliative prognostic index.	Palliat Med	31(3)	258-266	2017
Okamoto Y, Tsuneto S, <u>Morita T.</u> , Takagi T, Shimizu M, Miyashita M, Uejima E, Shima Y.	Desirable information of opioids for families of patients with terminal cancer: The bereaved family members' experiences and recommendations.	Am J Hosp Palliat Care	34(3)	248-253	2017
Mori M, Shirado AN, <u>Morita T.</u> , Okamoto K, Matuda Y, Matsumoto Y, Yamada H, Sakurai H, Aruga E, Kaneishi K, Watanabe H, Yamaguchi T, Odagiri T, Hiramoto S, Kohara H, Matsuo N, Katayama H, Nishi T, Matsui T, Iwase S.	Predictors of response to corticosteroids for dyspnea in advanced cancer patients: a preliminary multicenter prospective observational study.	Support Care Cancer	25(4)	1169-1181	2017
Matsuo N, <u>Morita T.</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katayama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramoto S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S.	Predictors of delirium in corticosteroid-treated patients with advanced cancer: An exploratory, multicenter, prospective, observational study.	J Palliat Med	20(4):	352-359	2017
Yamada T, <u>Morita T.</u> , Maeda I, Inoue S, Ikenaga M, Matsumoto Y, Baba M, Sekine R, Yamaguchi T, Hirohashi T, Tajima T, Tataru R, Watanabe H, Otani H, Takagi C, Matsuda Y, Ono S, Ozawa T, Yamaoto R, Shishido H, Yamamoto N.	A prospective, multicenter cohort study to validate a simple performance status-based survival prediction system for oncologist.	Cancer	123(8)	1442-1452	2017
Yamamoto S, Arao H, Matsutani E, Aoki M, Kishino M, <u>Morita T.</u> , Shima Y, Kizawa Y, Tsuneto S, Aoyama M, Miyashita M.	Decision making regarding the place of end-of-life cancer care: The burden on bereaved families and related factors.	J Pain Symptom Manage	53(5)	862-870	2017
Naito AS, Sakuma Y, Kinoshita H, Ito T, Mimatsu S, Tarumi A, Kiyohara E, <u>Morita T.</u>	Screening using the fifth vital sign in the electronic medical recording system.	Jpn J Clin Oncol	47(5)	430-433	2017
<u>Morita T.</u> , Rietjens JA, Imai K, Mori M, Tsuneto S.	Author's reply to rady and verheijde.	J Pain Symptom Manage	53(6)	e12-e13	2017

<u>Morita T</u> , Rietjens JA, Imai K, Mori M, Tsuneto S.	Author's reply to twycross.	J Pain Symptom Manage	53(6)	e15-e16	2017
Amano K, Maeda I, <u>Morita T</u> , Baba M, Miura T, Hama T, Mori I, Nakajima N, Nishi T, Sakurai H, Shimoyama S, Shinjo T, Shirayama H, Yamada T, Ono S, Ozawa T, Yamamoto R, Yamamoto N, Shishido H, Kinoshita H.	C-reactive protein, symptoms and activity of daily living in patients with advanced cancer receiving palliative care.	J Cachexia Sarcopenia Muscle	8(3)	457-465	2017
Yamaguchi T, Maeda I, Hatanoto Y, Mori M, Shima Y, Tsuneto S, Kizawa Y, <u>Morita T</u> , Yamaguchi T, Aoyama M, Miyashita M.	Effects of end-of-life discussions on the mental health of bereaved family members and quality of patient death and care. J Pain Symptom Manage	J Pain Symptom Manage	54(1)	17-26	2017
Matsuoka H, Ishiki H, Iwase S, Koyama A, Kawaguchi T, Kizawa Y, <u>Morita T</u> , Matsuda Y, Miyaji T, Ariyoshi K, Yamaguchi T.	Study protocol for a multinational, randomized, double-blinded, placebo-controlled phase III trial investigating additive efficacy of duloxetine for neuropathic cancer pain refractory to opioids and gabapentinoids: the DIRECT study.	BMJ Open	7(8)	e017280	2017
Uneno Y, Taneishi K, Kanai M, Okamoto K, Yamamoto Y, Yoshioka A, Hiramoto S, Nozaki A, Nishikawa Y, Yamaguchi D, Tomono T, Nakatsui M, Baba M, <u>Morita T</u> , Matsumoto S, Kuroda T, Okuno T, Muto M.	Development and validation of a set of six adaptable prognosis prediction (SAP) models based on time-series real-world big data analysis for patients with cancer receiving chemotherapy: A multicenter case crossover study.	PloS One	12(8)	e0183291	2017
Shimizu M, Fujisawa D, Kurihara M, Sato K, <u>Morita T</u> , Kato M, Miyashita M.	Validation study for the brief measure of quality of life and quality of care: A questionnaire for the national random sampling hospital survey.	Am J Hosp Palliat Care	34(7)	622-631	2017
Aoyama M, <u>Morita T</u> , Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	The Japan Hospice and Palliative Care Evaluation Study 3: Study design, characteristics of participants and participating institutions and response rates.	Am J Hosp Palliat Care	34(7)	654-664	2017
Otani H, Yoshida S, <u>Morita T</u> , Aoyama M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M.	Meaningful communication before death, but not preset at the time of death itself, is associated with better outcomes on measures of depression and complicated grief among bereaved family members of cancer patients.	J Pain Symptom Manage	54(3)	273-279	2017

Takahashi R, <u>Morita T</u> , Miyashita M.	Variations in denominators and cut-off points of pain intensity in the pain management index: A methodological systematic review.	J Pain Symptom Manag	54(5)	e1-e4	2017
Hamano J, <u>Morita T</u> , Fukui S, Kizawa Y, Tsuneto S, Shima Y, Kobayakawa M, Aoyama M, Miyashita M.	Trust in physicians, continuity and coordination of care and quality of death in patients with advanced cancer.	J Palliat Me	20(11)	1252-1259	2017
Hatano Y, Aoyama M, <u>Morita T</u> , Yamaguchi T, Maeda I, Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	The relationship between cancer patients' place of death and bereaved caregivers' mental health status.	Psychooncology	26(11)	1959-1964	2017
Kobayakawa M, Ogawa A, Konno M, Kurata A, Hamano J, <u>Morita T</u> , Kizawa Y, Tsuneto S, Shima Y, Aoyama M, Miyashita M.	Psychological and psychiatric symptoms of terminally ill patients with cancer and their family caregivers in the home-care setting: A nationwide survey from the perspective of bereaved family members in Japan.	J Psychosomatic Research	103	127-132	2017
Yamashita R, Arai H, Takao A, Masutani E, <u>Morita T</u> , Shima Y, Kizawa Y, Tsuneto S, Aoyama M, Miyashita M.	Unfinished business in families of terminally ill with cancer patients.	J Pain Symptom Manag	54(6)	861-869	2017
Mori M, Yoshida S, Shiozaki M, Baba M, <u>Morita T</u> , Aoyama M, Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	Talking about death with terminally ill cancer patients: What contributes to the regret of bereaved family members?	J Pain Symptom Manag	54(6)	853-860	2017
Watanabe YS, Miura T, Okizaki A, Tagami K, Matsumoto Y, Fujimori M, <u>Morita T</u> , Kinoshita H.	Comparison of indicators for achievement of pain control with a personalized pain goal in comprehensive cancer center.	J Pain Symptom Manag		[Epub ahead of print]	2017
Aoyama M, Sakaguchi Y, <u>Morita T</u> , Ogawa A, Fujisawa D, Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	Factors associated with possible complicated grief and major depressive disorders. Psychooncology.			[Epub ahead of print]	2017
Imai K, <u>Morita T</u> , Yokomichi N, Mori M, Naito AS, Tsukura H, Yamauchi T, Kawaguchi T, Fukuta K, Inoue S.	Efficacy of two types of palliative sedation therapy defined using intervention protocols: proportional vs. deep sedation.	Support Care Cancer.		[Epub ahead of print]	2017
Hanada R, Yokomichi N, Kato C Miki K, Oyama S, <u>Morita T</u> Kawahara R.	Efficacy and safety of reinfusion of concentrated ascetic fluid for malignant ascites: a conceptproof study.	Support Care Cancer.		[Epub ahead of print]	2017

Mori M, Yoshida S, Shiozaki M, <u>Morita T</u> , Baba M, Aoyama M, Kizawa Y, Tsuneto S, Shima Y Miyashita M.	“What I did for my loved one is more important than whether we talked about death”: A nationwide survey of bereaved family members.	J Palliat Med.		[Epub ahead of print]	2017
Shinjo T, <u>Morita T</u> , Kiuchi D, Ikenaga M, Abo H, Maeda S, Tsuneto S, Kizawa Y.	Japanese physicians’ experiences of terminally ill patients voluntarily stopping eating and drinking: a national survey.	BMJ Support Palliat Care.		Epub ahead of print]	2017
Tsukuura H, Miyazaki M, <u>Morita T</u> , Sugishita M, Kato H, Murasaki Y, Gyawali B Kubo Y, Ando M, Kondo M, Yamada K, Hasegawa Y, Ando Y.	Efficacy of prophylactic treatment for or oxycodone-induced nausea and vomiting among patients with cancer pain (POINT): A randomized, placebo-controlled, double-blind trial.	Oncologist.		Epub ahead of print]	2017
Hatano Y, <u>Morita T</u> , Otani H, Igarashi N, Shima Y, Miyashita M.	Physician behavior toward death pronouncement in palliative care units.	J Palliat Med.		Epub ahead of print]	
Yamashita R, <u>Kizawa Y</u> ,et al:	Unfinished Business in Families of Terminally Ill With Cancer Patients.	J Pain Symptom Management.	54(6)	861-869	2017
Aoyama M, <u>Kizawa Y</u> ,et al:	The Japan HOspice and Palliative Care Evaluation Study 3: Study Design, Characteristics of Participants and Participating Institutions, and Response Rates.	Am J Hosp Palliat Care.	34(7)	654-664	2017
Mori M, <u>Kizawa Y</u> ,et al:	Talking about death with terminally-ill cancer patients: What contributes to the regret of bereaved family members?	JPain Symptom Management		Epub ahead of print	2017
Hamano J, <u>Kizawa Y</u> ,et al:	Trust in Physicians, Continuity and Coordination of Care, and Quality of Death in Patients with Advanced Cancer	J Palliat Med.	20(11)	1252-1259	2017
Hirooka K, <u>Kizawa Y</u> ,et al:	End-of-life experiences of family caregivers of deceased patients with cancer:A nation-wide survey	Psycho-Oncology		Epub ahead of print	2017
Momo K, <u>Kizawa Y</u> , et al:	Assessment of indomethacin oral spray for the treatment of oropharyngeal mucositis-induced pain during anticancer therapy	Supportive Care in Cancer		Epub ahead of print	2017

Otani H, <u>Kizawa Y</u> ,et al:	Meaningful Communication Before Death, but Not Present at the Time of Death Itself, is Associated With Better Outcomes on Measures of Depression and Complicated Grief Among Bereaved Family Members of Cancer Patients	J Pain Symptom Manage	54(3)	273-279	2017
Yamaguchi T, <u>Kizawa Y</u> ,et al:	Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care	J Pain Symptom Manage	54 (1)	17-26	2017
Hatano Y, <u>Kizawa Y</u> ,et al:	The relationship between cancer patients' place of death and bereaved caregivers' mental health status	Psycho-Oncology	26(11)	1959-1964	2017
Kanoh A, <u>Kizawa Y</u> ,et al:	End-of-life care and discussions in Japanese geriatric health service facilities: A nationwide survey of managing directors' viewpoints	American Journal of Hospice and Palliative Medicine			2017
Miura H, <u>Kizawa Y</u> ,et al:	Benefits of the Japanese version of the advance care planning facilitators education program	Geriatr Gerontol Int		350-352	2017
Yamamoto S, <u>Kizawa Y</u> ,et al:	Decision Making Regarding the Place of End-of-Life Cancer Care: The Burden on Bereaved Families and Related Factors	J Pain Symptom Manage	53 (5)	862-870	2017
Yotani N, <u>Kizawa Y</u> ,et al:	Differences between Pediatricians and Internists in Advance Care Planning for Adolescents with Cancer.	J Pediatr.	182	356-362	2017
Morita T, <u>Kizawa Y</u> ,et al:	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research	J Pain Symptom Manage	53 (1)	146-152	2017
Yotani N, <u>Kizawa Y</u> ,et al:	Advance care planning for adolescent patients with life-threatening neurological conditions: a survey of Japanese paediatric neurologists	BMJ Pediatrics Open		Epub ahead of print	2017
Sakashita A, <u>Kizawa Y</u> ,et al:	Which research questions are important for the bereaved families of palliative care cancer patients? A nationwide survey.	J Pain Symptom Manage		Epub ahead of print	2017
Shinjo T, <u>Kizawa Y</u> ,et al:	Japanese physicians' experiences of terminally ill patients voluntarily stopping eating and drinking: a national survey	BMJ Support Palliative Care		Epub ahead of print	2017

Kobayakawa M, Kizawa Y, et al:	Psychological and psychiatric symptoms of terminally ill patients with cancer and their family caregivers in the home-care setting: A nation-wide survey from the perspective of bereaved family members in Japan.	J Psychosom Res.	103	127-132	2017
Mori M, Kizawa Y, et al:	"What I Did for My Loved One Is More Important than Whether We Talked About Death": A Nationwide Survey of Bereaved Family Members.	J Palliat Med.		Epub ahead of print	2017
Hamano J, Kizawa Y, et al:	A nationwide survey about palliative sedation involving Japanese palliative care specialists: Intentions and key factors used to determine sedation as proportionally appropriate.	J Pain Symptom Manage.		Epub ahead of print	2017
Kakutani K, Kizawa Y, et al:	Prospective Cohort Study of Performance Status and Activities of Daily Living After Surgery for Spinal Metastasis.	Clin Spine Surg.	30(8)	E1026-E1032	2017
Nakazawa Y, Kizawa Y, et al:	Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015.	J Pain Symptom Manage.		Epub ahead of print	2017
Matsuoka H, Kizawa Y, et al:	Study protocol for a multi-institutional, randomised, double-blinded, placebo-controlled phase III trial investigating additive efficacy of duloxetine for neuropathic cancer pain refractory to opioids and gabapentinoids: the DIRECT study.	BMJ Open.	7(8)	e017280	2017
Miyazaki S, Kizawa Y, et al:	Quality of life and cost-utility of surgical treatment for patients with spinal metastases: prospective cohort study.	Int Orthop.	41(6)	1265-1271	2017
Morita T, Kizawa Y, et al:	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research.	J Pain Symptom Manage.	53(1)	146-152	2017
Aoyama M, Kizawa Y, et al:	Factors associated with possible complicated grief and major depressive disorders	Psycho-Oncology		1-7	2017
Fukui S, Morita T, Yoshiuchi K.	Development of a clinical tool to predict home death of a discharged cancer patient in Japan: a case-control study.	International Journal of Behavioral Medicine.	24(4)	584-592	2017

Hamano J, Morita T, <u>Fukui S</u> , et al.	Trust in physicians, continuity and coordination of care, and quality of death in patients with advanced cancer.	Journal of Palliative Medicine.		[Epub ahead of print]	2017
<u>Fukui S</u> , Morita T, Yoshiuchi K.	Development of a clinical tool to predict home death of a discharged cancer patient in Japan: a case-control study.	International Journal of Behavioral Medicine.		584-592	2017
Hamano J, Morita T, <u>Fukui S</u> , et al.	Trust in physicians, continuity and coordination of care, and quality of death in patients with advanced cancer.	Journal of Palliative Medicine.		[Epub ahead of print]	2017
Fujita J, <u>Fukui S</u> , Ikezaki S, Tsujimura M.	Analysis of team types based on collaborative relationships among doctors, home-visiting nurses, and care managers for effective support of patients in end-of-life home care.	Geriatrics & Gerontology International.			2017
<u>Yoshida S</u> , Ogawa C, Shimizu K, Kobayashi M, Inoguchi H, Oshima Y, Dotani C, Nakahara R, Kato M	Japanese physicians' attitudes toward end-of-life discussion with pediatric patients with cancer.	Supportive Care in Cancer,		(in press.)	2018
Otani H, <u>Yoshida S</u> , Morita T, Aoyama M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M.	Meaningful communication prior to death, but not presence at the time of death itself, is associated with better outcomes on measures of depression and complicated grief among bereaved family members of cancer patients.	J Pain Symptom Manage.	54(3)	273-279.	2017
Mizuno A, <u>Yoshida S</u> , Hayashi K.	Not Illness Trajectory but Bayesian-Estimated Rate Model Should Be Appropriately Explained When Discussing Palliative Care in Heart Disease.	J Palliat Med.	20(6)	580-581.	2017
Takeuchi E, Kato M, Wada S, <u>Yoshida S</u> , Shimizu C, Miyoshi Y.	Physicians' practice of discussing fertility preservation with cancer patients and the associated attitudes and barriers.	Supportive Care in Cancer,	25(4)	1-7.	2017

雑誌（日本語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
秋月晶子, 秋月伸哉, 中澤葉宇子, 安保博文, 伊勢雄也, 岡本禎晃, 海津美希子, 品田雄市, 山代亜紀子, 坂下明大, 加藤雅志.	緩和ケアチームセルフチェックプログラムの実施可能性に関する多施設調査.	Palliative Care Research	13(2)	195-200	2018
加藤雅志.	国の動向と担当者として考えていたこと 国の施策と行政の立場からの関わり. ホスピス緩和ケア白書2018.	青海社		pp2-5	2018
加藤雅志.	がん・生殖医療ハンドブック 大須賀 穰 鈴木直 編集 短時間のうちに多くの意思決定を迫られる患者にどう関わる? がん相談支援センターがん専門相談員の立場から.	メディカ出版		pp313-pp318	2017
加藤雅志.	緩和ケアと精神保健. 第6版精神保健福祉士養成セミナー第2巻 精神保健学 精神保健の課題と支援.	へるす出版,		pp164-179,	2017
加藤雅志.	緩和ケアとがん対策基本法	精神科	31(4)	275-280	2017
加藤雅志.	がん診療の地域医療連携の現状 積極的に参加しよう	Medical Practice	Vol.34	24-29	2017
采野優, 森雅紀, 森田達也, 武藤学.	「早期緩和ケア」「オンコロジーと緩和ケアの連携」「がんと診断されたときからの緩和ケア」のちがいを.	緩和ケア	28(1)	5-10	2018
森田達也.	診断時からの緩和ケアを成り立たせる臨床モデルは何か?	緩和ケア	28(1)	11-16	2018
高橋理智, 森田達也, 野里洵子, 服部政治, 上野博司, 岡本禎晃, 伊勢雄也, 佐藤一樹, 宮下光令, 細川豊史.	日本のがん疼痛とオピオイド量の真実 第3回 日本のがん患者の疼痛の頻度とPain Management Indexに関するメタ分析.	緩和ケア	28(1)	42-49	2018
森田達也, 森雅紀.	落としてはいけない! Key article第19回実臨床でどうしたらいいかわからないことを「心理実験」で明らかにする.	緩和ケア	28(1)	56-62	2018
森田達也.	緩和ケア口伝 - 現場で広がるコツと御法度. 眠気にペモリン(とカフェイン).	緩和ケア	28(2)	126-127	2018
森田達也, 十九浦宏明.	落としてはいけない! Key article第20回オキシコンチンの投与開始時にプロクロルペラジンの予防投与は効果がなさそうだ.	緩和ケア	28(2)	130-135	2018

岸野恵, 木澤義之, 佐藤悠子, 宮下光令, 森田達也, 細川豊史.	がん患者が答えやすい痛みの尺度 鎮痛水準測定方法開発のための予備調査 .	ペインクリニック	38(1)	93-98	2017.
森田達也.	落としてはいけないKey article第13回治療効果を測定するのはNRSの変化でいいのか? .	緩和ケア	27(1)	53-57	2017.
森田達也.	落としてはいけないKey article第14回メサドンは神経障害性疼痛に初回治療として経皮フェンタニルよりも有効らしい.	緩和ケア	27(2)	125-129	2017.
五十嵐尚子, 青山真帆, 佐藤一樹, 森田達也, 木澤義之, 恒藤暁, 志真泰夫, 宮下光令.	遺族によるホスピス・緩和ケアの質の評価に関する多施設遺族調査における結果のフィードバックの活用状況.	Palliat Care Res	12(1)	131-139	2017.
日下部明彦, 野里洵子, 平野和恵, 齋藤直裕, 池永恵子, 檜柑富貴子, 結束貴臣, 松浦哲也, 吉見明香, 内藤明美, 沖田将人, 稲森正彦, 山本裕司, 森田達也.	「地域の多職種でつくった死亡診断時の医師の立ち居振る舞いについてのガイドブック」の医学教育に用いた報告	Palliat Care Res	12(1)	906-910,	2017.
森田達也.	落としてはいけないKey article第15回終末期せん妄に抗精神病薬は無効で、生命予後も短くする? .	緩和ケア	27(3)	196-202	2017.
小田切拓也, 森田達也, 伊藤浩明, 山田祐司, 橋本淳, 関本剛, 馬場美華, 成元勝広, 鈴木友宜, 辻村恭江.	ホスピス・緩和ケア病棟から存命退院した患者の退院後の療養場所と死亡確認場所に関する全国調査.	癌の臨床	63(2)	159-165	2017.
青山真帆, 斎藤愛, 菅井真理, 森田達也, 木澤義之, 恒藤暁, 志真泰夫, 宮下光令.	宗教的背景のある施設において患者の望ましい死の達成度が高い理由 全国のホスピス・緩和ケア病棟127施設の遺族調査の結果から .	Palliat Care Res	12(2)	211-220	2017.
森田達也.	落としてはいけないKey article第16回死前喘鳴の薬物療法を考える.	緩和ケア	27(4)	270-275	2017.
佐久間由美, 森田達也.	外来緩和ケアのマネジメントのコツ 「緩和ケア外来」というより、「外来の緩和ケアチーム」.	緩和ケア	27(5)	306-313	2017.
森田達也.	落としてはいけないKey article第17回モルヒネはがんの進行を促進するが、メチルナルトレキソンは抑制する? .	緩和ケア	27(5)	344-347	2017.
児玉麻衣子, 小林美貴, 片山寛次, 田辺公一, 森田達也.	Good Death Scale (GDS) 日本語版訳の作成と言語的妥当性の検討.	Palliat Care Res	12(4)	311-316	2017.

鈴木梢, 森田達也, 田中桂子, 鄭陽, 東有佳里, 五十嵐尚子, 志真泰夫, 宮下光令.	緩和ケア病棟で亡くなったがん患者における補完代替医療の使用実態と家族の体験.	Palliat Care Res	12(4)	731-738	2017.
塩崎麻里子, 三條真紀子, 吉田沙蘭, 平井啓, 宮下光令, 森田達也, 恒藤暁, 志真泰夫.	がん患者遺族の終末期における治療中止の意思決定に対する後悔と心理的対処: 家族は治療中止の何に、どのような理由で後悔しているのか?	Palliat Care Res	12(4)	753-760	2017.
山口崇, 森田達也(企画担当).	呼吸困難~エビデンスはそうだけど、実際はこれもいいよね. 特集にあたって.	緩和ケア	27(6)	376	2017.
森田達也, 小山田隼佑.	落としてはいけないKey article第18回非劣性試験って何? 粘膜吸収性フェンタニルvs. モルヒネ皮下注射.	緩和ケア	27(6)	424-428	2017.
伊藤怜子, 清水恵, 内藤明美, 佐藤一樹, 藤澤大介, 恒藤暁, 森田達也, 宮下光令.	Memorial Symptom Assessment Scale (MSAS)を使用した日本における一般市民を対象とした身体症状・精神症状の有症率と強度、苦痛の程度の現状.	Palliat Care Res	12(4)	761-770	2017.
五十嵐尚子, 木澤義之他	遺族によるホスピス・緩和ケアの質の評価に関する多施設遺族調査における結果のフィードバックの活用状況	Palliative Care Research	12巻1号	131-139	2017
木澤義之, 坂下明大他	緩和ケアとエンド・オブ・ライフ(終末期ケア)	肺癌	57巻	720-722	2017
青山真帆, 木澤義之他	宗教的背景のある施設において患者の望ましい死の達成度が高い理由 全国のホスピス・緩和ケア病棟127 施設の遺族調査の結果から	Palliative Care Research	12巻2号	211-220	2017
木澤義之, 長岡広香	早期緩和ケア介入の意義とアドバンス・ケア・プランニングの実践ポイント	薬局	68巻8号	2786-2791	2017
木澤義之, 山本亮	緩和ケア研修会 PEACE プロジェクトの成果と展望	癌と化学療法	44巻7号	541-544	2017
木澤義之	意思決定支援	日本医師会雑誌	146巻5号	965	2017
木澤義之	【心疾患・COPD・神経疾患の緩和ケア がんと同じで、どこがちがうか】わが国の政策と診療報酬の動向	緩和ケア	27巻6月増刊	8-11	2017
岸野 恵, 木澤義之他	がん患者が答えやすい痛みの尺度 鎮痛水準測定法開発のための予備調査	ペインクリニック	38巻1号	93-98	2017
長岡広香, 木澤義之他	がん診療連携拠点病院のソーシャルワーカー・退院調整看護師から見た緩和ケア病棟転院の障壁	Palliative Care Research	12巻4号	789-799	2017

川越正平	「患者の人生に寄り添い、病院と地域をつなぐ医師」	日本内科学会雑誌	第106巻 第9号	p2054-2057	2017
川越正平	「進行がん患者を看取りまで支える在宅医療」	日本外科学会雑誌	第118巻 第5号	p551-555	2017
川越正平	「在宅医療の現状と課題」	日本内科学会雑誌	第103巻 第12号	p3106-3117	2017
川越正平	「腫瘍内科医とかかりつけ医が伴走する二人主治医制」	Cancer Board Square	Vol.3 no.3		2017
田中結美、福井小紀子	診断から看取りまで(第6回)事例から学ぶ全人的かかわり(1)進行がんと診断を受けた患者における積極的治療の選択時期から始まる看取りまでを見据えた意思決定支援	がん看護	23(1)	69-72	2018
石川孝子、福井小紀子、岡本有子	訪問看護師による終末期がん患者へのアドバンスケアプランニングと希望死亡場所での死亡の実現との関連	日本看護科学学会誌	37	123-131	2017
梅田亜矢、福井小紀子	進行がん患者における意思決定支援とコミュニケーション～診断から看取りまで～【5】：高度看護実践のスキルから学ぶ実践例：コンサルテーションの理論と実践への活用	がん看護	22巻7号	719-725	2017
浅海くるみ、福井小紀子	進行がん患者における意思決定支援とコミュニケーション～診断から看取りまで～【4】：看護師に求められる多職種連携・看看連携を促進するかかわり：高度看護実践のスキルから学ぶ実践例	がん看護	22巻6号	639-644	2017
岡本有子、福井小紀子	進行がん患者における意思決定支援とコミュニケーション～診断から看取りまで～【3】：看護師に求められる診断から看取りまで全体プロセスを見通したかかわり：高度看護実践のスキルから学ぶ実践例	がん看護	22巻5号	527-531	2017
福井小紀子	意思決定支援をすすめるためのコミュニケーションスキル	がん看護	22(4)	439-445	2017
福井小紀子	看護師国試新出題基準：その意図と現場の対応在宅看護論～改定委員の立場から～	看護展望	7増刊号	96-98	2017