

. 研究成果の刊行に関する一覧表

書籍（外国語）

著者氏名	論文タイ トル名	書籍全体の 編集者名	書籍名	出版社名	出版地	出版年	ページ

書籍（日本語）

著者氏名	論文タイ トル名	書籍全体の編 集者名	書籍名	出版社名	出版地	出版年	ページ
加藤雅志, 志真泰夫, 恒藤 晓, 細川豊史, 宮下光令, 山崎章郎		木澤 義之	国の動向と担当者として考えていたこと 国の施策と行政の立場からの関わり.	青海社	東京	2018	pp2-5
加藤雅志			がん・生殖医療ハンドブック 大須賀 穣 鈴木 直 編集 短時間のうちに多くの 意思決定を迫られる患者にどう関わる? がん相談支援センターがん専門相談員 の立場から.	メディカ出版	大阪	2017	pp313-pp318
加藤雅志			緩和ケアと精神保健. 第6版精神保健福祉 士養成セミナー第2巻 精神保健学 精神 保健の課題と支援.	ヘルス出版	東京	2017	pp164-179
加藤雅志			緩和ケアの魔法の言葉. 森田達也 責任編 集 緩和ケア2016年6月増刊号	青海社	東京	2016	pp87-90
加藤雅志			総合病院での緩和ケアチーム. 山本賢司 編著 精神科領域のチーム医療実践マ ニュアル	新興医学出版 社	東京	2016	pp97-113
森田達也, 木澤義之, 梅田恵, 久原幸(編 集).			3ステップ実践緩和ケア〔第2版〕.	青海社,		2018	
森田達也.			終末期の苦痛がなくならない時、何が選択 できるのか? - 苦痛緩和のための鎮静〔セ デーション〕.	医学書院.	東京	2017	
森田達也, 濱口恵子 (編集者)			苦い経験から学ぶ! 緩和医療ピットフォ ールファイル	南江堂	東京	2017	
森田達也.		José L. Pereira (著者), 丹波嘉 一郎, 大中俊宏 (監訳)	Pallium Canada 緩和ケアポケットブック Pallium Palliative Pocketbook Second Edition.	メディカル・ サイエンス・ インターナシ ョナル	東京	2017	
森田達也.		日本がんサポーテ ィブケア学会(編)	がん薬物療法に伴う抹消神経障害マネジ メントの手引き	金原出版	東京	2017	
森田達也<責任編集>			緩和ケアの魔法の言葉 どう声をかけた らいいかわからない時の道標	青海社.	東京	2016	

(原著)森田達也, (譯者)台灣安寧緩和 醫學學會			臨床をながらできる国際水準の研究の まとめ方 - がん緩和ケアではこうする 醫學研究及論文撰寫不求人 - 提供緩和醫 療案例	合記圖書出版 社	台湾新 北市	2016	
森田達也, 木澤義之 (監修), 西智弘, 松本禎久, 森雅紀, 山口崇(編集)			緩和ケアレジデントマニュアル	(株)医学書院	東京	2016	
森田達也(編者)			プロの手の内がわかる! がん疼痛の処方 さじ加減の極意	南山堂	東京	2016	
木澤義之他	小児緩和ケ アの現状と 展望	吉真泰夫 恒藤 晓 細川豊史 宮下光令 山崎章郎	ホスピス緩和ケア白書2017	青海社	東京都	2017年	34-37
井上順一朗, <u>木澤義之</u> 緩和医療の 実際	井上順一朗 神津 玲	理学療法 Mook21 がんの理学療法	三輪書店	東京都	2017年	93-98	
木澤義之他	緩和医療ビ ットフォー ルファイル	森田達也 濱口恵子	緩和医療ピットフォールファイル	南江堂	東京都	2017年	6-78
木澤義之他	緩和医療と 終末期 エン ド・オブ・ラ イフ)ケア	矢崎義雄他	内科学	朝倉書店	東京都	2017年	186-188
木澤義之他	人生の最終 段階を見据 えたアドバ ンス・ケア	長江弘子	「生きる」を考える	日本看護協会 出版会	東京都	2017年	186-196
木澤義之他	わが国の政 策と診療報 酬の動向	木澤義之 矢野和美	心疾患COPD神経疾患の緩和ケア	青海社	東京都	2017年	8-11
木澤義之他	エンド・オ ブ・ライフ ケア	小川朝生 木澤義之 山本 亮	新版 がん緩和ケアガイドブック	青海社	東京都	2017年	95-105
木澤義之他	患者と家族 の意向が異 なるとき	木澤義之 山本 亮 浜野 淳	いのちの終わりにどうかかわるか	医学書院	東京都	2017年	68-73
木澤義之他		木澤義之 山本 亮 浜野 淳	いのちの終わりにどうかかわるか	医学書院	東京都	2017年	全項
森田達也、 <u>木澤義之</u> 、 新城拓也			緩和医療ケースファイル	南江堂	東京	2016	全項

木澤義之他			心肺蘇生に関する望ましい意思決定のあり方に関する研究他 「遺族によるホスピス・緩和ケアの質の評価に関する研究」運営委員会 遺族によるホスピス・緩和ケアの質の評価に関する研究 3	青海社	東京	2016	129-134
森田達也、木澤義之、新城拓也			緩和医療ケースファイル	南江堂	東京	2016	全項
木澤義之他			心肺蘇生に関する望ましい意思決定のあり方に関する研究他 「遺族によるホスピス・緩和ケアの質の評価に関する研究」運営委員会 遺族によるホスピス・緩和ケアの質の評価に関する研究 3	青海社	東京	2016	129-134
森田達也、木澤義之、西智弘、松本禎久、森雅紀、山口崇.			緩和ケアレジデントマニュアル	医学書院	東京		全項
川越正平、編著			「在宅医療バイブル第2版」	日本医事新報社		2018	
川越正平、編著			介護職のための医療とのつきあいかた	メディカ出版	大阪府	2016	
川越正平、編著			介護支援専門員現任研修テキスト専門研修課程	中央法規出版	東京	2016	
川越正平、石山麗子、伊藤重夫、岡田進一、奥田亞由子、落久保裕之、國光登志子、斎藤眞樹、助川未枝保、高岡里佳、橋泰彦、福田弘子、松川達也、水上直彦、渡邊慎一			六訂 介護支援専門員実務研修テキスト 「第10章 ケアマネジメントに必要な医療との連携及び多職種協働の意義」	一般財団法人長寿社会開発センター	東京	2016	607-641
川越正平、山川真理子			介護職のための医療とのつきあいかた	メディカ出版	大阪府	2016	
川越正平、白澤政和、岡田進一、白木裕子、福富昌城			介護支援専門員現任研修テキスト専門研修課程	中央法規出版	東京	2016	
川越正平、白澤政和、岡田進一、白木裕子、福富昌城			介護支援専門員現任研修テキスト主任介護支援専門員更新研修	中央法規出版	東京	2016	
福井小紀子 .			在宅看護論 . 第5章 . 訪問看護の役割と機能	放送大学教育振興会	東京	2017	P66-87

福井小紀子 .			在宅看護論 . 第12章 . 在宅看護における終末期ケア .	放送大学教育振興会	東京	2017	P204-221
苛原 実 , 太田秀樹 , 鷺見よしみ , 福井小紀子	編集委員		「私たちの街で最期まで 求められる在宅医療の姿」公益財団法人在宅医療助成勇美記念財団	日本在宅ケアアライアンス	東京	2017	
山岸暁美			複合的な課題を抱える人々が制度の狭間に落ちている 医療と介護Next Vol12 (6)	メディカ出版	大阪府	2016	

雑誌（外国語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Takeuchi E, Kato M, Miyata K, Suzuki N, Shimizu C, Okada H, Matsunaga N, Shimizu M, Moroi N, Fujisawa D, Mimura M, Miyoshi Y.	The effects of an educational program for non-physician health care providers regarding fertility preservation.	Supportive Care in Cancer.	1- 6.		2018
Nakazawa Y, Yamamoto R, Kato M, Miyashita M, Kizawa Y, Morita T.	Improved Knowledge of and Difficulties in Palliative care among physicians during 2008 and 2015 in Japan: association With a nation-wide palliative care education program.	Cancer.			2017
Nakazawa Y, Kato M, Miyashita M, Morita T, Kizawa Y.	Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015.	J Pain Symptom Manage.		(Epub ahead of print)	2017
Miyoshi Y, Yorifuji T, Horikawa R, Takahashi I, Nagasaki K, Ishiguro H, Fujiwara I, Ito J, Oba M, Fujisaki H, Kato M, Shimizu C, Kato T, Matsumoto K, Sago H, Takimoto T, Okada H, Suzuki N, Yokoya S, Ogata T, Ozono K.	Childbirth and fertility preservation in childhood and adolescent cancer patients: a second national survey of Japanese pediatric endocrinologists.	Clin Pediatr Endocrinol,	26(2)	81-88.	2017
Takeuchi, E., Kato, M., Wada, S., Yoshida, S., Shimizu, C., Miyoshi, Y.	Physicians' practice of discussing fertility preservation with cancer patients and the associated attitudes and barriers.	Supportive Care in Cancer		1-7	2016

Miyoshi Y, Yorifuji T, Horikawa R, Takahashi I, Nagasaki K, Ishiguro H, Fujiwara I, Ito J, Oba M, Kawamoto H, Fujisaki H, Kato M, Shimizu C, Kato T, Matsumoto K, Sago H, Takimoto T, Okada H, Suzuki N, Yokoya S, Ogata T, Ozono K.	Gonadal function, fertility, and reproductive medicine in childhood and adolescent cancer patients: a national survey of Japanese pediatric endocrinologists.	Clin Pediatr Endocrinol		45-57	2016
Nakazawa, Y., <u>Kato, M.</u> , Yoshida, S., Miyashita, M., Morita, T., & Kizawa, Y.	Population-based quality indicators for palliative care programs for cancer patients in Japan: A delphi study.	Journal of Pain and Symptom Management	51(4)	652-661	2016
Nakazato K, Shiozaki M, Hirai K, <u>Morita T</u> , Tatara R, Ichihara K, Sato S, Shimizu M, Tsuneto S, Shima Y, Miyashita M.	Verbal communication of families with cancer patients at end of life: A questionnaire survey with bereaved family members.	Psycho-Oncology	27	155-162	2018
Mori M, Fujimori M, Hamano J, Naito AS, <u>Morita T.</u>	Which physicians' behaviors on death pronouncement affect family-perceived physician compassion? A randomized, scripted, video-vignette study.	J Pain Symptom Manage	55(2)	189-197	2018
Sakashita A, <u>Morita T</u> , Kishimoto M, Aoyama M, Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	Which research questions are important for the bereaved families of palliative care cancer patients? A nationwide survey.	J Pain Symptom Manage	55(2)	379-386	2018
Nakazawa Y, Kato M, Miyashita M, <u>Morita T</u> , Kizawa Y.	Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: An analysis of two nationwide representative surveys in 2008 and 2015.	J Pain Symptom Manage	55(2)	402-412	2018
Minoura T, Takeuchi M, <u>Morita T</u> , Kawakami K.	Practice patterns of medications for patients with malignant bowel obstruction using a nationwide claims database and the association between treatment outcomes and concomitant use of H <sub>2</sub> -blockers/Proton pump inhibitors and corticosteroids with octreotide.	J Pain Symptom Manage	55(2)	413-419	2018
Hamano J, <u>Morita T</u> , Ikenaga M, Abo H, Kizawa Y, Tsuneto S.	A nationwide survey about palliative sedation involving Japanese palliative care specialists: Intentions and key factors used to determine sedation as proportionally appropriate.	J Pain Symptom Manage	55(3)	785-791	2018

Hanada R, Yokomichi N, Kato C, Miki K, Oyama S, <u>Morita T</u> , Kawahara R.	Efficacy and safety of reinfusion of concentrated ascetic fluid for malignant ascites: a concept-proof study.	Support Care Cancer	26(5)	1489-1497	2018
Morita T, Imai K, Yokomichi N, Mori M, Kizawa Y, Tsuneto S.	Continuous deep sedation: A proposal for performing more rigorous empirical research.	J Pain Symptom Manage	53(1)	146-152	2017
Matsuo N, <u>Morita T</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katabayama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramoto S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S.	Predictors of responses to corticosteroids for anorexia in advanced cancer patients: a multicenter prospective observational study.	Support Care Cancer	25(1)	41-50	2017
Miyashita M, Aoyama M, Nakahata M, Yamada Y, Abe M, Yanagihara K, Shirado A, Shutoh M, Okamoto Y, Hamano J, Miyamoto A, Yoshida S, Sato K, Hirai K, <u>Morita T</u> .	Development the care evaluation scale version 2.0: a modified version of are measure for bereaved family members to evaluate the structure and process of palliative care for cancer patient.	BMC Palliat Care	16(1)	8	2017
Fujii A, Yamada Y, Takayama K, Nakano T, Kishimoto J, <u>Morita T</u> , Nakanishi Y.	Longitudinal assessment of pain management with the pain management index in cancer outpatients receiving chemotherapy.	Support Care Cancer	25(3)	925-932	2017
Yamaguchi T, Kuriya M, <u>Morita T</u> , Agar M, Choi YS, Goh C, Lin gegowda KB, Lim R, Liu RK, MacLeod R, Ocampo R, Cheng SY, Phunggrassami T, Nguyen YP, Tsuneto S.	Palliative care development in the Asia-Pacific region: an international survey from the Asia Pacific Hospice Palliative Care Network (APHN).	BMJ Support Palliat Care	7(1)	23-31	2017
Hamano J, Tokuda Y, Kawagoe S, Shinjo T, Shirayama H, Ozawa T, Shishido H, Otomo S, Nagaya J, Baba M, Tei Y, Hiramoto S, Suga A, Hisanaga T, Ishihara T, Iwashita T, Kaneishi K, Kuriyama T, Maeda T, <u>Morita T</u> .	Adding items that assess changes in activities of daily living does not improve the predictive accuracy of the palliative prognostic index.	Palliat Med	31(3)	258-266	2017
Okamoto Y, Tsuneto S, <u>Morita T</u> , Takagi T, Shimizu M, Miyashita M, Uejima E, Shima Y.	Desirable information of opioids for families of patients with terminal cancer: The bereaved family members' experiences and recommendations.	Am J Hosp Palliat Care	34(3)	248-253	2017

Mori M, Shirado AN, <u>Morita T</u> , Okamoto K, Matuda Y, Matsumoto Y, Yamada H, Sakurai H, Aruga E, Kaneishi K, Watanabe H, Yamaguchi T, Odagiri T, Hiramoto S, Kohara H, Matsuo N, Katayama H, Nishi T, Matsui T, Iwase S.	Predictors of response to corticosteroids for dyspnea in advanced cancer patients: a preliminary multicenter prospective observational study.	Support Care Cancer	25(4)	1169-1181	2017
Matsuo N, <u>Morita T</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Kawanishi H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramoto S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S.	Predictors of delirium in corticosteroid-treated patients with advanced cancer: An exploratory, multicenter, prospective, observational study.	J Palliat Med	20(4):	352-359	2017
Yamada T, <u>Morita T</u> , Maeda I, Inoue S, Ikenaga M, Matsumoto Y, Baba M, Sekine R, Yamaguchi T, Hirohashi T, Tajima T, Tatemoto R, Watanabe H, Otani H, Takagi C, Matsuda Y, Ono S, Ozawa T, Yamaoto R, Shishido H, Yamamoto N.	A prospective, multicenter cohort study to validate a simple performance status-based survival prediction system for oncologists.	Cancer	123(8)	1442-1452	2017
Yamamoto S, Arao H, Matsutani E, Aoki M, Kishino M, <u>Morita T</u> , Shima Y, Kizawa Y, Tsuneto S, Aoyama M, Miyashita M.	Decision making regarding the place of end-of-life cancer care: The burden on bereaved families and related factors.	J Pain Symptom Manage	53(5)	862-870	2017
Naito AS, Sakuma Y, Kinoshita H, Ito T, Mimatsu S, Tarumi A, Kiyohara E, <u>Morita T</u> .	Screening using the fifth vital sign in the electronic medical recording system.	Jpn J Clin Oncol	47(5)	430-433	2017
<u>Morita T</u> , Rietjens JA, Imai K, Mori M, Tsuneto S.	Author's reply to rady and verheijde.	J Pain Symptom Manage	53(6)	e12-e13	2017
<u>Morita T</u> , Rietjens JA, Imai K, Mori M, Tsuneto S.	Author's reply to twycross.	J Pain Symptom Manage	53(6)	e15-e16	2017
Amano K, Maeda I, <u>Morita T</u> , Baba M, Miura T, Hama T, Mori I, Nakajima N, Nishi T, Sakurai H, Shimoyama S, Shinjo T, Shirayama H, Yamada T, Ono S, Ozawa T, Yamamoto R, Yamamoto N, Shishido H, Kinoshita H.	C-reactive protein, symptoms and activity of daily living in patients with advanced cancer receiving palliative care.	J Cachexia Sarcomenia Muscle	8(3)	457-465	2017

Yamaguchi T, Maeda I, Hatano Y, Mori M, Shima Y, Tsuneto S, Kizawa Y, <u>Morita T</u> , Yamaguchi T, Aoyama M, Miyashita M.	Effects of end-of-life discussions on the mental health of bereaved family members and quality of patient death and care. J Pain Symptom Manage	J Pain Symptom Manage	54(1)	17-26	2017
Matsuoka H, Ishiki H, Iwase S, Koyama A, Kawaguchi T, Kizawa Y, <u>Morita T</u> , Matsuda Y, Miyajima T, Ariyoshi K, Yamaguchi T.	Study protocol for a multi-institutional, randomized, double-blinded, placebo-controlled phase III trial investigating additive efficacy of duloxetine for neuropathic cancer pain refractory to opioids and gabapentinoids: the DIRECT study.	BMJ Open	7(8)	e017280	2017
Uneno Y, Taneishi K, Kanai M, Okamoto K, Yamamoto Y, Yoshioka A, Hiramoto S, Nozaki A, Nishikawa Y, Yamaguchi D, Tomono T, Nakatsui M, Baba M, <u>Morita T</u> , Matsumoto S, Kuroda T, Okuno T, Muto M.	Development and validation of a set of six adaptable prognosis prediction models (SAP) based on time-series real-world big data analysis for patients with cancer receiving chemotherapy: A multicenter case crossover study.	PLoS One	12(8)	e0183291	2017
Shimizu M, Fujisawa D, Kurihara M, Sato K, <u>Morita T</u> , Kato M, Miyashita M.	Validation study for the brief measure of quality of life and quality of care: A questionnaire for the national random sampling hospital survey.	Am J Hosp Palliat Care	34(7)	622-631	2017
Aoyama M, <u>Morita T</u> , Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	The Japan Hospice and Palliative Care Evaluation Study 3: Study design, characteristics of participants and participating institutions and response rates.	Am J Hosp Palliat Care	34(7)	654-664	2017
Otani H, Yoshida S, <u>Morita T</u> , Aoyama M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M.	Meaningful communication before death, but not preset at the time of death itself, is associated with better outcomes on measures of depression and complicated grief among bereaved family members of cancer patients.	J Pain Symptom Manage	54(3)	273-279	2017
Takahashi R, <u>Morita T</u> , Miyashita M.	Variations in denominators and cut-off points of pain intensity in the pain management index: A methodological systematic review.	J Pain Symptom Manage	54(5)	e1-e4	2017
Hamano J, <u>Morita T</u> , Fukui S, Kizawa Y, Tsuneto S, Shima Y, Kobayakawa M, Aoyama M, Miyashita M.	Trust in physicians, continuity and coordination of care and quality of death in patients with advanced cancer.	J Palliat Med	20(11)	1252-1259	2017

Hatano Y, Aoyama M, <u>Morita T</u> , Yamaguchi T, Maeda I, Kizawa Y, Tsuneto S, Shima Y Miyashita M.	The relationship between cancer patients' place of death and bereaved caregivers' mental health status.	Psychooncology	26(11)	1959-1964	2017
Kobayakawa M, Ogawa A, Konno M, Kurata A, Hamano J, <u>Morita T</u> , Kizawa Y, Tsuneto S, Shima Y, Aoyama M, Miyashita M.	Psychological and psychiatric symptoms of terminally ill patients with cancer and their family caregivers in the home-care setting: A nation-wide survey from the perspective of bereaved family members in Japan.	J Psychosomatic Research	103	127-132	2017
Yamashita R, Arao H, Takao A, Masutani E, <u>Morita T</u> , Shima Y, Kizawa Y, Tsuneto S, Aoyama M, Miyashita M.	Unfinished business in families of terminally ill with cancer patients.	J Pain Symptom Manage	54(6)	861-869	2017
Mori M, Yoshida S, Shiozaki M, Baba M, <u>Morita T</u> , Aoyama M, Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	Talking about death with terminally-ill cancer patients: What contributes to the regret of bereaved family members?	J Pain Symptom Manage	54(6)	853-860	2017
Watanabe YS, Miura T, Okizaki A, Tagami K, Matsumoto Y, Fujimori M, <u>Morita T</u> , Kinoshita H.	Comparison of indicators for achievement of pain control with a personalized pain goal in comprehensive cancer center.	J Pain Symptom Manage.	[Epub ahead of print]	2017	
Aoyama M, Sakaguchi Y, <u>Morita T</u> , Ogawa A, Fujisawa D, Kizawa Y, Tsuneto S, Shima Y, Miyashita M.	Factors associated with possible complicated grief and major depressive disorders. Psychooncology.			[Epub ahead of print]	2017
Imai K, <u>Morita T</u> , Yokomichi N, Mori M, Naito AS, Tsukuura H, Yamauchi T, Kawaguchi T, Fukuda K, Inoue S.	Efficacy of two types of palliative sedation therapy defined using interview protocols: proportional vs. deep sedation.	Support Care Cancer		[Epub ahead of print]	2017
Hanada R, Yokomichi N, Kato C, Miki K, Oyama S, <u>Morita T</u> , Kawahara R.	Efficacy and safety of reinfusion of concentrated ascetic fluid for malignant ascites: a conceptproof study.	Support Care Cancer		[Epub ahead of print]	2017
Mori M, Yoshida S, Shiozaki M, <u>Morita T</u> , Baba M, Aoyama M, Kizawa Y, Tsuneto S, Shima Y Miyashita M.	"What I did for my loved one is more important than whether we talked about death": A nationwide survey of bereaved family members.	J Palliat Med.		[Epub ahead of print]	2017
Shinjo T, <u>Morita T</u> , Kiuchi D, Ikenaga M, Abo H, Maeda S, Tsuneto S, Kizawa Y.	Japanese physicians' experiences of terminally ill patients voluntarily stopping eating and drinking: a national survey.	BMJ Support Palliat Care.		Epub ahead of print]	2017

Tsukuura H, Miyazaki M, <u>Morita T</u> , Sugishita M, Kato H, Murasaki Y, Gyawali B, Kubo Y, Ando M, Kondo M, Yamada K, Hasegawa Y, Ando Y.	Efficacy of prophylactic treatment for oxycodone-induced nausea and vomiting among patients with cancer pain (POINT): A randomized, placebo-controlled, double-blind trial.	Oncologist.		Epub ahead of print]	2017
Hatano Y, <u>Morita T</u> , Otani H, Igarashi N, Shima Y, Miyashita M.	Physician behavior toward death pronouncement in palliative care units.	J Palliat Med.		Epub ahead of print]	2017
Nakazawa Y, Kato M, Yoshida S, Miyashita M, <u>Morita T</u> , Kizawa Y	Population-based quality indicators for palliative care programs for cancer patients in Japan: A Delphi study.	J Pain Symptom Manage	51(4)	652-61	2016
Hamano J, Yamaguchi T, Maeda I, Suga A, Hisanaga T, Ishihara T, Iwashita T, Kaneishi K, Kawaogoe S, Kuriyama T, Maeda T, Mori I, Nakajima N, Nishi T, Sakurai H, Shimoyama S, Shinjo T, Shirayama H, Yamada T, <u>Morita T</u>	Multicenter cohort study on the survival time of cancer patients dying at home or in a hospital: Does place matter?	Cancer	122(9)	1453-1460	2016
Amano K, Maeda I, <u>Morita T</u> , Miura T, Inoue S, Ikenaga M, Matsumoto Y, Baba M, Sekine R, Yamaguchi T, Hirohashi T, Tajimae T, Tatara R, Watanabe H, Otani H, Takigawa C, Matsuda Y, Nagaoaka H, Mori M, Kinoshita H	Clinical implications of C-reactive protein as a prognostic marker in advanced cancer patients in palliative care settings.	J Pain Symptom Manage	51(5)	860-867	2016
Igarashi A, Miyashita M, <u>Morita T</u> , Akizuki N, Akiyama M, Shirahige Y, Sato K, Yamamoto-Mitani N, Eguchi K	Association between bereaved families' sense of security and their experience of death in cancer patients: cross-sectional population-based study.	J Pain Symptom Manage	51(5)	926-932	2016
Aoyama M, <u>Morita T</u> , Kizawa Y, Tsuneto S, Shima Y, Miyashita M	The Japan hospice and palliative care evaluation study 3: study design, characteristics of participants and participating institutions and response rates.	Am J Hosp Palliat Care		[Epub ahead of print]	2016
Morita T, Maeda I, Mori M, Imai K, Tsuneto S	Uniform definition of continuous-deep sedation.	Lancet Oncol	17(6)	e222	2016
Kinoshita S, Miyashita M, <u>Morita T</u> , Sato K, Miyazaki T, shoji A, Chiba Y, Tsuneto S, Shima Y	Changes in perceptions of opioids before and after admission to palliative care units in Japan: Results of a nationwide bereaved family member survey.	Am J Hosp Palliat Care	33(5)	431-438	2016

Kinoshita S, Miyashita M, <u>Morita T</u> , Sato K, Shoji A, Chiba Y, Miyazaki T, Tsuneto S, Shima Y	Japanese bereaved family members' perspectives of palliative care units and palliative care: J-HOPE study results	Am J Hosp Palliat Care	33(5)	425-430	2016
Kobayakawa M, Okumura H, Yamagishi A, <u>Morita T</u> , Kawagoes S, Shimizu M, Ozawa T, An E, Tsuneto S, Shima Y, Miyashita M	Family caregivers require mental health specialists for end-of-life psychosocial problems at home: a nationwide survey in Japan.	Psychooncology	25(6)	641-647	2016
Kusakabe A, Naito AS, Hirano K, Ikenaga K, Saitou N, Mikan H, Okita M, Inamori M, <u>Morita T</u>	Death pronouncements: Recommendations based on a survey of bereaved family members.	J Palliat Med	19(6)	646-651	2016
Kaneishi K, Nishimura K, Sakurai N, Imai K, Matsuo N, Takahashi N, Okamoto K, Suga A, Sano H, Maeda I, Nishina H, Yamaguchi T, <u>Morita T</u> , Iwase S	Use of olanzapine for the relief of nausea and vomiting in patients with advanced cancer: a multicenter survey in Japan.	Support Care Cancer	24(6)	2393-2395	2016
Matsuo N, <u>Morita T</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katayama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramatsu S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S.	Predictors of responses to corticosteroids for cancer-related fatigue in advanced cancer patients: A multicenter, prospective, observational study.	J Pain Symptom Manage	52(1)	64-72	2016
Sato K, Miyashita M, <u>Morita T</u> , Tsuneto S, Shima Y	End-of-life medical treatment in the last two weeks of life in palliative care units in Japan, 2005-2006: A nationwide retrospective cohort survey.	J Palliat Med		[Epub ahead of print]	2016
Hamano J, Tokuda Y, Kawagoe S, Shinjo T, Shirayama H, Ozawa T, Shishido H, Otomo S, Nagayama J, Baba M, Tei Y, Hiramatsu S, Suga A, Hisanaga T, Ishihara T, Iwashita T, Kaneishi K, Kuriyama T, Maeda T, <u>Morita T</u>	Adding items that assess changes in activities of daily living does not improve the predictive accuracy of the palliative prognostic index.	Palliat Med		[Epub ahead of print]	2016
Ohno T, Tamura F, Kikutani T, <u>Morita T</u> , Sumi Y.	Change in food intake status of terminally ill cancer patients during last two weeks of life: A continuous observation.	J Palliat Med	19(8)	879-882	2016
Matsuo N, <u>Morita T</u> , Matsuda Y, Okamoto K, Matsumoto Y, Kaneishi K, Odagiri T, Sakurai H, Katayama H, Mori I, Yamada H, Watanabe H, Yokoyama T, Yamaguchi T, Nishi T, Shirado A, Hiramatsu S, Watanabe T, Kohara H, Shimoyama S, Aruga E, Baba M, Sumita K, Iwase S	Predictors of responses to corticosteroids for anorexia in advanced cancer patients: a multicenter prospective observational study.	Support Care Cancer		[Epub ahead of print]	2016

Jho HJ, Suh SY, Yoon SJ, Lee S, Ahn HY Yamaguchi T, Mori M, Maeda I, Baba M, <u>Morita T</u>	Prospective validation of the objective prognostic score for advanced cancer patients in diverse palliative settings.	J Pain Symptom Manage	52(3)	420-427	2016
Amano K, Maeda I, <u>Morita T</u> , Tatara R, Katayama H, Uno T, Takagi I	Need for nutritional support, eating-related distress and experience of terminally ill patients with cancer: a survey in an inpatient hospice.	BMJ Support Palliat Care	6(3)	373-376	2016
Mori I, Shimada A, Maeda I, Morita T, Tsuneto S	Interspecialty differences in physicians' attitudes, beliefs, and reasons for withdrawing or withholding hypercalcemia treatment in terminally ill patients.	J Palliat Med	19(9)	979-982	2016
Maeda I, Miyashita M, Yamagishi A, Kinoshita H, Shirahige Y, Izumi N, Yamaguchi T Igarashi M, Kato M, <u>Morita T</u>	Changes in relatives' perspectives on quality of death, quality of care, pain relief and caregiving burden before and after a region-based palliative care intervention.	J Pain Symptom Manage		[Epub ahead of print]	2016
Morita T, Naito AS, Aoyama M, Ogawa A, Aizawa I, Morooka R, Katahbed visions: " My deceased mother wahara M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M	Nationwide Japanese survey about deathbed visions: " My deceased mother took me to heaven " .	J Pain Symptom Manage		[Epub ahead of print]	2016
Okuyama T, Kizawa Y, <u>Morita T</u> , Kinoshita H, Uchida M, Shimada A, Naito AS, Akechi T	Current status of distress screening in designated cancer hospitals: A cross-sectional nationwide survey in Japan.	J Natl Compr Canc Netw	14(9)	1098-1104	2016
Hui D, Park M, Liu D, Paiva CE, Suh Sy, <u>Morita T</u> , Bruera E	Clinician prediction of survival versus the palliative prognostic score: Which approach is more accurate?	Eur J Cancer	64	89-95	2016
Morita T, Imai K, Yokomichi N, Mori M, Kizawa Y, Tsuneto S.	Continuous deep sedation: A proposal for performing more rigorous empirical research.	J Pain Symptom Manage		[Epub ahead of print]	2016
Mori M, Nishi T, Nozato J, Matsumoto Y, Miyamoto S, Kizawa Y, <u>Morita T</u>	Unmet learning needs of physicians in specialty training in palliative care: A Japanese nationwide study.	J Palliat Med	19(10)	1074-1079	2016
Yamashita R, <u>Kizawa Y</u> , et al:	Unfinished Business in Families of Terminally Ill With Cancer Patients.	J Pain Symptom Manage.	54(6)	861-869	2017
Aoyama M, <u>Kizawa Y</u> , et al:	The Japan Hospice and Palliative Care Evaluation Study 3: Study Design, Characteristics of Participants and Participating Institutions, and Response Rates.	Am J Hosp Palliat Care.	34(7)	654-664	2017

Mori M, Kizawa Y,et al:	Talking about death with terminally-ill cancer patients: What contributes to the regret of bereaved family members?	J Pain Symptom Manage		Epub ahead of print	2017
Hamano J, Kizawa Y,et al:	Trust in Physicians, Continuity and Coordination of Care, and Quality of Death in Patients with Advanced Cancer	J Palliat Med	20(11)	1252-1259	2017
Hirooka K, <u>Kizawa Y</u> ,et al:	End-of-life experiences of family caregivers of deceased patients with cancer:A nation-wide survey	Psycho Oncology		Epub ahead of print	2017
Momo K, <u>Kizawa Y</u> ,et al:	Assessment of indomethacin oral spray for the treatment of oropharyngeal mucositis-induced pain during anticancer therapy	Supportive Care in Cancer		Epub ahead of print	2017
Otani H, <u>Kizawa Y</u> ,et al:	Meaningful Communication Before Death, but Not Present at the Time of Death Itself, is Associated With Better Outcomes on Measures of Depression and Complicated Grief Among Bereaved Family Members of Cancer Patients	J Pain Symptom Manage	54(3)	273-279	2017
Yamaguchi T, <u>Kizawa Y</u> ,et al:	Effects of End-of-Life Discussions on the Mental Health of Bereaved Family Members and Quality of Patient Death and Care	J Pain Symptom Manage	54 (1)	17-26	2017
Hatano Y, <u>Kizawa Y</u> ,et al:	The relationship between cancer patients' place of death and bereaved caregivers' mental health status	Psycho Oncology	26(11)	1959-1964	2017
Kanoh A, <u>Kizawa Y</u> ,et al:	End-of-life care and discussions in Japanese geriatric health service facilities: A nationwide survey of managing directors' viewpoints	American Journal of Hospice and Palliative Medicine			2017
Miura H, <u>Kizawa Y</u> ,et al:	Benefits of the Japanese version of the advance care planning facilitators education program	Geriatr Gerontol Int		350-352	2017
Yamamoto S, <u>Kizawa Y</u> ,et al:	Decision Making Regarding the Place of End-of-Life Cancer Care: The Burden on Bereaved Families and Related Factors	J Pain Symptom Manage	53 ( 5 )	862-870	2017
Yotani N, <u>Kizawa Y</u> ,et al:	Differences between Pediatricians and Internists in Advance Care Planning for Adolescents with Cancer.	J Pediatr.	182	356-362	2017

Morita T, Kizawa Y,et al:	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research	J Pain Symptom Manage	53(1)	146-152	2017
Yotani N, Kizawa Y,et al:	Advance care planning for adolescent patients with life-threatening neurological conditions: a survey of Japanese paediatric neurologists	BMJ Pediatrics Open		Epub ahead of print	2017
Sakashita A, Kizawa Y,et al:	Which research questions are important for the bereaved families of palliative care cancer patients? A nationwide survey.	J Pain Symptom Manage		Epub ahead of print	2017
Shinjo T, Kizawa Y,et al:	Japanese physicians' experiences of terminally ill patients voluntarily stopping eating and drinking: a national survey	BMJ Support Palliative Care		Epub ahead of print	2017
Kobayakawa M, Kizawa Y,et al:	Psychological and psychiatric symptoms of terminally ill patients with cancer and their family caregivers in the home-care setting: A nation-wide survey from the perspective of bereaved family members in Japan.	J Psychosom Res.	103	127-132	2017
Mori M, Kizawa Y,et al:	"What I Did for My Loved One Is More Important than Whether We Talked About Death": A Nationwide Survey of Bereaved Family Members.	J Palliat Med.		Epub ahead of print	2017
Hamano J, Kizawa Y,et al:	A nationwide survey about palliative sedation involving Japanese palliative care specialists: Intentions and key factors used to determine sedation as proportionally appropriate.	J Pain Symptom Manage.		Epub ahead of print	2017
Kakutani K, Kizawa Y,et al:	Prospective Cohort Study of Performance Status and Activities of Daily Living After Surgery for Spinal Metastasis.	Clin Spine Surg.	30(8)	E1026-E1032	2017
Nakazawa Y, Kizawa Y,et al:	Changes in nurses' knowledge, difficulties, and self-reported practices toward palliative care for cancer patients in Japan: an analysis of two nationwide representative surveys in 2008 and 2015.	J Pain Symptom Manage.		Epub ahead of print	2017

Matsuoka H, Kizawa Y,et al:	Study protocol for a multi-institutional, randomised, double-blinded, placebo-controlled phase III trial investigating additive efficacy of duloxetine for neuropathic cancer pain refractory to opioids and gabapentinoids: the DIRECT study.	BMJ Open.	7(8)	e017280	2017
Miyazaki S, Kizawa Y,et al:	Quality of life and cost-utility of surgical treatment for patients with spinal metastases: prospective cohort study.	Int Orthop.	41(6)	1265-1271	2017
Morita T, Kizawa Y,et al:	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research.	J Pain Symptom Manag.	53(1)	146-152	2017
Aoyama M, Kizawa Y,et al:	Factors associated with possible complicated grief and major depressive disorders	Psycho Oncology		1-7	2017
Yotani N, Kizawa Y, Shintaku H	Differences between pediatricians and internists in advance care planning for adolescents with cancer.	J of Pediatr		(in press)	2016
Morita T, Naito AS, Aoyama M, Ogawa A, Aizawa I, Morooka R, Katahira M, wahara M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M	Nationwide Japanese Survey About Deathbed Visions: "My Deceased Mother Took Me to Heaven"	J Pain Symptom Manage	52(5)	646-654.e5	2016
Kakutani K, Sakai Y, Maeno K, Takada T, Yurube T, Kurakawa T, Miyazaki S, Terashima Y, Ito M, Hara H, Kawamoto T, Ejima Y, Stashasita A, Kiyota N, Kizawa Y, Sasaki R, Akisue T, Minami H, Kuroda R, Kurosaka M, Nishida K	Prospective Cohort Study of Performance Status and Activities of Daily Living After Surgery for Spinal Metastasis.	Clin Spine Surg		[Epub ahead of print]	2016
Morita T, Imai K, Yokomichi N, Mori M, Kizawa Y, Tsuneto S	Continuous Deep Sedation: A Proposal for Performing More Rigorous Empirical Research.	J Pain Symptom Manage		146- 152	2016
Mori M, Nishi T, Nozato J, Matsumoto Y, Miyamoto S, Kizawa Y, Morita T	Unmet Learning Needs of Physicians in Specialty Training in Palliative Care: A Japanese Nationwide Study.	J Palliat Med	19(10)	1074-1079	2016
Okuyama T, Kizawa Y, Morita T, Kinoshita H, Uchida M, Shimada A, Naito AS, Akechi T	Current Status of Distress Screening in Designated Cancer Hospitals: A Cross-Sectional Nationwide Survey in Japan.	J Natl Compr Canc Netw	14(9)	1098-104	2016

Sakashita A, Kishino M, Nakazawa Y, Yotani N, Yamaguchi T, <u>Kizawa Y</u>	How to Manage Hospital-Based Palliative Care Teams Without Full-Time Palliative Care Physicians in Designated Cancer Care Hospitals: A Qualitative Study.	Am J Hosp Palliat Care	33(6)	520-6	2016
Aoyama M, Morita T, <u>Kizawa Y</u> , Tsuneto S, Shima Y, Miyashita M	The Japan Hospice and Palliative Care Evaluation Study 3: Study Design, Characteristics of Participants and Participating Institutions, and Response Rates.	Am J Hosp Palliat Care		[Epub ahead of print]	2016
Nakazawa Y, Kato M, Yoshida S, Miyashita M, Morita T, <u>Kizawa Y</u>	Population-Based Quality Indicators for Palliative Care Programs for Cancer Patients in Japan: A Delphi Study.	J Pain Symptom Manage	51(4)	652-61	2016
Kizawa Y, Yamaguchi T, Yotani N	[Advance Care Planning in Cancer Care].	Gan To Kagaku Ryoho	43(3)	277-80	2016
Amano K, Maeda I, Morita T, Okajima Y, Hama T, Aoyama M, <u>Kizawa Y</u> , Tsuneto S, Shima Y, Miyashita M	Eating-related distress and need for nutritional support of families of advanced cancer patients: a nationwide survey of bereaved family members.	J Cachexia Sarcomenia Muscle		[Epub ahead of print]	2016
Fukui S, Morita T, Yoshiuchi K.	Development of a clinical tool to predict home death of a discharged cancer patient in Japan: a case-control study.	International Journal of Behavioral Medicine.	24(4)	584-592	2017
Hamano J, Morita T, Fukui S, et al.	Trust in physicians, continuity and coordination of care, and quality of death in patients with advanced cancer.	Journal of Palliative Medicine.		[Epub ahead of print]	2017
Fukui S, Morita T, Yoshiuchi K.	Development of a clinical tool to predict home death of a discharged cancer patient in Japan: a case-control study.	International Journal of Behavioral Medicine.		584-592	2017
Hamano J, Morita T, Fukui S, et al.	Trust in physicians, continuity and coordination of care, and quality of death in patients with advanced cancer.	Journal of Palliative Medicine.		[Epub ahead of print]	2017
Fujita J, Fukui S, Ikezaki S, Tsujimura M.	Analysis of team types based on collaborative relationships among doctors, home-visiting nurses, and care managers for effective support of patients in end-of-life home care.	Geriatrics & Gerontology International.			2017
Fukui S, Morita T, Yoshiuchi K	Development of a clinical tool to predict home death of a discharged cancer patient in Japan: a case-control study.	International Journal of Behavioral Medicine		(in press)	2016

Okamoto Y, <u>Fukui S</u> , Yoshiuchi K, Ishikawa T	Do symptoms among home palliative care patients with advanced cancer decide the place of death? Focusing on the presence or absence of symptoms during home care.	J Palliat Med	19(5):	488-95	2016
Okamoto Y, <u>Fukui S</u> , Yoshiuchi K, Ishikawa T	Does symptom control among home palliative care patients with advanced cancer decide place of death? Focusing on changes of symptom intensity during home care.	Journal of Palliative Medicine		(In press)	
Yoshida S, Ogawa C, Shimizu K, Kobayashi M, Inoguchi H, Oshima Y, Dotani C, Nakahara R, Kato M	Japanese physicians' attitudes toward end-of-life discussion with pediatric patients with cancer.	Supportive Care in Cancer,		(in press.)	2018
Otani H, <u>Yoshida S</u> , Morita T, Aoyama M, Kizawa Y, Shima Y, Tsuneto S, Miyashita M.	Meaningful communication prior to death, but not presence at the time of death itself, is associated with better outcomes on measures of depression and complicated grief among bereaved family members of cancer patients.	J Pain Symptom Manage.	54(3)	273-279.	2017
Mizuno A, <u>Yoshida S</u> , Hayashi K.	Not Illness Trajectory but Bayesian-Estimated Rate Model Should Be Appropriately Explained When Discussing Palliative Care in Heart Disease.	J Palliat Med.	20(6)	580-581.	2017
Takeuchi E, Kato M, Wada S, Yoshida S, Shimizu C, Miyoshi Y.	Physicians' practice of discussing fertility preservation with cancer patients and the associated attitudes and barriers.	Supportive Care in Cancer,	25(4)	1-7.	2017
Nakazawa Y, Kato M, <u>Yoshida S</u> , Miyashita M, Morita T, Kizawa Y.	Population-Based Quality Indicators for Palliative Care Programs for Cancer Patients in Japan: A Delphi Study.	J Pain Symptom Manage,	51(4)	652-61.	2016
Mori M, Shimizu C, Ogawa A, Okusaka T, <u>Yoshida S</u> , Morita T	A National Survey to Systematically Identify Factors Associated With Oncologists' Attitudes Toward End-of-Life Discussions: What Determines Timing of End-of-Life Discussions?	Oncologist,	20(11)	1304-11.	2015

## 雑誌（日本語）

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
秋月晶子，秋月伸哉，中澤葉宇子，安保博文，伊勢雄也，岡本禎晃，海津美希子，品田雄市，山代亜紀子，坂下明大， <u>加藤雅志</u> 。	緩和ケアチームセルフチェックプログラムの実施可能性に関する多施設調査。	Palliative Care Research	13(2)	195-200	2018
<u>加藤雅志</u> 。	国の動向と担当者として考えていたこと 国の施策と行政の立場からの関わり。ホスピス緩和ケア白書2018。	青海社		pp2-5	2018
<u>加藤雅志</u> 。	がん・生殖医療ハンドブック 大須賀 穂 鈴木 直 編集 短時間のうちに多くの意思決定を迫られる患者にどう関わる？ がん相談支援センターがん専門相談員の立場から。	メディカ出版		pp313-pp318	2017
<u>加藤雅志</u> 。	緩和ケアと精神保健。第6版精神保健福祉士養成セミナー第2巻 精神保健学 精神保健の課題と支援。	ヘルス出版,		pp164-179,	2017
<u>加藤雅志</u> 。	緩和ケアとがん対策基本法	精神科	31(4)	275-280	2017
<u>加藤雅志</u> 。	がん診療の地域医療連携の現状 積極的に参加しよう	Medical Practice	Vol.34	24-29	2017
采野優，森雅紀， <u>森田達也</u> ，武藤学。	「早期緩和ケア」「オンコロジーと緩和ケアの連携」「がんと診断されたときからの緩和ケア」のちがい。	緩和ケア	28(1)	5-10	2018
<u>森田達也</u> 。	診断時からの緩和ケアを成り立たせる臨床モデルは何か？	緩和ケア	28(1)	11-16	2018
高橋理智，森田達也，野里淳子，服部政治，上野博司，岡本禎晃，伊勢雄也，佐藤一樹，宮下光令，細川豊史。	日本のがん疼痛とオピオイド量の真実 第3回 日本のがん患者の疼痛の頻度とPain Management Indexに関するメタ分析。	緩和ケア	28(1)	42-49	2018
<u>森田達也</u> ，森雅紀。	落としてはいけないKey article第19回実臨床でどうしたらいいかわからないことを「心理実験」で明らかにする。	緩和ケア	28(1)	56-62	2018
<u>森田達也</u> 。	緩和ケア口伝 - 現場で広がるコツと御法度。眠気にペモリン（とカフェイン）。	緩和ケア	28(2)	126-127	2018
<u>森田達也</u> ，十九浦宏明。	落としてはいけないKey article第20回オキシコンチンの投与開始時にプロクロルペラジンの予防投与は効果がなさそうだ。	緩和ケア	28(2)	130-135	2018

岸野恵, 木澤義之, 佐藤悠子, 宮下光令, 森田達也, 細川豊史.	がん患者が答えやすい痛みの尺度 鎮痛水準測定方法開発のための予備調査 .	ペインクリニック	38(1)	93-98	2017.
森田達也.	落としてはいけないKey article第13回治療効果を測定するのはNRSの変化でいいのか?.	緩和ケア	27(1)	53-57	2017.
森田達也.	落としてはいけないKey article第14回メサドンは神経障害性疼痛に初回治療として経皮フェンタニルよりも有効らしい.	緩和ケア	27(2)	125-129	2017.
五十嵐尚子, 青山真帆, 佐藤一樹, 森田達也, 木澤義之, 恒藤暁, 志真泰夫, 宮下光令.	遺族によるホスピス・緩和ケアの質の評価に関する多施設遺族調査における結果のフィードバックの活用状況.	Palliat Care Res	12(1)	131-139	2017.
日下部明彦, 野里洵子, 平野和恵, 斎藤直裕, 池永恵子, 檻柑富貴子, 結束貴臣, 松浦哲也, 吉見明香, 内藤明美, 沖田将人, 稲森正彦, 山本裕司, 森田達也.	「地域の多職種でつくった死亡診断時の医師の立ち居振る舞いについてのガイドブック」の医学教育に用いた報告	Palliat Care Res	12(1)	906-910,	2017.
森田達也.	落としてはいけないKey article第15回終末期せん妄に抗精神病薬は無効で、生命予後も短くする?.	緩和ケア	27(3)	196-202	2017.
小田切拓也, 森田達也, 伊藤浩明, 山田祐司, 橋本淳, 関本剛, 馬場美華, 成元勝広, 鈴木友	ホスピス・緩和ケア病棟から存命退院した患者の退院後の療養場所と死亡確認場所に関する全国調査.	癌の臨床	63(2)	159-165	2017.
青山真帆, 斎藤愛, 菅井真理, 森田達也, 木澤義之, 恒藤暁, 志真泰夫, 宮下光令.	宗教的背景のある施設において患者の望ましい死の達成度が高い理由 全国のホスピス・緩和ケア病棟127施設の遺族調査の結果から .	Palliat Care Res	12(2)	211-220	2017.
森田達也.	落としてはいけないKey article第16回死前喘鳴の薬物療法を考える.	緩和ケア	27(4)	270-275	2017.
佐久間由美, 森田達也.	外来緩和ケアのマネジメントのコツ 「緩和ケア外来」というより、「外来の緩和ケアチーム」.	緩和ケア	27(5)	306-313	2017.
森田達也.	落としてはいけないKey article第17回モルヒネはがんの進行を促進するが、メチルナルトレキソンは抑制する?.	緩和ケア	27(5)	344-347	2017.
児玉麻衣子, 小林美貴, 片山寛次, 田辺公一, 森田達也.	Good Death Scale (GDS) 日本語版訳の作成と言語的妥当性の検討.	Palliat Care Res	12(4)	311-316	2017.
鈴木梢, 森田達也, 田中桂子, 鄭陽, 東有佳里, 五十嵐尚子, 志真泰夫, 宮下光令.	緩和ケア病棟で亡くなったがん患者における補完代替医療の使用実態と家族の体験.	Palliat Care Res	12(4)	731-738	2017.

塙崎麻里子, 三條真紀子, 吉田沙蘭, 平井啓, 宮下光令, 森田達也, 恒藤暁, 志真泰夫.	がん患者遺族の終末期における治療中止の意思決定に対する後悔と心理的対処：家族は治療中止の何に、どのような理由で後悔しているのか？	Palliat Care Res	12(4)	753-760	2017.
山口崇, 森田達也（企画担当）.	呼吸困難～エビデンスはそうだけど、実際はこれもいいよね。特集にあたって。	緩和ケア	27(6)	376	2017.
森田達也, 小山田隼佑.	落としてはいけないKey article第18回非劣性試験って何？粘膜吸収性フェンタニルvs. モルヒネ皮下注射。	緩和ケア	27(6)	424-428	2017.
伊藤怜子, 清水恵, 内藤明美, 佐藤一樹, 藤澤大介, 恒藤暁, 森田達也, 宮下光令.	Memorial Symptom Assessment Scale (MSAS)を使用した日本における一般市民を対象とした身体症状・精神症状の有症率と強度、苦痛の程度の現状。	Palliat Care Res	12(4)	761-770	2017.
高橋理智, 森田達也, 服部政治, 上野博司, 岡本禎晃, 伊勢雄也, 宮下光令, 細川豊史	日本と世界のオピオイド消費量	緩和ケア	26(5)	367-374	2016
森田達也	落としてはいけないKey article第11回「スピリチュアルペイン」に対するランダム化比較試験	緩和ケア	26(5)	379-385	2016
森岡慎一郎, 森雅紀, 鈴木知美, 横道麻理佳, 森田達也	終末期がん患者の感染症診療：何が医療者の意向の差異に繋がるか？	Palliat Care Res	11(4)	241-247	2016
森田達也（企画担当）	そろそろ、メサドン？ 「4段階目」の新規麻薬の実践上のコツ。特集にあたって	緩和ケア	26(6)	404	2016
森田達也, 森雅紀	メサドンとは？ - 基礎知識	緩和ケア	26(6)	405-408	2016
高橋理智, 森田達也, 服部政治, 上野博司, 岡本禎晃, 伊勢雄也, 宮下光令, 細川豊史	日本のがん疼痛とオピオイド量の真実第2回 世界各国と日本のオピオイド消費量に関する研究。日本のがん患者に使用されているオピオイドは本当に少ないのか？	緩和ケア	26(6)	445-451	2016
森田達也	落としてはいけないKey article第12回ステロイドが呼吸困難に効くかを調べたければどうしたいか？	緩和ケア	26(6)	456-461	2016
森田達也.	抗がん治療の中止と意思決定に関わる最新のエビデンス	緩和ケア	26(3)	169-175	2016
森田達也, 野里洵子	落としてはいけないKey article第9回粘膜吸収性フェンタニルはタイトレーションをしなくてもよい？	緩和ケア	26(3)	223-229	2016
森田達也	終末期の鎮静は安楽死なのか？議論再び	がん看護	21(4)	408-411	2016
森田達也	へえ♪ どうして？	緩和ケア	26(4)	46-48	2016

森田達也(企画担当)	苦痛緩和のため鎮静についてのアドバンスドな知識 質の高い実践の土台を得る . 特集にあたつて	緩和ケア	26(4)	248	2016
森田達也, 横道直佑	落としてはいけないKey article第10回トラマドール / コデインはいらないのではないか?	緩和ケア	26(4)	296	2016
森田達也, 奥坂拓志, 清水千佳子	抗がん治療をいつまで続けるか エビデンスの創出・統合から実践へ .	癌と化学療法	43(7)	824-830	2016
森田達也	終末期医療にもエビデンスを 意思決定・施策・鎮静について	月刊保団連	9月号( 1223 )	16-23	2016
森田達也(企画担当)	「その時がいつか」を予測する 余命を推定する確かな方法 . 特集にあたって	緩和ケア	26(5)	322	2016
森田達也	進行がん患者の予後予測指標の全体像と今後の展望 余命の予測はどこまで可能になるか?	緩和ケア	26(5)	323-327	2016
今井堅吾, 森田達也, 森雅紀, 横道直佑, 福田かおり	緩和ケア用Richmond Agitation-Sedation Scale (RASS)日本語版の作成と言語的妥当性の検討	Palliat Care Res	11(4)	331-336	2016
五十嵐尚子, <u>木澤義之</u> 他	遺族によるホスピス・緩和ケアの質の評価に関する多施設遺族調査における結果のフィードバックの活用状況	Palliative Care Research	12巻1号	131-139	2017
木澤義之, 坂下明大他	緩和ケアとエンド・オブ・ライフ(終末期ケア)	肺癌	57巻	720-722	2017
青山真帆, <u>木澤義之</u> 他	宗教的背景のある施設において患者の望ましい死の達成度が高い理由 全国のホスピス・緩和ケア病棟127 施設の遺族調査の結果から	Palliative Care Research	12巻2号	211-220	2017
木澤義之, 長岡広香	早期緩和ケア介入の意義とアドバンス・ケア・プランニングの実践ポイント	薬局	68巻8号	2786-2791	2017
木澤義之, 山本亮	緩和ケア研修会 PEACE プロジェクトの成果と展望	癌と化学療法	44巻7号	541-544	2017
木澤義之	意思決定支援	日本医師会雑誌	146巻5号	965	2017
木澤義之	【心疾患・COPD・神経疾患の緩和ケア がんと何が同じで、どこがちがうか】わが国の政策と診療報酬の動向	緩和ケア	27巻6月増刊	8-11	2017
岸野 恵, <u>木澤義之</u> 他	がん患者が答えやすい痛みの尺度 鎮痛水準測定法開発のための予備調査	ペインクリニック	38巻1号	93-98	2017
長岡広香, <u>木澤義之</u> 他	がん診療連携拠点病院のソーシャルワーカー・退院調整看護師から見た緩和ケア病棟転院の障壁	Palliative Care Research	12巻4号	789-799	2017
木澤義之他	がん薬物療法とアドバンス・ケア・プランニング	癌と化学療法	43巻3号	227-280	2016

木澤義之他	今後のこと話をしあおう	レジデント	9巻7号	96-100	2016
島田麻美,木澤義之	前立腺癌有痛性骨転移患者の疼痛緩和におけるオピオイドの匙加減	薬局	67巻11号	85-90	2016
川越正平	「患者の人生に寄り添い、病院と地域をつなぐ医師」	日本内科学会雑誌	第106巻 第9号	p2054-2057	2017
川越正平	「進行がん患者を看取りまで支える在宅医療」	日本外科学会雑誌	第118巻 第5号	p551-555	2017
川越正平	「在宅医療の現状と課題」	日本内科学会雑誌	第103巻 第12号	p3106-3117	2017
川越正平	「腫瘍内科医とかかりつけ医が伴走する二人主治医制」	Cancer Board Square	Vol.3 no.3		2017
川越正平、秋山正子、小島操、宇都宮宏子	【座談会】「帰って来られる地域」とは?病院 / 在宅の枠を超えて、がん患者さんを支えたい	訪問看護と介護	17(4)	314-423	2015
田中結美、福井小紀子 .	診断から看取りまで(第6回)事例から学ぶ全人的かわり(1)進行がんと診断を受けた患者における積極的治療の選択時期から始まる看取りまでを見据えた意思決定支援 .	がん看護 .	23(1)	69-72	2018
石川孝子 , 福井小紀子 , 岡本有子 .	訪問看護師による終末期がん患者へのアドバンスケアプランニングと希望死亡場所での死亡の実現との関連 .	日本看護科学学会誌 .	37	123-131	2017
梅田亜矢、福井小紀子 .	進行がん患者における意思決定支援とコミュニケーション~診断から看取りまで~【5】:高度看護実践のスキルから学ぶ実践例:コンサルテーションの理論と実践への活用 .	がん看護	22巻7号	719-725	2017
浅海くるみ、福井小紀子 .	進行がん患者における意思決定支援とコミュニケーション~診断から看取りまで~【4】:看護師に求められる多職種連携・看看連携を促進するかかわり:高度看護実践のスキルから学ぶ実践例.	がん看護	22巻6号	639-644	2017
岡本有子、福井小紀子 .	進行がん患者における意思決定支援とコミュニケーション~診断から看取りまで~【3】:看護師に求められる診断から看取りまで全体プロセスを見通したかかわり:高度看護実践のスキルから学ぶ実践例 .	がん看護	22巻5号	527-531	2017
福井小紀子 .	意思決定支援をすすめるためのコミュニケーションスキル .	がん看護	22(4)	439-445	2017
福井小紀子 .	看護師国試新出題基準:その意図と現場の対応 在宅看護論~改定委員の立場から~ .	看護展望 .	7増刊号	96-98.	2017

藤田淳子、福井小紀子、岡本有子	過疎地域における医療・介護関係者の終末期ケアの実態と連携に関する調査	日本公衆衛生学会誌	63(8)	416-423	2016
福井小紀子	エビデンスを作り、人々の役に立つ研究をめざす	看護研究	49(6)	490-493	2016
福井小紀子	機能強化型訪問看護ステーションが地域をつなぐ	訪問看護と介護	21(7)	506-516	2016
福井小紀子	機能強化型ステーションとして“地域”的力を強化する	訪問看護と介護	21(7)	535-542	2016
辻村真由子,福井小紀子,藤田淳子,池崎澄江,乙黒千鶴	“顔の見える関係”ができたあとの多職種連携とは?:各職種と遺族による自由回答から見えてきた連携のポイント	訪問看護と介護	21(3)	224-228	2016
池崎澄江,福井小紀子,藤田淳子,乙黒千鶴,辻村真由子	“顔の見える関係”ができたあとの多職種連携とは?:遺族から見た多職種連携評価	訪問看護と介護	21(2)	148-152	2016
藤田淳子,福井小紀子,乙黒千鶴,池崎澄江,辻村真由子	“顔の見える関係”ができたあとの多職種連携とは?:多職種連携における職種別の特徴	訪問看護と介護	21(1)	62-67	2016